

DELAWARE

2014 Core Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4285	729,169	745	18.9	17.1-20.7	1388	32.6	30.4-34.8	1356	32.8	30.6-35.0	593	12.1	10.7-13.5	203	3.5	02.9-04.1
Male	1751	348,573	310	18.9	16.2-21.6	552	32.3	29.0-35.6	557	33.8	30.5-37.1	240	11.1	08.9-13.3	92	3.7	02.7-04.7
Female	2534	380,597	435	18.9	16.7-21.1	836	32.9	30.4-35.4	799	31.9	29.4-34.4	353	12.9	11.1-14.7	111	3.4	02.6-04.2
White/Non-Hisp	2900	475,843	504	18.8	16.8-20.8	1025	35.5	33.1-37.9	882	31.7	29.3-34.1	348	10.5	08.9-12.1	141	3.5	02.7-04.3
Black or Afr. Am./Non-Hisp	605	143,965	89	18.7	13.8-23.6	143	27.2	21.7-32.7	222	35.8	30.3-41.3	122	14.6	11.3-17.9	29	3.7	01.9-05.5
Oth. Race/Non-Hisp.	118	27,674	28	22.3	11.7-32.9	39	41.7	28.4-55.0	38	26.7	16.7-36.7	7	6.1	00.0-12.4	6	3.2	00.1-06.3
MultiRacial/Non-Hisp.	323	10,324	60	20.5	14.2-26.8	104	33.4	25.8-41.0	94	30.1	22.8-37.4	52	12.6	08.5-16.7	13	3.3	01.1-05.5
Hispanic	247	56,034	42	17.6	11.7-23.5	56	21.0	15.1-26.9	86	35.8	28.4-43.2	53	21.3	15.0-27.6	10	4.3	01.2-07.4
18-24	178	92,520	38	20.4	13.3-27.5	72	41.2	32.4-50.0	51	28.9	21.1-36.7	16	9.2	04.1-14.3	1	0.3	00.0-00.9
25-34	363	119,802	95	25.6	20.1-31.1	108	31.9	25.6-38.2	126	35.1	28.8-41.4	31	6.5	04.0-09.0	3	0.9	00.0-01.9
35-44	425	110,514	93	20.1	15.6-24.6	162	35.4	30.1-40.7	113	30.4	24.7-36.1	44	11.1	07.0-15.2	13	2.9	01.1-04.7
45-54	724	126,617	139	20.8	16.5-25.1	221	30.8	26.5-35.1	234	32.1	27.6-36.6	101	12.7	09.8-15.6	29	3.7	02.1-05.3
55-64	977	120,364	160	15.4	12.7-18.1	331	32.7	29.2-36.2	300	33.7	29.8-37.6	130	11.6	09.1-14.1	56	6.6	04.6-08.6
65+	1552	151,866	204	12.5	10.5-14.5	475	27.9	25.2-30.6	512	35.4	32.3-38.5	262	18.6	15.9-21.3	99	5.6	04.2-07.0
Less Than H.S.	414	98,173	36	11.2	06.9-15.5	59	14.1	09.4-18.8	148	39.7	33.0-46.4	118	25.3	19.4-31.2	53	9.8	06.5-13.1
H.S. or G.E.D.	1270	228,270	162	15.9	12.8-19.0	364	32.8	28.9-36.7	461	35.1	31.4-38.8	216	12.9	10.7-15.1	67	3.2	02.2-04.2
Some Post-H.S.	1037	211,007	175	19.3	15.6-23.0	339	33.8	29.5-38.1	336	33.7	29.6-37.8	138	10.6	08.1-13.1	49	2.6	01.6-03.6
College Graduate	1541	188,788	367	26.2	23.3-29.1	620	41.0	37.7-44.3	403	25.3	22.4-28.2	118	5.8	04.4-07.2	33	1.7	00.9-02.5
Less than \$15,000	371	61,512	38	11.2	06.9-15.5	64	19.0	12.3-25.7	107	32.5	24.7-40.3	108	26.0	19.5-32.5	54	11.3	07.6-15.0
\$15,000- 24,999	660	111,388	75	12.8	09.3-16.3	149	25.8	20.5-31.1	251	38.0	32.7-43.3	132	16.8	13.1-20.5	53	6.6	04.1-09.1
\$25,000- 34,999	373	58,276	43	14.7	08.6-20.8	101	29.7	23.2-36.2	138	35.3	28.6-42.0	67	15.2	10.7-19.7	24	5.1	02.7-07.5
\$35,000- 49,999	504	86,178	72	14.6	10.1-19.1	180	36.1	30.0-42.2	181	37.9	31.8-44.0	62	9.6	06.7-12.5	9	1.7	00.3-03.1
\$50,000- 74,999	561	88,539	115	20.7	16.2-25.2	208	32.5	27.6-37.4	165	33.1	27.6-38.6	62	11.9	07.8-16.0	11	1.7	00.3-03.1
\$75,000+	1095	205,580	283	28.1	24.2-32.0	479	42.5	38.2-46.8	269	24.3	20.6-28.0	50	4.3	02.3-06.3	14	0.8	00.4-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,573	310	18.9	16.2-21.6	552	32.3	29.0-35.6	557	33.8	30.5-37.1	240	11.1	08.9-13.3	92	3.7	02.7-04.7
White/Non-Hisp	1202	225,571	199	17.0	14.1-19.9	409	36.1	32.2-40.0	381	33.4	29.5-37.3	147	9.9	07.4-12.4	66	3.6	02.6-04.6
Black or Afr. Am./Non-Hisp	208	65,784	38	21.8	13.2-30.4	42	24.4	16.2-32.6	75	35.7	26.9-44.5	38	13.3	07.8-18.8	15	4.8	01.9-07.7
Oth. Race/Non-Hisp.	50	12,932	17	36.6	17.2-56.0	21	47.5	26.7-68.3	10	14.3	02.7-25.9	2	1.6	00.0-04.0			
MultiRacial/Non-Hisp.	126	4,391	17	13.8	04.8-22.8	47	39.3	25.4-53.2	35	30.9	18.2-43.6	23	13.6	06.5-20.7	4	2.3	00.0-04.8
Hispanic	116	29,655	25	19.4	11.4-27.4	25	20.0	11.4-28.6	39	37.4	26.4-48.4	22	18.1	09.5-26.7	5	5.1	00.0-10.2
18-24	78	46,656	17	22.4	11.6-33.2	33	40.9	28.4-53.4	22	27.1	16.1-38.1	6	9.6	01.4-17.8			
25-34	137	59,790	36	24.1	15.7-32.5	40	33.6	23.4-43.8	49	36.3	26.5-46.1	10	4.7	01.6-07.8	2	1.3	00.0-03.1
35-44	182	54,112	43	20.2	13.5-26.9	70	34.6	26.4-42.8	48	33.1	24.1-42.1	15	9.7	03.0-16.4	6	2.5	00.0-05.0
45-54	305	61,145	60	20.6	13.3-27.9	95	32.5	25.6-39.4	93	30.9	24.0-37.8	43	11.7	07.6-15.8	14	4.3	01.8-06.8
55-64	402	56,914	64	14.5	10.6-18.4	138	32.6	26.9-38.3	125	36.1	29.8-42.4	48	9.9	06.4-13.4	27	6.9	03.8-10.0
65+	629	67,422	84	12.2	09.3-15.1	172	23.7	19.8-27.6	215	38.1	33.0-43.2	116	19.7	15.2-24.2	42	6.3	03.9-08.7
Less Than H.S.	188	55,354	24	13.6	07.1-20.1	29	15.0	08.1-21.9	63	40.9	31.1-50.7	46	20.8	12.6-29.0	26	9.6	05.1-14.1
H.S. or G.E.D.	509	112,272	66	17.5	12.2-22.8	144	31.0	24.9-37.1	186	36.9	31.0-42.8	90	11.7	08.8-14.6	23	3.0	01.4-04.6
Some Post-H.S.	398	94,651	69	17.6	11.7-23.5	122	35.9	28.8-43.0	136	34.0	27.3-40.7	47	9.6	05.5-13.7	24	2.9	01.5-04.3
College Graduate	647	84,123	148	25.9	21.4-30.4	255	42.0	36.9-47.1	170	24.4	20.1-28.7	56	5.8	03.8-07.8	18	1.9	00.9-02.9
Less than \$15,000	129	27,884	17	11.6	04.7-18.5	25	17.6	07.6-27.6	35	37.1	23.0-51.2	34	22.5	12.3-32.7	18	11.3	05.0-17.6
\$15,000- 24,999	252	48,619	37	16.4	10.3-22.5	50	23.9	15.5-32.3	88	35.3	27.3-43.3	51	14.7	09.2-20.2	26	9.7	05.0-14.4
\$25,000- 34,999	118	21,711	11	12.0	02.6-21.4	33	29.6	18.4-40.8	39	37.3	25.0-49.6	24	14.6	07.9-21.3	11	6.4	02.1-10.7
\$35,000- 49,999	240	46,816	38	17.8	10.9-24.7	77	32.0	23.2-40.8	89	39.0	29.8-48.2	33	10.3	06.0-14.6	3	0.9	00.0-01.9
\$50,000- 74,999	237	39,345	44	17.4	10.9-23.9	77	31.0	23.2-38.8	77	37.9	28.9-46.9	30	11.3	04.4-18.2	9	2.3	00.5-04.1
\$75,000+	534	114,003	124	26.1	20.2-32.0	228	42.2	35.9-48.5	146	26.1	20.8-31.4	28	5.1	01.8-08.4	8	0.6	00.2-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2534	380,597	435	18.9	16.7-21.1	836	32.9	30.4-35.4	799	31.9	29.4-34.4	353	12.9	11.1-14.7	111	3.4	02.6-04.2
White/Non-Hisp	1698	250,272	305	20.4	17.9-22.9	616	35.0	32.1-37.9	501	30.1	27.2-33.0	201	11.1	09.1-13.1	75	3.4	02.4-04.4
Black or Afr. Am./Non-Hisp	397	78,181	51	16.1	10.6-21.6	101	29.6	22.3-36.9	147	35.8	28.9-42.7	84	15.7	11.4-20.0	14	2.8	00.8-04.8
Oth. Race/Non-Hisp.	68	14,742	11	9.8	02.2-17.4	18	36.6	19.5-53.7	28	37.5	22.6-52.4	5	10.1	00.0-21.5	6	6.0	00.3-11.7
MultiRacial/Non-Hisp.	197	5,933	43	25.5	17.3-33.7	57	29.1	20.7-37.5	59	29.5	21.1-37.9	29	11.9	06.8-17.0	9	4.0	00.7-07.3
Hispanic	131	26,379	17	15.5	06.7-24.3	31	22.2	14.2-30.2	47	34.1	24.1-44.1	31	25.0	15.8-34.2	5	3.3	00.2-06.4
18-24	100	45,864	21	18.5	09.7-27.3	39	41.4	29.1-53.7	29	30.7	19.3-42.1	10	8.8	02.5-15.1	1	0.6	00.0-01.8
25-34	226	60,012	59	27.2	20.3-34.1	68	30.2	23.1-37.3	77	34.0	26.4-41.6	21	8.2	04.5-11.9	1	0.4	00.0-01.2
35-44	243	56,402	50	20.1	14.0-26.2	92	36.2	29.3-43.1	65	27.9	21.0-34.8	29	12.4	07.7-17.1	7	3.4	00.7-06.1
45-54	419	65,472	79	21.1	15.8-26.4	126	29.2	23.9-34.5	141	33.1	27.4-38.8	58	13.5	09.6-17.4	15	3.1	01.1-05.1
55-64	575	63,450	96	16.1	12.4-19.8	193	32.8	28.3-37.3	175	31.5	26.8-36.2	82	13.2	09.7-16.7	29	6.4	03.7-09.1
65+	923	84,444	120	12.8	10.1-15.5	303	31.3	27.6-35.0	297	33.2	29.3-37.1	146	17.7	14.2-21.2	57	5.0	03.2-06.8
Less Than H.S.	226	42,819	12	8.0	02.9-13.1	30	12.9	06.8-19.0	85	38.0	29.4-46.6	72	31.0	22.8-39.2	27	10.0	05.3-14.7
H.S. or G.E.D.	761	115,998	96	14.4	10.7-18.1	220	34.6	29.5-39.7	275	33.4	28.9-37.9	126	14.0	11.1-16.9	44	3.5	02.1-04.9
Some Post-H.S.	639	116,356	106	20.7	16.2-25.2	217	32.1	27.0-37.2	200	33.5	28.2-38.8	91	11.4	08.5-14.3	25	2.3	00.9-03.7
College Graduate	894	104,665	219	26.4	22.7-30.1	365	40.2	35.9-44.5	233	26.0	22.1-29.9	62	5.8	04.0-07.6	15	1.6	00.6-02.6
Less than \$15,000	242	33,628	21	11.0	05.3-16.7	39	20.1	11.3-28.9	72	28.6	21.0-36.2	74	28.9	20.9-36.9	36	11.3	06.6-16.0
\$15,000- 24,999	408	62,769	38	10.0	06.1-13.9	99	27.3	20.6-34.0	163	40.1	33.0-47.2	81	18.3	13.0-23.6	27	4.3	02.1-06.5
\$25,000- 34,999	255	36,565	32	16.2	08.4-24.0	68	29.7	21.9-37.5	99	34.1	26.5-41.7	43	15.6	09.7-21.5	13	4.4	01.7-07.1
\$35,000- 49,999	264	39,362	34	10.8	05.5-16.1	103	41.0	33.0-49.0	92	36.7	28.9-44.5	29	8.8	04.9-12.7	6	2.7	00.0-05.6
\$50,000- 74,999	324	49,195	71	23.4	17.3-29.5	131	33.8	27.5-40.1	88	29.3	22.4-36.2	32	12.4	07.5-17.3	2	1.2	00.0-03.2
\$75,000+	561	91,577	159	30.6	25.3-35.9	251	42.9	37.0-48.8	123	22.2	17.3-27.1	22	3.3	01.5-05.1	6	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4178	716,676	2727	67.7	65.7-69.7	382	9.6	08.2-11.0	381	8.9	07.7-10.1	328	7.0	05.8-08.2	360	6.9	05.9-07.9	
Male	1720	344,386	1161	70.2	67.1-73.3	152	10.1	07.7-12.5	131	7.0	05.4-08.6	127	6.0	04.2-07.8	149	6.6	05.2-08.0	
Female	2458	372,289	1566	65.4	62.9-67.9	230	9.2	07.6-10.8	250	10.6	08.8-12.4	201	7.8	06.4-09.2	211	7.1	05.9-08.3	
White/Non-Hisp	2832	468,105	1859	67.4	65.0-69.8	280	10.7	08.9-12.5	249	8.8	07.4-10.2	198	6.5	05.1-07.9	246	6.6	05.6-07.6	
Black or Afr. Am./Non-Hisp	582	140,887	363	67.3	62.0-72.6	48	8.9	05.4-12.4	66	9.6	06.7-12.5	53	7.1	04.6-09.6	52	7.1	04.6-09.6	
Oth. Race/Non-Hisp.	112	26,410	77	75.2	64.8-85.6	7	3.8	00.5-07.1	11	8.1	02.0-14.2	7	4.4	00.3-08.5	10	8.5	01.2-15.8	
MultiRacial/Non-Hisp.	318	10,168	202	67.0	59.9-74.1	28	7.2	03.9-10.5	28	9.1	04.6-13.6	35	9.9	05.2-14.6	25	6.8	03.9-09.7	
Hispanic	246	56,151	165	66.2	58.8-73.6	15	6.5	02.4-10.6	21	8.7	04.0-13.4	23	10.2	05.5-14.9	22	8.4	04.3-12.5	
18-24	177	91,922	132	74.7	67.1-82.3	15	10.4	04.5-16.3	17	8.1	03.6-12.6	11	5.7	02.0-09.4	2	1.1	00.0-02.9	
25-34	361	119,593	265	75.7	70.4-81.0	34	10.0	05.9-14.1	36	9.2	05.9-12.5	15	2.8	01.2-04.4	11	2.4	00.8-04.0	
35-44	419	109,770	278	67.5	62.0-73.0	53	11.3	07.8-14.8	34	7.3	04.6-10.0	29	8.2	04.3-12.1	25	5.7	03.3-08.1	
45-54	709	124,141	432	62.0	57.5-66.5	83	10.9	08.2-13.6	71	9.9	07.2-12.6	60	8.4	05.9-10.9	63	8.9	06.2-11.6	
55-64	964	118,579	609	62.8	58.9-66.7	83	8.0	05.8-10.2	93	9.4	07.0-11.8	74	7.9	05.5-10.3	105	11.9	09.2-14.6	
65+	1487	145,824	967	65.2	61.9-68.5	109	8.0	05.8-10.2	128	9.3	07.1-11.5	134	8.1	06.3-09.9	149	9.4	07.4-11.4	
Less Than H.S.	386	94,921	227	62.8	56.1-69.5	16	4.1	01.7-06.5	31	8.2	04.5-11.9	52	12.9	07.8-18.0	60	12.1	08.2-16.0	
H.S. or G.E.D.	1235	223,945	788	69.6	66.1-73.1	100	8.5	06.1-10.9	125	8.9	06.9-10.9	99	6.4	04.6-08.2	123	6.7	05.1-08.3	
Some Post-H.S.	1009	207,643	653	66.2	62.1-70.3	94	11.3	08.2-14.4	88	9.5	07.0-12.0	78	5.9	04.1-07.7	96	7.1	05.1-09.1	
College Graduate	1526	187,245	1040	69.5	66.6-72.4	171	11.8	09.6-14.0	136	8.6	06.8-10.4	99	5.8	04.4-07.2	80	4.2	03.0-05.4	
Less than \$15,000	346	59,291	164	50.2	42.2-58.2	21	7.7	03.6-11.8	35	8.6	04.5-12.7	57	17.2	10.9-23.5	69	16.3	11.6-21.0	
\$15,000- 24,999	640	108,551	375	61.1	55.6-66.6	45	8.5	04.8-12.2	72	11.6	08.1-15.1	69	8.4	05.9-10.9	79	10.5	07.4-13.6	
\$25,000- 34,999	359	56,809	229	68.6	62.1-75.1	28	8.8	04.1-13.5	32	6.8	03.9-09.7	36	8.8	05.3-12.3	34	7.0	04.1-09.9	
\$35,000- 49,999	499	85,201	336	72.4	67.3-77.5	46	8.0	05.1-10.9	47	8.2	05.1-11.3	41	6.5	04.0-09.0	29	5.0	02.8-07.2	
\$50,000- 74,999	559	88,416	378	66.2	60.7-71.7	55	9.4	05.7-13.1	53	10.9	07.4-14.4	29	5.6	02.7-08.5	44	7.8	04.7-10.9	
\$75,000+	1089	205,042	790	74.2	70.5-77.9	137	11.5	09.0-14.0	79	6.8	04.8-08.8	42	4.3	02.1-06.5	41	3.1	01.9-04.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1720	344,386	1161	70.2	67.1-73.3	152	10.1	07.7-12.5	131	7.0	05.4-08.6	127	6.0	04.2-07.8	149	6.6	05.2-08.0
White/Non-Hisp	1181	222,863	795	69.3	65.6-73.0	111	11.7	08.8-14.6	95	7.4	05.4-09.4	72	5.3	03.3-07.3	108	6.3	04.7-07.9
Black or Afr. Am./Non-Hisp	201	64,563	138	70.8	62.6-79.0	16	9.3	03.8-14.8	13	5.3	02.0-08.6	18	7.5	03.0-12.0	16	7.1	02.8-11.4
MultiRacial/Non-Hisp.	127	4,401	77	66.8	55.2-78.4	13	7.0	02.5-11.5	9	5.6	00.7-10.5	19	15.3	06.3-24.3	9	5.4	01.5-09.3
Hispanic	114	29,571	76	66.4	55.8-77.0	8	5.5	01.6-09.4	10	10.4	02.4-18.4	8	7.2	01.9-12.5	12	10.5	03.8-17.2
18-24	78	46,656	60	74.6	63.2-86.0	9	12.3	03.5-21.1	6	9.4	02.1-16.7	3	3.7	00.0-08.4			
25-34	138	59,965	105	78.5	70.3-86.7	15	12.1	04.8-19.4	11	5.5	02.0-09.0	2	0.9	00.0-02.5	5	2.9	00.2-05.6
35-44	180	53,881	122	69.0	60.4-77.6	23	12.2	06.7-17.7	10	4.4	01.3-07.5	14	9.2	02.3-16.1	11	5.2	01.7-08.7
45-54	299	60,145	195	67.5	60.6-74.4	29	9.2	05.5-12.9	23	6.6	03.5-09.7	23	6.6	02.9-10.3	29	10.0	05.3-14.7
55-64	394	55,826	261	66.2	60.1-72.3	33	7.0	03.9-10.1	35	8.9	05.4-12.4	21	6.6	02.5-10.7	44	11.3	07.4-15.2
65+	615	65,557	409	66.0	60.9-71.1	41	8.6	04.7-12.5	45	7.8	05.1-10.5	61	8.7	06.2-11.2	59	8.9	06.0-11.8
Less Than H.S.	181	54,095	115	65.2	55.6-74.8	5	3.1	00.2-06.0	15	8.4	03.1-13.7	23	13.6	05.6-21.6	23	9.7	04.8-14.6
H.S. or G.E.D.	499	110,713	337	74.2	69.1-79.3	41	9.1	05.2-13.0	35	5.3	03.1-07.5	40	5.4	03.0-07.8	46	6.0	03.8-08.2
Some Post-H.S.	389	93,684	256	67.1	60.2-74.0	38	13.5	07.8-19.2	27	7.8	04.3-11.3	24	3.5	01.7-05.3	44	8.2	04.9-11.5
College Graduate	642	83,722	446	71.7	67.2-76.2	67	11.7	08.2-15.2	54	7.8	05.3-10.3	40	5.0	03.2-06.8	35	3.8	02.2-05.4
Less than \$15,000	122	27,065	66	52.9	39.4-66.4	10	11.0	03.4-18.6	4	1.1	00.0-02.5	22	20.3	08.7-31.9	20	14.7	07.1-22.3
\$15,000- 24,999	246	47,507	141	58.3	49.5-67.1	16	9.1	02.6-15.6	27	13.3	06.6-20.0	25	6.1	03.2-09.0	37	13.2	07.7-18.7
\$25,000- 34,999	113	21,227	71	64.1	51.9-76.3	10	12.7	01.9-23.5	10	8.0	02.1-13.9	13	10.2	03.5-16.9	9	4.9	01.4-08.4
\$35,000- 49,999	237	46,299	167	78.7	72.4-85.0	17	5.3	02.4-08.2	18	7.3	03.0-11.6	22	5.5	02.8-08.2	13	3.2	01.2-05.2
\$50,000- 74,999	235	39,207	156	66.5	57.7-75.3	22	11.0	03.9-18.1	20	6.7	03.2-10.2	9	3.8	00.5-07.1	28	12.1	05.8-18.4
\$75,000+	530	113,613	399	77.7	72.6-82.8	59	10.7	07.0-14.4	34	5.6	03.2-08.0	19	3.9	00.8-07.0	19	2.2	00.8-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2458	372,289	1566	65.4	62.9-67.9	230	9.2	07.6-10.8	250	10.6	08.8-12.4	201	7.8	06.4-09.2	211	7.1	05.9-08.3
White/Non-Hisp	1651	245,242	1064	65.7	62.8-68.6	169	9.8	08.0-11.6	154	10.1	07.9-12.3	126	7.5	05.9-09.1	138	6.9	05.5-08.3
Black or Afr. Am./Non-Hisp	381	76,324	225	64.3	57.6-71.0	32	8.6	04.1-13.1	53	13.2	08.9-17.5	35	6.8	03.9-09.7	36	7.0	04.1-09.9
Oth. Race/Non-Hisp.	63	13,559	37	61.6	45.3-77.9	5	5.3	00.0-11.2	9	11.8	02.2-21.4	5	7.7	00.1-15.3	7	13.6	00.7-26.5
MultiRacial/Non-Hisp.	191	5,768	125	67.2	58.4-76.0	15	7.3	02.6-12.0	19	11.7	05.0-18.4	16	5.8	01.3-10.3	16	8.0	03.7-12.3
Hispanic	132	26,580	89	65.9	55.5-76.3	7	7.7	00.4-15.0	11	6.9	02.6-11.2	15	13.5	05.5-21.5	10	6.0	01.9-10.1
18-24	99	45,266	72	74.8	64.4-85.2	6	8.5	00.9-16.1	11	6.7	01.8-11.6	8	7.7	02.0-13.4	2	2.3	00.0-06.0
25-34	223	59,628	160	72.8	65.9-79.7	19	7.8	03.9-11.7	25	13.0	07.3-18.7	13	4.7	02.0-07.4	6	1.8	00.2-03.4
35-44	239	55,889	156	66.0	58.9-73.1	30	10.5	06.4-14.6	24	10.1	05.6-14.6	15	7.2	02.9-11.5	14	6.2	02.9-09.5
45-54	410	63,996	237	56.8	50.7-62.9	54	12.4	08.7-16.1	48	12.9	08.6-17.2	37	10.1	06.4-13.8	34	7.8	04.7-10.9
55-64	570	62,753	348	59.8	54.9-64.7	50	8.9	06.0-11.8	58	9.8	06.9-12.7	53	9.1	06.2-12.0	61	12.4	08.9-15.9
65+	872	80,268	558	64.5	60.4-68.6	68	7.6	05.4-09.8	83	10.5	07.4-13.6	73	7.7	05.5-09.9	90	9.7	07.2-12.2
Less Than H.S.	205	40,826	112	59.5	50.7-68.3	11	5.4	01.5-09.3	16	7.9	02.6-13.2	29	11.9	07.0-16.8	37	15.2	08.9-21.5
H.S. or G.E.D.	736	113,232	451	65.0	60.3-69.7	59	7.8	05.1-10.5	90	12.4	09.1-15.7	59	7.4	04.9-09.9	77	7.3	05.3-09.3
Some Post-H.S.	620	113,959	397	65.5	60.4-70.6	56	9.4	06.1-12.7	61	10.9	07.4-14.4	54	7.9	05.2-10.6	52	6.3	04.1-08.5
College Graduate	884	103,524	594	67.8	63.9-71.7	104	11.9	09.2-14.6	82	9.2	06.7-11.7	59	6.5	04.3-08.7	45	4.6	02.8-06.4
Less than \$15,000	224	32,226	98	47.8	38.4-57.2	11	4.9	01.0-08.8	31	15.0	07.7-22.3	35	14.6	08.7-20.5	49	17.6	11.5-23.7
\$15,000- 24,999	394	61,045	234	63.3	56.4-70.2	29	7.9	03.4-12.4	45	10.3	06.6-14.0	44	10.1	06.4-13.8	42	8.4	04.7-12.1
\$25,000- 34,999	246	35,582	158	71.3	64.2-78.4	18	6.5	03.2-09.8	22	6.1	02.8-09.4	23	7.9	03.8-12.0	25	8.2	04.1-12.3
\$35,000- 49,999	262	38,902	169	64.9	57.3-72.5	29	11.2	05.9-16.5	29	9.2	04.9-13.5	19	7.6	03.3-11.9	16	7.2	03.1-11.3
\$50,000- 74,999	324	49,209	222	66.0	58.9-73.1	33	8.1	04.8-11.4	33	14.3	08.6-20.0	20	7.1	02.6-11.6	16	4.5	01.8-07.2
\$75,000+	559	91,429	391	70.0	64.7-75.3	78	12.5	09.0-16.0	45	8.4	05.1-11.7	23	4.9	02.4-07.4	22	4.2	02.2-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4203	714,412	3041	69.7	67.5-71.9	252	6.5	05.3-07.7	344	9.8	08.4-11.2	328	8.2	07.0-09.4	238	5.8	04.8-06.8
Male	1717	341,993	1307	73.3	70.2-76.4	90	6.5	04.5-08.5	117	7.8	05.8-09.8	119	7.3	05.3-09.3	84	5.1	03.5-06.7
Female	2486	372,418	1734	66.4	63.7-69.1	162	6.5	04.9-08.1	227	11.5	09.5-13.5	209	9.1	07.3-10.9	154	6.5	05.1-07.9
White/Non-Hisp	2839	466,021	2054	69.2	66.7-71.7	180	6.5	05.1-07.9	229	9.6	07.8-11.4	215	8.2	06.6-09.8	161	6.6	05.2-08.0
Black or Afr. Am./Non-Hisp	594	140,509	433	71.4	65.9-76.9	30	7.4	03.5-11.3	55	10.8	06.9-14.7	47	6.9	04.4-09.4	29	3.5	01.9-05.1
Oth. Race/Non-Hisp.	116	27,257	87	72.1	58.6-85.6	5	3.5	00.0-07.8	9	9.0	00.2-17.8	8	11.4	00.0-23.4	7	4.0	00.7-07.3
MultiRacial/Non-Hisp.	320	10,277	227	67.9	60.6-75.2	17	6.2	02.5-09.9	23	8.3	04.4-12.2	32	10.1	05.4-14.8	21	7.6	03.5-11.7
Hispanic	246	55,589	175	68.1	60.7-75.5	16	7.2	02.7-11.7	21	8.9	04.2-13.6	17	9.6	04.3-14.9	17	6.1	03.0-09.2
18-24	176	91,831	107	58.7	49.9-67.5	21	13.6	06.9-20.3	28	16.1	09.4-22.8	13	7.1	02.6-11.6	7	4.6	00.9-08.3
25-34	357	116,023	237	66.8	60.5-73.1	24	5.9	02.8-09.0	42	11.9	07.6-16.2	42	12.3	07.8-16.8	12	3.1	00.9-05.3
35-44	416	108,843	265	64.2	58.5-69.9	31	6.6	04.1-09.1	39	11.0	06.7-15.3	39	8.7	05.4-12.0	42	9.5	06.2-12.8
45-54	711	124,771	470	69.8	65.7-73.9	41	5.3	03.1-07.5	72	9.8	07.3-12.3	69	7.8	05.6-10.0	59	7.2	05.0-09.4
55-64	961	117,245	672	71.3	67.6-75.0	68	6.7	04.7-08.7	74	6.3	04.5-08.1	83	9.2	06.5-11.9	64	6.6	04.6-08.6
65+	1520	148,594	1240	80.9	78.4-83.4	65	3.5	02.5-04.5	85	6.3	04.7-07.9	79	5.1	03.7-06.5	51	4.2	02.6-05.8
Less Than H.S.	392	93,796	257	65.3	58.8-71.8	14	5.1	01.6-08.6	34	7.2	04.3-10.1	47	11.2	06.9-15.5	40	11.3	07.0-15.6
H.S. or G.E.D.	1247	223,019	894	69.6	65.7-73.5	68	6.2	03.8-08.6	104	9.8	07.3-12.3	98	8.4	06.0-10.8	83	6.0	04.2-07.8
Some Post-H.S.	1019	207,804	740	68.5	64.2-72.8	51	5.8	03.4-08.2	85	11.0	07.7-14.3	90	9.7	07.0-12.4	53	5.0	03.2-06.8
College Graduate	1522	186,861	1133	73.2	70.3-76.1	119	8.5	06.7-10.3	119	9.8	07.6-12.0	91	4.9	03.5-06.3	60	3.6	02.4-04.8
Less than \$15,000	356	59,726	197	53.7	45.7-61.7	12	3.9	00.4-07.4	44	12.6	07.1-18.1	56	13.9	08.8-19.0	47	15.8	10.1-21.5
\$15,000- 24,999	647	109,455	441	64.9	59.4-70.4	32	5.7	02.4-09.0	53	8.9	05.6-12.2	76	13.1	09.4-16.8	45	7.4	04.5-10.3
\$25,000- 34,999	364	57,162	239	66.9	60.2-73.6	24	5.0	02.5-07.5	37	11.5	07.0-16.0	36	8.6	05.3-11.9	28	8.1	03.6-12.6
\$35,000- 49,999	500	83,306	367	68.6	62.5-74.7	43	8.6	05.3-11.9	39	12.1	06.8-17.4	30	5.6	03.1-08.1	21	5.1	02.4-07.8
\$50,000- 74,999	554	87,436	414	71.6	66.1-77.1	38	8.5	04.8-12.2	38	7.1	04.4-09.8	41	8.9	05.0-12.8	23	3.8	01.8-05.8
\$75,000+	1087	204,347	829	73.1	69.0-77.2	81	7.6	05.2-10.0	90	10.6	07.5-13.7	54	5.8	03.4-08.2	33	2.9	01.5-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	341,993	1307	73.3	70.2-76.4	90	6.5	04.5-08.5	117	7.8	05.8-09.8	119	7.3	05.3-09.3	84	5.1	03.5-06.7
White/Non-Hisp	1180	221,948	900	72.8	69.1-76.5	65	6.6	04.4-08.8	81	8.3	05.9-10.7	73	6.5	04.5-08.5	61	5.9	03.9-07.9
Black or Afr. Am./Non-Hisp	202	63,320	158	74.2	65.4-83.0	8	7.5	01.4-13.6	12	8.0	01.7-14.3	19	7.8	03.5-12.1	5	2.5	00.0-05.0
MultiRacial/Non-Hisp.	124	4,356	90	70.4	58.8-82.0	6	5.7	00.0-11.4	9	7.6	02.1-13.1	12	12.6	03.8-21.4	7	3.8	00.7-06.9
Hispanic	115	29,646	83	72.5	62.5-82.5	8	8.7	01.3-16.1	9	6.3	01.8-10.8	5	5.1	00.0-10.2	10	7.3	02.4-12.2
18-24	78	46,656	52	66.3	54.1-78.5	9	15.6	05.6-25.6	9	9.0	02.1-15.9	5	4.6	00.1-09.1	3	4.6	00.0-09.9
25-34	136	58,234	90	64.9	54.7-75.1	12	8.1	02.6-13.6	12	10.7	03.8-17.6	16	12.0	04.7-19.3	6	4.4	00.3-08.5
35-44	178	53,537	121	69.1	60.5-77.7	15	6.1	02.8-09.4	14	10.2	03.3-17.1	16	8.3	03.0-13.6	12	6.3	02.4-10.2
45-54	299	60,139	221	78.6	73.3-83.9	10	3.1	00.9-05.3	28	8.0	04.7-11.3	21	5.1	02.6-07.6	19	5.3	02.4-08.2
55-64	392	54,998	294	75.3	69.6-81.0	24	6.2	03.1-09.3	23	4.1	02.1-06.1	26	8.6	04.1-13.1	25	5.8	03.1-08.5
65+	618	66,074	518	82.2	78.1-86.3	19	2.6	01.2-04.0	29	5.6	03.2-08.0	34	5.3	03.1-07.5	18	4.3	01.4-07.2
Less Than H.S.	180	53,923	118	64.4	54.8-74.0	9	8.1	02.0-14.2	17	6.8	02.9-10.7	18	9.6	03.5-15.7	18	11.2	05.1-17.3
H.S. or G.E.D.	502	109,508	369	73.2	67.3-79.1	25	4.7	02.0-07.4	42	9.1	05.4-12.8	39	7.6	03.9-11.3	27	5.4	02.7-08.1
Some Post-H.S.	389	93,041	291	73.1	66.4-79.8	20	7.5	03.0-12.0	28	7.5	03.0-12.0	32	8.6	04.9-12.3	18	3.3	01.3-05.3
College Graduate	637	83,349	522	79.2	74.7-83.7	36	6.9	04.4-09.4	30	7.5	04.0-11.0	30	4.0	02.2-05.8	19	2.4	01.0-03.8
Less than \$15,000	125	27,331	76	58.6	45.3-71.9	3	5.6	00.0-13.0	13	8.7	02.2-15.2	21	13.3	04.9-21.7	12	13.7	04.5-22.9
\$15,000- 24,999	249	47,841	172	68.0	59.6-76.4	13	8.1	01.4-14.8	21	7.5	03.4-11.6	30	11.0	06.1-15.9	13	5.3	01.4-09.2
\$25,000- 34,999	112	20,909	76	63.8	51.3-76.3	6	4.7	00.4-09.0	10	11.8	03.6-20.0	10	7.9	01.8-14.0	10	11.9	01.7-22.1
\$35,000- 49,999	237	44,740	176	67.2	58.0-76.4	18	8.9	04.0-13.8	18	14.0	05.4-22.6	15	5.4	01.9-08.9	10	4.5	01.2-07.8
\$50,000- 74,999	231	38,595	185	76.1	67.1-85.1	11	8.2	01.1-15.3	9	2.7	00.7-04.7	15	9.4	02.5-16.3	11	3.5	01.0-06.0
\$75,000+	529	113,200	430	77.9	72.4-83.4	32	5.4	03.0-07.8	36	8.6	04.7-12.5	19	5.7	02.0-09.4	12	2.4	00.6-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2486	372,418	1734	66.4	63.7-69.1	162	6.5	04.9-08.1	227	11.5	09.5-13.5	209	9.1	07.3-10.9	154	6.5	05.1-07.9	
White/Non-Hisp	1659	244,073	1154	66.0	62.9-69.1	115	6.4	04.8-08.0	148	10.7	08.3-13.1	142	9.7	07.5-11.9	100	7.2	05.4-09.0	
Black or Afr. Am./Non-Hisp	392	77,190	275	69.1	62.2-76.0	22	7.4	02.3-12.5	43	13.1	08.0-18.2	28	6.1	03.4-08.8	24	4.3	02.1-06.5	
Oth. Race/Non-Hisp.	68	14,563	48	65.9	49.4-82.4	4	6.4	00.0-14.2	6	14.8	00.0-30.1	3	5.4	00.0-13.0	7	7.5	01.2-13.8	
MultiRacial/Non-Hisp.	196	5,920	137	66.1	57.1-75.1	11	6.5	01.8-11.2	14	8.8	03.3-14.3	20	8.2	03.5-12.9	14	10.3	03.6-17.0	
Hispanic	131	25,943	92	63.1	52.1-74.1	8	5.5	01.6-09.4	12	11.9	03.5-20.3	12	14.7	05.5-23.9	7	4.7	00.6-08.8	
18-24	98	45,175	55	50.8	38.3-63.3	12	11.6	03.0-20.2	19	23.4	12.2-34.6	8	9.6	02.0-17.2	4	4.7	00.0-09.8	
25-34	221	57,789	147	68.7	61.6-75.8	12	3.7	01.2-06.2	30	13.1	08.0-18.2	26	12.6	07.1-18.1	6	1.9	00.1-03.7	
35-44	238	55,306	144	59.4	52.0-66.8	16	7.1	03.4-10.8	25	11.8	06.7-16.9	23	9.2	04.9-13.5	30	12.6	07.5-17.7	
45-54	412	64,632	249	61.6	55.7-67.5	31	7.4	04.1-10.7	44	11.6	07.7-15.5	48	10.4	06.9-13.9	40	9.0	05.7-12.3	
55-64	569	62,248	378	67.8	63.1-72.5	44	7.1	04.7-09.5	51	8.2	05.5-10.9	57	9.8	06.9-12.7	39	7.2	04.5-09.9	
65+	902	82,520	722	79.7	76.4-83.0	46	4.3	02.7-05.9	56	6.8	04.4-09.2	45	4.9	03.1-06.7	33	4.2	02.4-06.0	
Less Than H.S.	212	39,873	139	66.5	58.1-74.9	5	1.1	00.1-02.1	17	7.7	03.2-12.2	29	13.2	07.3-19.1	22	11.5	05.4-17.6	
H.S. or G.E.D.	745	113,511	525	66.1	61.0-71.2	43	7.6	03.9-11.3	62	10.6	07.1-14.1	59	9.2	06.3-12.1	56	6.6	04.4-08.8	
Some Post-H.S.	630	114,763	449	64.9	59.4-70.4	31	4.3	02.1-06.5	57	13.8	09.1-18.5	58	10.6	06.9-14.3	35	6.4	03.9-08.9	
College Graduate	885	103,512	611	68.4	64.3-72.5	83	9.8	07.3-12.3	89	11.6	08.7-14.5	61	5.6	03.8-07.4	41	4.5	02.7-06.3	
Less than \$15,000	231	32,395	121	49.5	40.3-58.7	9	2.5	00.7-04.3	31	15.9	07.5-24.3	35	14.5	08.2-20.8	35	17.6	10.7-24.5	
\$15,000- 24,999	398	61,613	269	62.5	55.4-69.6	19	3.9	01.2-06.6	32	9.9	05.0-14.8	46	14.7	09.4-20.0	32	9.0	04.9-13.1	
\$25,000- 34,999	252	36,253	163	68.6	61.0-76.2	18	5.2	01.9-08.5	27	11.3	05.8-16.8	26	9.1	05.0-13.2	18	5.9	02.2-09.6	
\$35,000- 49,999	263	38,566	191	70.2	62.6-77.8	25	8.3	04.0-12.6	21	9.9	05.0-14.8	15	5.9	02.4-09.4	11	5.7	01.2-10.2	
\$50,000- 74,999	323	48,841	229	68.1	61.2-75.0	27	8.8	04.9-12.7	29	10.6	05.9-15.3	26	8.5	04.2-12.8	12	4.0	01.3-06.7	
\$75,000+	558	91,147	399	67.0	60.9-73.1	49	10.3	05.8-14.8	54	13.1	08.2-18.0	35	6.0	03.1-08.9	21	3.6	01.6-05.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2053	355,443	1235	61.9	58.8-65.0	168	9.5	07.5-11.5	213	9.6	07.8-11.4	241	10.9	08.9-12.9	196	8.1	06.5-09.7
Male	775	159,547	461	63.8	58.9-68.7	71	10.0	06.7-13.3	75	8.2	05.8-10.6	85	9.4	06.3-12.5	83	8.6	06.1-11.1
Female	1278	195,896	774	60.3	56.4-64.2	97	9.0	06.5-11.5	138	10.8	08.3-13.3	156	12.2	09.8-14.6	113	7.7	05.9-09.5
White/Non-Hisp	1383	234,411	862	64.3	60.8-67.8	119	10.0	07.5-12.5	131	8.3	06.5-10.1	143	10.0	07.6-12.4	128	7.4	05.8-09.0
Black or Afr. Am./Non-Hisp	299	69,952	168	56.8	48.8-64.8	14	6.8	02.3-11.3	40	14.5	08.6-20.4	45	11.8	07.3-16.3	32	10.1	05.6-14.6
Oth. Race/Non-Hisp.	57	12,978	33	59.7	40.3-79.1	5	5.2	00.0-11.7	8	8.9	01.5-16.3	6	16.0	02.7-29.3	5	10.1	00.0-22.8
MultiRacial/Non-Hisp.	164	5,066	90	54.8	44.6-65.0	13	6.1	02.2-10.0	19	18.3	08.9-27.7	25	11.1	05.6-16.6	17	9.7	04.6-14.8
Hispanic	116	27,039	64	57.3	46.3-68.3	14	14.2	05.8-22.6	12	8.7	02.8-14.6	16	12.7	05.8-19.6	10	7.1	02.4-11.8
18-24	87	47,512	57	67.3	55.5-79.1	8	11.9	03.1-20.7	10	9.9	02.5-17.3	9	8.4	02.7-14.1	3	2.5	00.0-06.0
25-34	167	55,201	113	68.0	59.2-76.8	17	12.7	05.8-19.6	17	9.3	04.2-14.4	14	7.5	03.2-11.8	6	2.5	00.3-04.7
35-44	227	59,535	143	63.8	55.8-71.8	25	10.2	05.9-14.5	20	7.4	03.7-11.1	20	10.9	04.4-17.4	19	7.7	03.8-11.6
45-54	384	63,483	212	52.7	46.4-59.0	38	11.4	07.1-15.7	43	10.7	07.0-14.4	53	13.4	09.1-17.7	38	11.7	07.0-16.4
55-64	483	60,708	270	57.7	52.0-63.4	43	7.1	04.6-09.6	49	10.1	06.8-13.4	55	11.2	07.5-14.9	66	13.9	09.8-18.0
65+	677	66,364	420	63.7	59.0-68.4	36	5.0	03.0-07.0	73	10.6	07.5-13.7	87	12.9	09.6-16.2	61	7.9	05.5-10.3
Less Than H.S.	222	52,662	106	53.4	44.2-62.6	12	6.1	01.4-10.8	23	6.9	03.4-10.4	43	17.9	10.3-25.5	38	15.8	09.7-21.9
H.S. or G.E.D.	617	107,368	381	65.4	60.1-70.7	41	7.3	04.6-10.0	75	11.8	08.3-15.3	69	9.3	06.4-12.2	51	6.1	03.9-08.3
Some Post-H.S.	501	106,106	279	56.8	50.5-63.1	39	11.9	07.0-16.8	51	9.6	06.1-13.1	71	12.7	09.0-16.4	61	9.1	06.0-12.2
College Graduate	706	88,161	464	68.3	63.8-72.8	75	11.4	08.3-14.5	64	8.8	05.9-11.7	58	6.8	04.4-09.2	45	4.6	03.0-06.2
Less than \$15,000	241	40,419	104	44.3	35.1-53.5	12	11.4	03.2-19.6	27	8.3	04.2-12.4	43	16.5	09.8-23.2	55	19.6	13.3-25.9
\$15,000- 24,999	347	59,752	188	51.7	43.9-59.5	23	8.0	03.3-12.7	40	14.4	08.5-20.3	58	15.6	10.5-20.7	38	10.3	05.8-14.8
\$25,000- 34,999	199	28,933	115	60.8	52.0-69.6	13	7.5	03.0-12.0	20	9.4	04.1-14.7	29	13.4	07.5-19.3	22	8.8	04.3-13.3
\$35,000- 49,999	229	41,288	140	69.0	61.4-76.6	23	6.8	03.5-10.1	23	7.7	03.6-11.8	23	7.3	03.8-10.8	20	9.2	04.3-14.1
\$50,000- 74,999	263	44,192	179	63.8	55.6-72.0	25	10.5	05.6-15.4	24	9.8	04.5-15.1	20	9.3	04.2-14.4	15	6.5	01.6-11.4
\$75,000+	464	89,919	328	71.8	65.5-78.1	54	12.8	08.1-17.5	40	6.6	03.7-09.5	29	6.8	02.7-10.9	13	2.0	00.6-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	775	159,547	461	63.8	58.9-68.7	71	10.0	06.7-13.3	75	8.2	05.8-10.6	85	9.4	06.3-12.5	83	8.6	06.1-11.1
White/Non-Hisp	533	106,141	333	66.3	60.6-72.0	50	10.9	07.0-14.8	48	7.5	04.8-10.2	46	7.7	04.0-11.4	56	7.5	05.1-09.9
Black or Afr. Am./Non-Hisp	87	30,226	42	55.6	41.7-69.5	5	8.7	00.0-17.7	13	12.9	05.1-20.7	14	9.3	02.6-16.0	13	13.5	04.7-22.3
MultiRacial/Non-Hisp.	66	2,038	32	45.8	30.3-61.3	8	7.6	01.7-13.5	9	22.8	06.9-38.7	10	14.0	03.6-24.4	7	9.9	02.1-17.7
Hispanic	53	13,373	33	65.1	50.2-80.0	5	10.8	00.6-21.0	3	3.4	00.0-08.5	8	13.6	03.2-24.0	4	7.1	00.2-14.0
25-34	62	28,668	42	70.9	57.4-84.4	7	14.4	03.4-25.4	7	8.9	01.5-16.3	4	4.6	00.0-09.5	2	1.3	00.0-03.7
35-44	90	27,520	57	67.1	53.8-80.4	10	7.8	02.3-13.3	5	3.8	00.0-07.9	10	14.0	01.7-26.3	8	7.3	01.4-13.2
45-54	145	26,852	76	50.0	39.8-60.2	17	12.0	05.9-18.1	14	9.3	03.2-15.4	20	11.5	04.6-18.4	18	17.2	08.0-26.4
55-64	180	26,568	98	55.9	46.3-65.5	19	7.8	03.3-12.3	21	12.1	06.0-18.2	12	8.4	02.3-14.5	30	15.8	08.9-22.7
65+	256	28,777	159	66.7	59.3-74.1	13	3.4	00.7-06.1	26	10.5	05.6-15.4	35	11.4	07.1-15.7	23	8.1	04.2-12.0
Less Than H.S.	93	28,994	48	58.5	44.8-72.2	6	8.5	00.3-16.7	5	3.6	00.0-07.5	16	15.9	03.9-27.9	18	13.5	05.9-21.1
H.S. or G.E.D.	229	47,919	137	68.8	61.0-76.6	21	7.7	03.6-11.8	30	10.0	05.3-14.7	24	7.2	03.1-11.3	17	6.2	02.5-09.9
Some Post-H.S.	187	47,342	96	56.0	45.8-66.2	16	13.0	05.0-21.0	22	9.6	04.7-14.5	23	10.5	05.2-15.8	30	10.9	05.4-16.4
College Graduate	263	34,357	178	71.2	63.8-78.6	28	10.8	05.7-15.9	18	7.7	02.4-13.0	22	5.9	02.6-09.2	17	4.5	02.1-06.9
Less than \$15,000	74	17,088	29	40.2	24.3-56.1	6	13.7	00.4-27.0	5	5.0	00.0-11.3	15	19.9	07.6-32.2	19	21.2	10.0-32.4
\$15,000- 24,999	130	26,407	64	52.8	40.1-65.5	14	12.8	03.0-22.6	16	11.8	04.5-19.1	21	11.5	05.2-17.8	15	11.1	04.0-18.2
\$25,000- 34,999	65	11,619	38	64.7	49.8-79.6	3	5.9	00.0-13.2	5	7.7	00.1-15.3	9	11.9	01.9-21.9	10	9.8	02.7-16.9
\$35,000- 49,999	102	22,024	61	72.0	61.0-83.0	12	7.3	02.2-12.4	12	9.6	02.7-16.5	9	4.7	01.0-08.4	8	6.4	00.7-12.1
\$50,000- 74,999	105	18,193	68	63.5	49.8-77.2	11	10.6	02.8-18.4	9	8.2	01.7-14.7	7	6.1	00.4-11.8	10	11.6	01.0-22.2
\$75,000+	206	45,422	156	75.0	65.4-84.6	19	10.0	03.3-16.7	15	6.3	01.8-10.8	12	7.8	00.2-15.4	4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1278	195,896	774	60.3	56.4-64.2	97	9.0	06.5-11.5	138	10.8	08.3-13.3	156	12.2	09.8-14.6	113	7.7	05.9-09.5
White/Non-Hisp	850	128,270	529	62.6	58.1-67.1	69	9.2	06.1-12.3	83	9.0	06.5-11.5	97	12.0	09.1-14.9	72	7.3	05.1-09.5
Black or Afr. Am./Non-Hisp	212	39,727	126	57.7	48.1-67.3	9	5.3	01.4-09.2	27	15.7	07.5-23.9	31	13.7	07.8-19.6	19	7.6	03.3-11.9
MultiRacial/Non-Hisp.	98	3,028	58	60.8	47.9-73.7	5	5.1	00.0-10.2	10	15.3	04.1-26.5	15	9.2	03.3-15.1	10	9.6	02.9-16.3
Hispanic	63	13,666	31	49.8	33.9-65.7	9	17.4	03.9-30.9	9	14.0	03.8-24.2	8	11.7	02.9-20.5	6	7.1	00.8-13.4
18-24	55	27,221	34	62.4	46.3-78.5	3	8.0	00.0-18.6	9	15.1	02.9-27.3	6	10.0	01.8-18.2	3	4.4	00.0-10.7
25-34	105	26,533	71	64.7	53.7-75.7	10	11.0	03.4-18.6	10	9.7	02.8-16.6	10	10.7	03.4-18.0	4	3.9	00.0-07.8
35-44	137	32,015	86	61.0	51.6-70.4	15	12.2	05.7-18.7	15	10.5	04.8-16.2	10	8.2	02.7-13.7	11	8.1	03.0-13.2
45-54	239	36,631	136	54.6	46.8-62.4	21	11.0	05.1-16.9	29	11.8	06.9-16.7	33	14.9	09.2-20.6	20	7.7	03.8-11.6
55-64	303	34,140	172	59.1	52.2-66.0	24	6.6	03.7-09.5	28	8.5	05.0-12.0	43	13.3	08.8-17.8	36	12.4	07.3-17.5
65+	421	37,587	261	61.4	55.3-67.5	23	6.2	03.5-08.9	47	10.6	06.9-14.3	52	14.0	09.3-18.7	38	7.8	04.9-10.7
Less Than H.S.	129	23,668	58	47.2	35.2-59.2	6	3.0	00.1-05.9	18	10.9	04.8-17.0	27	20.3	11.7-28.9	20	18.5	08.9-28.1
H.S. or G.E.D.	388	59,449	244	62.7	55.6-69.8	20	6.9	03.0-10.8	45	13.3	08.2-18.4	45	11.1	07.0-15.2	34	6.1	03.6-08.6
Some Post-H.S.	314	58,765	183	57.4	49.6-65.2	23	11.1	05.0-17.2	29	9.6	04.5-14.7	48	14.4	09.3-19.5	31	7.6	04.3-10.9
College Graduate	443	53,805	286	66.5	60.8-72.2	47	11.8	07.9-15.7	46	9.6	05.9-13.3	36	7.5	04.4-10.6	28	4.7	02.5-06.9
Less than \$15,000	167	23,331	75	47.2	36.0-58.4	6	9.7	00.0-20.3	22	10.7	05.2-16.2	28	14.0	07.1-20.9	36	18.3	11.0-25.6
\$15,000- 24,999	217	33,345	124	50.9	41.1-60.7	9	4.1	01.4-06.8	24	16.4	08.0-24.8	37	18.9	11.5-26.3	23	9.7	03.6-15.8
\$25,000- 34,999	134	17,314	77	58.2	47.4-69.0	10	8.6	02.7-14.5	15	10.6	03.3-17.9	20	14.4	07.1-21.7	12	8.2	02.5-13.9
\$35,000- 49,999	127	19,264	79	65.5	55.1-75.9	11	6.2	02.1-10.3	11	5.6	01.5-09.7	14	10.2	04.1-16.3	12	12.4	04.6-20.2
\$50,000- 74,999	158	25,999	111	64.0	53.6-74.4	14	10.5	04.4-16.6	15	10.9	03.3-18.5	13	11.6	04.0-19.2	5	3.0	00.0-06.7
\$75,000+	258	44,496	172	68.5	60.5-76.5	35	15.6	08.5-22.7	25	7.0	03.5-10.5	17	5.8	02.7-08.9	9	3.1	00.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4287	728,568	4022	91.3	89.9-92.7	265	8.7	07.3-10.1
Male	1750	348,190	1619	89.3	87.1-91.5	131	10.7	08.5-12.9
Female	2537	380,378	2403	93.2	91.8-94.6	134	6.8	05.4-08.2
White/Non-Hisp	2900	475,213	2787	94.1	92.7-95.5	113	5.9	04.5-07.3
Black or Afr. Am./Non-Hisp	605	143,958	575	95.0	92.6-97.4	30	5.0	02.6-07.4
Oth. Race/Non-Hisp.	118	27,655	106	86.5	74.9-98.1	12	13.5	01.9-25.1
MultiRacial/Non-Hisp.	324	10,343	316	97.5	95.3-99.7	8	2.5	00.3-04.7
Hispanic	250	56,512	156	61.3	54.0-68.6	94	38.7	31.4-46.0
18-24	176	91,757	150	87.7	82.6-92.8	26	12.3	07.2-17.4
25-34	364	119,977	297	81.2	76.1-86.3	67	18.8	13.7-23.9
35-44	424	110,135	371	88.7	85.4-92.0	53	11.3	08.0-14.6
45-54	723	126,428	672	93.9	91.9-95.9	51	6.1	04.1-08.1
55-64	978	120,495	923	93.7	91.3-96.1	55	6.3	03.9-08.7
65+	1557	152,301	1544	99.1	98.5-99.7	13	0.9	00.3-01.5
Less Than H.S.	412	97,924	343	79.6	74.3-84.9	69	20.4	15.1-25.7
H.S. or G.E.D.	1270	227,883	1173	89.1	86.4-91.8	97	10.9	08.2-13.6
Some Post-H.S.	1038	210,941	982	94.5	92.7-96.3	56	5.5	03.7-07.3
College Graduate	1544	188,888	1502	96.5	95.3-97.7	42	3.5	02.3-04.7
Less than \$15,000	371	61,626	324	82.3	76.4-88.2	47	17.7	11.8-23.6
\$15,000- 24,999	661	111,236	588	85.5	81.6-89.4	73	14.5	10.6-18.4
\$25,000- 34,999	373	58,276	340	86.8	81.1-92.5	33	13.2	07.5-18.9
\$35,000- 49,999	505	85,938	477	90.9	87.0-94.8	28	9.1	05.2-13.0
\$50,000- 74,999	562	88,670	539	94.2	91.3-97.1	23	5.8	02.9-08.7
\$75,000+	1096	205,902	1075	96.2	94.0-98.4	21	3.8	01.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1750	348,190	1619	89.3	87.1-91.5	131	10.7	08.5-12.9
White/Non-Hisp	1200	225,159	1143	92.8	90.4-95.2	57	7.2	04.8-09.6
Black or Afr. Am./Non-Hisp	208	65,784	194	92.8	88.3-97.3	14	7.2	02.7-11.7
Oth. Race/Non-Hisp.	50	12,932	44	77.9	55.8-0100	6	22.1	00.0-44.2
MultiRacial/Non-Hisp.	126	4,390	123	97.6	94.5-0100	3	2.4	00.0-05.5
Hispanic	118	30,064	73	61.5	50.9-72.1	45	38.5	27.9-49.1
18-24	78	46,656	63	84.3	76.1-92.5	15	15.7	07.5-23.9
25-34	138	59,965	109	78.4	70.0-86.8	29	21.6	13.2-30.0
35-44	181	53,733	152	86.5	81.4-91.6	29	13.5	08.4-18.6
45-54	304	60,849	278	93.0	89.9-96.1	26	7.0	03.9-10.1
55-64	401	56,839	377	92.2	87.7-96.7	24	7.8	03.3-12.3
65+	631	67,626	623	98.4	97.0-99.8	8	1.6	00.2-03.0
Less Than H.S.	188	55,337	150	78.3	70.7-85.9	38	21.7	14.1-29.3
H.S. or G.E.D.	510	112,077	460	85.6	80.7-90.5	50	14.4	09.5-19.3
Some Post-H.S.	397	94,491	370	93.3	90.2-96.4	27	6.7	03.6-09.8
College Graduate	646	84,113	630	96.7	94.7-98.7	16	3.3	01.3-05.3
Less than \$15,000	129	27,969	111	81.8	72.0-91.6	18	18.2	08.4-28.0
\$15,000- 24,999	254	48,618	216	80.7	73.6-87.8	38	19.3	12.2-26.4
\$25,000- 34,999	118	21,711	104	81.8	70.8-92.8	14	18.2	07.2-29.2
\$35,000- 49,999	239	46,520	219	86.8	80.5-93.1	20	13.2	06.9-19.5
\$50,000- 74,999	237	39,345	225	92.1	87.2-97.0	12	7.9	03.0-12.8
\$75,000+	532	113,833	521	95.0	91.3-98.7	11	5.0	01.3-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2537	380,378	2403	93.2	91.8-94.6	134	6.8	05.4-08.2
White/Non-Hisp	1700	250,054	1644	95.3	93.7-96.9	56	4.7	03.1-06.3
Black or Afr. Am./Non-Hisp	397	78,174	381	96.8	95.0-98.6	16	3.2	01.4-05.0
Oth. Race/Non-Hisp.	68	14,723	62	94.0	88.3-99.7	6	6.0	00.3-11.7
MultiRacial/Non-Hisp.	198	5,953	193	97.4	94.7-0100	5	2.6	00.0-05.3
Hispanic	132	26,448	83	61.1	51.1-71.1	49	38.9	28.9-48.9
18-24	98	45,101	87	91.3	85.4-97.2	11	8.7	02.8-14.6
25-34	226	60,012	188	84.1	78.6-89.6	38	15.9	10.4-21.4
35-44	243	56,402	219	90.7	86.6-94.8	24	9.3	05.2-13.4
45-54	419	65,579	394	94.7	92.3-97.1	25	5.3	02.9-07.7
55-64	577	63,656	546	95.0	93.0-97.0	31	5.0	03.0-07.0
65+	926	84,675	921	99.6	99.2-0100	5	0.4	00.0-00.8
Less Than H.S.	224	42,587	193	81.2	74.1-88.3	31	18.8	11.7-25.9
H.S. or G.E.D.	760	115,806	713	92.4	89.7-95.1	47	7.6	04.9-10.3
Some Post-H.S.	641	116,450	612	95.6	93.6-97.6	29	4.4	02.4-06.4
College Graduate	898	104,776	872	96.4	94.8-98.0	26	3.6	02.0-05.2
Less than \$15,000	242	33,657	213	82.8	75.9-89.7	29	17.2	10.3-24.1
\$15,000- 24,999	407	62,618	372	89.3	85.4-93.2	35	10.7	06.8-14.6
\$25,000- 34,999	255	36,565	236	89.7	83.8-95.6	19	10.3	04.4-16.2
\$35,000- 49,999	266	39,418	258	95.7	91.8-99.6	8	4.3	00.4-08.2
\$50,000- 74,999	325	49,325	314	95.9	92.2-99.6	11	4.1	00.4-07.8
\$75,000+	564	92,069	554	97.7	96.1-99.3	10	2.3	00.7-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4282	727,095	3310	74.8	72.8-76.8	551	11.1	09.7-12.5	421	14.1	12.5-15.7
Male	1747	347,284	1298	71.1	68.0-74.2	211	10.1	07.9-12.3	238	18.8	16.1-21.5
Female	2535	379,811	2012	78.2	75.8-80.6	340	12.0	10.2-13.8	183	9.8	08.0-11.6
White/Non-Hisp	2896	473,659	2306	78.5	76.3-80.7	374	10.5	09.1-11.9	216	11.0	09.2-12.8
Black or Afr. Am./Non-Hisp	604	143,767	467	75.4	70.3-80.5	81	12.4	08.3-16.5	56	12.2	08.3-16.1
Oth. Race/Non-Hisp.	119	27,689	79	60.9	47.8-74.0	18	22.3	09.2-35.4	22	16.8	08.8-24.8
MultiRacial/Non-Hisp.	322	10,276	249	77.9	71.2-84.6	56	14.1	09.0-19.2	17	7.9	02.8-13.0
Hispanic	250	56,438	141	50.9	43.3-58.5	14	7.8	02.5-13.1	95	41.3	33.9-48.7
18-24	176	90,256	110	63.9	55.5-72.3	11	8.9	03.2-14.6	55	27.2	19.8-34.6
25-34	362	119,693	227	62.9	56.6-69.2	31	9.0	04.5-13.5	104	28.1	22.6-33.6
35-44	423	110,221	322	77.2	72.5-81.9	31	7.0	04.1-09.9	70	15.8	11.9-19.7
45-54	722	126,430	562	79.1	75.6-82.6	86	10.6	08.1-13.1	74	10.3	07.6-13.0
55-64	979	120,845	808	82.5	79.4-85.6	121	12.5	09.8-15.2	50	5.0	03.0-07.0
65+	1554	152,163	1226	78.8	76.1-81.5	264	16.6	14.2-19.0	64	4.6	03.0-06.2
Less Than H.S.	414	97,509	260	63.3	57.0-69.6	61	9.4	06.1-12.7	93	27.2	21.3-33.1
H.S. or G.E.D.	1270	228,135	977	74.9	71.4-78.4	166	11.9	09.0-14.8	127	13.3	10.8-15.8
Some Post-H.S.	1032	209,235	799	76.3	72.6-80.0	135	11.4	08.7-14.1	98	12.3	09.2-15.4
College Graduate	1544	189,288	1259	78.9	76.0-81.8	185	10.8	08.8-12.8	100	10.3	07.9-12.7
Less than \$15,000	368	60,655	244	64.8	57.4-72.2	57	9.4	05.3-13.5	67	25.9	18.8-33.0
\$15,000- 24,999	661	111,542	471	65.5	60.0-71.0	91	11.6	07.9-15.3	99	22.8	17.9-27.7
\$25,000- 34,999	372	58,111	291	76.8	71.1-82.5	46	10.3	06.6-14.0	35	12.9	08.2-17.6
\$35,000- 49,999	506	86,234	381	71.8	66.1-77.5	75	13.0	08.9-17.1	50	15.2	10.5-19.9
\$50,000- 74,999	563	88,746	460	79.0	74.3-83.7	61	9.9	07.2-12.6	42	11.1	06.8-15.4
\$75,000+	1098	206,073	913	81.4	77.9-84.9	123	10.8	07.9-13.7	62	7.8	05.4-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	347,284	1298	71.1	68.0-74.2	211	10.1	07.9-12.3	238	18.8	16.1-21.5
White/Non-Hisp	1198	224,320	925	75.9	72.4-79.4	145	9.1	07.3-10.9	128	15.0	11.9-18.1
Black or Afr. Am./Non-Hisp	207	65,611	158	72.5	64.1-80.9	25	11.7	05.4-18.0	24	15.8	08.7-22.9
Oth. Race/Non-Hisp.	50	12,932	33	51.5	30.7-72.3	6	26.7	03.4-50.0	11	21.9	07.8-36.0
MultiRacial/Non-Hisp.	126	4,365	91	71.1	58.4-83.8	26	16.9	07.7-26.1	9	12.0	01.2-22.8
Hispanic	117	29,816	57	44.0	33.2-54.8	6	8.2	00.0-16.4	54	47.8	36.8-58.8
18-24	77	45,646	43	58.7	46.2-71.2	4	7.4	00.1-14.7	30	33.9	22.1-45.7
25-34	136	59,681	73	54.9	44.7-65.1	7	9.1	01.5-16.7	56	36.0	26.6-45.4
35-44	181	53,939	130	75.0	67.9-82.1	9	4.4	00.9-07.9	42	20.6	14.1-27.1
45-54	303	60,852	224	77.1	71.2-83.0	31	8.7	05.0-12.4	48	14.2	09.5-18.9
55-64	402	57,070	325	80.2	74.9-85.5	50	12.8	08.5-17.1	27	7.0	03.3-10.7
65+	630	67,562	487	76.7	72.2-81.2	108	16.4	12.9-19.9	35	7.0	03.9-10.1
Less Than H.S.	188	54,738	115	61.0	51.8-70.2	18	7.2	02.9-11.5	55	31.8	23.0-40.6
H.S. or G.E.D.	508	112,055	364	69.3	63.4-75.2	68	11.9	07.2-16.6	76	18.8	14.3-23.3
Some Post-H.S.	396	94,274	290	73.2	66.9-79.5	55	11.1	07.2-15.0	51	15.7	10.0-21.4
College Graduate	646	84,044	522	77.7	73.0-82.4	69	8.6	05.9-11.3	55	13.7	09.6-17.8
Less than \$15,000	128	27,073	79	55.8	42.7-68.9	14	6.8	00.0-13.7	35	37.4	24.7-50.1
\$15,000- 24,999	253	48,790	164	58.0	49.4-66.6	35	11.0	06.1-15.9	54	31.1	22.7-39.5
\$25,000- 34,999	117	21,545	80	69.6	58.4-80.8	21	14.1	06.3-21.9	16	16.3	07.1-25.5
\$35,000- 49,999	240	46,816	169	66.2	57.4-75.0	34	12.0	05.7-18.3	37	21.8	14.0-29.6
\$50,000- 74,999	237	39,345	186	73.9	65.5-82.3	25	7.7	04.2-11.2	26	18.4	10.2-26.6
\$75,000+	534	114,003	441	79.7	74.2-85.2	51	10.3	05.8-14.8	42	10.0	06.3-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	379,811	2012	78.2	75.8-80.6	340	12.0	10.2-13.8	183	9.8	08.0-11.6
White/Non-Hisp	1698	249,339	1381	80.8	78.3-83.3	229	11.9	09.9-13.9	88	7.3	05.3-09.3
Black or Afr. Am./Non-Hisp	397	78,156	309	77.8	71.5-84.1	56	12.9	07.6-18.2	32	9.3	05.2-13.4
Oth. Race/Non-Hisp.	69	14,757	46	69.2	54.7-83.7	12	18.4	05.7-31.1	11	12.3	03.9-20.7
MultiRacial/Non-Hisp.	196	5,911	158	83.0	76.5-89.5	30	12.1	06.6-17.6	8	4.9	01.2-08.6
Hispanic	133	26,622	84	58.7	48.3-69.1	8	7.3	00.6-14.0	41	34.0	24.4-43.6
18-24	99	44,610	67	69.2	57.8-80.6	7	10.5	01.5-19.5	25	20.3	11.5-29.1
25-34	226	60,012	154	70.8	63.7-77.9	24	8.9	04.4-13.4	48	20.3	14.2-26.4
35-44	242	56,281	192	79.2	73.3-85.1	22	9.5	04.8-14.2	28	11.2	06.9-15.5
45-54	419	65,579	338	81.0	76.5-85.5	55	12.3	08.6-16.0	26	6.7	03.8-09.6
55-64	577	63,774	483	84.5	81.0-88.0	71	12.2	09.1-15.3	23	3.3	01.7-04.9
65+	924	84,601	739	80.6	77.5-83.7	156	16.7	13.6-19.8	29	2.7	01.5-03.9
Less Than H.S.	226	42,771	145	66.3	57.9-74.7	43	12.4	07.1-17.7	38	21.3	13.9-28.7
H.S. or G.E.D.	762	116,080	613	80.3	76.4-84.2	98	11.8	08.5-15.1	51	7.9	05.4-10.4
Some Post-H.S.	636	114,961	509	78.9	74.4-83.4	80	11.6	07.9-15.3	47	9.5	06.4-12.6
College Graduate	898	105,244	737	80.0	76.5-83.5	116	12.5	09.8-15.2	45	7.5	04.8-10.2
Less than \$15,000	240	33,582	165	72.0	64.4-79.6	43	11.4	06.7-16.1	32	16.5	09.8-23.2
\$15,000- 24,999	408	62,752	307	71.4	64.3-78.5	56	12.1	06.4-17.8	45	16.5	11.0-22.0
\$25,000- 34,999	255	36,565	211	81.0	74.7-87.3	25	8.1	04.2-12.0	19	10.9	05.6-16.2
\$35,000- 49,999	266	39,418	212	78.5	72.0-85.0	41	14.1	08.8-19.4	13	7.4	02.9-11.9
\$50,000- 74,999	326	49,402	274	83.1	78.0-88.2	36	11.6	07.5-15.7	16	5.3	02.0-08.6
\$75,000+	564	92,069	472	83.6	79.5-87.7	72	11.4	08.1-14.7	20	5.0	02.3-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4291	729,391	380	10.8	09.4-12.2	3911	89.2	87.8-90.6
Male	1752	348,640	151	10.3	08.1-12.5	1601	89.7	87.5-91.9
Female	2539	380,751	229	11.2	09.4-13.0	2310	88.8	87.0-90.6
White/Non-Hisp	2901	475,969	199	8.7	07.1-10.3	2702	91.3	89.7-92.9
Black or Afr. Am./Non-Hisp	604	143,427	72	12.1	08.6-15.6	532	87.9	84.4-91.4
Oth. Race/Non-Hisp.	119	27,689	17	10.8	04.1-17.5	102	89.2	82.5-95.9
MultiRacial/Non-Hisp.	325	10,353	19	6.8	03.1-10.5	306	93.2	89.5-96.9
Hispanic	251	56,686	59	22.7	16.6-28.8	192	77.3	71.2-83.4
18-24	177	92,300	22	12.5	06.6-18.4	155	87.5	81.6-93.4
25-34	364	119,977	53	14.7	10.4-19.0	311	85.3	81.0-89.6
35-44	424	110,299	51	11.7	08.2-15.2	373	88.3	84.8-91.8
45-54	723	126,364	100	13.2	10.3-16.1	623	86.8	83.9-89.7
55-64	981	120,973	96	11.1	08.4-13.8	885	88.9	86.2-91.6
65+	1557	152,062	57	4.1	02.7-05.5	1500	95.9	94.5-97.3
Less Than H.S.	415	98,378	76	21.9	16.4-27.4	339	78.1	72.6-83.6
H.S. or G.E.D.	1273	228,499	116	9.5	07.1-11.9	1157	90.5	88.1-92.9
Some Post-H.S.	1034	210,095	102	10.7	08.2-13.2	932	89.3	86.8-91.8
College Graduate	1546	189,487	83	6.3	04.5-08.1	1463	93.7	91.9-95.5
Less than \$15,000	372	61,757	80	24.7	18.0-31.4	292	75.3	68.6-82.0
\$15,000- 24,999	659	111,016	84	16.1	11.8-20.4	575	83.9	79.6-88.2
\$25,000- 34,999	373	58,276	45	14.7	09.6-19.8	328	85.3	80.2-90.4
\$35,000- 49,999	506	86,234	39	9.1	05.8-12.4	467	90.9	87.6-94.2
\$50,000- 74,999	563	88,746	39	10.0	06.3-13.7	524	90.0	86.3-93.7
\$75,000+	1098	206,073	37	5.2	03.0-07.4	1061	94.8	92.6-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1752	348,640	151	10.3	08.1-12.5	1601	89.7	87.5-91.9
White/Non-Hisp	1200	225,220	78	7.8	05.4-10.2	1122	92.2	89.8-94.6
Black or Afr. Am./Non-Hisp	208	65,784	27	13.1	07.4-18.8	181	86.9	81.2-92.6
Oth. Race/Non-Hisp.	50	12,932	3	3.7	00.0-10.2	47	96.3	89.8-0100
MultiRacial/Non-Hisp.	127	4,401	9	6.3	01.6-11.0	118	93.7	89.0-98.4
Hispanic	118	30,064	25	20.4	12.2-28.6	93	79.6	71.4-87.8
18-24	77	46,436	7	10.1	02.1-18.1	70	89.9	81.9-97.9
25-34	138	59,965	22	15.2	08.5-21.9	116	84.8	78.1-91.5
35-44	182	54,112	20	9.8	05.1-14.5	162	90.2	85.5-94.9
45-54	305	61,145	42	12.4	08.1-16.7	263	87.6	83.3-91.9
55-64	403	57,149	42	11.9	07.2-16.6	361	88.1	83.4-92.8
65+	629	67,300	18	3.5	01.3-05.7	611	96.5	94.3-98.7
Less Than H.S.	189	55,607	42	23.3	15.5-31.1	147	76.7	68.9-84.5
H.S. or G.E.D.	511	112,456	45	9.8	06.1-13.5	466	90.2	86.5-93.9
Some Post-H.S.	396	94,281	33	7.4	04.3-10.5	363	92.6	89.5-95.7
College Graduate	647	84,123	29	4.9	02.5-07.3	618	95.1	92.7-97.5
Less than \$15,000	130	28,118	29	26.9	15.1-38.7	101	73.1	61.3-84.9
\$15,000- 24,999	252	48,452	31	14.3	08.4-20.2	221	85.7	79.8-91.6
\$25,000- 34,999	118	21,711	13	10.5	03.6-17.4	105	89.5	82.6-96.4
\$35,000- 49,999	240	46,816	24	11.5	06.2-16.8	216	88.5	83.2-93.8
\$50,000- 74,999	237	39,345	16	7.9	03.6-12.2	221	92.1	87.8-96.4
\$75,000+	534	114,003	16	5.7	02.2-09.2	518	94.3	90.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2539	380,751	229	11.2	09.4-13.0	2310	88.8	87.0-90.6
White/Non-Hisp	1701	250,750	121	9.5	07.3-11.7	1580	90.5	88.3-92.7
Black or Afr. Am./Non-Hisp	396	77,643	45	11.4	06.9-15.9	351	88.6	84.1-93.1
Oth. Race/Non-Hisp.	69	14,757	14	17.0	06.2-27.8	55	83.0	72.2-93.8
MultiRacial/Non-Hisp.	198	5,953	10	7.2	01.9-12.5	188	92.8	87.5-98.1
Hispanic	133	26,622	34	25.4	16.4-34.4	99	74.6	65.6-83.6
18-24	100	45,864	15	15.0	06.4-23.6	85	85.0	76.4-93.6
25-34	226	60,012	31	14.1	08.6-19.6	195	85.9	80.4-91.4
35-44	242	56,187	31	13.5	08.4-18.6	211	86.5	81.4-91.6
45-54	418	65,219	58	14.0	10.1-17.9	360	86.0	82.1-89.9
55-64	578	63,824	54	10.4	07.3-13.5	524	89.6	86.5-92.7
65+	928	84,762	39	4.6	02.8-06.4	889	95.4	93.6-97.2
Less Than H.S.	226	42,771	34	20.0	12.4-27.6	192	80.0	72.4-87.6
H.S. or G.E.D.	762	116,043	71	9.3	06.6-12.0	691	90.7	88.0-93.4
Some Post-H.S.	638	115,814	69	13.4	09.5-17.3	569	86.6	82.7-90.5
College Graduate	899	105,364	54	7.4	05.0-09.8	845	92.6	90.2-95.0
Less than \$15,000	242	33,639	51	22.9	15.5-30.3	191	77.1	69.7-84.5
\$15,000- 24,999	407	62,564	53	17.5	11.6-23.4	354	82.5	76.6-88.4
\$25,000- 34,999	255	36,565	32	17.2	10.1-24.3	223	82.8	75.7-89.9
\$35,000- 49,999	266	39,418	15	6.2	02.5-09.9	251	93.8	90.1-97.5
\$50,000- 74,999	326	49,402	23	11.7	06.2-17.2	303	88.3	82.8-93.8
\$75,000+	564	92,069	21	4.6	02.2-07.0	543	95.4	93.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4240	722,193	3385	74.0	72.0-76.0	434	12.8	11.2-14.4	225	7.4	06.0-08.8	163	4.7	03.7-05.7	33	1.0	00.6-01.4
Male	1731	345,488	1336	70.1	66.8-73.4	173	12.7	10.2-15.2	118	9.7	07.3-12.1	79	5.9	04.1-07.7	25	1.5	00.7-02.3
Female	2509	376,705	2049	77.6	75.2-80.0	261	12.9	10.9-14.9	107	5.4	04.0-06.8	84	3.7	02.7-04.7	8	0.4	00.0-00.8
White/Non-Hisp	2869	471,846	2294	72.6	70.1-75.1	285	13.6	11.6-15.6	156	8.2	06.4-10.0	127	5.4	04.2-06.6	7	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	600	143,100	521	86.6	82.9-90.3	51	8.6	05.5-11.7	16	2.0	00.8-03.2	11	2.6	00.6-04.6	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	117	27,423	91	67.2	53.3-81.1	11	13.3	02.9-23.7	8	9.7	02.3-17.1	3	7.4	00.0-18.8	4	2.5	00.0-05.6
MultiRacial/Non-Hisp.	320	10,170	264	78.6	71.7-85.5	33	10.3	06.0-14.6	13	6.1	02.2-10.0	8	4.6	00.0-09.3	2	0.4	00.0-01.0
Hispanic	244	54,753	150	58.2	50.6-65.8	44	18.2	12.3-24.1	23	12.1	06.2-18.0	10	3.8	01.3-06.3	17	7.7	03.8-11.6
18-24	174	90,998	112	64.0	55.4-72.6	24	13.3	07.2-19.4	30	18.3	11.4-25.2	8	4.3	00.8-07.8			
25-34	361	119,052	214	58.3	51.8-64.8	68	18.8	13.9-23.7	33	9.8	06.1-13.5	34	10.4	06.3-14.5	12	2.8	01.0-04.6
35-44	417	108,853	281	67.0	61.5-72.5	69	17.6	12.7-22.5	33	8.1	05.2-11.0	26	5.7	03.3-08.1	8	1.5	00.3-02.7
45-54	721	125,688	533	74.1	70.0-78.2	112	15.8	12.5-19.1	44	5.6	03.6-07.6	27	3.8	02.0-05.6	5	0.6	00.0-01.4
55-64	975	120,480	796	81.2	78.1-84.3	85	8.7	06.3-11.1	49	5.4	03.4-07.4	41	3.8	02.4-05.2	4	0.8	00.0-01.8
65+	1529	149,854	1395	91.5	89.3-93.7	70	5.0	03.2-06.8	33	1.9	01.1-02.7	27	1.5	00.7-02.3	4	0.1	00.1-00.1
Less Than H.S.	400	95,539	306	69.6	62.9-76.3	41	13.4	08.1-18.7	20	7.8	03.7-11.9	18	5.6	02.3-08.9	15	3.6	01.4-05.8
H.S. or G.E.D.	1255	225,484	1029	75.9	72.2-79.6	97	9.9	07.4-12.4	61	7.0	04.8-09.2	59	6.4	04.0-08.8	9	0.9	00.1-01.7
Some Post-H.S.	1029	209,820	819	74.9	70.8-79.0	106	13.0	09.7-16.3	58	8.5	05.6-11.4	40	3.2	02.0-04.4	6	0.5	00.0-01.1
College Graduate	1533	188,418	1210	72.9	69.8-76.0	189	16.0	13.5-18.5	86	6.8	05.0-08.6	45	4.1	02.7-05.5	3	0.2	00.0-00.4
Less than \$15,000	363	60,208	286	68.2	60.2-76.2	34	16.3	09.2-23.4	17	5.1	02.2-08.0	21	8.6	03.1-14.1	5	1.9	00.0-03.9
\$15,000- 24,999	655	110,489	505	73.5	68.8-78.2	57	9.0	06.3-11.7	50	10.9	07.2-14.6	32	4.5	02.5-06.5	11	2.2	00.6-03.8
\$25,000- 34,999	364	57,259	298	77.9	71.8-84.0	30	9.2	05.3-13.1	19	7.7	03.4-12.0	14	4.3	01.8-06.8	3	0.9	00.0-02.3
\$35,000- 49,999	501	85,329	412	73.7	68.0-79.4	45	11.8	07.7-15.9	22	7.4	03.7-11.1	19	6.6	03.3-09.9	3	0.5	00.0-01.1
\$50,000- 74,999	558	88,331	447	77.2	72.3-82.1	63	11.2	07.9-14.5	30	7.6	03.7-11.5	16	3.5	01.5-05.5	2	0.5	00.0-01.3
\$75,000+	1093	205,418	858	72.7	68.6-76.8	137	16.3	12.8-19.8	61	6.7	04.5-08.9	34	4.0	01.8-06.2	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1731	345,488	1336	70.1	66.8-73.4	173	12.7	10.2-15.2	118	9.7	07.3-12.1	79	5.9	04.1-07.7	25	1.5	00.7-02.3
White/Non-Hisp	1189	223,378	921	69.0	64.9-73.1	116	13.4	10.3-16.5	87	10.8	07.9-13.7	60	6.5	04.3-08.7	5	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	206	65,468	184	86.9	80.4-93.4	11	7.3	02.0-12.6	6	1.9	00.0-03.9	4	3.1	00.0-06.8	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	124	4,344	101	75.9	63.7-88.1	12	8.4	02.3-14.5	4	5.0	00.0-10.5	5	9.7	00.0-20.3	2	1.0	00.0-02.6
Hispanic	116	29,686	64	50.1	38.9-61.3	20	18.9	09.9-27.9	13	15.6	06.0-25.2	6	4.1	00.4-07.8	13	11.3	04.6-18.0
18-24	76	45,969	41	52.5	39.6-65.4	9	10.1	02.7-17.5	20	29.9	17.9-41.9	6	7.5	00.6-14.4			
25-34	137	59,416	74	55.3	45.1-65.5	24	18.4	10.6-26.2	14	9.7	04.2-15.2	17	12.8	05.5-20.1	8	3.8	00.9-06.7
35-44	178	53,369	109	62.2	53.2-71.2	29	19.6	11.4-27.8	20	9.2	04.7-13.7	14	6.6	02.9-10.3	6	2.4	00.2-04.6
45-54	303	60,671	210	71.5	65.0-78.0	49	15.6	10.5-20.7	23	6.1	03.2-09.0	16	5.4	02.1-08.7	5	1.3	00.0-02.9
55-64	402	57,091	329	81.1	76.0-86.2	33	8.3	04.4-12.2	23	6.2	03.1-09.3	14	2.8	01.2-04.4	3	1.6	00.0-03.6
65+	618	66,506	559	90.6	86.9-94.3	27	5.2	01.7-08.7	17	2.6	01.0-04.2	12	1.5	00.5-02.5	3	0.1	00.0-00.3
Less Than H.S.	182	54,630	126	62.3	52.3-72.3	19	15.3	07.1-23.5	16	10.7	04.4-17.0	10	7.1	01.8-12.4	11	4.7	01.4-08.0
H.S. or G.E.D.	505	111,035	387	69.5	63.4-75.6	41	9.8	06.1-13.5	36	9.9	06.0-13.8	33	9.0	04.7-13.3	8	1.9	00.5-03.3
Some Post-H.S.	392	93,914	314	74.5	67.6-81.4	36	11.3	06.4-16.2	22	10.4	05.1-15.7	16	3.2	01.0-05.4	4	0.6	00.0-01.4
College Graduate	643	83,737	502	70.9	66.0-75.8	76	16.6	12.5-20.7	44	8.4	05.5-11.3	19	4.0	01.8-06.2	2	0.2	00.0-00.6
Less than \$15,000	126	27,202	89	56.8	42.9-70.7	14	20.4	08.2-32.6	10	7.7	02.0-13.4	10	12.4	01.6-23.2	3	2.7	00.0-06.4
\$15,000- 24,999	251	48,646	185	69.4	61.4-77.4	19	8.0	03.5-12.5	24	14.0	07.3-20.7	15	5.1	02.0-08.2	8	3.6	00.7-06.5
\$25,000- 34,999	115	21,225	90	75.3	64.9-85.7	8	7.8	01.5-14.1	9	9.3	01.9-16.7	5	5.0	00.3-09.7	3	2.6	00.0-05.9
\$35,000- 49,999	237	46,117	186	69.6	61.0-78.2	22	11.1	05.4-16.8	11	8.2	02.5-13.9	15	10.1	04.6-15.6	3	0.9	00.0-02.1
\$50,000- 74,999	234	39,172	188	73.9	65.3-82.5	23	11.4	06.1-16.7	16	10.6	03.3-17.9	5	3.0	00.3-05.7	2	1.0	00.0-02.8
\$75,000+	533	113,810	415	71.3	65.0-77.6	62	15.6	10.5-20.7	33	7.2	03.9-10.5	20	5.2	01.7-08.7	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2509	376,705	2049	77.6	75.2-80.0	261	12.9	10.9-14.9	107	5.4	04.0-06.8	84	3.7	02.7-04.7	8	0.4	00.0-00.8
White/Non-Hisp	1680	248,468	1373	75.9	73.0-78.8	169	13.8	11.3-16.3	69	5.9	04.1-07.7	67	4.4	03.2-05.6	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	394	77,631	337	86.3	82.0-90.6	40	9.6	05.9-13.3	10	2.0	00.6-03.4	7	2.1	00.3-03.9			
Oth. Race/Non-Hisp.	68	14,623	55	75.5	59.2-91.8	5	12.4	00.0-27.5	5	7.8	00.0-16.2	1	0.2	00.0-00.6	2	4.1	00.0-10.0
MultiRacial/Non-Hisp.	196	5,826	163	80.5	72.9-88.1	21	11.7	05.6-17.8	9	6.9	01.4-12.4	3	0.8	00.0-01.8			
Hispanic	128	25,067	86	67.9	58.7-77.1	24	17.2	09.9-24.5	10	8.0	02.9-13.1	4	3.3	00.0-06.6	4	3.5	00.2-06.8
18-24	98	45,029	71	75.8	65.4-86.2	15	16.7	06.9-26.5	10	6.6	02.1-11.1	2	1.0	00.0-02.4			
25-34	224	59,636	140	61.2	53.6-68.8	44	19.1	13.0-25.2	19	9.8	04.7-14.9	17	8.0	03.9-12.1	4	1.8	00.0-03.6
35-44	239	55,484	172	71.7	65.0-78.4	40	15.7	10.6-20.8	13	7.0	02.9-11.1	12	4.9	02.0-07.8	2	0.7	00.0-01.7
45-54	418	65,017	323	76.5	71.4-81.6	63	15.9	11.2-20.6	21	5.2	02.7-07.7	11	2.4	00.8-04.0			
55-64	573	63,389	467	81.3	77.4-85.2	52	9.1	06.2-12.0	26	4.7	02.5-06.9	27	4.8	02.6-07.0	1	0.1	00.0-00.3
65+	911	83,348	836	92.3	90.1-94.5	43	4.8	03.0-06.6	16	1.3	00.5-02.1	15	1.5	00.5-02.5	1	0.0	00.0-00.0
Less Than H.S.	218	40,909	180	79.3	72.0-86.6	22	10.9	05.8-16.0	4	4.0	00.0-08.5	8	3.6	00.5-06.7	4	2.1	00.0-04.3
H.S. or G.E.D.	750	114,449	642	82.1	78.0-86.2	56	10.0	06.5-13.5	25	4.2	02.2-06.2	26	3.8	02.0-05.6	1	0.0	00.0-00.0
Some Post-H.S.	637	115,906	505	75.3	70.4-80.2	70	14.3	10.0-18.6	36	6.9	04.0-09.8	24	3.1	01.7-04.5	2	0.4	00.0-01.0
College Graduate	890	104,682	708	74.6	70.7-78.5	113	15.5	12.2-18.8	42	5.5	03.5-07.5	26	4.2	02.2-06.2	1	0.2	00.0-00.6
Less than \$15,000	237	33,006	197	77.5	68.7-86.3	20	12.8	04.6-21.0	7	2.9	00.2-05.6	11	5.5	01.6-09.4	2	1.2	00.0-03.0
\$15,000- 24,999	404	61,843	320	76.7	71.0-82.4	38	9.8	06.3-13.3	26	8.5	04.4-12.6	17	4.0	01.6-06.4	3	1.1	00.0-02.5
\$25,000- 34,999	249	36,034	208	79.4	72.1-86.7	22	10.0	04.9-15.1	10	6.7	01.2-12.2	9	3.9	01.0-06.8			
\$35,000- 49,999	264	39,212	226	78.5	71.1-85.9	23	12.6	06.5-18.7	11	6.5	02.0-11.0	4	2.4	00.0-05.3			
\$50,000- 74,999	324	49,159	259	79.8	74.1-85.5	40	11.0	06.9-15.1	14	5.3	01.8-08.8	11	3.9	01.0-06.8			
\$75,000+	560	91,608	443	74.3	69.2-79.4	75	17.1	12.4-21.8	28	6.0	03.3-08.7	14	2.6	01.2-04.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4293	729,780	3140	75.1	73.1-77.1	1153	24.9	22.9-26.9
Male	1751	348,705	1325	77.2	74.3-80.1	426	22.8	19.9-25.7
Female	2542	381,075	1815	73.1	70.7-75.5	727	26.9	24.5-29.3
White/Non-Hisp	2902	476,003	2173	78.0	76.0-80.0	729	22.0	20.0-24.0
Black or Afr. Am./Non-Hisp	605	143,775	397	67.0	61.3-72.7	208	33.0	27.3-38.7
Oth. Race/Non-Hisp.	119	27,689	86	77.7	67.9-87.5	33	22.3	12.5-32.1
MultiRacial/Non-Hisp.	324	10,297	245	77.0	70.7-83.3	79	23.0	16.7-29.3
Hispanic	251	56,686	174	70.8	64.1-77.5	77	29.2	22.5-35.9
18-24	178	92,520	146	83.4	76.7-90.1	32	16.6	09.9-23.3
25-34	364	119,977	287	78.3	73.0-83.6	77	21.7	16.4-27.0
35-44	425	110,514	342	79.5	74.6-84.4	83	20.5	15.6-25.4
45-54	725	126,787	527	71.5	66.8-76.2	198	28.5	23.8-33.2
55-64	980	120,886	730	73.5	70.0-77.0	250	26.5	23.0-30.0
65+	1555	151,610	1063	68.9	65.8-72.0	492	31.1	28.0-34.2
Less Than H.S.	415	98,271	222	57.9	51.4-64.4	193	42.1	35.6-48.6
H.S. or G.E.D.	1275	228,618	847	69.8	66.3-73.3	428	30.2	26.7-33.7
Some Post-H.S.	1037	210,793	775	78.0	74.3-81.7	262	22.0	18.3-25.7
College Graduate	1543	189,167	1285	87.6	85.8-89.4	258	12.4	10.6-14.2
Less than \$15,000	373	61,819	201	56.9	49.3-64.5	172	43.1	35.5-50.7
\$15,000- 24,999	661	111,189	399	64.2	59.1-69.3	262	35.8	30.7-40.9
\$25,000- 34,999	373	58,276	256	67.2	60.3-74.1	117	32.8	25.9-39.7
\$35,000- 49,999	505	86,008	369	68.9	62.6-75.2	136	31.1	24.8-37.4
\$50,000- 74,999	563	88,746	447	83.1	79.4-86.8	116	16.9	13.2-20.6
\$75,000+	1097	206,016	968	89.1	86.2-92.0	129	10.9	08.0-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,705	1325	77.2	74.3-80.1	426	22.8	19.9-25.7
White/Non-Hisp	1200	225,341	920	80.4	77.5-83.3	280	19.6	16.7-22.5
Black or Afr. Am./Non-Hisp	208	65,784	148	66.5	56.9-76.1	60	33.5	23.9-43.1
Oth. Race/Non-Hisp.	50	12,932	40	88.9	79.3-98.5	10	11.1	01.5-20.7
MultiRacial/Non-Hisp.	126	4,344	93	79.7	70.7-88.7	33	20.3	11.3-29.3
Hispanic	118	30,064	89	76.2	67.2-85.2	29	23.8	14.8-32.8
18-24	78	46,656	68	85.1	75.7-94.5	10	14.9	05.5-24.3
25-34	138	59,965	115	81.3	73.1-89.5	23	18.7	10.5-26.9
35-44	182	54,112	148	79.2	71.4-87.0	34	20.8	13.0-28.6
45-54	305	61,145	225	71.3	63.7-78.9	80	28.7	21.1-36.3
55-64	401	57,014	311	75.9	70.4-81.4	90	24.1	18.6-29.6
65+	629	67,280	443	72.7	68.2-77.2	186	27.3	22.8-31.8
Less Than H.S.	188	55,437	114	65.5	56.7-74.3	74	34.5	25.7-43.3
H.S. or G.E.D.	511	112,456	354	71.4	65.7-77.1	157	28.6	22.9-34.3
Some Post-H.S.	397	94,595	315	81.9	76.0-87.8	82	18.1	12.2-24.0
College Graduate	646	84,044	538	88.8	86.3-91.3	108	11.2	08.7-13.7
Less than \$15,000	130	28,118	73	54.3	41.2-67.4	57	45.7	32.6-58.8
\$15,000- 24,999	253	48,614	163	69.7	62.1-77.3	90	30.3	22.7-37.9
\$25,000- 34,999	118	21,711	78	70.1	59.7-80.5	40	29.9	19.5-40.3
\$35,000- 49,999	240	46,816	179	69.8	60.4-79.2	61	30.2	20.8-39.6
\$50,000- 74,999	237	39,345	185	86.4	81.7-91.1	52	13.6	08.9-18.3
\$75,000+	533	113,947	473	88.6	83.9-93.3	60	11.4	06.7-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2542	381,075	1815	73.1	70.7-75.5	727	26.9	24.5-29.3
White/Non-Hisp	1702	250,662	1253	75.8	73.3-78.3	449	24.2	21.7-26.7
Black or Afr. Am./Non-Hisp	397	77,992	249	67.5	60.8-74.2	148	32.5	25.8-39.2
Oth. Race/Non-Hisp.	69	14,757	46	67.9	52.8-83.0	23	32.1	17.0-47.2
MultiRacial/Non-Hisp.	198	5,953	152	75.1	66.7-83.5	46	24.9	16.5-33.3
Hispanic	133	26,622	85	64.8	55.0-74.6	48	35.2	25.4-45.0
18-24	100	45,864	78	81.6	72.2-91.0	22	18.4	09.0-27.8
25-34	226	60,012	172	75.3	68.4-82.2	54	24.7	17.8-31.6
35-44	243	56,402	194	79.7	73.8-85.6	49	20.3	14.4-26.2
45-54	420	65,642	302	71.7	66.2-77.2	118	28.3	22.8-33.8
55-64	579	63,872	419	71.3	66.6-76.0	160	28.7	24.0-33.4
65+	926	84,330	620	65.8	61.7-69.9	306	34.2	30.1-38.3
Less Than H.S.	227	42,834	108	48.1	39.3-56.9	119	51.9	43.1-60.7
H.S. or G.E.D.	764	116,162	493	68.1	63.6-72.6	271	31.9	27.4-36.4
Some Post-H.S.	640	116,198	460	74.9	70.4-79.4	180	25.1	20.6-29.6
College Graduate	897	105,122	747	86.7	84.2-89.2	150	13.3	10.8-15.8
Less than \$15,000	243	33,701	128	59.1	50.5-67.7	115	40.9	32.3-49.5
\$15,000- 24,999	408	62,575	236	60.0	53.1-66.9	172	40.0	33.1-46.9
\$25,000- 34,999	255	36,565	178	65.5	56.7-74.3	77	34.5	25.7-43.3
\$35,000- 49,999	265	39,192	190	67.9	60.1-75.7	75	32.1	24.3-39.9
\$50,000- 74,999	326	49,402	262	80.4	74.9-85.9	64	19.6	14.1-25.1
\$75,000+	564	92,069	495	89.8	86.9-92.7	69	10.2	07.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4212	720,519	1477	37.4	35.2-39.6	2608	59.6	57.4-61.8	127	3.0	02.2-03.8
Male	1726	344,311	601	36.9	33.6-40.2	1074	59.7	56.4-63.0	51	3.4	02.0-04.8
Female	2486	376,208	876	37.8	35.1-40.5	1534	59.5	56.8-62.2	76	2.7	01.7-03.7
White/Non-Hisp	2861	471,496	948	36.6	34.1-39.1	1842	61.4	58.9-63.9	71	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	581	140,314	264	43.0	37.3-48.7	286	50.9	45.0-56.8	31	6.1	03.0-09.2
Oth. Race/Non-Hisp.	118	27,447	41	27.3	15.1-39.5	74	70.4	58.1-82.7	3	2.3	00.0-06.0
MultiRacial/Non-Hisp.	316	10,080	101	34.4	27.1-41.7	203	63.6	56.3-70.9	12	2.0	00.6-03.4
Hispanic	249	56,261	92	35.0	27.9-42.1	149	60.4	53.1-67.7	8	4.6	00.9-08.3
18-24	177	92,232	64	37.1	28.5-45.7	106	56.7	47.9-65.5	7	6.2	01.5-10.9
25-34	362	119,613	154	42.0	35.5-48.5	204	57.2	50.7-63.7	4	0.8	00.0-01.8
35-44	420	109,142	167	37.5	31.8-43.2	241	58.7	52.8-64.6	12	3.8	01.4-06.2
45-54	716	125,364	296	39.7	35.2-44.2	405	58.3	53.6-63.0	15	1.9	00.7-03.1
55-64	965	119,284	375	41.5	37.6-45.4	560	56.0	52.1-59.9	30	2.5	01.1-03.9
65+	1513	147,764	401	28.4	25.3-31.5	1053	67.8	64.7-70.9	59	3.8	02.6-05.0
Less Than H.S.	391	94,944	174	47.7	40.8-54.6	200	47.7	40.8-54.6	17	4.5	01.8-07.2
H.S. or G.E.D.	1242	224,928	447	36.3	32.4-40.2	741	58.3	54.4-62.2	54	5.4	03.0-07.8
Some Post-H.S.	1024	209,103	386	38.8	34.5-43.1	611	59.8	55.5-64.1	27	1.3	00.7-01.9
College Graduate	1532	188,614	461	31.5	28.4-34.6	1043	67.2	64.1-70.3	28	1.4	00.8-02.0
Less than \$15,000	356	60,131	164	48.6	40.6-56.6	171	45.9	38.1-53.7	21	5.5	02.4-08.6
\$15,000- 24,999	643	109,487	274	43.7	38.2-49.2	340	53.0	47.5-58.5	29	3.3	01.5-05.1
\$25,000- 34,999	367	57,261	144	45.0	37.9-52.1	207	49.6	42.5-56.7	16	5.4	01.1-09.7
\$35,000- 49,999	504	85,427	171	37.2	31.1-43.3	321	61.4	55.3-67.5	12	1.4	00.4-02.4
\$50,000- 74,999	560	88,201	193	40.6	34.9-46.3	357	58.4	52.7-64.1	10	1.0	00.2-01.8
\$75,000+	1096	205,744	311	29.6	25.5-33.7	767	68.2	64.1-72.3	18	2.2	00.4-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1726	344,311	601	36.9	33.6-40.2	1074	59.7	56.4-63.0	51	3.4	02.0-04.8
White/Non-Hisp	1189	223,895	391	37.0	32.9-41.1	767	60.6	56.5-64.7	31	2.3	00.9-03.7
Black or Afr. Am./Non-Hisp	200	63,261	87	38.6	29.6-47.6	102	53.6	44.2-63.0	11	7.8	02.5-13.1
MultiRacial/Non-Hisp.	122	4,200	48	39.4	26.7-52.1	71	59.6	46.7-72.5	3	1.0	00.0-02.6
Hispanic	118	30,064	45	35.5	25.5-45.5	71	62.5	52.3-72.7	2	2.0	00.0-04.7
18-24	78	46,656	29	38.3	25.8-50.8	45	54.8	42.1-67.5	4	6.9	00.0-14.2
25-34	137	59,929	54	38.6	28.4-48.8	82	61.0	50.8-71.2	1	0.4	00.0-01.2
35-44	179	53,225	70	38.5	29.3-47.7	103	56.4	47.2-65.6	6	5.1	00.8-09.4
45-54	300	59,941	135	38.8	31.7-45.9	162	60.0	52.9-67.1	3	1.1	00.0-02.7
55-64	398	56,365	158	41.4	35.1-47.7	232	55.8	49.5-62.1	8	2.7	00.0-05.4
65+	618	65,768	149	26.8	22.1-31.5	440	68.1	63.2-73.0	29	5.0	02.8-07.2
Less Than H.S.	180	54,181	71	43.8	33.8-53.8	101	51.0	41.0-61.0	8	5.2	01.3-09.1
H.S. or G.E.D.	503	110,787	186	37.7	31.6-43.8	294	56.3	50.0-62.6	23	6.0	02.3-09.7
Some Post-H.S.	392	93,476	146	34.3	27.8-40.8	238	64.7	58.2-71.2	8	1.0	00.2-01.8
College Graduate	642	83,695	193	33.6	28.5-38.7	437	64.9	59.8-70.0	12	1.5	00.5-02.5
Less than \$15,000	122	27,268	58	55.3	42.2-68.4	60	40.5	27.8-53.2	4	4.2	00.0-08.9
\$15,000- 24,999	249	47,673	97	38.0	29.8-46.2	142	58.5	50.1-66.9	10	3.4	00.3-06.5
\$25,000- 34,999	117	21,406	44	39.4	27.4-51.4	66	56.5	44.3-68.7	7	4.1	00.6-07.6
\$35,000- 49,999	238	46,009	72	31.3	22.5-40.1	156	66.3	57.5-75.1	10	2.4	00.6-04.2
\$50,000- 74,999	236	39,169	79	40.7	31.5-49.9	154	58.4	49.2-67.6	3	1.0	00.0-02.6
\$75,000+	533	113,761	174	35.2	29.1-41.3	349	61.5	55.2-67.8	10	3.2	00.3-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2486	376,208	876	37.8	35.1-40.5	1534	59.5	56.8-62.2	76	2.7	01.7-03.7
White/Non-Hisp	1672	247,601	557	36.2	33.1-39.3	1075	62.0	58.9-65.1	40	1.8	01.2-02.4
Black or Afr. Am./Non-Hisp	381	77,053	177	46.7	39.4-54.0	184	48.7	41.4-56.0	20	4.6	01.3-07.9
Oth. Race/Non-Hisp.	69	14,757	27	25.6	13.4-37.8	41	73.7	61.5-85.9	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	194	5,880	53	30.8	22.2-39.4	132	66.4	57.8-75.0	9	2.8	00.8-04.8
Hispanic	131	26,197	47	34.4	24.8-44.0	78	58.1	47.7-68.5	6	7.6	00.3-14.9
18-24	99	45,576	35	35.8	23.6-48.0	61	58.7	46.4-71.0	3	5.4	00.0-11.7
25-34	225	59,683	100	45.3	37.5-53.1	122	53.4	45.6-61.2	3	1.3	00.0-02.9
35-44	241	55,917	97	36.5	29.4-43.6	138	61.0	53.7-68.3	6	2.5	00.3-04.7
45-54	416	65,423	161	40.5	34.6-46.4	243	56.8	50.9-62.7	12	2.7	00.9-04.5
55-64	567	62,919	217	41.5	36.4-46.6	328	56.1	51.0-61.2	22	2.4	01.2-03.6
65+	895	81,997	252	29.7	25.6-33.8	613	67.5	63.4-71.6	30	2.8	01.4-04.2
Less Than H.S.	211	40,763	103	53.0	44.0-62.0	99	43.5	34.7-52.3	9	3.5	00.0-07.2
H.S. or G.E.D.	739	114,141	261	34.9	30.2-39.6	447	60.2	55.3-65.1	31	4.9	02.2-07.6
Some Post-H.S.	632	115,627	240	42.5	37.0-48.0	373	55.9	50.4-61.4	19	1.6	00.6-02.6
College Graduate	890	104,919	268	29.7	25.8-33.6	606	69.0	65.1-72.9	16	1.3	00.5-02.1
Less than \$15,000	234	32,863	106	43.1	33.9-52.3	111	50.3	41.1-59.5	17	6.6	02.3-10.9
\$15,000- 24,999	394	61,814	177	48.1	40.8-55.4	198	48.7	41.6-55.8	19	3.2	01.4-05.0
\$25,000- 34,999	250	35,855	100	48.3	39.7-56.9	141	45.6	37.2-54.0	9	6.1	00.0-12.6
\$35,000- 49,999	266	39,418	99	44.0	35.8-52.2	165	55.8	47.6-64.0	2	0.2	00.0-00.6
\$50,000- 74,999	324	49,032	114	40.6	33.3-47.9	203	58.4	51.1-65.7	7	1.0	00.0-02.0
\$75,000+	563	91,983	137	22.7	18.2-27.2	418	76.4	71.7-81.1	8	0.9	00.1-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4275	728,128	318	5.0	04.2-05.8	3957	95.0	94.2-95.8
Male	1747	347,971	197	7.5	06.1-08.9	1550	92.5	91.1-93.9
Female	2528	380,158	121	2.8	02.2-03.4	2407	97.2	96.6-97.8
White/Non-Hisp	2893	475,428	229	5.3	04.5-06.1	2664	94.7	93.9-95.5
Black or Afr. Am./Non-Hisp	603	143,571	49	6.1	03.6-08.6	554	93.9	91.4-96.4
Oth. Race/Non-Hisp.	118	27,374	3	1.5	00.0-03.3	115	98.5	96.7-0100
MultiRacial/Non-Hisp.	323	10,329	27	7.2	03.3-11.1	296	92.8	88.9-96.7
Hispanic	247	56,161	5	1.7	00.0-03.7	242	98.3	96.3-0100
18-24	178	92,520				178	100.0	0100-0100
25-34	363	119,661	1	0.3	00.0-00.9	362	99.7	99.1-0100
35-44	422	110,126	4	1.2	00.0-02.6	418	98.8	97.4-0100
45-54	720	126,243	26	2.9	01.5-04.3	694	97.1	95.7-98.5
55-64	978	120,603	69	6.9	04.9-08.9	909	93.1	91.1-95.1
65+	1550	151,791	212	14.6	12.1-17.1	1338	85.4	82.9-87.9
Less Than H.S.	406	97,639	46	8.6	05.5-11.7	360	91.4	88.3-94.5
H.S. or G.E.D.	1270	228,320	103	4.9	03.7-06.1	1167	95.1	93.9-96.3
Some Post-H.S.	1037	210,710	81	5.0	03.4-06.6	956	95.0	93.4-96.6
College Graduate	1539	188,528	87	3.5	02.5-04.5	1452	96.5	95.5-97.5
Less than \$15,000	367	61,305	44	8.6	04.9-12.3	323	91.4	87.7-95.1
\$15,000- 24,999	661	111,408	77	7.7	05.2-10.2	584	92.3	89.8-94.8
\$25,000- 34,999	371	58,212	25	4.8	02.4-07.2	346	95.2	92.8-97.6
\$35,000- 49,999	504	85,869	38	5.3	03.1-07.5	466	94.7	92.5-96.9
\$50,000- 74,999	563	88,746	31	5.3	02.9-07.7	532	94.7	92.3-97.1
\$75,000+	1095	205,524	40	1.8	01.2-02.4	1055	98.2	97.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	347,971	197	7.5	06.1-08.9	1550	92.5	91.1-93.9
White/Non-Hisp	1198	225,179	144	7.9	06.3-09.5	1054	92.1	90.5-93.7
Black or Afr. Am./Non-Hisp	208	65,784	26	9.5	04.4-14.6	182	90.5	85.4-95.6
MultiRacial/Non-Hisp.	127	4,401	19	13.7	04.9-22.5	108	86.3	77.5-95.1
Hispanic	116	29,751	3	2.6	00.0-06.3	113	97.4	93.7-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	137	59,649	1	0.6	00.0-01.8	136	99.4	98.2-0100
35-44	180	53,897	3	2.2	00.0-04.7	177	97.8	95.3-0100
45-54	302	60,699	14	3.7	01.2-06.2	288	96.3	93.8-98.8
55-64	402	56,999	46	10.4	06.9-13.9	356	89.6	86.1-93.1
65+	630	67,537	130	23.3	18.2-28.4	500	76.7	71.6-81.8
Less Than H.S.	187	55,525	31	11.6	06.3-16.9	156	88.4	83.1-93.7
H.S. or G.E.D.	511	112,456	58	6.3	04.1-08.5	453	93.7	91.5-95.9
Some Post-H.S.	396	94,260	50	8.3	05.0-11.6	346	91.7	88.4-95.0
College Graduate	644	83,556	57	5.6	03.8-07.4	587	94.4	92.6-96.2
Less than \$15,000	127	27,860	17	10.7	03.8-17.6	110	89.3	82.4-96.2
\$15,000- 24,999	254	48,867	42	12.2	07.1-17.3	212	87.8	82.7-92.9
\$25,000- 34,999	118	21,711	16	10.4	04.7-16.1	102	89.6	83.9-95.3
\$35,000- 49,999	239	46,501	28	6.5	03.4-09.6	211	93.5	90.4-96.6
\$50,000- 74,999	237	39,345	24	9.1	04.6-13.6	213	90.9	86.4-95.4
\$75,000+	532	113,752	35	2.8	01.6-04.0	497	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
 (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	380,158	121	2.8	02.2-03.4	2407	97.2	96.6-97.8
White/Non-Hisp	1695	250,249	85	2.9	02.1-03.7	1610	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	395	77,787	23	3.2	01.4-05.0	372	96.8	95.0-98.6
Oth. Race/Non-Hisp.	69	14,757	2	1.8	00.0-04.5	67	98.2	95.5-0100
MultiRacial/Non-Hisp.	196	5,929	8	2.3	00.3-04.3	188	97.7	95.7-99.7
Hispanic	131	26,410	2	0.6	00.0-01.4	129	99.4	98.6-0100
18-24	100	45,864				100	100.0	0100-0100
25-34	226	60,012				226	100.0	0100-0100
35-44	242	56,230	1	0.3	00.0-00.9	241	99.7	99.1-0100
45-54	418	65,544	12	2.1	00.7-03.5	406	97.9	96.5-99.3
55-64	576	63,603	23	3.7	01.7-05.7	553	96.3	94.3-98.3
65+	920	84,254	82	7.5	05.5-09.5	838	92.5	90.5-94.5
Less Than H.S.	219	42,114	15	4.6	01.9-07.3	204	95.4	92.7-98.1
H.S. or G.E.D.	759	115,863	45	3.5	02.1-04.9	714	96.5	95.1-97.9
Some Post-H.S.	641	116,450	31	2.2	01.2-03.2	610	97.8	96.8-98.8
College Graduate	895	104,971	30	1.8	01.0-02.6	865	98.2	97.4-99.0
Less than \$15,000	240	33,445	27	6.8	03.3-10.3	213	93.2	89.7-96.7
\$15,000- 24,999	407	62,541	35	4.2	02.4-06.0	372	95.8	94.0-97.6
\$25,000- 34,999	253	36,501	9	1.5	00.3-02.7	244	98.5	97.3-99.7
\$35,000- 49,999	265	39,368	10	3.8	01.1-06.5	255	96.2	93.5-98.9
\$50,000- 74,999	326	49,402	7	2.2	00.2-04.2	319	97.8	95.8-99.8
\$75,000+	563	91,772	5	0.6	00.0-01.2	558	99.4	98.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4266	727,236	296	4.8	04.0-05.6	3970	95.2	94.4-96.0
Male	1746	348,048	170	6.4	05.0-07.8	1576	93.6	92.2-95.0
Female	2520	379,188	126	3.3	02.5-04.1	2394	96.7	95.9-97.5
White/Non-Hisp	2890	475,447	224	5.4	04.6-06.2	2666	94.6	93.8-95.4
Black or Afr. Am./Non-Hisp	600	142,921	40	5.2	02.8-07.6	560	94.8	92.4-97.2
Oth. Race/Non-Hisp.	118	27,328	2	1.0	00.0-02.6	116	99.0	97.4-0100
MultiRacial/Non-Hisp.	320	10,257	21	5.3	01.8-08.8	299	94.7	91.2-98.2
Hispanic	248	56,052	5	1.3	00.0-02.7	243	98.7	97.3-0100
18-24	178	92,520				178	100.0	0100-0100
25-34	364	119,977	2	0.5	00.0-01.1	362	99.5	98.9-0100
35-44	425	110,514	5	1.3	00.0-02.7	420	98.7	97.3-0100
45-54	721	125,977	19	2.6	01.2-04.0	702	97.4	96.0-98.8
55-64	978	120,414	63	6.8	04.8-08.8	915	93.2	91.2-95.2
65+	1535	150,646	202	13.8	11.3-16.3	1333	86.2	83.7-88.7
Less Than H.S.	411	97,957	47	7.6	04.9-10.3	364	92.4	89.7-95.1
H.S. or G.E.D.	1263	227,534	88	4.6	03.4-05.8	1175	95.4	94.2-96.6
Some Post-H.S.	1035	210,682	76	5.0	03.4-06.6	959	95.0	93.4-96.6
College Graduate	1535	188,355	83	3.3	02.5-04.1	1452	96.7	95.9-97.5
Less than \$15,000	370	61,624	39	7.1	03.8-10.4	331	92.9	89.6-96.2
\$15,000- 24,999	658	111,000	60	6.7	04.3-09.1	598	93.3	90.9-95.7
\$25,000- 34,999	370	58,000	25	4.6	02.4-06.8	345	95.4	93.2-97.6
\$35,000- 49,999	503	86,001	38	5.8	03.4-08.2	465	94.2	91.8-96.6
\$50,000- 74,999	557	87,977	31	4.7	02.7-06.7	526	95.3	93.3-97.3
\$75,000+	1094	205,513	44	2.1	01.3-02.9	1050	97.9	97.1-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1746	348,048	170	6.4	05.0-07.8	1576	93.6	92.2-95.0
White/Non-Hisp	1197	225,233	135	7.3	05.7-08.9	1062	92.7	91.1-94.3
Black or Afr. Am./Non-Hisp	207	65,634	20	7.6	02.9-12.3	187	92.4	87.7-97.1
Oth. Race/Non-Hisp.	50	12,932				50	100.0	0100-0100
MultiRacial/Non-Hisp.	127	4,401	10	7.8	00.5-15.1	117	92.2	84.9-99.5
Hispanic	116	29,607	4	2.3	00.0-04.7	112	97.7	95.3-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	138	59,965	1	0.4	00.0-01.2	137	99.6	98.8-0100
35-44	182	54,112	2	1.5	00.0-03.9	180	98.5	96.1-0100
45-54	303	60,871	14	3.9	01.4-06.4	289	96.1	93.6-98.6
55-64	403	57,149	39	8.6	05.5-11.7	364	91.4	88.3-94.5
65+	624	66,762	111	20.2	15.3-25.1	513	79.8	74.9-84.7
Less Than H.S.	188	55,461	23	7.7	03.6-11.8	165	92.3	88.2-96.4
H.S. or G.E.D.	508	112,162	48	6.2	04.0-08.4	460	93.8	91.6-96.0
Some Post-H.S.	397	94,521	47	7.7	04.6-10.8	350	92.3	89.2-95.4
College Graduate	645	83,955	51	4.5	03.1-05.9	594	95.5	94.1-96.9
Less than \$15,000	128	27,978	14	7.8	01.9-13.7	114	92.2	86.3-98.1
\$15,000- 24,999	255	48,997	29	9.8	05.3-14.3	226	90.2	85.7-94.7
\$25,000- 34,999	117	21,478	15	9.0	03.7-14.3	102	91.0	85.7-96.3
\$35,000- 49,999	239	46,667	29	7.2	03.9-10.5	210	92.8	89.5-96.1
\$50,000- 74,999	236	39,214	23	7.7	03.8-11.6	213	92.3	88.4-96.2
\$75,000+	531	113,741	30	2.5	01.5-03.5	501	97.5	96.5-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2520	379,188	126	3.3	02.5-04.1	2394	96.7	95.9-97.5
White/Non-Hisp	1693	250,214	89	3.7	02.7-04.7	1604	96.3	95.3-97.3
Black or Afr. Am./Non-Hisp	393	77,286	20	3.1	01.3-04.9	373	96.9	95.1-98.7
Oth. Race/Non-Hisp.	68	14,396	2	1.8	00.0-04.7	66	98.2	95.3-0100
MultiRacial/Non-Hisp.	193	5,856	11	3.5	01.0-06.0	182	96.5	94.0-99.0
Hispanic	132	26,444	1	0.2	00.0-00.6	131	99.8	99.4-0100
18-24	100	45,864				100	100.0	0100-0100
25-34	226	60,012	1	0.5	00.0-01.5	225	99.5	98.5-0100
35-44	243	56,402	3	1.0	00.0-02.2	240	99.0	97.8-0100
45-54	418	65,106	5	1.4	00.0-02.8	413	98.6	97.2-0100
55-64	575	63,265	24	5.2	02.7-07.7	551	94.8	92.3-97.3
65+	911	83,884	91	8.7	06.5-10.9	820	91.3	89.1-93.5
Less Than H.S.	223	42,497	24	7.6	03.9-11.3	199	92.4	88.7-96.1
H.S. or G.E.D.	755	115,372	40	3.1	01.9-04.3	715	96.9	95.7-98.1
Some Post-H.S.	638	116,161	29	2.7	01.5-03.9	609	97.3	96.1-98.5
College Graduate	890	104,400	32	2.3	01.3-03.3	858	97.7	96.7-98.7
Less than \$15,000	242	33,646	25	6.5	03.0-10.0	217	93.5	90.0-97.0
\$15,000- 24,999	403	62,003	31	4.2	02.4-06.0	372	95.8	94.0-97.6
\$25,000- 34,999	253	36,522	10	2.1	00.7-03.5	243	97.9	96.5-99.3
\$35,000- 49,999	264	39,334	9	4.1	00.8-07.4	255	95.9	92.6-99.2
\$50,000- 74,999	321	48,762	8	2.4	00.4-04.4	313	97.6	95.6-99.6
\$75,000+	563	91,772	14	1.7	00.7-02.7	549	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4288	729,760	205	3.2	02.6-03.8	4083	96.8	96.2-97.4
Male	1753	349,090	88	3.3	02.3-04.3	1665	96.7	95.7-97.7
Female	2535	380,670	117	3.1	02.3-03.9	2418	96.9	96.1-97.7
White/Non-Hisp	2899	476,277	130	2.9	02.3-03.5	2769	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	604	143,496	44	5.1	02.9-07.3	560	94.9	92.7-97.1
Oth. Race/Non-Hisp.	119	27,689	3	3.5	00.0-08.6	116	96.5	91.4-0100
MultiRacial/Non-Hisp.	324	10,346	19	4.5	02.1-06.9	305	95.5	93.1-97.9
Hispanic	251	56,686	6	1.3	00.1-02.5	245	98.7	97.5-99.9
18-24	178	92,520				178	100.0	0100-0100
25-34	364	119,977	2	0.6	00.0-01.4	362	99.4	98.6-0100
35-44	425	110,514	5	1.0	00.0-02.2	420	99.0	97.8-0100
45-54	724	126,724	24	2.9	01.3-04.5	700	97.1	95.5-98.7
55-64	979	120,781	48	4.4	02.8-06.0	931	95.6	94.0-97.2
65+	1553	152,056	125	8.2	06.0-10.4	1428	91.8	89.6-94.0
Less Than H.S.	416	98,554	31	4.9	02.5-07.3	385	95.1	92.7-97.5
H.S. or G.E.D.	1273	228,419	61	2.5	01.7-03.3	1212	97.5	96.7-98.3
Some Post-H.S.	1038	210,893	63	4.0	02.4-05.6	975	96.0	94.4-97.6
College Graduate	1539	188,974	46	2.1	01.3-02.9	1493	97.9	97.1-98.7
Less than \$15,000	373	61,819	38	6.3	03.6-09.0	335	93.7	91.0-96.4
\$15,000- 24,999	662	111,625	49	4.8	02.8-06.8	613	95.2	93.2-97.2
\$25,000- 34,999	371	58,230	19	4.0	01.6-06.4	352	96.0	93.6-98.4
\$35,000- 49,999	506	86,234	18	2.5	01.1-03.9	488	97.5	96.1-98.9
\$50,000- 74,999	562	88,538	14	2.1	00.7-03.5	548	97.9	96.5-99.3
\$75,000+	1095	205,679	21	1.2	00.6-01.8	1074	98.8	98.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1753	349,090	88	3.3	02.3-04.3	1665	96.7	95.7-97.7
White/Non-Hisp	1202	225,677	60	2.9	01.9-03.9	1142	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	208	65,784	17	6.7	02.4-11.0	191	93.3	89.0-97.6
Oth. Race/Non-Hisp.	50	12,932				50	100.0	0100-0100
MultiRacial/Non-Hisp.	126	4,393	8	5.5	01.2-09.8	118	94.5	90.2-98.8
Hispanic	118	30,064	1	0.9	00.0-02.7	117	99.1	97.3-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	138	59,965				138	100.0	0100-0100
35-44	182	54,112	2	1.2	00.0-03.4	180	98.8	96.6-0100
45-54	305	61,145	15	3.9	01.4-06.4	290	96.1	93.6-98.6
55-64	403	57,149	18	4.5	02.1-06.9	385	95.5	93.1-97.9
65+	629	67,529	52	8.7	05.0-12.4	577	91.3	87.6-95.0
Less Than H.S.	190	55,783	13	3.8	01.1-06.5	177	96.2	93.5-98.9
H.S. or G.E.D.	511	112,456	27	2.6	01.2-04.0	484	97.4	96.0-98.8
Some Post-H.S.	398	94,651	24	4.4	01.7-07.1	374	95.6	92.9-98.3
College Graduate	645	84,027	22	2.4	01.2-03.6	623	97.6	96.4-98.8
Less than \$15,000	130	28,118	15	6.2	01.9-10.5	115	93.8	89.5-98.1
\$15,000- 24,999	255	48,997	20	5.3	02.0-08.6	235	94.7	91.4-98.0
\$25,000- 34,999	118	21,711	6	5.0	00.0-10.1	112	95.0	89.9-0100
\$35,000- 49,999	240	46,816	14	3.4	01.2-05.6	226	96.6	94.4-98.8
\$50,000- 74,999	237	39,345	7	2.0	00.2-03.8	230	98.0	96.2-99.8
\$75,000+	532	113,907	10	0.9	00.1-01.7	522	99.1	98.3-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	380,670	117	3.1	02.3-03.9	2418	96.9	96.1-97.7
White/Non-Hisp	1697	250,600	70	2.9	02.1-03.7	1627	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	396	77,712	27	3.8	01.8-05.8	369	96.2	94.2-98.2
Oth. Race/Non-Hisp.	69	14,757	3	6.5	00.0-15.9	66	93.5	84.1-0100
MultiRacial/Non-Hisp.	198	5,953	11	3.8	01.1-06.5	187	96.2	93.5-98.9
Hispanic	133	26,622	5	1.8	00.0-03.6	128	98.2	96.4-0100
18-24	100	45,864				100	100.0	0100-0100
25-34	226	60,012	2	1.1	00.0-02.7	224	98.9	97.3-0100
35-44	243	56,402	3	0.9	00.0-02.1	240	99.1	97.9-0100
45-54	419	65,579	9	2.0	00.2-03.8	410	98.0	96.2-99.8
55-64	576	63,632	30	4.3	02.3-06.3	546	95.7	93.7-97.7
65+	924	84,526	73	7.8	05.3-10.3	851	92.2	89.7-94.7
Less Than H.S.	226	42,771	18	6.3	02.0-10.6	208	93.7	89.4-98.0
H.S. or G.E.D.	762	115,963	34	2.4	01.4-03.4	728	97.6	96.6-98.6
Some Post-H.S.	640	116,242	39	3.7	02.1-05.3	601	96.3	94.7-97.9
College Graduate	894	104,947	24	1.9	00.9-02.9	870	98.1	97.1-99.1
Less than \$15,000	243	33,701	23	6.4	02.9-09.9	220	93.6	90.1-97.1
\$15,000- 24,999	407	62,628	29	4.5	02.0-07.0	378	95.5	93.0-98.0
\$25,000- 34,999	253	36,519	13	3.3	01.1-05.5	240	96.7	94.5-98.9
\$35,000- 49,999	266	39,418	4	1.5	00.0-03.3	262	98.5	96.7-0100
\$50,000- 74,999	325	49,193	7	2.1	00.0-04.3	318	97.9	95.7-0100
\$75,000+	563	91,772	11	1.5	00.5-02.5	552	98.5	97.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4288	728,741	600	14.4	12.8-16.0	3688	85.6	84.0-87.2
Male	1751	348,204	184	11.5	09.1-13.9	1567	88.5	86.1-90.9
Female	2537	380,537	416	17.0	14.8-19.2	2121	83.0	80.8-85.2
White/Non-Hisp	2899	475,954	390	14.0	12.0-16.0	2509	86.0	84.0-88.0
Black or Afr. Am./Non-Hisp	605	143,704	113	17.0	12.9-21.1	492	83.0	78.9-87.1
Oth. Race/Non-Hisp.	118	27,133	16	14.5	04.5-24.5	102	85.5	75.5-95.5
MultiRacial/Non-Hisp.	325	10,353	37	14.0	08.3-19.7	288	86.0	80.3-91.7
Hispanic	249	56,268	30	11.3	06.6-16.0	219	88.7	84.0-93.4
18-24	176	91,676	37	17.9	10.8-25.0	139	82.1	75.0-89.2
25-34	363	119,700	59	16.2	11.3-21.1	304	83.8	78.9-88.7
35-44	425	110,514	65	12.7	09.2-16.2	360	87.3	83.8-90.8
45-54	724	126,721	105	14.1	10.8-17.4	619	85.9	82.6-89.2
55-64	980	120,912	128	13.3	10.6-16.0	852	86.7	84.0-89.4
65+	1555	152,029	196	12.8	10.6-15.0	1359	87.2	85.0-89.4
Less Than H.S.	413	98,070	64	11.7	08.0-15.4	349	88.3	84.6-92.0
H.S. or G.E.D.	1273	228,287	171	14.1	11.2-17.0	1102	85.9	83.0-88.8
Some Post-H.S.	1038	210,545	173	18.8	15.3-22.3	865	81.2	77.7-84.7
College Graduate	1541	188,908	190	11.3	09.3-13.3	1351	88.7	86.7-90.7
Less than \$15,000	371	61,704	90	21.8	16.1-27.5	281	78.2	72.5-83.9
\$15,000- 24,999	663	111,693	100	16.8	12.1-21.5	563	83.2	78.5-87.9
\$25,000- 34,999	372	58,209	60	14.5	09.6-19.4	312	85.5	80.6-90.4
\$35,000- 49,999	506	86,234	62	13.3	09.4-17.2	444	86.7	82.8-90.6
\$50,000- 74,999	562	88,469	68	14.2	10.1-18.3	494	85.8	81.7-89.9
\$75,000+	1096	205,686	134	13.2	10.1-16.3	962	86.8	83.7-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,204	184	11.5	09.1-13.9	1567	88.5	86.1-90.9
White/Non-Hisp	1200	225,339	122	12.3	09.4-15.2	1078	87.7	84.8-90.6
Black or Afr. Am./Non-Hisp	208	65,784	28	11.2	06.3-16.1	180	88.8	83.9-93.7
MultiRacial/Non-Hisp.	127	4,401	15	12.8	04.4-21.2	112	87.2	78.8-95.6
Hispanic	118	30,064	12	9.6	03.7-15.5	106	90.4	84.5-96.3
18-24	77	46,100	13	14.2	05.2-23.2	64	85.8	76.8-94.8
25-34	137	59,688	22	16.0	08.0-24.0	115	84.0	76.0-92.0
35-44	182	54,112	21	8.9	04.6-13.2	161	91.1	86.8-95.4
45-54	305	61,145	30	10.9	06.2-15.6	275	89.1	84.4-93.8
55-64	403	57,149	38	10.2	06.3-14.1	365	89.8	85.9-93.7
65+	629	67,476	56	9.1	06.2-12.0	573	90.9	88.0-93.8
Less Than H.S.	189	55,722	20	9.7	04.6-14.8	169	90.3	85.2-95.4
H.S. or G.E.D.	510	112,179	49	11.2	07.1-15.3	461	88.8	84.7-92.9
Some Post-H.S.	397	94,095	56	16.0	10.5-21.5	341	84.0	78.5-89.5
College Graduate	646	84,034	58	8.2	05.5-10.9	588	91.8	89.1-94.5
Less than \$15,000	129	28,058	21	17.2	08.0-26.4	108	82.8	73.6-92.0
\$15,000- 24,999	255	48,997	24	11.2	04.7-17.7	231	88.8	82.3-95.3
\$25,000- 34,999	118	21,711	14	13.3	03.3-23.3	104	86.7	76.7-96.7
\$35,000- 49,999	240	46,816	23	10.4	05.1-15.7	217	89.6	84.3-94.9
\$50,000- 74,999	236	39,068	25	12.4	06.7-18.1	211	87.6	81.9-93.3
\$75,000+	533	113,915	55	11.0	06.7-15.3	478	89.0	84.7-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2537	380,537	416	17.0	14.8-19.2	2121	83.0	80.8-85.2
White/Non-Hisp	1699	250,615	268	15.6	13.2-18.0	1431	84.4	82.0-86.8
Black or Afr. Am./Non-Hisp	397	77,920	85	22.0	15.9-28.1	312	78.0	71.9-84.1
Oth. Race/Non-Hisp.	69	14,757	13	19.3	04.0-34.6	56	80.7	65.4-96.0
MultiRacial/Non-Hisp.	198	5,953	22	15.0	07.4-22.6	176	85.0	77.4-92.6
Hispanic	131	26,204	18	13.3	05.7-20.9	113	86.7	79.1-94.3
18-24	99	45,576	24	21.6	11.0-32.2	75	78.4	67.8-89.0
25-34	226	60,012	37	16.4	10.9-21.9	189	83.6	78.1-89.1
35-44	243	56,402	44	16.3	10.8-21.8	199	83.7	78.2-89.2
45-54	419	65,576	75	17.1	12.6-21.6	344	82.9	78.4-87.4
55-64	577	63,763	90	16.1	12.4-19.8	487	83.9	80.2-87.6
65+	926	84,553	140	15.8	12.9-18.7	786	84.2	81.3-87.1
Less Than H.S.	224	42,348	44	14.2	09.1-19.3	180	85.8	80.7-90.9
H.S. or G.E.D.	763	116,107	122	16.9	13.0-20.8	641	83.1	79.2-87.0
Some Post-H.S.	641	116,450	117	21.0	16.3-25.7	524	79.0	74.3-83.7
College Graduate	895	104,874	132	13.8	11.1-16.5	763	86.2	83.5-88.9
Less than \$15,000	242	33,646	69	25.7	18.6-32.8	173	74.3	67.2-81.4
\$15,000- 24,999	408	62,696	76	21.3	14.6-28.0	332	78.7	72.0-85.4
\$25,000- 34,999	254	36,498	46	15.1	09.8-20.4	208	84.9	79.6-90.2
\$35,000- 49,999	266	39,418	39	16.8	10.9-22.7	227	83.2	77.3-89.1
\$50,000- 74,999	326	49,402	43	15.7	10.0-21.4	283	84.3	78.6-90.0
\$75,000+	563	91,772	79	16.0	11.3-20.7	484	84.0	79.3-88.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	587	102,251	403	62.4	56.1-68.7	184	37.6	31.3-43.9
Male	177	38,352	96	50.1	39.1-61.1	81	49.9	38.9-60.9
Female	410	63,898	307	69.9	62.5-77.3	103	30.1	22.7-37.5
White/Non-Hisp	383	65,155	254	61.8	54.4-69.2	129	38.2	30.8-45.6
Black or Afr. Am./Non-Hisp	111	24,176	83	67.9	54.0-81.8	28	32.1	18.2-46.0
25-34	57	18,941	35	47.0	30.7-63.3	22	53.0	36.7-69.3
35-44	63	13,540	42	64.6	49.5-79.7	21	35.4	20.3-50.5
45-54	102	17,361	71	66.0	53.8-78.2	31	34.0	21.8-46.2
55-64	126	15,561	96	73.8	64.6-83.0	30	26.2	17.0-35.4
65+	193	19,404	130	69.2	61.4-77.0	63	30.8	23.0-38.6
Less Than H.S.	62	10,798	47	75.0	61.9-88.1	15	25.0	11.9-38.1
H.S. or G.E.D.	167	31,467	119	57.5	45.7-69.3	48	42.5	30.7-54.3
Some Post-H.S.	172	39,273	113	61.8	50.6-73.0	59	38.2	27.0-49.4
College Graduate	184	20,560	122	64.4	55.2-73.6	62	35.6	26.4-44.8
Less than \$15,000	88	12,834	69	74.7	62.4-87.0	19	25.3	13.0-37.6
\$15,000- 24,999	98	18,610	69	57.0	39.6-74.4	29	43.0	25.6-60.4
\$25,000- 34,999	60	8,424	45	65.6	45.2-86.0	15	34.4	14.0-54.8
\$35,000- 49,999	60	10,956	39	56.1	39.8-72.4	21	43.9	27.6-60.2
\$50,000- 74,999	67	12,501	43	68.4	55.1-81.7	24	31.6	18.3-44.9
\$75,000+	130	26,613	79	54.6	41.1-68.1	51	45.4	31.9-58.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	177	38,352	96	50.1	38.9-61.3	81	49.9	38.7-61.1
White/Non-Hisp	119	26,659	63	46.7	32.8-60.6	56	53.3	39.4-67.2
65+	54	6,077	33	60.1	43.4-76.8	21	39.9	23.2-56.6
Some Post-H.S.	55	14,819	30	63.0	44.8-81.2	25	37.0	18.8-55.2
College Graduate	55	6,591	31	51.2	32.6-69.8	24	48.8	30.2-67.4
\$75,000+	52	12,259	31	57.9	36.5-79.3	21	42.1	20.7-63.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	410	63,898	307	69.9	62.5-77.3	103	30.1	22.7-37.5
White/Non-Hisp	264	38,495	191	72.3	64.9-79.7	73	27.7	20.3-35.1
Black or Afr. Am./Non-Hisp	84	17,097	68	69.4	51.6-87.2	16	30.6	12.8-48.4
45-54	73	10,938	55	67.6	52.1-83.1	18	32.4	16.9-47.9
55-64	89	10,249	74	80.2	70.4-90.0	15	19.8	10.0-29.6
65+	139	13,327	97	73.3	64.9-81.7	42	26.7	18.3-35.1
H.S. or G.E.D.	120	19,526	98	78.2	65.5-90.9	22	21.8	09.1-34.5
Some Post-H.S.	117	24,455	83	61.1	47.0-75.2	34	38.9	24.8-53.0
College Graduate	129	13,968	91	70.6	61.0-80.2	38	29.4	19.8-39.0
Less than \$15,000	68	8,532	56	78.9	65.8-92.0	12	21.1	08.0-34.2
\$15,000- 24,999	74	13,140	57	65.8	44.2-87.4	17	34.2	12.6-55.8
\$75,000+	78	14,354	48	51.8	35.1-68.5	30	48.2	31.5-64.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4284	728,773	444	6.7	05.9-07.5	3840	93.3	92.5-94.1
Male	1748	348,366	199	6.6	05.4-07.8	1549	93.4	92.2-94.6
Female	2536	380,407	245	6.9	05.7-08.1	2291	93.1	91.9-94.3
White/Non-Hisp	2895	475,464	394	9.5	08.3-10.7	2501	90.5	89.3-91.7
Black or Afr. Am./Non-Hisp	605	143,704	4	0.9	00.0-02.1	601	99.1	97.9-0100
Oth. Race/Non-Hisp.	118	27,263	5	2.6	00.0-06.1	113	97.4	93.9-0100
MultiRacial/Non-Hisp.	323	10,326	30	8.1	04.0-12.2	293	91.9	87.8-96.0
Hispanic	251	56,686	3	0.5	00.0-01.1	248	99.5	98.9-0100
18-24	177	92,341				177	100.0	0100-0100
25-34	362	119,276	3	1.1	00.0-02.5	359	98.9	97.5-0100
35-44	425	110,514	9	1.9	00.3-03.5	416	98.1	96.5-99.7
45-54	725	126,787	25	3.3	01.7-04.9	700	96.7	95.1-98.3
55-64	980	120,971	88	8.8	06.6-11.0	892	91.2	89.0-93.4
65+	1551	151,771	316	20.2	17.7-22.7	1235	79.8	77.3-82.3
Less Than H.S.	416	98,547	29	5.8	03.3-08.3	387	94.2	91.7-96.7
H.S. or G.E.D.	1273	228,305	124	5.8	04.6-07.0	1149	94.2	93.0-95.4
Some Post-H.S.	1036	210,480	102	6.6	04.8-08.4	934	93.4	91.6-95.2
College Graduate	1536	188,509	189	8.6	07.2-10.0	1347	91.4	90.0-92.8
Less than \$15,000	371	61,214	19	2.2	01.0-03.4	352	97.8	96.6-99.0
\$15,000- 24,999	662	111,570	54	7.0	04.3-09.7	608	93.0	90.3-95.7
\$25,000- 34,999	372	58,001	39	6.6	04.2-09.0	333	93.4	91.0-95.8
\$35,000- 49,999	505	86,165	54	7.2	04.5-09.9	451	92.8	90.1-95.5
\$50,000- 74,999	561	88,719	62	6.4	04.4-08.4	499	93.6	91.6-95.6
\$75,000+	1094	205,551	120	7.4	05.8-09.0	974	92.6	91.0-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	348,366	199	6.6	05.4-07.8	1549	93.4	92.2-94.6
White/Non-Hisp	1199	225,399	176	8.9	07.3-10.5	1023	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	208	65,784	4	2.0	00.0-04.5	204	98.0	95.5-0100
MultiRacial/Non-Hisp.	125	4,374	11	8.0	00.6-15.4	114	92.0	84.6-99.4
Hispanic	118	30,064	1	0.1	00.0-00.3	117	99.9	99.7-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	137	59,539				137	100.0	0100-0100
35-44	182	54,112	2	1.0	00.0-02.4	180	99.0	97.6-0100
45-54	305	61,145	9	3.0	00.8-05.2	296	97.0	94.8-99.2
55-64	402	57,140	38	8.9	05.6-12.2	364	91.1	87.8-94.4
65+	626	67,241	150	22.9	18.8-27.0	476	77.1	73.0-81.2
Less Than H.S.	189	55,713	15	6.0	02.1-09.9	174	94.0	90.1-97.9
H.S. or G.E.D.	510	112,322	56	5.5	03.7-07.3	454	94.5	92.7-96.3
Some Post-H.S.	397	94,225	45	6.4	04.0-08.8	352	93.6	91.2-96.0
College Graduate	643	83,933	83	8.8	06.6-11.0	560	91.2	89.0-93.4
Less than \$15,000	129	27,692	7	2.1	00.1-04.1	122	97.9	95.9-99.9
\$15,000- 24,999	254	48,863	28	8.9	04.4-13.4	226	91.1	86.6-95.6
\$25,000- 34,999	118	21,711	16	7.9	03.6-12.2	102	92.1	87.8-96.4
\$35,000- 49,999	239	46,747	23	5.1	02.7-07.5	216	94.9	92.5-97.3
\$50,000- 74,999	235	39,318	29	6.3	03.6-09.0	206	93.7	91.0-96.4
\$75,000+	532	113,840	58	6.6	04.4-08.8	474	93.4	91.2-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2536	380,407	245	6.9	05.7-08.1	2291	93.1	91.9-94.3
White/Non-Hisp	1696	250,065	218	10.1	08.3-11.9	1478	89.9	88.1-91.7
Black or Afr. Am./Non-Hisp	397	77,920				397	100.0	0100-0100
Oth. Race/Non-Hisp.	69	14,757	2	0.5	00.0-01.3	67	99.5	98.7-0100
MultiRacial/Non-Hisp.	198	5,953	19	8.2	03.5-12.9	179	91.8	87.1-96.5
Hispanic	133	26,622	2	0.9	00.0-02.3	131	99.1	97.7-0100
18-24	99	45,685				99	100.0	0100-0100
25-34	225	59,737	3	2.2	00.0-05.1	222	97.8	94.9-0100
35-44	243	56,402	7	2.8	00.1-05.5	236	97.2	94.5-99.9
45-54	420	65,642	16	3.7	01.5-05.9	404	96.3	94.1-98.5
55-64	578	63,831	50	8.7	06.0-11.4	528	91.3	88.6-94.0
65+	925	84,530	166	17.9	14.8-21.0	759	82.1	79.0-85.2
Less Than H.S.	227	42,834	14	5.5	02.2-08.8	213	94.5	91.2-97.8
H.S. or G.E.D.	763	115,983	68	6.1	04.3-07.9	695	93.9	92.1-95.7
Some Post-H.S.	639	116,255	57	6.9	04.4-09.4	582	93.1	90.6-95.6
College Graduate	893	104,576	106	8.4	06.4-10.4	787	91.6	89.6-93.6
Less than \$15,000	242	33,522	12	2.2	00.6-03.8	230	97.8	96.2-99.4
\$15,000- 24,999	408	62,707	26	5.6	02.5-08.7	382	94.4	91.3-97.5
\$25,000- 34,999	254	36,290	23	5.8	02.9-08.7	231	94.2	91.3-97.1
\$35,000- 49,999	266	39,418	31	9.7	04.8-14.6	235	90.3	85.4-95.2
\$50,000- 74,999	326	49,402	33	6.4	03.7-09.1	293	93.6	90.9-96.3
\$75,000+	562	91,710	62	8.5	06.0-11.0	500	91.5	89.0-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4291	729,308	450	7.3	06.3-08.3	3841	92.7	91.7-93.7
Male	1753	348,671	189	6.1	04.9-07.3	1564	93.9	92.7-95.1
Female	2538	380,636	261	8.4	07.0-09.8	2277	91.6	90.2-93.0
White/Non-Hisp	2902	476,246	347	8.9	07.7-10.1	2555	91.1	89.9-92.3
Black or Afr. Am./Non-Hisp	603	143,429	53	5.1	03.3-06.9	550	94.9	93.1-96.7
Oth. Race/Non-Hisp.	118	27,263	5	2.5	00.1-04.9	113	97.5	95.1-99.9
MultiRacial/Non-Hisp.	325	10,353	35	7.0	03.9-10.1	290	93.0	89.9-96.1
Hispanic	251	56,686	7	2.8	00.0-05.9	244	97.2	94.1-0100
18-24	178	92,520	1	0.9	00.0-02.7	177	99.1	97.3-0100
25-34	362	119,313	7	1.8	00.2-03.4	355	98.2	96.6-99.8
35-44	425	110,514	16	3.8	01.4-06.2	409	96.2	93.8-98.6
45-54	725	126,787	37	4.4	02.4-06.4	688	95.6	93.6-97.6
55-64	979	120,779	87	9.2	07.0-11.4	892	90.8	88.6-93.0
65+	1557	152,206	300	18.8	16.4-21.2	1257	81.2	78.8-83.6
Less Than H.S.	416	98,379	43	6.7	04.3-09.1	373	93.3	90.9-95.7
H.S. or G.E.D.	1275	228,618	133	6.7	05.1-08.3	1142	93.3	91.7-94.9
Some Post-H.S.	1036	210,474	108	7.1	05.3-08.9	928	92.9	91.1-94.7
College Graduate	1541	188,905	165	8.5	06.9-10.1	1376	91.5	89.9-93.1
Less than \$15,000	371	61,155	36	6.1	03.6-08.6	335	93.9	91.4-96.4
\$15,000- 24,999	664	111,824	63	5.6	03.6-07.6	601	94.4	92.4-96.4
\$25,000- 34,999	373	58,276	50	10.6	07.1-14.1	323	89.4	85.9-92.9
\$35,000- 49,999	505	86,198	56	7.6	05.1-10.1	449	92.4	89.9-94.9
\$50,000- 74,999	563	88,746	69	9.7	06.6-12.8	494	90.3	87.2-93.4
\$75,000+	1096	205,686	93	6.7	04.9-08.5	1003	93.3	91.5-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1753	348,671	189	6.1	04.9-07.3	1564	93.9	92.7-95.1
White/Non-Hisp	1202	225,677	145	7.7	06.1-09.3	1057	92.3	90.7-93.9
Black or Afr. Am./Non-Hisp	208	65,784	23	4.4	02.2-06.6	185	95.6	93.4-97.8
MultiRacial/Non-Hisp.	127	4,401	17	7.1	03.2-11.0	110	92.9	89.0-96.8
Hispanic	118	30,064	2	0.9	00.0-02.5	116	99.1	97.5-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	137	59,539	1	1.0	00.0-03.0	136	99.0	97.0-0100
35-44	182	54,112	3	1.5	00.0-03.9	179	98.5	96.1-0100
45-54	305	61,145	8	1.7	00.3-03.1	297	98.3	96.9-99.7
55-64	403	57,149	31	7.2	04.5-09.9	372	92.8	90.1-95.5
65+	630	67,537	146	21.5	17.6-25.4	484	78.5	74.6-82.4
Less Than H.S.	190	55,783	21	6.0	02.9-09.1	169	94.0	90.9-97.1
H.S. or G.E.D.	511	112,456	48	5.3	03.1-07.5	463	94.7	92.5-96.9
Some Post-H.S.	397	94,225	45	5.8	03.8-07.8	352	94.2	92.2-96.2
College Graduate	646	84,034	75	7.6	05.6-09.6	571	92.4	90.4-94.4
Less than \$15,000	129	27,692	12	4.6	01.3-07.9	117	95.4	92.1-98.7
\$15,000- 24,999	255	48,997	24	4.3	01.9-06.7	231	95.7	93.3-98.1
\$25,000- 34,999	118	21,711	18	12.1	05.8-18.4	100	87.9	81.6-94.2
\$35,000- 49,999	240	46,816	23	4.9	02.4-07.4	217	95.1	92.6-97.6
\$50,000- 74,999	237	39,345	39	9.8	06.1-13.5	198	90.2	86.5-93.9
\$75,000+	533	113,915	43	5.5	03.3-07.7	490	94.5	92.3-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	380,636	261	8.4	07.0-09.8	2277	91.6	90.2-93.0
White/Non-Hisp	1700	250,569	202	10.0	08.2-11.8	1498	90.0	88.2-91.8
Black or Afr. Am./Non-Hisp	395	77,646	30	5.6	03.1-08.1	365	94.4	91.9-96.9
Oth. Race/Non-Hisp.	69	14,757	5	4.6	00.1-09.1	64	95.4	90.9-99.9
MultiRacial/Non-Hisp.	198	5,953	18	6.9	02.4-11.4	180	93.1	88.6-97.6
Hispanic	133	26,622	5	4.9	00.0-11.2	128	95.1	88.8-0100
18-24	100	45,864	1	1.9	00.0-05.4	99	98.1	94.6-0100
25-34	225	59,774	6	2.6	00.1-05.1	219	97.4	94.9-99.9
35-44	243	56,402	13	6.0	02.1-09.9	230	94.0	90.1-97.9
45-54	420	65,642	29	7.0	03.7-10.3	391	93.0	89.7-96.3
55-64	576	63,630	56	10.9	07.8-14.0	520	89.1	86.0-92.2
65+	927	84,669	154	16.7	13.8-19.6	773	83.3	80.4-86.2
Less Than H.S.	226	42,596	22	7.7	03.8-11.6	204	92.3	88.4-96.2
H.S. or G.E.D.	764	116,162	85	8.1	05.7-10.5	679	91.9	89.5-94.3
Some Post-H.S.	639	116,249	63	8.2	05.5-10.9	576	91.8	89.1-94.5
College Graduate	895	104,871	90	9.2	06.8-11.6	805	90.8	88.4-93.2
Less than \$15,000	242	33,463	24	7.4	03.7-11.1	218	92.6	88.9-96.3
\$15,000- 24,999	409	62,827	39	6.6	03.9-09.3	370	93.4	90.7-96.1
\$25,000- 34,999	255	36,565	32	9.8	05.7-13.9	223	90.2	86.1-94.3
\$35,000- 49,999	265	39,381	33	10.8	06.5-15.1	232	89.2	84.9-93.5
\$50,000- 74,999	326	49,402	30	9.6	04.9-14.3	296	90.4	85.7-95.1
\$75,000+	563	91,772	50	8.3	05.2-11.4	513	91.7	88.6-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4274	727,959	382	6.5	05.7-07.3	3892	93.5	92.7-94.3
Male	1745	348,100	137	5.5	04.3-06.7	1608	94.5	93.3-95.7
Female	2529	379,859	245	7.5	06.3-08.7	2284	92.5	91.3-93.7
White/Non-Hisp	2889	475,218	273	7.4	06.2-08.6	2616	92.6	91.4-93.8
Black or Afr. Am./Non-Hisp	605	143,704	48	5.2	03.2-07.2	557	94.8	92.8-96.8
Oth. Race/Non-Hisp.	117	27,201	6	4.0	00.0-08.1	111	96.0	91.9-0100
MultiRacial/Non-Hisp.	323	10,328	38	7.9	04.8-11.0	285	92.1	89.0-95.2
Hispanic	249	56,268	11	3.9	01.2-06.6	238	96.1	93.4-98.8
18-24	177	92,232	2	0.5	00.0-01.3	175	99.5	98.7-0100
25-34	363	119,551	13	3.8	01.4-06.2	350	96.2	93.8-98.6
35-44	424	110,272	17	5.1	02.4-07.8	407	94.9	92.2-97.6
45-54	724	126,699	57	5.2	03.6-06.8	667	94.8	93.2-96.4
55-64	978	120,691	86	8.9	06.5-11.3	892	91.1	88.7-93.5
65+	1544	151,392	203	12.5	10.3-14.7	1341	87.5	85.3-89.7
Less Than H.S.	411	97,913	62	10.6	07.3-13.9	349	89.4	86.1-92.7
H.S. or G.E.D.	1268	227,985	134	7.0	05.4-08.6	1134	93.0	91.4-94.6
Some Post-H.S.	1035	210,475	96	6.4	04.6-08.2	939	93.6	91.8-95.4
College Graduate	1537	188,653	89	4.1	02.9-05.3	1448	95.9	94.7-97.1
Less than \$15,000	369	61,209	64	12.4	08.5-16.3	305	87.6	83.7-91.5
\$15,000- 24,999	659	111,243	88	10.7	07.6-13.8	571	89.3	86.2-92.4
\$25,000- 34,999	369	58,046	41	5.7	03.5-07.9	328	94.3	92.1-96.5
\$35,000- 49,999	506	86,234	38	6.1	03.7-08.5	468	93.9	91.5-96.3
\$50,000- 74,999	562	88,704	46	6.8	04.4-09.2	516	93.2	90.8-95.6
\$75,000+	1092	205,361	45	2.9	01.7-04.1	1047	97.1	95.9-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	348,100	137	5.5	04.3-06.7	1608	94.5	93.3-95.7
White/Non-Hisp	1196	225,179	99	6.0	04.4-07.6	1097	94.0	92.4-95.6
Black or Afr. Am./Non-Hisp	208	65,784	15	4.8	01.7-07.9	193	95.2	92.1-98.3
MultiRacial/Non-Hisp.	126	4,389	14	7.1	01.8-12.4	112	92.9	87.6-98.2
Hispanic	118	30,064	4	4.2	00.0-08.5	114	95.8	91.5-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	137	59,539	4	2.6	00.1-05.1	133	97.4	94.9-99.9
35-44	182	54,112	7	5.5	01.4-09.6	175	94.5	90.4-98.6
45-54	304	61,057	19	3.2	01.4-05.0	285	96.8	95.0-98.6
55-64	403	57,149	32	8.8	05.3-12.3	371	91.2	87.7-94.7
65+	624	67,120	74	11.3	08.2-14.4	550	88.7	85.6-91.8
Less Than H.S.	187	55,565	22	9.2	04.5-13.9	165	90.8	86.1-95.5
H.S. or G.E.D.	509	112,274	45	5.1	03.1-07.1	464	94.9	92.9-96.9
Some Post-H.S.	396	94,145	34	5.2	03.0-07.4	362	94.8	92.6-97.0
College Graduate	644	83,943	36	4.0	02.0-06.0	608	96.0	94.0-98.0
Less than \$15,000	128	27,603	17	9.1	03.2-15.0	111	90.9	85.0-96.8
\$15,000- 24,999	253	48,837	27	8.0	04.1-11.9	226	92.0	88.1-95.9
\$25,000- 34,999	115	21,549	13	5.6	01.9-09.3	102	94.4	90.7-98.1
\$35,000- 49,999	240	46,816	21	6.5	03.0-10.0	219	93.5	90.0-97.0
\$50,000- 74,999	237	39,345	21	7.0	03.3-10.7	216	93.0	89.3-96.7
\$75,000+	532	113,835	20	2.7	01.1-04.3	512	97.3	95.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	379,859	245	7.5	06.3-08.7	2284	92.5	91.3-93.7
White/Non-Hisp	1693	250,038	174	8.7	07.1-10.3	1519	91.3	89.7-92.9
Black or Afr. Am./Non-Hisp	397	77,920	33	5.5	03.0-08.0	364	94.5	92.0-97.0
Oth. Race/Non-Hisp.	69	14,757	4	4.0	00.0-08.5	65	96.0	91.5-0100
MultiRacial/Non-Hisp.	197	5,939	24	8.5	04.4-12.6	173	91.5	87.4-95.6
Hispanic	131	26,204	7	3.6	00.1-07.1	124	96.4	92.9-99.9
18-24	99	45,576	2	1.0	00.0-02.6	97	99.0	97.4-0100
25-34	226	60,012	9	5.0	01.3-08.7	217	95.0	91.3-98.7
35-44	242	56,160	10	4.8	01.5-08.1	232	95.2	91.9-98.5
45-54	420	65,642	38	7.0	04.5-09.5	382	93.0	90.5-95.5
55-64	575	63,542	54	9.0	06.1-11.9	521	91.0	88.1-93.9
65+	920	84,271	129	13.5	10.8-16.2	791	86.5	83.8-89.2
Less Than H.S.	224	42,348	40	12.5	07.6-17.4	184	87.5	82.6-92.4
H.S. or G.E.D.	759	115,712	89	8.9	06.5-11.3	670	91.1	88.7-93.5
Some Post-H.S.	639	116,331	62	7.3	04.8-09.8	577	92.7	90.2-95.2
College Graduate	893	104,710	53	4.1	02.5-05.7	840	95.9	94.3-97.5
Less than \$15,000	241	33,606	47	15.0	09.5-20.5	194	85.0	79.5-90.5
\$15,000- 24,999	406	62,406	61	12.8	08.3-17.3	345	87.2	82.7-91.7
\$25,000- 34,999	254	36,498	28	5.8	03.1-08.5	226	94.2	91.5-96.9
\$35,000- 49,999	266	39,418	17	5.7	02.4-09.0	249	94.3	91.0-97.6
\$50,000- 74,999	325	49,359	25	6.6	03.5-09.7	300	93.4	90.3-96.5
\$75,000+	560	91,526	25	3.2	01.4-05.0	535	96.8	95.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4277	727,233	1577	26.6	25.0-28.2	2700	73.4	71.8-75.0
Male	1746	347,450	570	22.8	20.4-25.2	1176	77.2	74.8-79.6
Female	2531	379,783	1007	30.1	27.9-32.3	1524	69.9	67.7-72.1
White/Non-Hisp	2894	475,600	1134	30.1	27.9-32.3	1760	69.9	67.7-72.1
Black or Afr. Am./Non-Hisp	603	143,582	211	22.6	18.7-26.5	392	77.4	73.5-81.3
Oth. Race/Non-Hisp.	115	25,755	34	20.0	11.2-28.8	81	80.0	71.2-88.8
MultiRacial/Non-Hisp.	323	10,315	132	35.2	28.1-42.3	191	64.8	57.7-71.9
Hispanic	251	56,686	41	10.9	07.2-14.6	210	89.1	85.4-92.8
18-24	177	91,964	5	1.4	00.0-02.8	172	98.6	97.2-0100
25-34	361	119,256	29	7.4	03.9-10.9	332	92.6	89.1-96.1
35-44	425	110,514	61	11.8	08.5-15.1	364	88.2	84.9-91.5
45-54	724	126,715	230	28.7	24.6-32.8	494	71.3	67.2-75.4
55-64	979	120,849	406	42.2	38.3-46.1	573	57.8	53.9-61.7
65+	1546	150,747	826	53.6	50.3-56.9	720	46.4	43.1-49.7
Less Than H.S.	413	97,692	174	30.8	24.9-36.7	239	69.2	63.3-75.1
H.S. or G.E.D.	1273	228,532	525	28.3	25.4-31.2	748	71.7	68.8-74.6
Some Post-H.S.	1034	209,827	398	26.4	23.3-29.5	636	73.6	70.5-76.7
College Graduate	1534	188,251	473	22.8	20.4-25.2	1061	77.2	74.8-79.6
Less than \$15,000	370	61,195	183	38.4	31.0-45.8	187	61.6	54.2-69.0
\$15,000- 24,999	661	110,804	277	28.7	24.4-33.0	384	71.3	67.0-75.6
\$25,000- 34,999	373	58,276	161	31.1	25.4-36.8	212	68.9	63.2-74.6
\$35,000- 49,999	503	86,058	194	29.1	24.2-34.0	309	70.9	66.0-75.8
\$50,000- 74,999	561	88,587	198	30.3	25.6-35.0	363	69.7	65.0-74.4
\$75,000+	1093	205,424	282	18.2	15.7-20.7	811	81.8	79.3-84.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1746	347,450	570	22.8	20.4-25.2	1176	77.2	74.8-79.6
White/Non-Hisp	1197	225,263	429	26.6	23.5-29.7	768	73.4	70.3-76.5
Black or Afr. Am./Non-Hisp	208	65,784	60	20.1	13.8-26.4	148	79.9	73.6-86.2
MultiRacial/Non-Hisp.	127	4,401	52	34.6	22.8-46.4	75	65.4	53.6-77.2
Hispanic	118	30,064	11	7.4	02.7-12.1	107	92.6	87.9-97.3
18-24	77	46,100	1	1.2	00.0-03.6	76	98.8	96.4-0100
25-34	136	59,288	6	4.9	00.0-10.6	130	95.1	89.4-0100
35-44	182	54,112	20	9.8	05.1-14.5	162	90.2	85.5-94.9
45-54	304	61,074	84	24.5	18.6-30.4	220	75.5	69.6-81.4
55-64	403	57,149	158	41.4	35.1-47.7	245	58.6	52.3-64.9
65+	626	67,195	296	47.0	41.9-52.1	330	53.0	47.9-58.1
Less Than H.S.	188	55,637	70	28.0	19.6-36.4	118	72.0	63.6-80.4
H.S. or G.E.D.	511	112,456	182	23.4	19.1-27.7	329	76.6	72.3-80.9
Some Post-H.S.	395	93,602	127	21.6	17.1-26.1	268	78.4	73.9-82.9
College Graduate	643	83,582	190	20.5	17.0-24.0	453	79.5	76.0-83.0
Less than \$15,000	129	27,692	55	38.0	24.9-51.1	74	62.0	48.9-75.1
\$15,000- 24,999	253	48,679	93	24.2	18.1-30.3	160	75.8	69.7-81.9
\$25,000- 34,999	118	21,711	45	26.6	17.6-35.6	73	73.4	64.4-82.4
\$35,000- 49,999	239	46,747	85	26.4	19.5-33.3	154	73.6	66.7-80.5
\$50,000- 74,999	237	39,345	79	25.9	19.0-32.8	158	74.1	67.2-81.0
\$75,000+	531	113,714	126	15.3	11.8-18.8	405	84.7	81.2-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	379,783	1007	30.1	27.9-32.3	1524	69.9	67.7-72.1
White/Non-Hisp	1697	250,338	705	33.3	30.6-36.0	992	66.7	64.0-69.4
Black or Afr. Am./Non-Hisp	395	77,798	151	24.7	19.6-29.8	244	75.3	70.2-80.4
Oth. Race/Non-Hisp.	68	14,056	27	30.3	16.8-43.8	41	69.7	56.2-83.2
MultiRacial/Non-Hisp.	196	5,914	80	35.7	26.9-44.5	116	64.3	55.5-73.1
Hispanic	133	26,622	30	14.9	09.0-20.8	103	85.1	79.2-91.0
18-24	100	45,864	4	1.6	00.0-03.4	96	98.4	96.6-100
25-34	225	59,968	23	9.9	05.4-14.4	202	90.1	85.6-94.6
35-44	243	56,402	41	13.8	09.3-18.3	202	86.2	81.7-90.7
45-54	420	65,642	146	32.7	27.2-38.2	274	67.3	61.8-72.8
55-64	576	63,700	248	42.9	38.0-47.8	328	57.1	52.2-62.0
65+	920	83,552	530	58.8	54.9-62.7	390	41.2	37.3-45.1
Less Than H.S.	225	42,055	104	34.6	26.8-42.4	121	65.4	57.6-73.2
H.S. or G.E.D.	762	116,076	343	33.1	29.0-37.2	419	66.9	62.8-71.0
Some Post-H.S.	639	116,225	271	30.2	25.9-34.5	368	69.8	65.5-74.1
College Graduate	891	104,669	283	24.7	21.4-28.0	608	75.3	72.0-78.6
Less than \$15,000	241	33,503	128	38.7	30.3-47.1	113	61.3	52.9-69.7
\$15,000- 24,999	408	62,126	184	32.2	26.5-37.9	224	67.8	62.1-73.5
\$25,000- 34,999	255	36,565	116	33.8	26.5-41.1	139	66.2	58.9-73.5
\$35,000- 49,999	264	39,311	109	32.4	25.3-39.5	155	67.6	60.5-74.7
\$50,000- 74,999	324	49,242	119	33.8	27.3-40.3	205	66.2	59.7-72.7
\$75,000+	562	91,710	156	21.8	17.7-25.9	406	78.2	74.1-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4285	727,883	802	18.3	16.5-20.1	3483	81.7	79.9-83.5
Male	1747	347,188	243	13.8	11.3-16.3	1504	86.2	83.7-88.7
Female	2538	380,696	559	22.5	20.1-24.9	1979	77.5	75.1-79.9
White/Non-Hisp	2899	475,081	583	20.6	18.4-22.8	2316	79.4	77.2-81.6
Black or Afr. Am./Non-Hisp	604	143,528	84	11.1	08.0-14.2	520	88.9	85.8-92.0
Oth. Race/Non-Hisp.	119	27,689	21	20.0	07.8-32.2	98	80.0	67.8-92.2
MultiRacial/Non-Hisp.	324	10,296	67	21.3	15.2-27.4	257	78.7	72.6-84.8
Hispanic	250	56,489	39	18.5	12.2-24.8	211	81.5	75.2-87.8
18-24	177	92,255	31	17.0	10.3-23.7	146	83.0	76.3-89.7
25-34	364	119,977	65	18.3	13.0-23.6	299	81.7	76.4-87.0
35-44	423	109,712	81	17.9	13.6-22.2	342	82.1	77.8-86.4
45-54	722	126,455	172	21.8	18.3-25.3	550	78.2	74.7-81.7
55-64	980	120,819	223	21.5	18.4-24.6	757	78.5	75.4-81.6
65+	1554	151,476	223	14.5	12.1-16.9	1331	85.5	83.1-87.9
Less Than H.S.	414	97,994	105	24.4	18.7-30.1	309	75.6	69.9-81.3
H.S. or G.E.D.	1271	228,124	220	15.8	12.9-18.7	1051	84.2	81.3-87.1
Some Post-H.S.	1036	210,465	236	21.9	18.4-25.4	800	78.1	74.6-81.6
College Graduate	1542	188,974	238	14.4	12.2-16.6	1304	85.6	83.4-87.8
Less than \$15,000	372	61,755	134	34.0	26.4-41.6	238	66.0	58.4-73.6
\$15,000- 24,999	661	111,265	170	27.9	23.2-32.6	491	72.1	67.4-76.8
\$25,000- 34,999	373	58,276	78	20.8	15.5-26.1	295	79.2	73.9-84.5
\$35,000- 49,999	506	86,234	81	15.1	11.0-19.2	425	84.9	80.8-89.0
\$50,000- 74,999	562	88,571	89	15.9	11.4-20.4	473	84.1	79.6-88.6
\$75,000+	1092	204,401	145	13.4	10.3-16.5	947	86.6	83.5-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1747	347,188	243	13.8	11.3-16.3	1504	86.2	83.7-88.7
White/Non-Hisp	1199	224,606	179	15.0	12.1-17.9	1020	85.0	82.1-87.9
Black or Afr. Am./Non-Hisp	207	65,608	23	10.1	05.0-15.2	184	89.9	84.8-95.0
Oth. Race/Non-Hisp.	50	12,932	4	18.3	00.0-40.6	46	81.7	59.4-0100
MultiRacial/Non-Hisp.	127	4,401	22	20.1	09.9-30.3	105	79.9	69.7-90.1
Hispanic	117	29,867	12	12.0	04.7-19.3	105	88.0	80.7-95.3
18-24	78	46,656	8	13.1	03.9-22.3	70	86.9	77.7-96.1
25-34	138	59,965	22	16.8	08.2-25.4	116	83.2	74.6-91.8
35-44	180	53,310	20	8.8	04.5-13.1	160	91.2	86.9-95.5
45-54	304	60,934	52	15.2	10.5-19.9	252	84.8	80.1-89.5
55-64	402	56,988	69	16.7	12.0-21.4	333	83.3	78.6-88.0
65+	627	66,801	70	11.8	08.3-15.3	557	88.2	84.7-91.7
Less Than H.S.	188	55,223	40	20.3	12.3-28.3	148	79.7	71.7-87.7
H.S. or G.E.D.	509	112,083	63	11.5	07.0-16.0	446	88.5	84.0-93.0
Some Post-H.S.	396	94,279	75	16.2	11.1-21.3	321	83.8	78.7-88.9
College Graduate	646	84,034	64	9.9	07.0-12.8	582	90.1	87.2-93.0
Less than \$15,000	130	28,118	42	31.6	18.7-44.5	88	68.4	55.5-81.3
\$15,000- 24,999	253	48,495	50	19.5	13.0-26.0	203	80.5	74.0-87.0
\$25,000- 34,999	118	21,711	20	18.4	09.0-27.8	98	81.6	72.2-91.0
\$35,000- 49,999	240	46,816	27	9.9	05.2-14.6	213	90.1	85.4-94.8
\$50,000- 74,999	236	39,169	29	12.4	05.3-19.5	207	87.6	80.5-94.7
\$75,000+	530	112,894	50	10.8	06.3-15.3	480	89.2	84.7-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2538	380,696	559	22.5	20.1-24.9	1979	77.5	75.1-79.9
White/Non-Hisp	1700	250,475	404	25.7	23.0-28.4	1296	74.3	71.6-77.0
Black or Afr. Am./Non-Hisp	397	77,920	61	12.0	08.1-15.9	336	88.0	84.1-91.9
Oth. Race/Non-Hisp.	69	14,757	17	21.5	09.3-33.7	52	78.5	66.3-90.7
MultiRacial/Non-Hisp.	197	5,895	45	22.1	14.7-29.5	152	77.9	70.5-85.3
Hispanic	133	26,622	27	25.9	15.7-36.1	106	74.1	63.9-84.3
18-24	99	45,599	23	21.1	11.3-30.9	76	78.9	69.1-88.7
25-34	226	60,012	43	19.7	13.6-25.8	183	80.3	74.2-86.4
35-44	243	56,402	61	26.4	19.7-33.1	182	73.6	66.9-80.3
45-54	418	65,521	120	27.9	22.6-33.2	298	72.1	66.8-77.4
55-64	578	63,831	154	25.8	21.5-30.1	424	74.2	69.9-78.5
65+	927	84,675	153	16.6	13.5-19.7	774	83.4	80.3-86.5
Less Than H.S.	226	42,771	65	29.7	21.9-37.5	161	70.3	62.5-78.1
H.S. or G.E.D.	762	116,040	157	19.9	16.2-23.6	605	80.1	76.4-83.8
Some Post-H.S.	640	116,185	161	26.6	21.7-31.5	479	73.4	68.5-78.3
College Graduate	896	104,940	174	17.9	14.8-21.0	722	82.1	79.0-85.2
Less than \$15,000	242	33,637	92	36.1	27.3-44.9	150	63.9	55.1-72.7
\$15,000- 24,999	408	62,769	120	34.4	27.7-41.1	288	65.6	58.9-72.3
\$25,000- 34,999	255	36,565	58	22.1	15.4-28.8	197	77.9	71.2-84.6
\$35,000- 49,999	266	39,418	54	21.3	14.4-28.2	212	78.7	71.8-85.6
\$50,000- 74,999	326	49,402	60	18.6	12.9-24.3	266	81.4	75.7-87.1
\$75,000+	562	91,507	95	16.7	12.6-20.8	467	83.3	79.2-87.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4284	729,015	180	3.5	02.7-04.3	4104	96.5	95.7-97.3
Male	1751	348,553	78	3.2	02.2-04.2	1673	96.8	95.8-97.8
Female	2533	380,462	102	3.8	02.8-04.8	2431	96.2	95.2-97.2
White/Non-Hisp	2894	475,713	120	3.3	02.5-04.1	2774	96.7	95.9-97.5
Black or Afr. Am./Non-Hisp	605	143,704	28	4.6	02.1-07.1	577	95.4	92.9-97.9
Oth. Race/Non-Hisp.	118	27,263	3	2.0	00.0-04.7	115	98.0	95.3-0100
MultiRacial/Non-Hisp.	324	10,320	19	5.5	01.6-09.4	305	94.5	90.6-98.4
Hispanic	251	56,686	8	3.4	00.9-05.9	243	96.6	94.1-99.1
18-24	178	92,520	2	1.8	00.0-04.5	176	98.2	95.5-0100
25-34	363	119,551	7	1.4	00.2-02.6	356	98.6	97.4-99.8
35-44	425	110,514	8	1.7	00.3-03.1	417	98.3	96.9-99.7
45-54	723	126,594	23	2.8	01.4-04.2	700	97.2	95.8-98.6
55-64	980	120,857	37	4.1	02.3-05.9	943	95.9	94.1-97.7
65+	1550	151,792	100	7.7	05.5-09.9	1450	92.3	90.1-94.5
Less Than H.S.	416	98,583	25	4.5	02.3-06.7	391	95.5	93.3-97.7
H.S. or G.E.D.	1270	228,147	40	3.1	01.7-04.5	1230	96.9	95.5-98.3
Some Post-H.S.	1035	210,419	56	4.1	02.5-05.7	979	95.9	94.3-97.5
College Graduate	1540	188,934	59	2.9	02.1-03.7	1481	97.1	96.3-97.9
Less than \$15,000	371	61,322	27	5.8	03.1-08.5	344	94.2	91.5-96.9
\$15,000- 24,999	660	111,558	38	4.6	02.6-06.6	622	95.4	93.4-97.4
\$25,000- 34,999	373	58,276	12	5.6	01.3-09.9	361	94.4	90.1-98.7
\$35,000- 49,999	506	86,234	24	3.4	01.6-05.2	482	96.6	94.8-98.4
\$50,000- 74,999	561	88,475	20	2.8	01.2-04.4	541	97.2	95.6-98.8
\$75,000+	1096	205,686	28	1.6	00.8-02.4	1068	98.4	97.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1751	348,553	78	3.2	02.2-04.2	1673	96.8	95.8-97.8
White/Non-Hisp	1200	225,559	50	2.7	01.7-03.7	1150	97.3	96.3-98.3
Black or Afr. Am./Non-Hisp	208	65,784	13	5.6	01.5-09.7	195	94.4	90.3-98.5
MultiRacial/Non-Hisp.	127	4,401	10	7.1	00.0-14.2	117	92.9	85.8-0100
Hispanic	118	30,064	4	3.4	00.0-07.3	114	96.6	92.7-0100
18-24	78	46,656				78	100.0	0100-0100
25-34	137	59,539	1	0.7	00.0-02.1	136	99.3	97.9-0100
35-44	182	54,112	2	0.7	00.0-01.7	180	99.3	98.3-0100
45-54	304	61,122	13	3.6	01.2-06.0	291	96.4	94.0-98.8
55-64	403	57,149	17	4.9	01.8-08.0	386	95.1	92.0-98.2
65+	629	67,443	44	8.1	04.2-12.0	585	91.9	88.0-95.8
Less Than H.S.	190	55,783	10	4.7	01.4-08.0	180	95.3	92.0-98.6
H.S. or G.E.D.	510	112,362	16	2.2	00.8-03.6	494	97.8	96.4-99.2
Some Post-H.S.	397	94,225	21	4.0	01.3-06.7	376	96.0	93.3-98.7
College Graduate	645	84,010	31	3.0	01.8-04.2	614	97.0	95.8-98.2
Less than \$15,000	129	27,692	7	4.6	00.5-08.7	122	95.4	91.3-99.5
\$15,000- 24,999	254	48,903	20	7.1	03.2-11.0	234	92.9	89.0-96.8
\$25,000- 34,999	118	21,711	4	2.4	00.0-05.1	114	97.6	94.9-0100
\$35,000- 49,999	240	46,816	12	3.3	00.6-06.0	228	96.7	94.0-99.4
\$50,000- 74,999	237	39,345	11	2.8	00.8-04.8	226	97.2	95.2-99.2
\$75,000+	533	113,915	15	1.1	00.5-01.7	518	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2533	380,462	102	3.8	02.8-04.8	2431	96.2	95.2-97.2
White/Non-Hisp	1694	250,154	70	3.9	02.7-05.1	1624	96.1	94.9-97.3
Black or Afr. Am./Non-Hisp	397	77,920	15	3.8	00.5-07.1	382	96.2	92.9-99.5
Oth. Race/Non-Hisp.	69	14,757	2	2.8	00.0-07.5	67	97.2	92.5-0100
MultiRacial/Non-Hisp.	197	5,919	9	4.2	00.0-08.5	188	95.8	91.5-0100
Hispanic	133	26,622	4	3.3	00.0-06.6	129	96.7	93.4-0100
18-24	100	45,864	2	3.7	00.0-09.0	98	96.3	91.0-0100
25-34	226	60,012	6	2.1	00.3-03.9	220	97.9	96.1-99.7
35-44	243	56,402	6	2.7	00.3-05.1	237	97.3	94.9-99.7
45-54	419	65,472	10	2.1	00.3-03.9	409	97.9	96.1-99.7
55-64	577	63,708	20	3.4	01.8-05.0	557	96.6	95.0-98.2
65+	921	84,349	56	7.3	04.9-09.7	865	92.7	90.3-95.1
Less Than H.S.	226	42,801	15	4.3	01.6-07.0	211	95.7	93.0-98.4
H.S. or G.E.D.	760	115,785	24	3.9	01.5-06.3	736	96.1	93.7-98.5
Some Post-H.S.	638	116,194	35	4.2	02.2-06.2	603	95.8	93.8-97.8
College Graduate	895	104,924	28	2.9	01.7-04.1	867	97.1	95.9-98.3
Less than \$15,000	242	33,630	20	6.8	03.1-10.5	222	93.2	89.5-96.9
\$15,000- 24,999	406	62,655	18	2.7	01.1-04.3	388	97.3	95.7-98.9
\$25,000- 34,999	255	36,565	8	7.5	00.8-14.2	247	92.5	85.8-99.2
\$35,000- 49,999	266	39,418	12	3.5	01.3-05.7	254	96.5	94.3-98.7
\$50,000- 74,999	324	49,130	9	2.8	00.3-05.3	315	97.2	94.7-99.7
\$75,000+	563	91,772	13	2.3	00.9-03.7	550	97.7	96.3-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4290	729,470	653	11.1	09.9-12.3	45	1.2	00.6-01.8	3536	86.8	85.4-88.2	56	0.9	00.7-01.1
Male	1750	348,528	297	11.6	09.8-13.4				1438	88.0	86.2-89.8	15	0.5	00.3-00.7
Female	2540	380,942	356	10.6	09.2-12.0	45	2.3	01.3-03.3	2098	85.8	84.0-87.6	41	1.2	00.8-01.6
White/Non-Hisp	2899	475,771	409	10.5	09.3-11.7	26	1.1	00.5-01.7	2424	87.5	86.1-88.9	40	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	605	143,704	134	15.8	12.1-19.5	8	0.9	00.1-01.7	456	82.5	78.8-86.2	7	0.8	00.0-01.6
Oth. Race/Non-Hisp.	119	27,689	16	6.9	02.2-11.6	1	2.2	00.0-06.3	102	90.9	84.6-97.2			
MultiRacial/Non-Hisp.	325	10,353	63	14.2	09.7-18.7	4	1.0	00.0-02.2	251	83.0	78.1-87.9	7	1.8	00.0-03.8
Hispanic	251	56,686	22	7.1	03.4-10.8	6	2.9	00.2-05.6	223	90.0	85.5-94.5			
18-24	178	92,520	3	2.1	00.0-04.8	4	3.3	00.0-06.6	171	94.6	90.3-98.9			
25-34	364	119,977	6	1.2	00.0-02.4	11	2.0	00.8-03.2	346	96.7	94.9-98.5	1	0.1	00.0-00.3
35-44	425	110,514	29	7.0	04.1-09.9	7	1.2	00.2-02.2	387	91.4	88.3-94.5	2	0.4	00.0-01.0
45-54	722	126,561	79	10.3	07.6-13.0	5	0.7	00.1-01.3	628	88.2	85.3-91.1	10	0.8	00.2-01.4
55-64	979	120,500	162	15.9	13.0-18.8	9	0.6	00.2-01.0	794	82.2	79.3-85.1	14	1.3	00.5-02.1
65+	1558	152,276	361	23.7	20.8-26.6	8	0.4	00.0-00.8	1160	73.9	71.0-76.8	29	2.1	01.1-03.1
Less Than H.S.	414	98,348	93	14.2	10.3-18.1	7	1.4	00.4-02.4	309	83.3	79.2-87.4	5	1.1	00.0-02.3
H.S. or G.E.D.	1274	228,278	196	11.4	09.2-13.6	10	0.9	00.1-01.7	1052	87.1	84.7-89.5	16	0.6	00.2-01.0
Some Post-H.S.	1038	210,979	162	10.9	08.7-13.1	13	1.6	00.2-03.0	844	86.4	83.9-88.9	19	1.2	00.6-01.8
College Graduate	1541	188,933	199	9.3	07.5-11.1	15	1.2	00.4-02.0	1311	88.8	86.8-90.8	16	0.7	00.1-01.3
Less than \$15,000	372	61,697	75	18.6	12.5-24.7	5	3.4	00.0-07.5	290	77.8	70.9-84.7	2	0.2	00.0-00.6
\$15,000- 24,999	663	111,758	134	12.2	09.5-14.9	8	1.1	00.3-01.9	510	85.2	82.3-88.1	11	1.5	00.5-02.5
\$25,000- 34,999	372	58,136	61	13.0	09.1-16.9	6	1.0	00.0-02.0	300	85.5	81.4-89.6	5	0.5	00.0-01.1
\$35,000- 49,999	506	86,234	83	12.4	09.3-15.5	3	0.5	00.0-01.1	413	86.5	83.2-89.8	7	0.6	00.0-01.2
\$50,000- 74,999	562	88,407	80	11.2	08.1-14.3	5	1.1	00.0-02.5	471	86.7	83.4-90.0	6	1.0	00.0-02.0
\$75,000+	1096	205,686	99	6.3	04.7-07.9	7	0.5	00.1-00.9	980	92.6	90.8-94.4	10	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1750	348,528	297	11.6	09.8-13.4	1438	88.0	86.2-89.8	15	0.5	00.3-00.7
White/Non-Hisp	1198	225,108	196	10.8	09.0-12.6	988	88.5	86.5-90.5	14	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	208	65,784	50	17.4	10.7-24.1	158	82.6	75.9-89.3			
Oth. Race/Non-Hisp.	50	12,932	7	6.1	00.0-12.6	43	93.9	87.4-0100			
MultiRacial/Non-Hisp.	127	4,401	29	17.7	09.1-26.3	97	80.3	70.9-89.7	1	2.0	00.0-05.9
Hispanic	118	30,064	9	7.2	01.1-13.3	109	92.8	86.7-98.9			
18-24	78	46,656	1	2.4	00.0-07.1	77	97.6	92.9-0100			
25-34	138	59,965	2	0.9	00.0-02.3	135	98.9	97.5-0100	1	0.1	00.0-00.5
35-44	182	54,112	12	7.6	02.9-12.3	170	92.4	87.7-97.1			
45-54	303	60,982	31	9.2	05.1-13.3	270	90.5	86.4-94.6	2	0.3	00.0-00.7
55-64	402	56,809	74	15.8	11.5-20.1	324	83.2	78.9-87.5	4	1.0	00.0-02.2
65+	630	67,537	172	28.2	23.3-33.1	450	70.6	65.7-75.5	8	1.2	00.2-02.2
Less Than H.S.	189	55,717	37	12.0	07.1-16.9	150	87.2	82.1-92.3	2	0.8	00.0-02.0
H.S. or G.E.D.	510	112,117	85	11.8	08.3-15.3	420	87.9	84.4-91.4	5	0.4	00.0-00.8
Some Post-H.S.	397	94,529	66	11.1	07.6-14.6	326	88.3	84.6-92.0	5	0.6	00.0-01.2
College Graduate	645	83,993	108	11.8	08.9-14.7	534	88.0	85.1-90.9	3	0.2	00.0-00.4
Less than \$15,000	129	27,996	24	16.8	07.0-26.6	104	83.0	73.2-92.8	1	0.1	00.0-00.3
\$15,000- 24,999	254	48,931	53	13.3	08.6-18.0	198	85.7	80.8-90.6	3	1.1	00.0-02.5
\$25,000- 34,999	118	21,711	25	12.5	06.6-18.4	91	86.6	80.5-92.7	2	0.9	00.0-02.1
\$35,000- 49,999	240	46,816	43	11.6	07.5-15.7	196	88.2	83.9-92.5	1	0.3	00.0-00.9
\$50,000- 74,999	236	39,005	43	12.5	07.8-17.2	191	87.1	82.4-91.8	2	0.4	00.0-01.0
\$75,000+	533	113,915	56	6.5	04.1-08.9	475	93.3	90.9-95.7	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2540	380,942	356	10.6	09.2-12.0	45	2.3	01.3-03.3	2098	85.8	84.0-87.6	41	1.2	00.8-01.6
White/Non-Hisp	1701	250,663	213	10.1	08.3-11.9	26	2.1	00.9-03.3	1436	86.6	84.4-88.8	26	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	397	77,920	84	14.4	10.5-18.3	8	1.7	00.3-03.1	298	82.5	78.2-86.8	7	1.5	00.1-02.9
Oth. Race/Non-Hisp.	69	14,757	9	7.6	00.7-14.5	1	4.1	00.0-11.7	59	88.3	78.3-98.3			
MultiRacial/Non-Hisp.	198	5,953	34	11.6	06.9-16.3	4	1.8	00.0-04.0	154	85.1	79.8-90.4	6	1.6	00.2-03.0
Hispanic	133	26,622	13	6.9	02.8-11.0	6	6.2	00.5-11.9	114	86.9	80.0-93.8			
18-24	100	45,864	2	1.7	00.0-04.4	4	6.7	00.0-13.4	94	91.6	84.5-98.7			
25-34	226	60,012	4	1.6	00.0-03.4	11	4.0	01.5-06.5	211	94.4	91.5-97.3			
35-44	243	56,402	17	6.5	03.2-09.8	7	2.3	00.3-04.3	217	90.4	86.5-94.3	2	0.7	00.0-01.9
45-54	419	65,579	48	11.3	07.6-15.0	5	1.4	00.2-02.6	358	86.0	82.1-89.9	8	1.4	00.2-02.6
55-64	577	63,691	88	16.1	12.4-19.8	9	1.1	00.1-02.1	470	81.3	77.4-85.2	10	1.5	00.3-02.7
65+	928	84,739	189	20.1	16.6-23.6	8	0.7	00.1-01.3	710	76.5	72.8-80.2	21	2.7	01.1-04.3
Less Than H.S.	225	42,631	56	17.0	10.9-23.1	7	3.1	00.6-05.6	159	78.3	71.6-85.0	3	1.6	00.0-03.6
H.S. or G.E.D.	764	116,162	111	11.1	08.6-13.6	10	1.8	00.4-03.2	632	86.3	83.4-89.2	11	0.8	00.2-01.4
Some Post-H.S.	641	116,450	96	10.8	08.1-13.5	13	2.8	00.4-05.2	518	84.8	81.3-88.3	14	1.6	00.6-02.6
College Graduate	896	104,940	91	7.3	05.3-09.3	15	2.1	00.5-03.7	777	89.5	87.0-92.0	13	1.1	00.3-01.9
Less than \$15,000	243	33,701	51	20.0	12.4-27.6	5	6.2	00.0-13.6	186	73.5	64.1-82.9	1	0.3	00.0-00.9
\$15,000- 24,999	409	62,827	81	11.4	08.3-14.5	8	2.0	00.4-03.6	312	84.8	81.1-88.5	8	1.8	00.2-03.4
\$25,000- 34,999	254	36,425	36	13.3	08.0-18.6	6	1.6	00.0-03.2	209	84.9	79.4-90.4	3	0.3	00.0-00.7
\$35,000- 49,999	266	39,418	40	13.4	08.5-18.3	3	1.1	00.0-02.5	217	84.6	79.5-89.7	6	1.0	00.2-01.8
\$50,000- 74,999	326	49,402	37	10.2	06.1-14.3	5	2.0	00.0-04.4	280	86.4	81.5-91.3	4	1.4	00.0-03.2
\$75,000+	563	91,772	43	6.1	03.9-08.3	7	1.2	00.2-02.2	505	91.8	89.3-94.3	8	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	618	77,256	14	4.2	00.9-07.5	54	11.4	07.9-14.9	138	28.0	22.7-33.3	259	39.0	33.7-44.3	153	17.4	14.1-20.7
Male	282	38,128	4	4.0	00.0-09.9	27	11.4	05.9-16.9	61	27.6	19.8-35.4	120	41.1	32.9-49.3	70	15.9	11.4-20.4
Female	336	39,129	10	4.3	00.6-08.0	27	11.4	06.7-16.1	77	28.4	21.5-35.3	139	37.0	30.5-43.5	83	18.9	13.8-24.0
White/Non-Hisp	390	47,650	9	2.7	00.0-05.4	27	8.6	05.1-12.1	81	26.4	20.3-32.5	162	39.3	33.4-45.2	111	22.9	18.0-27.8
Black or Afr. Am./Non-Hisp	124	21,451	5	8.8	00.0-19.2	15	16.1	06.7-25.5	33	26.9	15.9-37.9	54	41.9	29.4-54.4	17	6.2	02.7-09.7
MultiRacial/Non-Hisp.	60	1,402				6	10.6	01.8-19.4	11	22.3	08.2-36.4	28	47.3	30.1-64.5	15	19.9	08.5-31.3
45-54	76	12,342	2	1.7	00.0-04.6	11	16.5	05.9-27.1	36	49.5	35.0-64.0	27	32.2	19.5-44.9			
55-64	159	18,932	2	2.4	00.0-06.1	16	9.7	04.4-15.0	39	23.6	15.4-31.8	95	58.6	49.0-68.2	7	5.7	00.8-10.6
65+	335	33,579	4	0.8	00.0-01.6	14	3.8	01.6-06.0	39	15.2	08.7-21.7	134	43.6	35.8-51.4	144	36.6	29.7-43.5
Less Than H.S.	83	12,922	1	1.4	00.0-04.1	8	7.9	01.2-14.6	20	37.8	21.5-54.1	32	34.6	21.7-47.5	22	18.2	09.0-27.4
H.S. or G.E.D.	186	24,740	5	6.1	00.0-14.7	18	13.7	06.6-20.8	39	24.0	15.2-32.8	79	38.8	29.2-48.4	45	17.4	11.1-23.7
Some Post-H.S.	153	22,140	4	5.0	00.0-11.1	13	8.4	03.1-13.7	38	28.5	19.1-37.9	68	41.9	31.3-52.5	30	16.2	09.5-22.9
College Graduate	194	17,242	4	2.4	00.0-04.8	15	14.9	05.5-24.3	40	25.6	17.2-34.0	79	38.5	29.7-47.3	56	18.6	12.9-24.3
Less than \$15,000	68	10,727	4	17.1	00.0-37.3	6	12.1	01.1-23.1	19	35.2	17.0-53.4	30	30.6	15.5-45.7	9	4.9	01.2-08.6
\$15,000- 24,999	127	12,979	4	4.2	00.1-08.3	13	11.9	04.8-19.0	25	17.9	09.5-26.3	55	46.4	35.0-57.8	30	19.7	11.7-27.7
\$25,000- 34,999	58	7,488				6	15.6	02.3-28.9	9	22.5	08.4-36.6	26	33.1	19.4-46.8	17	28.8	14.3-43.3
\$35,000- 49,999	80	10,399	1	1.1	00.0-03.3	7	13.5	03.1-23.9	20	28.3	15.4-41.2	29	32.6	20.6-44.6	23	24.3	13.7-34.9
\$50,000- 74,999	76	9,450				5	9.8	00.4-19.2	20	39.4	24.7-54.1	29	34.1	21.2-47.0	22	16.7	07.9-25.5
\$75,000+	98	12,840	2	1.4	00.0-03.4	7	11.1	00.0-22.5	25	29.2	17.6-40.8	43	45.0	32.5-57.5	21	13.3	05.9-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	282	38,128	4	4.0	00.0-09.9	27	11.4	05.9-16.9	61	27.6	19.8-35.4	120	41.1	32.7-49.5	70	15.9	11.4-20.4
White/Non-Hisp	187	22,799	2	0.9	00.0-02.3	18	12.6	06.3-18.9	35	23.5	15.5-31.5	77	40.9	32.7-49.1	55	22.2	15.7-28.7
55-64	72	8,780				7	8.2	01.3-15.1	19	22.5	10.9-34.1	43	66.2	53.1-79.3	3	3.1	00.0-07.0
65+	162	17,662	1	0.5	00.0-01.5	9	5.3	01.6-09.0	19	14.2	06.8-21.6	66	47.2	36.0-58.4	67	32.7	23.5-41.9
H.S. or G.E.D.	80	12,486	2	9.8	00.0-26.3	6	10.3	00.9-19.7	18	25.7	11.2-40.2	36	39.1	23.8-54.4	18	15.0	06.6-23.4
Some Post-H.S.	61	9,783	1	1.3	00.0-03.8	9	10.4	01.8-19.0	14	27.6	13.3-41.9	25	44.7	27.3-62.1	12	16.0	06.0-26.0
College Graduate	106	9,719				9	16.4	02.3-30.5	19	20.1	09.9-30.3	46	44.0	31.5-56.5	32	19.5	11.9-27.1
\$15,000- 24,999	50	6,100	2	4.2	00.0-10.5	6	12.5	00.9-24.1	9	15.1	01.6-28.6	27	57.0	39.2-74.8	6	11.2	01.8-20.6
\$75,000+	56	7,367	1	1.7	00.0-05.0	4	12.2	00.0-30.0	14	31.4	15.5-47.3	23	39.1	22.8-55.4	14	15.6	05.2-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	39,129	10	4.3	00.6-08.0	27	11.4	06.7-16.1	77	28.4	21.7-35.1	139	37.0	30.5-43.5	83	18.9	14.0-23.8
White/Non-Hisp	203	24,851	7	4.4	00.0-09.3	9	5.0	01.5-08.5	46	29.1	20.3-37.9	85	37.9	29.7-46.1	56	23.5	16.4-30.6
Black or Afr. Am./Non-Hisp	77	10,431	3	5.6	00.0-12.7	11	21.3	08.8-33.8	22	30.9	17.2-44.6	32	36.4	23.7-49.1	9	5.8	01.7-09.9
55-64	87	10,152	2	4.5	00.0-11.4	9	11.0	03.4-18.6	20	24.5	12.5-36.5	52	52.1	38.8-65.4	4	7.8	00.0-16.2
65+	173	15,917	3	1.1	00.0-02.5	5	2.2	00.0-04.4	20	16.3	05.3-27.3	68	39.6	29.8-49.4	77	40.8	30.8-50.8
H.S. or G.E.D.	106	12,254	3	2.4	00.0-05.5	12	17.0	06.8-27.2	21	22.2	11.8-32.6	43	38.5	26.9-50.1	27	19.8	10.8-28.8
Some Post-H.S.	92	12,357	3	8.0	00.0-18.4	4	6.8	00.1-13.5	24	29.2	17.4-41.0	43	39.7	27.7-51.7	18	16.4	07.4-25.4
College Graduate	88	7,523	4	5.4	00.0-10.9	6	13.0	01.8-24.2	21	32.8	19.3-46.3	33	31.4	18.9-43.9	24	17.4	09.2-25.6
\$15,000- 24,999	77	6,879	2	4.2	00.0-09.9	7	11.3	02.5-20.1	16	20.3	09.7-30.9	28	37.0	23.7-50.3	24	27.2	15.4-39.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4233	720,915	2894	66.5	64.3-68.7	405	11.0	09.6-12.4	344	8.4	07.2-09.6	529	12.3	10.9-13.7	61	1.8	01.2-02.4
Male	1729	344,526	1154	64.3	61.0-67.6	163	10.3	08.3-12.3	148	8.6	06.8-10.4	232	14.4	11.9-16.9	32	2.4	01.2-03.6
Female	2504	376,389	1740	68.6	66.1-71.1	242	11.6	09.6-13.6	196	8.1	06.5-09.7	297	10.4	08.8-12.0	29	1.3	00.7-01.9
White/Non-Hisp	2863	470,789	2066	70.3	67.9-72.7	230	9.2	07.6-10.8	210	7.8	06.4-09.2	346	12.3	10.5-14.1	11	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	596	141,721	355	63.7	58.2-69.2	80	13.3	09.6-17.0	59	9.0	05.9-12.1	91	12.7	09.4-16.0	11	1.3	00.3-02.3
Oth. Race/Non-Hisp.	117	27,505	68	64.7	52.2-77.2	12	10.7	03.6-17.8	15	8.0	02.9-13.1	16	13.0	01.4-24.6	6	3.6	00.3-06.9
MultiRacial/Non-Hisp.	322	10,284	228	71.4	64.3-78.5	30	8.0	04.5-11.5	19	6.1	02.8-09.4	40	13.4	07.3-19.5	5	1.0	00.0-02.2
Hispanic	247	55,829	115	42.3	34.9-49.7	48	22.7	15.8-29.6	32	11.5	07.2-15.8	26	10.1	05.8-14.4	26	13.4	07.3-19.5
18-24	176	91,662	124	75.0	67.6-82.4	16	7.0	03.1-10.9	18	7.5	03.4-11.6	15	8.8	03.5-14.1	3	1.7	00.0-04.1
25-34	362	118,733	197	52.4	45.9-58.9	56	17.9	12.8-23.0	51	12.5	08.4-16.6	38	11.8	07.3-16.3	20	5.3	02.6-08.0
35-44	420	109,192	275	65.6	60.1-71.1	56	13.7	09.8-17.6	37	8.6	05.5-11.7	44	10.4	07.1-13.7	8	1.7	00.3-03.1
45-54	717	125,484	479	66.6	62.1-71.1	85	13.3	10.0-16.6	64	8.7	06.2-11.2	84	10.9	08.0-13.8	5	0.6	00.0-01.4
55-64	971	119,709	688	69.9	66.2-73.6	77	7.8	05.6-10.0	76	6.9	05.1-08.7	120	14.2	11.1-17.3	10	1.2	00.2-02.2
65+	1525	149,037	1084	69.7	66.6-72.8	112	7.0	05.4-08.6	94	6.5	04.9-08.1	220	16.1	13.4-18.8	15	0.7	00.1-01.3
Less Than H.S.	400	96,276	142	37.4	30.5-44.3	48	13.1	08.6-17.6	42	9.8	06.1-13.5	137	31.5	25.4-37.6	31	8.2	04.7-11.7
H.S. or G.E.D.	1249	223,970	761	61.8	57.9-65.7	148	12.4	09.9-14.9	130	11.4	08.9-13.9	196	13.1	10.4-15.8	14	1.2	00.2-02.2
Some Post-H.S.	1025	209,356	696	69.9	66.0-73.8	106	11.9	09.0-14.8	98	7.9	05.7-10.1	120	10.1	07.7-12.5	5	0.2	00.0-00.4
College Graduate	1538	188,497	1281	83.5	81.1-85.9	103	7.4	05.6-09.2	74	4.6	03.2-06.0	71	3.6	02.6-04.6	9	0.9	00.1-01.7
Less than \$15,000	362	60,665	142	36.7	28.7-44.7	46	11.9	07.6-16.2	53	13.7	09.2-18.2	107	31.2	23.9-38.5	14	6.4	02.1-10.7
\$15,000- 24,999	652	110,077	303	47.6	42.1-53.1	78	12.4	08.7-16.1	92	15.7	11.4-20.0	165	21.0	17.1-24.9	14	3.3	00.9-05.7
\$25,000- 34,999	370	58,054	215	52.3	45.2-59.4	50	18.9	12.2-25.6	41	11.0	07.1-14.9	54	15.1	10.2-20.0	10	2.6	00.4-04.8
\$35,000- 49,999	501	85,128	366	65.7	59.6-71.8	53	14.2	09.1-19.3	39	9.2	05.7-12.7	39	10.0	06.3-13.7	4	0.9	00.0-02.1
\$50,000- 74,999	560	88,305	444	76.9	72.2-81.6	46	9.5	06.2-12.8	38	8.8	05.5-12.1	29	4.2	02.4-06.0	3	0.7	00.0-01.5
\$75,000+	1092	204,936	964	85.7	82.4-89.0	61	7.0	04.8-09.2	33	2.4	01.2-03.6	34	4.8	02.3-07.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1729	344,526	1154	64.3	61.0-67.6	163	10.3	08.3-12.3	148	8.6	06.8-10.4	232	14.4	11.9-16.9	32	2.4	01.2-03.6
White/Non-Hisp	1188	223,069	834	68.0	64.1-71.9	103	9.4	07.0-11.8	90	8.2	06.0-10.4	156	14.3	11.2-17.4	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	204	64,777	119	63.5	54.9-72.1	20	9.9	04.2-15.6	22	8.7	04.4-13.0	36	16.4	10.1-22.7	7	1.4	00.2-02.6
MultiRacial/Non-Hisp.	125	4,339	89	71.1	58.6-83.6	12	7.3	02.4-12.2	7	6.6	00.5-12.7	17	15.0	03.8-26.2			
Hispanic	116	29,607	54	41.7	31.1-52.3	22	22.2	12.6-31.8	16	11.5	05.6-17.4	10	7.2	02.3-12.1	14	17.4	07.4-27.4
18-24	76	45,798	54	72.9	61.5-84.3	7	6.6	01.3-11.9	5	4.7	00.6-08.8	9	13.6	04.2-23.0	1	2.2	00.0-06.5
25-34	137	59,688	65	48.0	37.6-58.4	24	17.8	10.2-25.4	20	12.0	05.5-18.5	18	15.6	07.8-23.4	10	6.6	01.9-11.3
35-44	180	53,711	113	66.4	58.4-74.4	23	11.0	06.1-15.9	19	10.2	05.3-15.1	19	9.2	04.3-14.1	6	3.1	00.6-05.6
45-54	303	60,868	184	61.0	53.7-68.3	39	13.3	08.2-18.4	32	11.0	06.5-15.5	45	14.3	09.2-19.4	3	0.4	00.0-01.0
55-64	400	56,650	291	69.9	63.8-76.0	28	7.9	04.2-11.6	26	5.6	03.1-08.1	50	15.4	10.1-20.7	5	1.2	00.0-02.6
65+	616	65,384	434	69.0	63.9-74.1	42	5.2	03.4-07.0	44	7.5	04.8-10.2	89	17.4	12.9-21.9	7	0.9	00.1-01.7
Less Than H.S.	183	54,505	64	40.3	30.1-50.5	18	8.8	03.9-13.7	17	8.0	03.5-12.5	69	34.1	25.1-43.1	15	8.8	03.5-14.1
H.S. or G.E.D.	500	110,212	300	58.4	52.1-64.7	51	11.3	07.2-15.4	56	12.6	08.3-16.9	85	15.9	11.0-20.8	8	1.8	00.0-03.8
Some Post-H.S.	394	93,902	268	71.9	65.8-78.0	36	9.6	05.7-13.5	41	8.0	05.1-10.9	46	10.3	06.0-14.6	3	0.2	00.0-00.4
College Graduate	644	83,839	518	79.7	75.6-83.8	58	11.0	07.7-14.3	34	4.8	02.8-06.8	29	3.3	01.7-04.9	5	1.2	00.2-02.2
Less than \$15,000	127	27,475	46	36.3	22.6-50.0	11	3.9	01.0-06.8	19	12.6	05.5-19.7	43	36.2	23.5-48.9	8	10.9	02.1-19.7
\$15,000- 24,999	251	48,075	105	41.8	33.2-50.4	28	12.0	06.3-17.7	36	16.0	08.7-23.3	72	24.8	17.7-31.9	10	5.4	00.9-09.9
\$25,000- 34,999	117	21,602	63	48.0	35.7-60.3	15	20.7	08.4-33.0	13	11.0	03.7-18.3	20	15.2	07.0-23.4	6	5.1	00.4-09.8
\$35,000- 49,999	235	45,710	161	59.5	50.3-68.7	26	15.0	07.7-22.3	18	10.4	04.9-15.9	30	15.0	08.7-21.3			
\$50,000- 74,999	235	39,034	173	74.3	67.2-81.4	21	9.1	04.4-13.8	21	10.1	05.4-14.8	17	4.9	02.2-07.6	3	1.5	00.0-03.3
\$75,000+	532	113,753	458	82.5	77.4-87.6	37	7.6	04.7-10.5	18	3.0	01.2-04.8	19	6.9	02.6-11.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2504	376,389	1740	68.6	66.1-71.1	242	11.6	09.6-13.6	196	8.1	06.5-09.7	297	10.4	08.8-12.0	29	1.3	00.7-01.9
White/Non-Hisp	1675	247,720	1232	72.4	69.5-75.3	127	9.1	06.9-11.3	120	7.4	05.8-09.0	190	10.6	08.6-12.6	6	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	392	76,944	236	63.8	57.1-70.5	60	16.2	11.1-21.3	37	9.3	04.8-13.8	55	9.5	06.2-12.8	4	1.2	00.0-02.6
Oth. Race/Non-Hisp.	68	14,655	38	67.7	54.2-81.2	9	13.7	03.7-23.7	10	10.3	03.0-17.6	9	6.6	00.9-12.3	2	1.7	00.0-04.2
MultiRacial/Non-Hisp.	197	5,945	139	71.6	63.6-79.6	18	8.6	03.9-13.3	12	5.7	02.2-09.2	23	12.3	06.0-18.6	5	1.8	00.0-03.8
Hispanic	131	26,221	61	43.0	32.6-53.4	26	23.3	13.9-32.7	16	11.6	05.3-17.9	16	13.3	06.2-20.4	12	8.9	03.4-14.4
18-24	100	45,864	70	77.1	67.7-86.5	9	7.5	01.8-13.2	13	10.2	03.1-17.3	6	4.0	00.3-07.7	2	1.2	00.0-02.8
25-34	225	59,045	132	56.8	49.0-64.6	32	18.1	11.4-24.8	31	13.1	08.0-18.2	20	8.0	04.1-11.9	10	4.0	01.3-06.7
35-44	240	55,481	162	64.9	57.6-72.2	33	16.2	10.1-22.3	18	7.1	03.6-10.6	25	11.5	06.8-16.2	2	0.3	00.0-00.7
45-54	414	64,616	295	71.8	66.3-77.3	46	13.2	08.7-17.7	32	6.4	03.9-08.9	39	7.7	04.8-10.6	2	0.8	00.0-02.2
55-64	571	63,059	397	70.0	65.3-74.7	49	7.7	05.2-10.2	50	8.1	05.4-10.8	70	13.1	09.4-16.8	5	1.2	00.0-02.4
65+	909	83,654	650	70.2	66.3-74.1	70	8.4	05.9-10.9	50	5.7	03.9-07.5	131	15.1	11.8-18.4	8	0.6	00.0-01.2
Less Than H.S.	217	41,771	78	33.6	25.2-42.0	30	18.6	11.0-26.2	25	12.2	06.1-18.3	68	28.1	20.3-35.9	16	7.4	03.3-11.5
H.S. or G.E.D.	749	113,758	461	65.1	60.6-69.6	97	13.4	10.3-16.5	74	10.3	07.4-13.2	111	10.5	08.1-12.9	6	0.7	00.0-01.7
Some Post-H.S.	631	115,454	428	68.2	63.1-73.3	70	13.8	09.7-17.9	57	7.8	04.9-10.7	74	9.9	07.2-12.6	2	0.2	00.0-00.6
College Graduate	894	104,658	763	86.5	83.6-89.4	45	4.6	02.8-06.4	40	4.5	02.7-06.3	42	3.7	02.3-05.1	4	0.6	00.0-01.6
Less than \$15,000	235	33,190	96	37.0	28.0-46.0	35	18.5	11.6-25.4	34	14.7	09.0-20.4	64	27.1	18.9-35.3	6	2.7	00.2-05.2
\$15,000- 24,999	401	62,003	198	52.1	45.0-59.2	50	12.7	08.0-17.4	56	15.5	10.0-21.0	93	18.0	13.5-22.5	4	1.7	00.0-03.7
\$25,000- 34,999	253	36,452	152	54.9	46.3-63.5	35	17.9	10.3-25.5	28	11.1	06.4-15.8	34	15.0	09.1-20.9	4	1.2	00.0-03.0
\$35,000- 49,999	266	39,418	205	72.9	65.3-80.5	27	13.3	06.4-20.2	21	7.7	04.0-11.4	9	4.1	00.8-07.4	4	2.0	00.0-04.5
\$50,000- 74,999	325	49,271	271	78.9	72.6-85.2	25	9.7	05.2-14.2	17	7.8	03.1-12.5	12	3.6	01.4-05.8			
\$75,000+	560	91,182	506	89.8	86.1-93.5	24	6.3	03.0-09.6	15	1.7	00.7-02.7	15	2.2	00.8-03.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4151	715,926	1322	28.2	26.2-30.2	631	12.2	10.8-13.6	331	5.6	04.8-06.4	1867	54.1	51.9-56.3
Male	1707	343,005	564	28.8	25.7-31.9	267	11.6	09.6-13.6	133	5.7	04.3-07.1	743	53.9	50.6-57.2
Female	2444	372,921	758	27.6	25.2-30.0	364	12.6	10.8-14.4	198	5.5	04.5-06.5	1124	54.3	51.6-57.0
White/Non-Hisp	2807	467,832	870	26.9	24.7-29.1	422	12.4	11.0-13.8	235	6.3	05.3-07.3	1280	54.5	52.0-57.0
Black or Afr. Am./Non-Hisp	587	141,145	198	31.5	26.0-37.0	108	14.1	10.4-17.8	47	5.4	03.0-07.8	234	49.0	43.1-54.9
Oth. Race/Non-Hisp.	117	27,474	27	19.6	10.8-28.4	13	10.5	00.0-21.9	7	2.3	00.1-04.5	70	67.7	55.2-80.2
MultiRacial/Non-Hisp.	306	9,659	109	36.2	28.8-43.6	52	14.4	09.5-19.3	30	6.9	03.8-10.0	115	42.5	34.9-50.1
Hispanic	248	55,816	88	33.8	26.9-40.7	27	6.9	04.0-09.8	6	1.8	00.2-03.4	127	57.5	50.2-64.8
18-24	177	92,188	26	12.1	06.4-17.8	3	1.0	00.0-02.4	2	0.6	00.0-01.4	146	86.2	80.3-92.1
25-34	362	118,881	83	23.7	18.2-29.2	21	7.1	03.4-10.8	3	2.1	00.0-04.6	255	67.0	60.7-73.3
35-44	423	109,821	121	28.7	23.4-34.0	26	5.7	03.2-08.2	6	1.2	00.2-02.2	270	64.3	58.6-70.0
45-54	716	125,392	227	30.9	26.2-35.6	77	11.3	08.4-14.2	26	2.8	01.4-04.2	386	55.0	50.1-59.9
55-64	958	118,545	341	36.0	32.3-39.7	149	15.0	12.3-17.7	68	7.1	04.9-09.3	400	41.9	38.0-45.8
65+	1460	144,857	506	32.7	29.8-35.6	349	26.7	23.6-29.8	219	16.0	13.5-18.5	386	24.6	21.9-27.3
Less Than H.S.	397	95,538	92	26.4	20.1-32.7	89	18.7	13.8-23.6	93	15.0	11.1-18.9	123	39.9	33.0-46.8
H.S. or G.E.D.	1223	224,021	449	32.4	28.9-35.9	230	13.8	11.3-16.3	116	6.4	04.6-08.2	428	47.3	43.2-51.4
Some Post-H.S.	1007	207,162	332	28.0	24.1-31.9	171	12.7	10.2-15.2	75	4.0	02.8-05.2	429	55.3	51.0-59.6
College Graduate	1505	186,986	442	24.3	21.6-27.0	141	6.4	05.0-07.8	45	1.6	01.0-02.2	877	67.7	64.8-70.6
Less than \$15,000	354	59,967	100	28.2	20.8-35.6	96	22.6	16.5-28.7	48	9.0	05.7-12.3	110	40.1	32.1-48.1
\$15,000- 24,999	646	110,358	221	32.7	27.6-37.8	125	14.3	11.0-17.6	94	10.3	07.8-12.8	206	42.6	36.9-48.3
\$25,000- 34,999	361	57,440	114	29.2	22.9-35.5	69	16.9	11.6-22.2	40	8.6	05.3-11.9	138	45.3	38.0-52.6
\$35,000- 49,999	496	85,401	189	35.8	29.7-41.9	73	10.9	07.8-14.0	30	5.2	02.8-07.6	204	48.1	41.8-54.4
\$50,000- 74,999	547	87,051	193	31.9	26.8-37.0	75	13.0	09.5-16.5	25	2.8	01.4-04.2	254	52.3	46.6-58.0
\$75,000+	1080	204,166	291	22.0	18.7-25.3	83	5.8	03.6-08.0	21	1.7	00.5-02.9	685	70.4	66.5-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	343,005	564	28.8	25.7-31.9	267	11.6	09.6-13.6	133	5.7	04.3-07.1	743	53.9	50.6-57.2
White/Non-Hisp	1174	222,958	379	28.1	24.6-31.6	184	11.2	09.2-13.2	94	6.0	04.2-07.8	517	54.6	50.7-58.5
Black or Afr. Am./Non-Hisp	202	64,463	70	32.2	23.0-41.4	39	15.7	09.2-22.2	20	7.4	02.7-12.1	73	44.7	35.3-54.1
Oth. Race/Non-Hisp.	50	12,932	8	11.5	02.1-20.9	6	14.9	00.0-37.2	2	1.2	00.0-03.2	34	72.4	51.0-93.8
MultiRacial/Non-Hisp.	118	3,906	50	45.6	32.7-58.5	21	15.1	06.3-23.9	13	8.1	02.2-14.0	34	31.2	19.6-42.8
Hispanic	117	29,258	41	34.2	24.0-44.4	12	5.4	02.1-08.7	2	1.5	00.0-03.7	62	58.8	48.2-69.4
18-24	77	46,324	10	10.0	02.7-17.3							67	90.0	82.7-97.3
25-34	136	58,869	40	29.1	19.9-38.3	5	4.8	00.0-10.5	2	3.7	00.0-08.8	89	62.3	51.9-72.7
35-44	181	53,600	51	29.6	21.0-38.2	9	3.6	00.7-06.5	1	0.4	00.0-01.2	120	66.4	57.6-75.2
45-54	300	60,123	99	33.1	25.5-40.7	33	12.3	07.4-17.2	10	2.3	00.5-04.1	158	52.2	44.6-59.8
55-64	397	56,329	148	34.9	29.0-40.8	61	15.1	10.8-19.4	30	7.6	04.1-11.1	158	42.5	36.2-48.8
65+	602	65,498	212	31.8	27.3-36.3	158	29.2	23.9-34.5	88	17.2	12.9-21.5	144	21.8	17.9-25.7
Less Than H.S.	183	54,004	48	29.9	20.5-39.3	38	15.3	09.2-21.4	37	14.1	08.4-19.8	60	40.8	30.8-50.8
H.S. or G.E.D.	494	110,734	187	32.4	26.9-37.9	86	11.1	07.4-14.8	39	5.4	02.5-08.3	182	51.1	44.8-57.4
Some Post-H.S.	390	93,488	120	27.7	21.0-34.4	82	15.2	10.9-19.5	36	4.9	02.9-06.9	152	52.1	44.8-59.4
College Graduate	633	83,259	207	25.0	21.1-28.9	61	6.2	04.2-08.2	21	1.6	00.8-02.4	344	67.2	62.9-71.5
Less than \$15,000	125	27,331	37	33.1	19.4-46.8	33	17.5	09.3-25.7	13	5.9	01.6-10.2	42	43.5	30.0-57.0
\$15,000- 24,999	250	48,634	76	27.2	19.9-34.5	53	15.9	10.2-21.6	35	10.9	06.6-15.2	86	46.0	37.2-54.8
\$25,000- 34,999	116	21,570	43	38.1	26.1-50.1	24	16.4	07.6-25.2	14	7.4	02.9-11.9	35	38.1	25.6-50.6
\$35,000- 49,999	236	46,505	95	38.6	29.4-47.8	40	10.8	06.9-14.7	20	7.0	02.9-11.1	81	43.6	34.2-53.0
\$50,000- 74,999	233	38,976	92	36.2	27.6-44.8	38	14.1	08.8-19.4	16	3.7	01.3-06.1	87	46.0	36.8-55.2
\$75,000+	521	112,665	142	22.0	16.9-27.1	40	5.7	02.6-08.8	13	2.6	00.4-04.8	326	69.7	63.8-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2444	372,921	758	27.6	25.2-30.0	364	12.6	10.8-14.4	198	5.5	04.5-06.5	1124	54.3	51.6-57.0
White/Non-Hisp	1633	244,874	491	25.7	23.2-28.2	238	13.4	11.2-15.6	141	6.5	05.1-07.9	763	54.4	51.3-57.5
Black or Afr. Am./Non-Hisp	385	76,682	128	31.0	24.3-37.7	69	12.8	08.9-16.7	27	3.7	02.1-05.3	161	52.5	45.2-59.8
Oth. Race/Non-Hisp.	67	14,542	19	26.7	13.0-40.4	7	6.5	01.0-12.0	5	3.3	00.0-06.8	36	63.5	48.6-78.4
MultiRacial/Non-Hisp.	188	5,754	59	29.9	21.5-38.3	31	13.8	08.1-19.5	17	6.1	02.8-09.4	81	50.2	40.8-59.6
Hispanic	131	26,558	47	33.2	23.8-42.6	15	8.6	03.9-13.3	4	2.0	00.0-04.4	65	56.1	45.9-66.3
18-24	100	45,864	16	14.2	05.6-22.8	3	2.1	00.0-04.8	2	1.2	00.0-03.0	79	82.5	73.5-91.5
25-34	226	60,012	43	18.4	12.5-24.3	16	9.4	04.3-14.5	1	0.5	00.0-01.5	166	71.6	64.5-78.7
35-44	242	56,221	70	27.9	21.4-34.4	17	7.7	03.6-11.8	5	2.0	00.2-03.8	150	62.4	55.3-69.5
45-54	416	65,269	128	28.9	23.6-34.2	44	10.4	06.9-13.9	16	3.3	01.3-05.3	228	57.5	51.6-63.4
55-64	561	62,216	193	37.1	32.2-42.0	88	14.8	11.1-18.5	38	6.7	04.2-09.2	242	41.4	36.5-46.3
65+	858	79,358	294	33.3	29.4-37.2	191	24.5	20.4-28.6	131	15.1	12.2-18.0	242	27.0	23.3-30.7
Less Than H.S.	214	41,534	44	21.8	14.5-29.1	51	23.1	15.5-30.7	56	16.3	11.2-21.4	63	38.8	29.6-48.0
H.S. or G.E.D.	729	113,287	262	32.5	28.0-37.0	144	16.5	13.0-20.0	77	7.5	05.5-09.5	246	43.6	38.3-48.9
Some Post-H.S.	617	113,674	212	28.2	23.5-32.9	89	10.6	07.9-13.3	39	3.3	01.9-04.7	277	57.9	52.6-63.2
College Graduate	872	103,727	235	23.7	20.0-27.4	80	6.6	04.8-08.4	24	1.5	00.7-02.3	533	68.2	64.3-72.1
Less than \$15,000	229	32,636	63	24.2	17.3-31.1	63	26.9	18.7-35.1	35	11.6	06.7-16.5	68	37.3	27.7-46.9
\$15,000- 24,999	396	61,725	145	37.1	30.2-44.0	72	13.0	09.1-16.9	59	9.9	06.8-13.0	120	40.0	32.6-47.4
\$25,000- 34,999	245	35,870	71	23.9	17.2-30.6	45	17.3	10.6-24.0	26	9.3	04.8-13.8	103	49.5	40.9-58.1
\$35,000- 49,999	260	38,896	94	32.3	25.0-39.6	33	11.1	06.2-16.0	10	3.0	00.8-05.2	123	53.5	45.5-61.5
\$50,000- 74,999	314	48,075	101	28.5	22.2-34.8	37	12.1	07.4-16.8	9	2.0	00.4-03.6	167	57.5	50.4-64.6
\$75,000+	559	91,500	149	22.0	17.7-26.3	43	6.0	03.6-08.4	8	0.6	00.2-01.0	359	71.4	66.5-76.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	85
2	MALES ONLY	86
3	FEMALES ONLY	87
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISpanC3)	
4	MALES AND FEMALES	88
5	MALES ONLY	89
6	FEMALES ONLY	90
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7	MALES AND FEMALES	91
8	MALES ONLY	92
9	FEMALES ONLY	93
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10	MALES AND FEMALES	94
11	MALES ONLY	95
12	FEMALES ONLY	96
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13	MALES AND FEMALES	97
14	MALES ONLY	98
15	FEMALES ONLY	99
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	100
17	MALES ONLY	101
18	FEMALES ONLY	102
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	103
20	MALES ONLY	104
21	FEMALES ONLY	105

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	106
23	MALES ONLY	107
24	FEMALES ONLY	108
	ARE YOU CURRENTLY...? (EMPLOY1)	
25	MALES AND FEMALES	109
26	MALES ONLY	110
27	FEMALES ONLY	111
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	112
29	MALES ONLY	113
30	FEMALES ONLY	114
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	115
32	MALES ONLY	116
33	FEMALES ONLY	117
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	118
35	MALES ONLY	119
36	FEMALES ONLY	120
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	121
38	MALES ONLY	122
39	FEMALES ONLY	123
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	124
41	MALES ONLY	125
42	FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	127
44	MALES ONLY	128
45	FEMALES ONLY	129
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	130
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	131
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	136
53	MALES ONLY	137
54	FEMALES ONLY	138
	HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55	MALES AND FEMALES	139
56	MALES ONLY	140
57	FEMALES ONLY	141
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58	MALES AND FEMALES	142
59	MALES ONLY	143
60	FEMALES ONLY	144
	INDICATE SEX OF RESPONDENT. (SEX)	
61	MALES AND FEMALES	145
62	MALES ONLY	146
63	FEMALES ONLY	147
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64	MALES AND FEMALES	148
65	MALES ONLY	149
66	FEMALES ONLY	150
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
67 MALES AND FEMALES	151
68 MALES ONLY	152
69 FEMALES ONLY	153
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70 MALES AND FEMALES	154
71 MALES ONLY	155
72 FEMALES ONLY	156
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73 MALES AND FEMALES	157
74 MALES ONLY	158
75 FEMALES ONLY	159
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76 MALES AND FEMALES	160
77 MALES ONLY	161
78 FEMALES ONLY	162
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79 MALES AND FEMALES	163
80 MALES ONLY	164
81 FEMALES ONLY	165
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82 MALES AND FEMALES	166
83 MALES ONLY	167
84 FEMALES ONLY	168
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85 MALES AND FEMALES	169
86 MALES ONLY	170
87 FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4234	723,269	178	12.8	10.8-14.8	364	16.6	14.6-18.6	425	15.3	13.7-16.9	725	17.5	15.9-19.1	982	16.7	15.3-18.1	1560	21.1	19.7-22.5
Male	1737	346,653	78	13.5	10.4-16.6	138	17.3	14.2-20.4	182	15.6	13.1-18.1	305	17.6	15.1-20.1	403	16.5	14.5-18.5	631	19.5	17.5-21.5
Female	2497	376,616	100	12.2	09.5-14.9	226	15.9	13.7-18.1	243	15.0	13.0-17.0	420	17.4	15.4-19.4	579	17.0	15.4-18.6	929	22.5	20.7-24.3
White/Non-Hisp	2879	473,368	92	10.8	08.4-13.2	176	13.7	11.5-15.9	231	13.3	11.3-15.3	478	17.6	15.8-19.4	702	18.8	17.2-20.4	1200	25.8	24.0-27.6
Black or Afr. Am./Non-Hisp	594	142,229	37	15.9	10.4-21.4	64	16.7	12.0-21.4	79	18.1	13.6-22.6	123	20.3	15.6-25.0	139	14.7	11.4-18.0	152	14.2	11.1-17.3
Oth. Race/Non-Hisp.	117	27,403	13	24.1	11.2-37.0	30	30.6	17.9-43.3	23	17.0	08.6-25.4	15	11.2	04.7-17.7	14	8.9	03.2-14.6	22	8.1	02.2-14.0
MultiRacial/Non-Hisp.	318	10,237	7	9.2	01.2-17.2	16	9.5	04.8-14.2	26	13.9	08.0-19.8	48	14.3	09.4-19.2	84	24.2	18.1-30.3	137	29.0	22.9-35.1
Hispanic	250	56,563	28	18.4	11.5-25.3	68	32.8	25.5-40.1	58	23.0	16.9-29.1	47	13.4	08.7-18.1	27	8.1	04.6-11.6	22	4.3	02.1-06.5
Less Than H.S.	416	98,551	22	12.8	07.3-18.3	52	20.5	14.6-26.4	42	14.0	08.9-19.1	65	15.1	10.8-19.4	68	13.3	09.2-17.4	167	24.2	19.3-29.1
H.S. or G.E.D.	1261	227,401	68	15.2	11.3-19.1	109	17.6	13.9-21.3	99	12.3	09.8-14.8	217	17.9	15.2-20.6	268	15.5	13.3-17.7	500	21.5	19.1-23.9
Some Post-H.S.	1022	208,435	70	18.4	13.9-22.9	79	13.7	10.4-17.0	94	14.4	11.3-17.5	158	15.6	12.5-18.7	244	17.0	14.5-19.5	377	20.9	18.2-23.6
College Graduate	1518	186,464	18	3.7	01.7-05.7	123	16.4	13.5-19.3	187	20.3	17.4-23.2	283	20.6	18.1-23.1	399	19.8	17.6-22.0	508	19.2	17.2-21.2
Less than \$15,000	368	61,490	22	16.4	09.0-23.8	35	18.3	11.0-25.6	34	13.7	08.6-18.8	85	19.2	14.1-24.3	79	16.4	11.3-21.5	113	15.9	11.4-20.4
\$15,000- 24,999	658	111,166	40	17.1	11.4-22.8	75	20.1	15.4-24.8	63	12.3	09.0-15.6	86	12.6	09.5-15.7	116	11.2	08.5-13.9	278	26.8	22.7-30.9
\$25,000- 34,999	372	58,206	17	10.7	05.0-16.4	42	22.3	15.2-29.4	33	13.2	08.7-17.7	57	16.8	11.7-21.9	68	11.3	08.0-14.6	155	25.7	20.8-30.6
\$35,000- 49,999	502	85,332	13	5.5	02.2-08.8	48	22.3	16.0-28.6	46	14.7	09.6-19.8	63	13.2	09.1-17.3	124	20.9	16.4-25.4	208	23.4	19.5-27.3
\$50,000- 74,999	561	88,340	12	6.9	02.6-11.2	44	13.4	09.3-17.5	53	17.3	12.2-22.4	107	20.7	16.2-25.2	154	19.8	16.1-23.5	191	21.9	18.2-25.6
\$75,000+	1089	204,670	28	10.1	06.2-14.0	70	13.4	09.9-16.9	164	21.5	17.8-25.2	250	23.3	19.8-26.8	307	19.5	16.8-22.2	270	12.3	10.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1737	346,653	78	13.5	10.4-16.6	138	17.3	14.2-20.4	182	15.6	13.1-18.1	305	17.6	15.1-20.1	403	16.5	14.5-18.5	631	19.5	17.5-21.5
White/Non-Hisp	1195	224,598	43	12.6	08.7-16.5	62	13.9	10.4-17.4	102	14.2	11.1-17.3	209	17.5	14.8-20.2	287	18.2	15.7-20.7	492	23.6	21.1-26.1
Black or Afr. Am./Non-Hisp	207	65,305	11	12.3	05.0-19.6	16	15.1	07.5-22.7	23	16.6	09.2-24.0	37	21.2	13.0-29.4	57	17.7	11.8-23.6	63	17.0	11.3-22.7
Oth. Race/Non-Hisp.	50	12,932	8	29.8	10.8-48.8	13	33.1	11.7-54.5	13	22.8	08.1-37.5	3	4.1	00.0-09.0	5	6.9	00.0-14.7	8	3.2	00.0-06.5
MultiRacial/Non-Hisp.	125	4,374	3	13.8	00.0-29.9	8	12.3	03.5-21.1	11	13.2	04.2-22.2	19	11.4	05.1-17.7	37	28.4	17.2-39.6	47	20.9	13.1-28.7
Hispanic	117	29,940	12	17.0	07.6-26.4	32	37.3	26.3-48.3	27	19.4	12.0-26.8	28	17.7	09.9-25.5	9	5.7	01.4-10.0	9	3.0	00.6-05.4
Less Than H.S.	189	55,717	16	17.6	09.2-26.0	22	18.2	10.0-26.4	18	13.2	05.6-20.8	39	17.7	11.0-24.4	29	12.3	06.4-18.2	65	20.9	14.2-27.6
H.S. or G.E.D.	509	112,184	29	14.9	09.4-20.4	48	21.6	15.3-27.9	59	16.0	11.7-20.3	94	17.3	13.2-21.4	100	13.4	10.3-16.5	179	16.8	13.7-19.9
Some Post-H.S.	394	93,973	28	19.8	12.5-27.1	25	12.8	07.3-18.3	33	12.2	07.3-17.1	60	16.3	10.6-22.0	109	19.5	15.2-23.8	139	19.3	15.0-23.6
College Graduate	638	82,840	5	1.8	00.0-03.6	42	15.7	11.0-20.4	70	19.9	15.2-24.6	111	19.7	15.8-23.6	162	20.1	16.6-23.6	248	22.9	19.6-26.2
Less than \$15,000	129	28,008	8	17.9	05.6-30.2	13	24.0	10.5-37.5	12	10.9	04.0-17.8	30	17.4	09.0-25.8	30	18.7	09.5-27.9	36	11.2	05.9-16.5
\$15,000- 24,999	254	48,931	15	15.7	07.7-23.7	29	20.3	12.5-28.1	25	11.8	06.5-17.1	42	14.8	09.5-20.1	40	10.5	06.2-14.8	103	26.8	20.1-33.5
\$25,000- 34,999	118	21,711	5	11.2	01.8-20.6	9	19.7	07.2-32.2	12	14.0	06.2-21.8	19	19.9	09.9-29.9	20	9.1	04.4-13.8	53	26.1	17.5-34.7
\$35,000- 49,999	239	46,337	7	5.5	00.8-10.2	20	24.1	14.5-33.7	21	14.6	07.0-22.2	35	14.5	08.4-20.6	54	18.6	12.5-24.7	102	22.5	16.8-28.2
\$50,000- 74,999	236	38,984	4	6.3	00.0-13.4	20	15.0	08.3-21.7	19	16.2	08.0-24.4	43	20.4	13.1-27.7	57	18.6	12.7-24.5	93	23.4	17.5-29.3
\$75,000+	529	113,648	14	9.7	04.4-15.0	35	15.5	09.8-21.2	82	22.6	17.3-27.9	103	20.1	15.2-25.0	151	19.5	15.8-23.2	144	12.7	10.0-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2497	376,616	100	12.2	09.5-14.9	226	15.9	13.7-18.1	243	15.0	13.0-17.0	420	17.4	15.4-19.4	579	17.0	15.4-18.6	929	22.5	20.7-24.3
White/Non-Hisp	1684	248,770	49	9.2	06.5-11.9	114	13.5	11.0-16.0	129	12.5	10.1-14.9	269	17.8	15.4-20.2	415	19.4	17.2-21.6	708	27.7	25.3-30.1
Black or Afr. Am./Non-Hisp	387	76,924	26	19.0	11.2-26.8	48	18.1	12.4-23.8	56	19.4	13.9-24.9	86	19.5	14.4-24.6	82	12.2	08.7-15.7	89	11.8	08.7-14.9
Oth. Race/Non-Hisp.	67	14,470	5	19.0	01.0-37.0	17	28.4	14.5-42.3	10	11.8	03.0-20.6	12	17.6	06.6-28.6	9	10.7	02.5-18.9	14	12.5	02.3-22.7
MultiRacial/Non-Hisp.	193	5,863	4	5.7	00.0-12.0	8	7.3	02.2-12.4	15	14.5	06.9-22.1	29	16.4	09.5-23.3	47	21.0	14.1-27.9	90	35.0	26.8-43.2
Hispanic	133	26,622	16	20.0	10.0-30.0	36	27.8	19.0-36.6	31	27.0	17.4-36.6	19	8.5	04.0-13.0	18	10.9	05.2-16.6	13	5.7	02.2-09.2
Less Than H.S.	227	42,834	6	6.5	00.2-12.8	30	23.5	15.5-31.5	24	15.0	08.9-21.1	26	11.7	06.6-16.8	39	14.7	09.0-20.4	102	28.6	21.3-35.9
H.S. or G.E.D.	752	115,216	39	15.6	10.1-21.1	61	13.8	09.9-17.7	40	8.6	05.7-11.5	123	18.5	14.8-22.2	168	17.5	14.4-20.6	321	26.0	22.5-29.5
Some Post-H.S.	628	114,463	42	17.2	11.5-22.9	54	14.4	10.3-18.5	61	16.3	12.0-20.6	98	14.9	11.4-18.4	135	14.9	12.0-17.8	238	22.3	18.8-25.8
College Graduate	880	103,624	13	5.2	02.3-08.1	81	16.9	13.2-20.6	117	20.6	16.9-24.3	172	21.4	17.9-24.9	237	19.6	16.7-22.5	260	16.2	13.8-18.6
Less than \$15,000	239	33,482	14	15.3	06.3-24.3	22	13.5	07.6-19.4	22	16.2	09.1-23.3	55	20.7	14.6-26.8	49	14.5	09.4-19.6	77	19.8	12.9-26.7
\$15,000- 24,999	404	62,235	25	18.2	10.4-26.0	46	19.8	13.9-25.7	38	12.7	08.4-17.0	44	10.8	06.9-14.7	76	11.7	08.4-15.0	175	26.8	21.5-32.1
\$25,000- 34,999	254	36,496	12	10.4	03.1-17.7	33	23.9	15.7-32.1	21	12.8	07.1-18.5	38	14.9	09.4-20.4	48	12.6	07.9-17.3	102	25.5	19.4-31.6
\$35,000- 49,999	263	38,995	6	5.5	00.8-10.2	28	20.1	12.5-27.7	25	14.8	08.3-21.3	28	11.5	06.4-16.6	70	23.6	17.1-30.1	106	24.5	18.8-30.2
\$50,000- 74,999	325	49,356	8	7.4	02.3-12.5	24	12.2	06.9-17.5	34	18.1	11.8-24.4	64	20.9	15.2-26.6	97	20.8	16.1-25.5	98	20.6	15.7-25.5
\$75,000+	560	91,022	14	10.7	04.6-16.8	35	10.7	07.0-14.4	82	20.1	15.4-24.8	147	27.2	22.3-32.1	156	19.5	16.0-23.0	126	11.8	09.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPA NC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4250	721,564	93	3.5	02.7-04.3	54	1.3	00.9-01.7	9	0.3	00.1-00.5	92	2.5	01.9-03.1	3	0.1	00.0-00.3	3999	92.1	90.9-93.3
Male	1729	342,922	49	4.5	02.9-06.1	25	1.5	00.9-02.1	2	0.3	00.0-00.7	40	2.4	01.6-03.2	2	0.2	00.0-00.4	1611	91.2	89.4-93.0
Female	2521	378,642	44	2.7	01.7-03.7	29	1.2	00.6-01.8	7	0.4	00.0-00.8	52	2.6	01.6-03.6	1	0.1	00.0-00.3	2388	93.0	91.6-94.4
18-24	177	91,693	11	4.8	01.5-08.1	4	1.3	00.0-02.9	3	1.1	00.0-02.3	9	3.7	01.0-06.4	1	0.5	00.0-01.5	149	88.6	83.9-93.3
25-34	355	116,884	26	7.4	04.3-10.5	9	1.9	00.5-03.3	2	0.6	00.0-01.6	31	5.9	03.5-08.3				287	84.1	80.0-88.2
35-44	421	109,261	26	5.7	03.3-08.1	15	2.6	01.2-04.0				17	3.5	01.5-05.5				363	88.1	84.8-91.4
45-54	719	125,831	13	2.5	00.7-04.3	11	1.1	00.3-01.9	3	0.4	00.0-00.8	18	1.6	00.8-02.4	2	0.4	00.0-01.0	672	94.0	91.8-96.2
55-64	974	120,240	11	2.1	00.7-03.5	4	0.5	00.1-00.9				12	1.3	00.5-02.1				947	96.2	94.4-98.0
65+	1550	151,329	6	0.3	00.1-00.5	10	0.8	00.2-01.4	1	0.1	00.0-00.3	5	0.4	00.0-00.8				1528	98.4	97.6-99.2
Less Than H.S.	408	96,780	50	15.5	10.8-20.2	10	2.0	00.6-03.4				36	7.4	04.9-09.9				312	75.1	69.8-80.4
H.S. or G.E.D.	1265	225,247	23	2.7	01.3-04.1	15	1.4	00.4-02.4	2	0.3	00.0-00.7	25	2.1	01.1-03.1				1200	93.5	91.5-95.5
Some Post-H.S.	1028	209,036	12	1.6	00.4-02.8	18	1.6	00.8-02.4	4	0.6	00.0-01.2	13	2.0	00.6-03.4	1	0.2	00.0-00.6	980	94.0	92.0-96.0
College Graduate	1528	187,725	8	0.6	00.2-01.0	11	0.6	00.2-01.0	3	0.2	00.0-00.4	16	1.2	00.6-01.8	1	0.2	00.0-00.6	1489	97.3	96.3-98.3
Less than \$15,000	369	61,111	21	9.2	04.5-13.9	5	1.3	00.1-02.5				19	4.9	02.5-07.3				324	84.6	79.3-89.9
\$15,000- 24,999	660	110,782	30	7.3	04.4-10.2	16	2.3	00.9-03.7	2	0.3	00.0-00.7	26	5.2	03.0-07.4	1	0.4	00.0-01.2	585	84.5	80.6-88.4
\$25,000- 34,999	371	57,656	13	6.2	02.5-09.9	5	1.7	00.1-03.3	1	0.7	00.0-02.1	11	4.0	01.3-06.7				341	87.4	82.5-92.3
\$35,000- 49,999	503	85,611	4	1.4	00.0-03.0	5	1.2	00.0-02.4				5	0.6	00.0-01.2				489	96.8	94.8-98.8
\$50,000- 74,999	559	87,836	6	1.6	00.0-03.2	7	1.6	00.0-03.2				4	0.8	00.0-01.6				542	95.9	93.5-98.3
\$75,000+	1093	204,702	3	0.6	00.0-01.4	8	0.5	00.1-00.9	4	0.5	00.0-01.1	12	1.6	00.4-02.8	1	0.2	00.0-00.6	1065	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1729	342,922	49	4.5	02.9-06.1	25	1.5	00.9-02.1	2	0.3	00.0-00.7	40	2.4	01.6-03.2	2	0.2	00.0-00.4	1611	91.2	89.4-93.0
18-24	77	45,829	6	6.4	00.7-12.1				1	0.8	00.0-02.4	5	3.9	00.4-07.4				65	88.9	82.0-95.8
25-34	132	57,534	15	10.7	04.8-16.6	4	2.3	00.0-04.7	1	0.9	00.0-02.7	12	5.5	02.2-08.8				100	80.6	73.3-87.9
35-44	180	53,409	12	4.9	02.0-07.8	9	3.4	00.9-05.9				6	2.5	00.3-04.7				153	89.1	84.8-93.4
45-54	301	60,421	9	3.8	00.5-07.1	5	1.6	00.0-03.2				12	2.5	00.9-04.1	2	0.9	00.0-02.1	273	91.2	87.3-95.1
55-64	398	56,524	4	1.8	00.0-04.0	1	0.3	00.0-00.9				4	0.9	00.0-01.9				389	97.0	94.6-99.4
65+	627	67,074	3	0.3	00.0-00.7	5	1.0	00.0-02.0				1	0.1	00.0-00.3				618	98.6	97.6-99.6
Less Than H.S.	185	54,158	24	14.5	08.0-21.0	6	2.8	00.4-05.2				19	7.0	03.5-10.5				136	75.6	68.0-83.2
H.S. or G.E.D.	504	109,541	14	4.0	01.5-06.5	9	1.5	00.3-02.7				7	2.0	00.4-03.6				474	92.5	89.4-95.6
Some Post-H.S.	394	94,050	7	2.7	00.3-05.1	5	1.3	00.1-02.5	2	0.9	00.0-02.3	7	1.6	00.2-03.0				373	93.4	90.3-96.5
College Graduate	638	83,128	4	0.6	00.0-01.2	5	0.7	00.1-01.3				7	1.0	00.0-02.0	1	0.4	00.0-01.2	621	97.3	95.9-98.7
Less than \$15,000	128	27,462	11	10.4	02.2-18.6	2	1.7	00.0-04.1				6	3.4	00.3-06.5				109	84.5	75.7-93.3
\$15,000- 24,999	252	47,997	17	10.8	04.9-16.7	7	2.5	00.3-04.7				14	6.3	02.8-09.8				214	80.4	73.5-87.3
\$25,000- 34,999	116	21,091	7	10.2	02.2-18.2	1	1.1	00.0-03.3				5	7.1	00.8-13.4				103	81.6	71.8-91.4
\$35,000- 49,999	238	46,489	3	2.4	00.0-05.1	3	1.5	00.0-03.3				2	0.4	00.0-01.0				230	95.8	92.5-99.1
\$50,000- 74,999	236	39,114	3	1.8	00.0-04.3	4	3.1	00.0-06.4				2	0.8	00.0-02.0				227	94.3	90.0-98.6
\$75,000+	529	112,633	3	1.1	00.0-02.5	4	0.3	00.0-00.7	1	0.4	00.0-01.2	6	0.8	00.0-01.6	1	0.3	00.0-00.9	514	97.1	95.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2521	378,642	44	2.7	01.7-03.7	29	1.2	00.6-01.8	7	0.4	00.0-00.8	52	2.6	01.6-03.6	1	0.1	00.0-00.3	2388	93.0	91.6-94.4
18-24	100	45,864	5	3.3	00.0-06.6	4	2.6	00.0-05.7	2	1.3	00.0-03.3	4	3.6	00.0-07.7	1	0.9	00.0-02.7	84	88.4	81.7-95.1
25-34	223	59,350	11	4.2	01.5-06.9	5	1.6	00.0-03.2	1	0.4	00.0-01.2	19	6.2	03.1-09.3				187	87.5	83.2-91.8
35-44	241	55,852	14	6.5	02.8-10.2	6	1.9	00.3-03.5				11	4.5	01.0-08.0				210	87.1	82.0-92.2
45-54	418	65,410	4	1.3	00.0-02.7	6	0.7	00.1-01.3	3	0.7	00.0-01.5	6	0.8	00.0-01.6				399	96.5	94.7-98.3
55-64	576	63,715	7	2.3	00.3-04.3	3	0.6	00.0-01.2				8	1.7	00.3-03.1				558	95.4	93.0-97.8
65+	923	84,255	3	0.3	00.0-00.7	5	0.6	00.0-01.2	1	0.2	00.0-00.6	4	0.7	00.0-01.5				910	98.2	97.0-99.4
Less Than H.S.	223	42,621	26	16.7	10.0-23.4	4	0.9	00.0-01.9				17	7.8	03.9-11.7				176	74.5	67.1-81.9
H.S. or G.E.D.	761	115,706	9	1.4	00.4-02.4	6	1.3	00.0-02.7	2	0.6	00.0-01.4	18	2.3	01.1-03.5				726	94.5	92.3-96.7
Some Post-H.S.	634	114,986	5	0.8	00.0-01.6	13	1.9	00.9-02.9	2	0.3	00.0-00.7	6	2.3	00.1-04.5	1	0.4	00.0-01.2	607	94.5	92.0-97.0
College Graduate	890	104,597	4	0.6	00.0-01.2	6	0.5	00.1-00.9	3	0.4	00.0-01.0	9	1.3	00.3-02.3				868	97.2	95.8-98.6
Less than \$15,000	241	33,649	10	8.3	02.8-13.8	3	0.9	00.0-02.1				13	6.0	02.5-09.5				215	84.8	78.3-91.3
\$15,000- 24,999	408	62,785	13	4.6	01.9-07.3	9	2.2	00.6-03.8	2	0.5	00.0-01.3	12	4.3	01.8-06.8	1	0.7	00.0-02.1	371	87.7	83.6-91.8
\$25,000- 34,999	255	36,565	6	3.9	00.4-07.4	4	2.0	00.0-04.2	1	1.1	00.0-03.3	6	2.3	00.1-04.5				238	90.7	85.8-95.6
\$35,000- 49,999	265	39,122	1	0.4	00.0-01.2	2	0.9	00.0-02.1				3	0.8	00.0-01.8				259	98.0	96.2-99.8
\$50,000- 74,999	323	48,722	3	1.5	00.0-03.3	3	0.4	00.0-00.8				2	0.9	00.0-02.3				315	97.2	95.0-99.4
\$75,000+	564	92,069				4	0.7	00.0-01.5	3	0.6	00.0-01.4	6	2.6	00.1-05.1				551	96.1	93.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4174	708,423	3755	95.8	95.0-96.6	323	1.5	01.3-01.7	7	0.0	00.0-00.0	4	0.1	00.1-00.1	1	0.0	00.0-00.0	84	2.6	01.8-03.4
Male	1699	336,833	1520	95.0	93.6-96.4	126	1.4	01.0-01.8	3	0.0	00.0-00.0	1	0.0	00.0-00.0				49	3.6	02.2-05.0
Female	2475	371,590	2235	96.5	95.7-97.3	197	1.7	01.3-02.1	4	0.0	00.0-00.0	3	0.1	00.0-00.3	1	0.0	00.0-00.0	35	1.6	00.8-02.4
18-24	173	90,752	159	95.4	92.1-98.7	6	1.0	00.0-02.0	1	0.0	00.0-00.0							7	3.6	00.5-06.7
25-34	339	112,691	303	95.2	93.0-97.4	17	0.9	00.5-01.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6				17	3.6	01.4-05.8
35-44	407	106,180	356	93.9	91.5-96.3	28	1.8	01.0-02.6										23	4.4	02.0-06.8
45-54	703	123,448	639	96.0	94.2-97.8	46	1.1	00.7-01.5				2	0.1	00.1-00.1				16	2.8	01.0-04.6
55-64	966	119,629	870	96.2	94.8-97.6	82	2.1	01.5-02.7	3	0.1	00.1-00.1							11	1.7	00.5-02.9
65+	1535	149,993	1384	97.4	96.8-98.0	138	2.1	01.7-02.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	10	0.4	00.0-00.8
Less Than H.S.	390	91,772	319	88.0	83.9-92.1	31	1.0	00.6-01.4	2	0.2	00.0-00.4							38	10.9	06.8-15.0
H.S. or G.E.D.	1243	222,637	1127	97.3	96.5-98.1	99	1.5	01.1-01.9				2	0.1	00.0-00.3				15	1.2	00.4-02.0
Some Post-H.S.	1014	206,379	919	95.9	94.3-97.5	73	1.8	01.2-02.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0				20	2.2	00.8-03.6
College Graduate	1511	185,725	1375	97.8	97.2-98.4	119	1.6	01.2-02.0	4	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	11	0.6	00.2-01.0
Less than \$15,000	360	58,957	318	94.8	92.3-97.3	28	1.4	00.6-02.2	1	0.1	00.0-00.3							13	3.8	01.4-06.2
\$15,000- 24,999	644	107,507	557	92.8	90.1-95.5	57	1.6	01.0-02.2	1	0.1	00.0-00.3							29	5.4	02.7-08.1
\$25,000- 34,999	361	56,248	325	94.4	91.1-97.7	25	1.5	00.7-02.3	1	0.1	00.0-00.3							10	4.0	00.7-07.3
\$35,000- 49,999	500	85,226	455	97.7	96.5-98.9	38	1.2	00.6-01.8										7	1.1	00.1-02.1
\$50,000- 74,999	556	87,707	509	97.6	96.2-99.0	41	1.2	00.8-01.6				2	0.1	00.0-00.3				4	1.1	00.0-02.5
\$75,000+	1086	203,561	986	96.8	95.4-98.2	85	1.9	01.3-02.5	4	0.0	00.0-00.0	2	0.2	00.0-00.4	1	0.0	00.0-00.0	8	1.1	00.0-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	336,833	1520	95.0	93.6-96.4	126	1.4	01.0-01.8	3	0.0	00.0-00.0	1	0.0	00.0-00.0	49	3.6	02.2-05.0
18-24	75	45,336	67	93.3	87.6-99.0	3	1.3	00.0-03.1							5	5.4	00.0-10.9
25-34	127	55,702	106	92.5	88.2-96.8	8	0.9	00.3-01.5	1	0.2	00.0-00.6				12	6.4	02.3-10.5
35-44	173	51,377	150	95.0	92.5-97.5	12	1.7	00.3-03.1							11	3.3	01.1-05.5
45-54	294	59,159	265	94.3	90.8-97.8	19	0.8	00.4-01.2							10	4.8	01.3-08.3
55-64	398	56,765	356	95.8	93.4-98.2	36	2.2	01.2-03.2	1	0.0	00.0-00.0				5	2.0	00.0-04.2
65+	620	66,697	566	98.1	97.3-98.9	47	1.4	01.0-01.8				1	0.1	00.0-00.3	6	0.5	00.0-01.3
Less Than H.S.	180	52,523	144	86.2	79.9-92.5	12	0.6	00.2-01.0	1	0.2	00.0-00.6				23	13.0	06.7-19.3
H.S. or G.E.D.	494	108,311	445	97.1	95.7-98.5	39	1.3	00.7-01.9				1	0.0	00.0-00.0	9	1.6	00.4-02.8
Some Post-H.S.	389	92,460	349	94.7	92.0-97.4	26	1.7	00.7-02.7							14	3.6	01.1-06.1
College Graduate	631	82,296	577	98.2	97.4-99.0	49	1.5	00.7-02.3	2	0.0	00.0-00.0				3	0.2	00.0-00.6
Less than \$15,000	124	26,417	109	95.8	92.5-99.1	10	1.2	00.2-02.2							5	3.0	00.0-06.1
\$15,000- 24,999	246	46,540	202	88.7	83.0-94.4	25	2.0	00.8-03.2	1	0.3	00.0-00.9				18	9.0	03.5-14.5
\$25,000- 34,999	112	20,491	100	89.1	80.7-97.5	4	0.4	00.0-00.8							8	10.5	02.1-18.9
\$35,000- 49,999	237	46,366	214	97.2	95.4-99.0	18	1.2	00.4-02.0							5	1.6	00.0-03.2
\$50,000- 74,999	236	39,224	213	96.9	94.4-99.4	19	1.1	00.5-01.7				1	0.1	00.0-00.3	3	1.8	00.0-04.3
\$75,000+	524	111,884	482	97.5	95.9-99.1	38	1.7	00.7-02.7	2	0.0	00.0-00.0				2	0.8	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2475	371,590	2235	96.5	95.7-97.3	197	1.7	01.3-02.1	4	0.0	00.0-00.0	3	0.1	00.0-00.3	1	0.0	00.0-00.0	35	1.6	00.8-02.4
18-24	98	45,415	92	97.4	94.3-0100	3	0.6	00.0-01.4	1	0.1	00.0-00.3							2	1.8	00.0-04.7
25-34	212	56,988	197	97.8	96.4-99.2	9	0.8	00.2-01.4				1	0.4	00.0-01.2				5	1.0	00.0-02.0
35-44	234	54,804	206	92.8	88.9-96.7	16	1.8	00.6-03.0										12	5.3	01.4-09.2
45-54	409	64,288	374	97.5	96.3-98.7	27	1.4	00.8-02.0				2	0.1	00.0-00.3				6	1.0	00.0-02.0
55-64	568	62,864	514	96.5	95.1-97.9	46	2.0	01.2-02.8	2	0.1	00.0-00.3							6	1.4	00.0-02.8
65+	915	83,296	818	96.9	95.9-97.9	91	2.7	01.9-03.5	1	0.0	00.0-00.0				1	0.0	00.0-00.0	4	0.3	00.0-00.7
Less Than H.S.	210	39,249	175	90.3	85.4-95.2	19	1.5	00.5-02.5	1	0.1	00.0-00.3							15	8.1	03.2-13.0
H.S. or G.E.D.	749	114,326	682	97.4	96.4-98.4	60	1.6	01.0-02.2				1	0.2	00.0-00.6				6	0.8	00.0-01.6
Some Post-H.S.	625	113,919	570	96.9	95.3-98.5	47	1.9	01.1-02.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3				6	1.1	00.0-02.7
College Graduate	880	103,429	798	97.5	96.7-98.3	70	1.6	01.2-02.0	2	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	8	0.8	00.0-01.6
Less than \$15,000	236	32,540	209	93.9	90.4-97.4	18	1.5	00.5-02.5	1	0.1	00.0-00.3							8	4.5	01.0-08.0
\$15,000- 24,999	398	60,966	355	95.9	93.7-98.1	32	1.3	00.5-02.1										11	2.7	00.7-04.7
\$25,000- 34,999	249	35,757	225	97.5	96.3-98.7	21	2.0	00.8-03.2	1	0.1	00.0-00.3							2	0.4	00.0-01.0
\$35,000- 49,999	263	38,860	241	98.2	97.0-99.4	20	1.2	00.6-01.8										2	0.6	00.0-01.6
\$50,000- 74,999	320	48,483	296	98.2	96.8-99.6	22	1.2	00.6-01.8				1	0.0	00.0-00.0				1	0.6	00.0-01.8
\$75,000+	562	91,677	504	96.0	93.8-98.2	47	2.1	01.3-02.9	2	0.0	00.0-00.0	2	0.3	00.0-00.9	1	0.0	00.0-00.0	6	1.4	00.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4290	729,705	672	11.7	10.5-12.9	3618	88.3	87.1-89.5
Male	1749	348,642	596	22.2	19.8-24.6	1153	77.8	75.4-80.2
Female	2541	381,063	76	2.0	01.4-02.6	2465	98.0	97.4-98.6
18-24	177	92,232	2	0.2	00.0-00.6	175	99.8	99.4-0100
25-34	362	119,714	19	3.9	01.5-06.3	343	96.1	93.7-98.5
35-44	424	110,461	33	9.1	05.4-12.8	391	90.9	87.2-94.6
45-54	724	126,705	73	8.5	06.1-10.9	651	91.5	89.1-93.9
55-64	980	120,888	129	14.2	11.3-17.1	851	85.8	82.9-88.7
65+	1558	152,347	413	27.8	24.9-30.7	1145	72.2	69.3-75.1
Less Than H.S.	411	97,996	32	6.2	03.5-08.9	379	93.8	91.1-96.5
H.S. or G.E.D.	1274	228,527	186	10.1	08.3-11.9	1088	89.9	88.1-91.7
Some Post-H.S.	1038	210,985	192	14.6	11.9-17.3	846	85.4	82.7-88.1
College Graduate	1545	189,393	258	13.3	11.1-15.5	1287	86.7	84.5-88.9
Less than \$15,000	368	61,486	32	6.0	03.1-08.9	336	94.0	91.1-96.9
\$15,000- 24,999	664	111,824	79	8.6	06.1-11.1	585	91.4	88.9-93.9
\$25,000- 34,999	373	58,276	56	10.5	07.2-13.8	317	89.5	86.2-92.8
\$35,000- 49,999	506	86,234	113	16.9	12.2-21.6	393	83.1	78.4-87.8
\$50,000- 74,999	563	88,746	107	14.0	10.9-17.1	456	86.0	82.9-89.1
\$75,000+	1098	206,073	187	13.0	10.6-15.4	911	87.0	84.6-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	348,642	596	22.2	19.8-24.6	1153	77.8	75.4-80.2
18-24	78	46,656	2	0.5	00.0-01.3	76	99.5	98.7-0100
25-34	137	59,818	9	5.2	01.1-09.3	128	94.8	90.7-98.9
35-44	181	54,059	28	16.5	09.2-23.8	153	83.5	76.2-90.8
45-54	304	61,063	54	13.7	09.4-18.0	250	86.3	82.0-90.6
55-64	401	57,016	107	27.7	22.2-33.2	294	72.3	66.8-77.8
65+	631	67,626	395	60.8	55.7-65.9	236	39.2	34.1-44.3
Less Than H.S.	186	55,462	32	11.0	06.1-15.9	154	89.0	84.1-93.9
H.S. or G.E.D.	511	112,456	166	18.8	15.1-22.5	345	81.2	77.5-84.9
Some Post-H.S.	398	94,651	166	28.9	23.0-34.8	232	71.1	65.2-77.0
College Graduate	646	84,028	229	26.9	22.6-31.2	417	73.1	68.8-77.4
Less than \$15,000	126	27,797	28	11.8	05.5-18.1	98	88.2	81.9-94.5
\$15,000- 24,999	255	48,997	71	18.7	12.8-24.6	184	81.3	75.4-87.2
\$25,000- 34,999	118	21,711	48	23.5	15.5-31.5	70	76.5	68.5-84.5
\$35,000- 49,999	240	46,816	101	28.4	20.4-36.4	139	71.6	63.6-79.6
\$50,000- 74,999	237	39,345	96	27.8	21.1-34.5	141	72.2	65.5-78.9
\$75,000+	534	114,003	166	21.5	17.4-25.6	368	78.5	74.4-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2541	381,063	76	2.0	01.4-02.6	2465	98.0	97.4-98.6
18-24	99	45,576				99	100.0	0100-0100
25-34	225	59,896	10	2.6	00.6-04.6	215	97.4	95.4-99.4
35-44	243	56,402	5	2.0	00.0-04.0	238	98.0	96.0-0100
45-54	420	65,642	19	3.6	01.8-05.4	401	96.4	94.6-98.2
55-64	579	63,872	22	2.2	01.0-03.4	557	97.8	96.6-99.0
65+	927	84,721	18	1.5	00.7-02.3	909	98.5	97.7-99.3
Less Than H.S.	225	42,534				225	100.0	0100-0100
H.S. or G.E.D.	763	116,071	20	1.6	00.6-02.6	743	98.4	97.4-99.4
Some Post-H.S.	640	116,334	26	2.9	01.5-04.3	614	97.1	95.7-98.5
College Graduate	899	105,364	29	2.3	01.1-03.5	870	97.7	96.5-98.9
Less than \$15,000	242	33,689	4	1.3	00.0-02.9	238	98.7	97.1-0100
\$15,000- 24,999	409	62,827	8	0.6	00.0-01.2	401	99.4	98.8-0100
\$25,000- 34,999	255	36,565	8	2.8	00.3-05.3	247	97.2	94.7-99.7
\$35,000- 49,999	266	39,418	12	3.2	01.0-05.4	254	96.8	94.6-99.0
\$50,000- 74,999	326	49,402	11	3.0	01.0-05.0	315	97.0	95.0-99.0
\$75,000+	564	92,069	21	2.6	01.2-04.0	543	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4258	725,264	2165	49.9	47.7-52.1	642	11.5	10.1-12.9	584	7.3	06.5-08.1	94	2.2	01.6-02.8	659	25.1	22.9-27.3	114	4.0	03.0-05.0
Male	1738	345,774	1000	51.6	48.1-55.1	228	11.2	09.0-13.4	142	4.0	03.0-05.0	32	1.6	00.8-02.4	287	27.0	23.5-30.5	49	4.6	03.0-06.2
Female	2520	379,490	1165	48.2	45.5-50.9	414	11.7	10.1-13.3	442	10.2	09.0-11.4	62	2.8	01.8-03.8	372	23.4	20.7-26.1	65	3.5	02.3-04.7
White/Non-Hisp	2890	475,356	1577	56.0	53.5-58.5	452	12.1	10.7-13.5	428	8.0	07.0-09.0	46	1.7	01.1-02.3	333	19.5	17.0-22.0	54	2.7	01.7-03.7
Black or Afr. Am./Non-Hisp	599	142,091	195	32.2	27.1-37.3	112	14.5	10.2-18.8	71	6.9	04.7-09.1	25	3.4	01.4-05.4	184	39.5	33.6-45.4	12	3.5	01.1-05.9
Oth. Race/Non-Hisp.	118	27,674	62	45.1	32.8-57.4	6	2.3	00.0-05.0	12	6.5	01.0-12.0				35	44.6	31.1-58.1	3	1.5	00.0-03.5
MultiRacial/Non-Hisp.	322	10,319	164	56.6	48.6-64.6	53	11.4	07.5-15.3	56	10.7	07.2-14.2	6	1.6	00.0-03.2	36	16.8	08.8-24.8	7	2.8	00.3-05.3
Hispanic	246	56,133	114	42.2	34.8-49.6	9	2.6	00.6-04.6	11	2.5	00.9-04.1	16	5.9	03.0-08.8	59	27.9	20.8-35.0	37	18.9	12.4-25.4
18-24	178	92,520	15	4.9	02.2-07.6	1	0.1	00.0-00.3				2	0.8	00.0-02.2	146	86.6	81.5-91.7	14	7.6	03.3-11.9
25-34	358	118,398	162	43.3	36.8-49.8	21	5.7	03.0-08.4	1	0.2	00.0-00.6	7	1.2	00.2-02.2	134	40.1	33.6-46.6	33	9.6	05.9-13.3
35-44	421	109,502	247	61.4	55.7-67.1	50	11.4	07.5-15.3	2	0.1	00.0-00.3	14	3.2	01.2-05.2	86	19.9	15.4-24.4	22	4.1	02.1-06.1
45-54	721	126,360	392	58.5	53.8-63.2	146	18.8	14.7-22.9	22	2.9	01.3-04.5	27	3.1	01.7-04.5	118	14.5	11.2-17.8	16	2.2	00.8-03.6
55-64	978	120,515	554	63.2	59.5-66.9	211	18.8	15.7-21.9	77	6.0	04.4-07.6	26	2.8	01.4-04.2	91	6.9	05.1-08.7	19	2.3	01.1-03.5
65+	1547	151,670	767	56.1	52.8-59.4	207	11.1	09.3-12.9	467	26.3	23.6-29.0	16	2.1	00.1-04.1	80	3.8	02.8-04.8	10	0.5	00.1-00.9
Less Than H.S.	408	97,577	157	40.1	33.6-46.6	52	9.6	05.9-13.3	77	9.0	06.1-11.9	21	5.2	02.5-07.9	71	25.8	19.3-32.3	30	10.3	06.2-14.4
H.S. or G.E.D.	1268	227,297	569	44.4	40.5-48.3	198	12.1	09.9-14.3	213	8.2	06.8-09.6	31	1.8	01.0-02.6	224	29.9	25.6-34.2	33	3.6	02.0-05.2
Some Post-H.S.	1032	210,133	503	47.3	43.0-51.6	182	13.2	10.3-16.1	138	6.9	05.3-08.5	24	2.2	00.8-03.6	168	28.0	23.3-32.7	17	2.4	01.0-03.8
College Graduate	1533	188,379	929	64.3	61.0-67.6	206	9.8	08.0-11.6	153	5.7	04.5-06.9	17	1.2	00.6-01.8	195	16.1	13.4-18.8	33	3.0	01.4-04.6
Less than \$15,000	362	60,539	67	18.0	12.5-23.5	82	18.0	12.5-23.5	67	8.9	06.0-11.8	27	7.9	04.0-11.8	102	41.8	33.6-50.0	17	5.4	02.5-08.3
\$15,000- 24,999	663	111,675	202	31.9	27.0-36.8	130	13.1	10.2-16.0	143	13.1	10.2-16.0	25	3.5	01.9-05.1	136	30.7	25.0-36.4	27	7.6	04.3-10.9
\$25,000- 34,999	371	58,141	136	37.9	31.2-44.6	87	18.1	13.0-23.2	65	11.2	07.9-14.5	4	0.6	00.0-01.4	67	27.2	19.9-34.5	12	5.1	01.6-08.6
\$35,000- 49,999	505	85,726	239	47.7	41.4-54.0	105	18.3	13.4-23.2	61	6.3	04.1-08.5	9	2.7	00.3-05.1	81	21.1	15.8-26.4	10	3.9	01.0-06.8
\$50,000- 74,999	563	88,746	338	63.1	57.6-68.6	84	12.2	08.9-15.5	50	5.2	03.2-07.2	9	1.1	00.3-01.9	72	15.2	10.5-19.9	10	3.1	00.9-05.3
\$75,000+	1096	205,736	857	72.6	67.9-77.3	89	6.6	04.2-09.0	43	1.7	01.1-02.3	9	0.5	00.1-00.9	78	16.4	11.9-20.9	20	2.1	00.7-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS
 TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1738	345,774	1000	51.6	48.1-55.1	228	11.2	09.0-13.4	142	4.0	03.0-05.0	32	1.6	00.8-02.4	287	27.0	23.5-30.5	49	4.6	03.0-06.2
White/Non-Hisp	1198	225,358	732	58.8	54.7-62.9	174	11.4	09.2-13.6	100	3.8	02.8-04.8	15	0.8	00.2-01.4	158	22.5	18.2-26.8	19	2.7	01.3-04.1
Black or Afr. Am./Non-Hisp	204	64,266	84	34.0	25.6-42.4	28	16.6	08.2-25.0	23	6.8	03.1-10.5	8	3.6	00.1-07.1	55	34.1	24.9-43.3	6	5.0	00.7-09.3
Oth. Race/Non-Hisp.	50	12,932	25	41.6	22.6-60.6	2	0.3	00.0-00.7	3	1.8	00.0-04.2				17	53.0	33.0-73.0	3	3.3	00.0-07.8
MultiRacial/Non-Hisp.	127	4,401	75	57.5	43.4-71.6	15	7.1	02.6-11.6	13	5.7	02.0-09.4	1	0.3	00.0-00.9	19	25.4	09.9-40.9	4	4.0	00.0-08.9
Hispanic	114	29,557	55	39.8	29.0-50.6	4	3.2	00.0-06.5	1	0.6	00.0-01.8	8	5.0	01.5-08.5	29	31.8	21.2-42.4	17	19.5	09.9-29.1
18-24	78	46,656	3	1.8	00.0-04.0										68	90.3	83.6-97.0	7	7.9	01.6-14.2
25-34	134	58,548	58	40.5	30.3-50.7	5	4.2	00.3-08.1							55	43.5	32.9-54.1	16	11.8	05.7-17.9
35-44	179	53,368	114	63.9	55.1-72.7	19	12.2	05.3-19.1				6	2.1	00.3-03.9	32	18.1	11.2-25.0	8	3.6	00.9-06.3
45-54	302	60,745	163	55.5	47.9-63.1	63	21.5	14.1-28.9	6	2.9	00.2-05.6	7	1.7	00.1-03.3	55	15.3	10.2-20.4	8	3.0	00.5-05.5
55-64	399	56,642	252	67.3	61.4-73.2	69	17.7	12.4-23.0	20	3.9	01.9-05.9	11	2.8	00.8-04.8	43	6.7	04.2-09.2	4	1.6	00.0-03.4
65+	629	67,386	398	68.4	63.5-73.3	69	9.5	06.8-12.2	116	14.6	11.1-18.1	8	2.6	00.0-05.7	32	4.3	02.5-06.1	6	0.7	00.1-01.3
Less Than H.S.	185	54,915	77	41.0	31.4-50.6	24	10.1	04.8-15.4	24	5.6	02.1-09.1	8	1.9	00.3-03.5	37	29.8	20.2-39.4	15	11.6	05.3-17.9
H.S. or G.E.D.	507	111,540	267	47.4	41.3-53.5	67	10.6	07.3-13.9	42	3.1	01.9-04.3	8	1.1	00.1-02.1	105	33.1	26.6-39.6	18	4.7	02.2-07.2
Some Post-H.S.	395	94,169	217	48.0	40.7-55.3	69	14.6	08.9-20.3	25	3.7	01.7-05.7	9	2.5	00.0-05.0	68	29.4	22.0-36.8	7	1.8	00.2-03.4
College Graduate	645	83,856	436	68.0	63.1-72.9	66	8.7	06.2-11.2	51	4.5	02.9-06.1	6	0.8	00.0-01.6	77	14.9	10.6-19.2	9	3.0	00.6-05.4
Less than \$15,000	123	26,991	26	18.2	08.8-27.6	27	18.5	08.5-28.5	14	4.3	01.4-07.2	9	4.4	01.1-07.7	40	48.6	34.9-62.3	7	6.1	01.0-11.2
\$15,000- 24,999	254	48,848	103	39.1	30.7-47.5	45	12.7	07.8-17.6	25	6.8	02.7-10.9	9	2.6	00.6-04.6	56	28.4	20.2-36.6	16	10.3	04.4-16.2
\$25,000- 34,999	118	21,711	46	33.9	22.7-45.1	24	16.0	08.2-23.8	19	9.7	04.4-15.0				24	30.9	18.4-43.4	5	9.5	00.9-18.1
\$35,000- 49,999	239	46,308	128	51.6	42.4-60.8	44	17.4	09.8-25.0	20	3.8	01.3-06.3	4	1.8	00.0-03.6	38	21.0	13.4-28.6	5	4.4	00.0-09.1
\$50,000- 74,999	237	39,345	146	60.0	51.0-69.0	32	12.0	07.1-16.9	20	5.3	01.8-08.8	3	0.7	00.0-01.5	32	18.4	10.2-26.6	4	3.5	00.0-07.2
\$75,000+	533	113,965	422	70.1	63.2-77.0	41	7.9	03.8-12.0	19	1.4	00.6-02.2	3	0.3	00.0-00.7	42	18.3	11.8-24.8	6	1.9	00.1-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 8: DEMOGRAPHICS
 TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2520	379,490	1165	48.2	45.5-50.9	414	11.7	10.1-13.3	442	10.2	09.0-11.4	62	2.8	01.8-03.8	372	23.4	20.7-26.1	65	3.5	02.3-04.7
White/Non-Hisp	1692	249,999	845	53.5	50.4-56.6	278	12.8	10.8-14.8	328	11.8	10.2-13.4	31	2.5	01.3-03.7	175	16.7	13.8-19.6	35	2.7	01.5-03.9
Black or Afr. Am./Non-Hisp	395	77,825	111	30.7	24.4-37.0	84	12.8	09.3-16.3	48	7.0	04.5-09.5	17	3.3	01.3-05.3	129	44.0	36.6-51.4	6	2.2	00.0-04.7
Oth. Race/Non-Hisp.	68	14,742	37	48.1	31.8-64.4	4	4.0	00.0-08.9	9	10.7	00.9-20.5				18	37.2	20.0-54.4			
MultiRacial/Non-Hisp.	195	5,918	89	55.9	46.9-64.9	38	14.6	08.5-20.7	43	14.4	09.1-19.7	5	2.6	00.0-05.3	17	10.5	03.8-17.2	3	1.9	00.0-04.3
Hispanic	132	26,576	59	44.9	34.5-55.3	5	1.9	00.0-03.9	10	4.6	01.5-07.7	8	6.8	01.9-11.7	30	23.5	13.9-33.1	20	18.2	10.0-26.4
18-24	100	45,864	12	8.1	03.0-13.2	1	0.2	00.0-00.6				2	1.7	00.0-04.2	78	82.8	75.0-90.6	7	7.2	01.3-13.1
25-34	224	59,849	104	45.9	38.1-53.7	16	7.1	03.0-11.2	1	0.3	00.0-00.9	7	2.4	00.4-04.4	79	36.7	29.1-44.3	17	7.5	03.4-11.6
35-44	242	56,134	133	58.9	51.6-66.2	31	10.7	06.6-14.8	2	0.1	00.0-00.3	8	4.1	00.8-07.4	54	21.6	15.7-27.5	14	4.5	01.8-07.2
45-54	419	65,615	229	61.2	55.5-66.9	83	16.3	12.2-20.4	16	3.0	01.2-04.8	20	4.4	02.2-06.6	63	13.8	09.5-18.1	8	1.4	00.4-02.4
55-64	579	63,872	302	59.5	54.6-64.4	142	19.9	16.0-23.8	57	7.8	05.3-10.3	15	2.8	01.0-04.6	48	7.0	04.5-09.5	15	3.0	01.2-04.8
65+	918	84,284	369	46.3	42.2-50.4	138	12.4	09.9-14.9	351	35.7	31.8-39.6	8	1.8	00.0-04.0	48	3.5	02.3-04.7	4	0.3	00.0-00.7
Less Than H.S.	223	42,662	80	38.8	30.4-47.2	28	8.9	03.8-14.0	53	13.4	08.3-18.5	13	9.4	03.7-15.1	34	20.6	12.8-28.4	15	8.8	03.9-13.7
H.S. or G.E.D.	761	115,757	302	41.4	36.5-46.3	131	13.5	10.8-16.2	171	13.0	10.5-15.5	23	2.6	01.2-04.0	119	26.8	21.3-32.3	15	2.7	01.1-04.3
Some Post-H.S.	637	115,964	286	46.7	41.2-52.2	113	12.1	09.2-15.0	113	9.5	07.3-11.7	15	1.9	00.5-03.3	100	26.9	21.2-32.6	10	2.9	00.7-05.1
College Graduate	888	104,524	493	61.3	57.0-65.6	140	10.6	08.4-12.8	102	6.6	05.0-08.2	11	1.5	00.5-02.5	118	17.1	13.4-20.8	24	3.0	01.0-05.0
Less than \$15,000	239	33,548	41	17.9	11.4-24.4	55	17.7	11.8-23.6	53	12.6	08.1-17.1	18	10.7	04.2-17.2	62	36.4	27.0-45.8	10	4.8	01.3-08.3
\$15,000- 24,999	409	62,827	99	26.3	20.6-32.0	85	13.4	09.7-17.1	118	18.0	13.7-22.3	16	4.3	01.9-06.7	80	32.5	24.9-40.1	11	5.5	01.8-09.2
\$25,000- 34,999	253	36,430	90	40.3	32.1-48.5	63	19.3	12.8-25.8	46	12.0	07.7-16.3	4	1.0	00.0-02.4	43	25.0	16.4-33.6	7	2.4	00.4-04.4
\$35,000- 49,999	266	39,418	111	43.1	35.1-51.1	61	19.4	13.7-25.1	41	9.3	05.8-12.8	5	3.7	00.0-08.2	43	21.2	13.8-28.6	5	3.3	00.0-06.8
\$50,000- 74,999	326	49,402	192	65.6	58.9-72.3	52	12.4	07.9-16.9	30	5.2	03.0-07.4	6	1.3	00.1-02.5	40	12.7	07.4-18.0	6	2.8	00.3-05.3
\$75,000+	563	91,772	435	75.8	69.7-81.9	48	5.0	03.0-07.0	24	2.0	01.0-03.0	6	0.7	00.1-01.3	36	14.0	07.9-20.1	14	2.4	00.2-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4267	725,426	464	17.9	15.9-19.9	389	13.5	11.9-15.1	159	5.3	04.3-06.3	51	2.1	01.3-02.9	25	0.8	00.4-01.2	3179	60.4	58.2-62.6
Male	1739	345,317	182	17.5	14.6-20.4	151	13.0	10.5-15.5	58	4.6	03.0-06.2	25	2.7	01.3-04.1	8	0.8	00.0-01.6	1315	61.5	58.0-65.0
Female	2528	380,108	282	18.3	15.8-20.8	238	14.0	12.0-16.0	101	5.9	04.5-07.3	26	1.5	00.7-02.3	17	0.8	00.4-01.2	1864	59.5	56.8-62.2
White/Non-Hisp	2898	475,981	276	15.9	13.7-18.1	223	12.2	10.2-14.2	88	4.4	03.2-05.6	21	1.4	00.6-02.2	12	0.7	00.3-01.1	2278	65.5	63.0-68.0
Black or Afr. Am./Non-Hisp	603	143,126	99	23.4	17.9-28.9	65	15.5	11.0-20.0	27	5.9	03.4-08.4	13	3.1	00.7-05.5	6	1.1	00.0-02.7	393	51.0	45.1-56.9
Oth. Race/Non-Hisp.	118	27,647	17	19.9	09.9-29.9	13	6.1	02.2-10.0	5	2.8	00.0-05.9	1	0.9	00.0-02.7	1	0.3	00.0-00.9	81	69.9	58.9-80.9
MultiRacial/Non-Hisp.	321	10,311	20	9.9	04.6-15.2	23	14.1	07.4-20.8	9	3.1	00.7-05.5	3	1.3	00.0-03.1				266	71.5	63.7-79.3
Hispanic	245	55,874	42	20.7	14.0-27.4	58	23.2	16.7-29.7	26	13.1	08.0-18.2	12	6.1	02.2-10.0	6	1.3	00.1-02.5	101	35.6	28.3-42.9
18-24	177	92,478	57	35.5	26.7-44.3	29	15.1	08.8-21.4	10	4.2	00.9-07.5	3	1.1	00.0-02.7	2	1.8	00.0-04.5	76	42.3	33.7-50.9
25-34	358	117,662	63	18.9	13.8-24.0	102	25.6	20.3-30.9	34	8.1	05.0-11.2	20	6.5	02.8-10.2	7	1.4	00.2-02.6	132	39.6	33.1-46.1
35-44	421	109,557	102	28.3	22.6-34.0	118	25.7	21.0-30.4	69	16.5	12.2-20.8	18	4.1	01.9-06.3	5	0.5	00.1-00.9	109	24.9	19.8-30.0
45-54	719	126,001	136	19.6	15.9-23.3	101	15.7	11.6-19.8	25	2.8	01.4-04.2	8	1.3	00.3-02.3	5	0.4	00.0-00.8	444	60.2	55.3-65.1
55-64	977	120,573	72	9.8	07.3-12.3	23	2.7	01.3-04.1	14	1.7	00.7-02.7				5	0.9	00.0-01.9	863	84.9	81.8-88.0
65+	1554	152,135	31	4.4	02.2-06.6	13	1.5	00.5-02.5	4	0.3	00.0-00.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3	1504	93.7	91.3-96.1
Less Than H.S.	404	97,198	44	17.5	11.6-23.4	44	15.4	10.3-20.5	28	8.3	05.0-11.6	5	1.8	00.0-03.6	7	1.4	00.0-02.8	276	55.6	48.7-62.5
H.S. or G.E.D.	1271	227,380	135	17.9	14.4-21.4	103	11.4	08.9-13.9	44	5.2	03.2-07.2	21	3.4	01.4-05.4	10	1.2	00.0-02.4	958	60.9	56.8-65.0
Some Post-H.S.	1036	210,204	120	19.3	15.4-23.2	87	13.4	09.9-16.9	33	4.2	02.6-05.8	10	1.4	00.4-02.4	5	0.4	00.0-00.8	781	61.2	56.7-65.7
College Graduate	1537	188,639	165	16.8	14.1-19.5	155	15.4	12.9-17.9	52	4.8	03.2-06.4	15	1.3	00.5-02.1	2	0.2	00.0-00.6	1148	61.5	58.2-64.8
Less than \$15,000	362	60,664	34	14.9	08.4-21.4	25	9.4	04.9-13.9	18	7.3	03.6-11.0	5	2.2	00.0-04.6	7	1.5	00.3-02.7	273	64.7	57.1-72.3
\$15,000- 24,999	662	111,519	62	15.8	10.9-20.7	66	14.4	10.5-18.3	33	7.1	04.4-09.8	10	3.3	00.6-06.0	5	1.0	00.0-02.0	486	58.4	52.7-64.1
\$25,000- 34,999	373	58,276	48	20.8	14.3-27.3	32	13.1	08.0-18.2	17	7.6	03.3-11.9	5	1.0	00.0-02.0	2	0.6	00.0-01.6	269	56.9	49.6-64.2
\$35,000- 49,999	505	86,097	42	12.8	08.5-17.1	50	13.2	08.9-17.5	8	2.1	00.3-03.9	4	2.6	00.0-05.7	2	0.7	00.0-01.9	399	68.7	62.6-74.8
\$50,000- 74,999	562	88,637	64	18.3	13.0-23.6	37	11.3	07.0-15.6	11	3.7	01.2-06.2	7	1.8	00.2-03.4	1	0.1	00.0-00.3	442	64.8	58.9-70.7
\$75,000+	1093	204,335	151	21.7	17.6-25.8	135	15.9	12.6-19.2	56	6.5	04.3-08.7	14	1.8	00.8-02.8	4	0.7	00.0-01.9	733	53.3	48.8-57.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	345,317	182	17.5	14.6-20.4	151	13.0	10.5-15.5	58	4.6	03.0-06.2	25	2.7	01.3-04.1	8	0.8	00.0-01.6	1315	61.5	58.0-65.0
White/Non-Hisp	1201	225,677	116	16.5	13.0-20.0	97	12.4	09.5-15.3	31	3.7	01.9-05.5	10	1.8	00.4-03.2	5	0.6	00.0-01.2	942	65.1	61.0-69.2
Black or Afr. Am./Non-Hisp	206	65,061	27	17.6	10.2-25.0	16	14.4	06.4-22.4	8	5.1	01.0-09.2	6	4.8	00.1-09.5	1	1.8	00.0-05.1	148	56.3	46.7-65.9
Oth. Race/Non-Hisp.	50	12,932	8	19.1	04.6-33.6	3	3.1	00.0-07.2	3	2.4	00.0-05.7	1	1.9	00.0-05.6				35	73.4	57.5-89.3
MultiRacial/Non-Hisp.	126	4,392	6	7.3	00.6-14.0	11	21.5	08.2-34.8	4	3.1	00.0-06.2	1	0.4	00.0-01.2				104	67.8	54.1-81.5
Hispanic	112	29,252	19	24.5	14.1-34.9	22	19.3	10.1-28.5	9	10.2	03.5-16.9	7	6.3	01.4-11.2	2	0.8	00.0-02.0	53	39.0	28.4-49.6
18-24	78	46,656	20	27.0	15.4-38.6	13	20.4	09.4-31.4	2	2.8	00.0-08.1	1	0.4	00.0-01.2	2	3.6	00.0-08.9	40	45.7	33.2-58.2
25-34	133	57,766	23	18.4	10.4-26.4	29	18.1	10.8-25.4	7	4.7	00.8-08.6	8	8.1	01.4-14.8	1	0.7	00.0-02.1	65	50.1	39.5-60.7
35-44	179	53,276	46	31.3	22.1-40.5	42	19.9	13.4-26.4	31	16.0	09.7-22.3	10	6.1	02.0-10.2	1	0.3	00.0-00.9	49	26.3	18.1-34.5
45-54	301	60,662	49	18.1	12.4-23.8	48	18.0	10.7-25.3	12	3.2	01.2-05.2	5	1.7	00.0-03.5	1	0.1	00.0-00.3	186	58.8	51.2-66.4
55-64	401	56,935	30	11.2	06.7-15.7	13	3.7	01.2-06.2	3	0.8	00.0-01.8				2	0.5	00.0-01.3	353	83.8	78.7-88.9
65+	630	67,617	13	4.6	01.1-08.1	6	1.8	00.2-03.4	1	0.2	00.0-00.6	1	0.0	00.0-00.0	1	0.1	00.0-00.3	608	93.3	89.4-97.2
Less Than H.S.	183	54,738	22	18.8	10.2-27.4	22	15.4	08.0-22.8	7	5.2	01.1-09.3	2	1.2	00.0-03.0	2	0.4	00.0-01.0	128	59.0	49.0-69.0
H.S. or G.E.D.	509	111,496	59	19.5	14.2-24.8	38	9.2	05.9-12.5	17	5.3	02.2-08.4	11	5.1	01.4-08.8	5	2.1	00.0-04.5	379	58.9	52.4-65.4
Some Post-H.S.	396	93,870	36	14.7	08.8-20.6	29	14.4	07.7-21.1	8	2.4	00.4-04.4	4	1.7	00.0-03.5	1	0.1	00.0-00.3	318	66.7	59.1-74.3
College Graduate	645	83,941	65	17.4	12.7-22.1	62	14.9	11.0-18.8	24	5.0	02.6-07.4	8	1.5	00.3-02.7				486	61.2	55.9-66.5
Less than \$15,000	124	27,200	10	17.7	06.3-29.1	7	8.9	00.7-17.1	4	3.6	00.0-07.3	2	3.7	00.0-09.0				101	66.2	52.9-79.5
\$15,000- 24,999	253	48,692	23	13.2	07.1-19.3	21	12.5	06.2-18.8	8	4.3	00.8-07.8	6	5.3	00.0-11.2	2	1.1	00.0-02.7	193	63.6	54.8-72.4
\$25,000- 34,999	118	21,711	9	12.6	04.4-20.8	10	10.6	03.2-18.0	2	5.1	00.0-12.4	2	1.8	00.0-04.3				95	70.0	58.4-81.6
\$35,000- 49,999	240	46,816	17	11.7	06.0-17.4	19	11.1	04.8-17.4	5	2.8	00.0-05.9	2	3.5	00.0-09.0	1	0.1	00.0-00.3	196	70.7	61.7-79.7
\$50,000- 74,999	237	39,345	25	19.3	10.3-28.3	14	11.1	04.2-18.0	6	4.2	00.3-08.1	4	3.0	00.0-06.1	1	0.2	00.0-00.6	187	62.3	52.7-71.9
\$75,000+	532	112,616	73	20.7	15.0-26.4	66	15.6	10.7-20.5	30	6.8	03.7-09.9	8	1.9	00.3-03.5	3	1.3	00.0-03.3	352	53.7	47.2-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	380,108	282	18.3	15.8-20.8	238	14.0	12.0-16.0	101	5.9	04.5-07.3	26	1.5	00.7-02.3	17	0.8	00.4-01.2	1864	59.5	56.8-62.2
White/Non-Hisp	1697	250,303	160	15.5	12.8-18.2	126	12.1	09.7-14.5	57	4.9	03.5-06.3	11	1.1	00.3-01.9	7	0.7	00.1-01.3	1336	65.8	62.5-69.1
Black or Afr. Am./Non-Hisp	397	78,065	72	28.2	20.6-35.8	49	16.5	11.4-21.6	19	6.6	03.3-09.9	7	1.6	00.2-03.0	5	0.6	00.0-01.2	245	46.5	39.4-53.6
Oth. Race/Non-Hisp.	68	14,715	9	20.6	06.7-34.5	10	8.8	02.3-15.3	2	3.2	00.0-08.1				1	0.5	00.0-01.5	46	66.8	51.7-81.9
MultiRacial/Non-Hisp.	195	5,919	14	11.8	04.2-19.4	12	8.7	03.4-14.0	5	3.2	00.0-06.5	2	2.0	00.0-04.7				162	74.2	65.2-83.2
Hispanic	133	26,622	23	16.5	08.5-24.5	36	27.5	18.5-36.5	17	16.3	08.5-24.1	5	5.9	00.0-12.0	4	1.9	00.0-04.1	48	31.9	22.3-41.5
18-24	99	45,822	37	44.1	31.6-56.6	16	9.8	04.3-15.3	8	5.5	01.4-09.6	2	1.8	00.0-04.7				36	38.8	26.8-50.8
25-34	225	59,896	40	19.4	12.9-25.9	73	32.8	25.4-40.2	27	11.3	06.8-15.8	12	4.9	01.6-08.2	6	2.1	00.3-03.9	67	29.4	22.3-36.5
35-44	242	56,281	56	25.5	19.0-32.0	76	31.1	24.4-37.8	38	17.0	11.3-22.7	8	2.2	00.4-04.0	4	0.6	00.0-01.2	60	23.5	17.0-30.0
45-54	418	65,339	87	21.1	16.2-26.0	53	13.5	09.2-17.8	13	2.5	00.9-04.1	3	0.8	00.0-01.8	4	0.7	00.0-01.5	258	61.4	55.5-67.3
55-64	576	63,638	42	8.6	05.9-11.3	10	1.8	00.4-03.2	11	2.6	00.8-04.4				3	1.2	00.0-02.8	510	85.8	82.1-89.5
65+	924	84,517	18	4.3	01.6-07.0	7	1.2	00.2-02.2	3	0.4	00.0-00.8							896	94.1	91.2-97.0
Less Than H.S.	221	42,460	22	15.8	08.2-23.4	22	15.4	08.3-22.5	21	12.3	06.8-17.8	3	2.6	00.0-05.9	5	2.7	00.0-05.4	148	51.2	42.4-60.0
H.S. or G.E.D.	762	115,884	76	16.5	11.8-21.2	65	13.5	09.8-17.2	27	5.1	02.9-07.3	10	1.7	00.3-03.1	5	0.4	00.0-00.8	579	62.9	57.6-68.2
Some Post-H.S.	640	116,334	84	23.0	17.5-28.5	58	12.5	09.0-16.0	25	5.7	03.2-08.2	6	1.2	00.0-02.4	4	0.7	00.0-01.5	463	56.8	51.3-62.3
College Graduate	892	104,698	100	16.3	12.8-19.8	93	15.8	12.5-19.1	28	4.6	02.6-06.6	7	1.1	00.1-02.1	2	0.3	00.0-00.9	662	61.7	57.4-66.0
Less than \$15,000	238	33,464	24	12.6	05.7-19.5	18	9.8	04.9-14.7	14	10.4	04.5-16.3	3	1.0	00.0-02.2	7	2.7	00.5-04.9	172	63.5	54.7-72.3
\$15,000- 24,999	409	62,827	39	17.9	10.6-25.2	45	15.9	11.0-20.8	25	9.2	05.3-13.1	4	1.7	00.0-03.5	3	0.8	00.0-01.8	293	54.4	47.1-61.7
\$25,000- 34,999	255	36,565	39	25.6	17.0-34.2	22	14.6	07.9-21.3	15	9.1	04.0-14.2	3	0.6	00.0-01.4	2	1.0	00.0-02.6	174	49.2	40.8-57.6
\$35,000- 49,999	265	39,281	25	14.2	07.9-20.5	31	15.6	09.9-21.3	3	1.2	00.0-02.6	2	1.5	00.0-04.0	1	1.3	00.0-03.8	203	66.2	58.2-74.2
\$50,000- 74,999	325	49,292	39	17.5	11.4-23.6	23	11.5	06.2-16.8	5	3.4	00.1-06.7	3	0.9	00.0-01.9				255	66.7	59.4-74.0
\$75,000+	561	91,719	78	22.8	16.9-28.7	69	16.3	12.0-20.6	26	6.2	03.7-08.7	6	1.7	00.1-03.3	1	0.1	00.0-00.3	381	52.9	47.0-58.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4261	726,158	14	0.5	00.3-00.7	111	3.5	02.7-04.3	276	9.3	07.9-10.7	1275	31.5	29.3-33.7	1039	29.1	26.9-31.3	1546	26.1	24.5-27.7
Male	1740	346,095	8	0.6	00.2-01.0	63	4.9	03.3-06.5	113	10.4	07.9-12.9	511	32.5	29.2-35.8	398	27.3	24.0-30.6	647	24.3	21.8-26.8
Female	2521	380,063	6	0.4	00.0-00.8	48	2.3	01.5-03.1	163	8.4	06.8-10.0	764	30.6	28.1-33.1	641	30.6	27.9-33.3	899	27.7	25.5-29.9
White/Non-Hisp	2887	474,667	1	0.1	00.0-00.3	40	1.9	01.1-02.7	147	8.0	06.2-09.8	851	31.1	28.7-33.5	723	29.8	27.3-32.3	1125	29.1	27.1-31.1
Black or Afr. Am./Non-Hisp	601	142,844	2	0.3	00.0-00.7	8	2.3	00.5-04.1	63	11.8	08.3-15.3	213	35.9	30.2-41.6	151	30.6	24.9-36.3	164	19.2	15.3-23.1
Oth. Race/Non-Hisp.	118	27,647				2	0.4	00.0-01.0	6	7.2	00.0-14.8	25	24.9	11.4-38.4	25	22.5	11.7-33.3	60	44.9	32.6-57.2
MultiRacial/Non-Hisp.	323	10,337				10	2.2	00.6-03.8	20	7.2	03.3-11.1	97	30.3	23.0-37.6	72	33.8	25.6-42.0	124	26.5	20.8-32.2
Hispanic	245	56,086	11	4.8	01.9-07.7	49	21.2	14.9-27.5	33	16.4	10.3-22.5	65	26.0	19.3-32.7	48	22.5	15.8-29.2	39	9.1	05.8-12.4
18-24	177	92,478	1	0.3	00.0-00.9	5	3.1	00.2-06.0	15	10.2	04.7-15.7	68	37.5	28.9-46.1	70	41.5	32.7-50.3	18	7.5	03.6-11.4
25-34	360	118,625	3	0.6	00.0-01.4	15	4.8	02.3-07.3	31	11.0	06.5-15.5	109	33.8	27.3-40.3	79	24.1	18.4-29.8	123	25.7	20.8-30.6
35-44	421	109,585	3	0.6	00.0-01.4	18	4.6	02.4-06.8	20	7.3	03.2-11.4	99	25.5	20.4-30.6	94	27.5	22.0-33.0	187	34.5	29.4-39.6
45-54	718	126,051	2	0.3	00.0-00.7	19	3.2	01.4-05.0	39	8.0	05.3-10.7	217	32.3	28.0-36.6	158	25.7	21.0-30.4	283	30.5	26.6-34.4
55-64	977	120,496	3	0.9	00.0-02.1	18	2.5	01.1-03.9	45	7.4	04.7-10.1	268	29.2	25.7-32.7	244	29.4	25.9-32.9	399	30.7	27.4-34.0
65+	1548	151,951	2	0.3	00.0-00.7	36	3.3	01.7-04.9	125	12.1	09.4-14.8	500	32.1	29.2-35.0	377	28.7	25.8-31.6	508	23.5	21.1-25.9
Less than \$15,000	355	60,098	4	1.7	00.0-03.7	30	10.4	05.9-14.9	67	27.1	19.1-35.1	141	33.9	26.6-41.2	73	20.9	14.4-27.4	40	6.0	03.6-08.4
\$15,000- 24,999	663	111,780	3	0.6	00.0-01.4	34	7.7	04.4-11.0	98	18.2	13.9-22.5	271	36.7	31.6-41.8	179	28.4	23.1-33.7	78	8.4	05.9-10.9
\$25,000- 34,999	372	58,265	2	1.4	00.0-03.4	15	7.0	02.9-11.1	18	6.7	02.6-10.8	154	41.6	34.5-48.7	109	31.4	24.9-37.9	74	11.9	08.4-15.4
\$35,000- 49,999	506	86,234	2	0.5	00.0-01.3	6	1.8	00.0-03.6	19	7.6	03.9-11.3	181	38.3	32.2-44.4	150	31.1	25.2-37.0	148	20.8	16.3-25.3
\$50,000- 74,999	563	88,746				2	0.4	00.0-01.0	11	3.9	00.8-07.0	132	28.1	23.0-33.2	153	35.8	30.1-41.5	265	31.7	27.0-36.4
\$75,000+	1097	205,468							7	1.6	00.0-03.4	165	22.4	18.3-26.5	208	27.6	23.3-31.9	717	48.4	44.1-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	346,095	8	0.6	00.2-01.0	63	4.9	03.3-06.5	113	10.4	07.9-12.9	511	32.5	29.2-35.8	398	27.3	24.0-30.6	647	24.3	21.8-26.8
White/Non-Hisp	1197	224,694	1	0.2	00.0-00.6	22	2.5	01.1-03.9	62	9.5	06.4-12.6	340	32.0	28.1-35.9	286	28.0	24.1-31.9	486	27.8	24.7-30.9
Black or Afr. Am./Non-Hisp	206	64,978	2	0.6	00.0-01.6	6	4.4	00.7-08.1	25	13.8	07.7-19.9	76	36.1	27.1-45.1	46	28.3	19.1-37.5	51	16.8	10.7-22.9
Oth. Race/Non-Hisp.	50	12,932				1	0.5	00.0-01.5	1	1.1	00.0-03.3	10	25.3	03.2-47.4	11	28.4	09.6-47.2	27	44.7	25.3-64.1
MultiRacial/Non-Hisp.	127	4,401				5	2.9	00.2-05.6	8	7.4	01.1-13.7	39	33.2	20.7-45.7	25	34.3	19.6-49.0	50	22.3	14.1-30.5
Hispanic	114	29,557	5	3.8	00.3-07.3	27	25.0	15.4-34.6	14	14.8	06.2-23.4	30	27.8	17.8-37.8	21	21.0	11.8-30.2	17	7.5	03.4-11.6
18-24	78	46,656				4	4.2	00.0-08.7	12	16.8	07.4-26.2	29	35.8	23.6-48.0	28	39.9	27.0-52.8	5	3.2	00.1-06.3
25-34	135	58,722	2	0.9	00.0-02.1	9	7.5	02.6-12.4	9	7.7	01.2-14.2	48	41.2	30.6-51.8	25	20.5	11.9-29.1	42	22.1	14.7-29.5
35-44	179	53,229	2	0.9	00.0-02.3	6	3.1	00.6-05.6	9	9.6	02.0-17.2	59	33.8	25.4-42.2	33	21.6	13.6-29.6	70	30.9	23.1-38.7
45-54	302	60,789	1	0.2	00.0-00.6	14	5.5	02.0-09.0	22	10.4	05.5-15.3	94	31.9	25.0-38.8	60	25.3	17.5-33.1	111	26.8	21.1-32.5
55-64	399	56,774	2	1.1	00.0-02.9	8	3.0	00.5-05.5	18	7.9	03.2-12.6	100	26.4	20.9-31.9	109	32.2	26.5-37.9	162	29.3	24.2-34.4
65+	631	67,626	1	0.4	00.0-01.2	22	5.7	02.4-09.0	42	11.1	07.2-15.0	179	27.9	23.6-32.2	139	26.8	21.9-31.7	248	28.0	24.1-31.9
Less than \$15,000	123	27,171	2	2.3	00.0-06.2	13	11.2	04.1-18.3	28	35.6	21.3-49.9	40	28.4	16.2-40.6	23	16.3	07.9-24.7	17	6.2	02.3-10.1
\$15,000- 24,999	255	48,997	3	1.4	00.0-03.0	22	12.3	06.2-18.4	36	17.0	10.5-23.5	102	38.9	30.5-47.3	58	21.1	13.8-28.4	34	9.3	04.8-13.8
\$25,000- 34,999	118	21,711	1	1.5	00.0-04.4	11	15.8	05.8-25.8	6	5.2	00.0-10.5	51	41.5	29.3-53.7	29	27.9	16.7-39.1	20	8.1	03.6-12.6
\$35,000- 49,999	240	46,816	2	0.8	00.0-02.2	6	3.2	00.1-06.3	12	9.9	03.8-16.0	85	39.8	30.8-48.8	73	28.5	20.1-36.9	62	17.7	11.4-24.0
\$50,000- 74,999	237	39,345				1	0.4	00.0-01.2	7	5.3	00.0-11.2	71	34.3	26.1-42.5	59	33.0	24.0-42.0	99	27.1	20.2-34.0
\$75,000+	533	113,398							4	2.5	00.0-05.6	90	25.7	19.6-31.8	103	29.2	22.9-35.5	336	42.5	36.6-48.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2521	380,063	6	0.4	00.0-00.8	48	2.3	01.5-03.1	163	8.4	06.8-10.0	764	30.6	28.1-33.1	641	30.6	27.9-33.3	899	27.7	25.5-29.9
White/Non-Hisp	1690	249,974				18	1.4	00.4-02.4	85	6.7	04.9-08.5	511	30.3	27.4-33.2	437	31.3	28.2-34.4	639	30.3	27.6-33.0
Black or Afr. Am./Non-Hisp	395	77,866				2	0.5	00.0-01.3	38	10.1	06.0-14.2	137	35.7	28.6-42.8	105	32.5	25.4-39.6	113	21.2	16.1-26.3
Oth. Race/Non-Hisp.	68	14,715				1	0.4	00.0-01.2	5	12.5	00.0-26.0	15	24.6	08.5-40.7	14	17.4	06.0-28.8	33	45.1	29.2-61.0
MultiRacial/Non-Hisp.	196	5,936				5	1.7	00.1-03.3	12	7.0	02.1-11.9	58	28.2	19.8-36.6	47	33.3	24.1-42.5	74	29.6	22.2-37.0
Hispanic	131	26,529	6	6.0	00.9-11.1	22	16.9	09.3-24.5	19	18.1	09.9-26.3	35	24.0	15.4-32.6	27	24.0	14.2-33.8	22	11.0	05.9-16.1
18-24	99	45,822	1	0.6	00.0-01.8	1	2.0	00.0-05.9	3	3.4	00.0-07.9	39	39.2	27.0-51.4	42	43.1	30.8-55.4	13	11.8	04.9-18.7
25-34	225	59,903	1	0.4	00.0-01.2	6	2.1	00.3-03.9	22	14.2	08.1-20.3	61	26.6	19.5-33.7	54	27.6	20.3-34.9	81	29.2	22.5-35.9
35-44	242	56,356	1	0.3	00.0-00.9	12	6.0	02.5-09.5	11	5.1	01.8-08.4	40	17.7	12.0-23.4	61	33.0	25.6-40.4	117	37.9	31.0-44.8
45-54	416	65,262	1	0.4	00.0-01.2	5	1.0	00.0-02.0	17	5.8	02.9-08.7	123	32.7	27.0-38.4	98	26.2	20.5-31.9	172	34.0	28.7-39.3
55-64	578	63,722	1	0.8	00.0-02.4	10	2.0	00.4-03.6	27	6.9	03.8-10.0	168	31.6	26.9-36.3	135	26.8	22.3-31.3	237	31.9	27.6-36.2
65+	917	84,325	1	0.2	00.0-00.6	14	1.4	00.6-02.2	83	12.8	09.1-16.5	321	35.5	31.6-39.4	238	30.2	26.3-34.1	260	19.9	17.2-22.6
Less than \$15,000	232	32,926	2	1.3	00.0-03.1	17	9.7	04.0-15.4	39	20.0	12.2-27.8	101	38.6	30.2-47.0	50	24.7	15.5-33.9	23	5.7	02.8-08.6
\$15,000- 24,999	408	62,782				12	4.1	00.8-07.4	62	19.1	13.4-24.8	169	35.0	28.7-41.3	121	34.1	26.8-41.4	44	7.8	04.7-10.9
\$25,000- 34,999	254	36,554	1	1.4	00.0-03.9	4	1.8	00.0-04.0	12	7.6	01.9-13.3	103	41.7	33.3-50.1	80	33.5	25.5-41.5	54	14.1	09.0-19.2
\$35,000- 49,999	266	39,418							7	4.7	00.8-08.6	96	36.5	28.9-44.1	77	34.2	26.2-42.2	86	24.5	18.2-30.8
\$50,000- 74,999	326	49,402				1	0.4	00.0-01.2	4	2.8	00.0-05.7	61	23.2	16.9-29.5	94	38.1	30.8-45.4	166	35.5	29.2-41.8
\$75,000+	564	92,069							3	0.4	00.0-00.8	75	18.4	12.9-23.9	105	25.5	20.0-31.0	381	55.7	49.6-61.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4260	725,005	2043	58.9	56.7-61.1	210	5.9	04.9-06.9	206	4.8	04.0-05.6	63	4.2	02.8-05.6	1432	19.6	18.2-21.0	306	6.7	05.7-07.7
Male	1736	345,485	901	64.4	61.3-67.5	78	5.7	03.9-07.5	3	0.2	00.0-00.6	25	3.9	01.9-05.9	597	19.0	17.0-21.0	132	6.8	05.2-08.4
Female	2524	379,520	1142	53.9	51.2-56.6	132	6.0	04.6-07.4	203	8.9	07.3-10.5	38	4.5	02.7-06.3	835	20.1	18.3-21.9	174	6.6	05.4-07.8
White/Non-Hisp	2889	473,689	1357	59.4	57.0-61.8	111	4.3	03.1-05.5	129	4.2	03.4-05.0	21	2.9	01.5-04.3	1097	23.7	21.9-25.5	174	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	599	142,655	295	57.4	51.7-63.1	39	7.9	04.6-11.2	15	2.8	01.0-04.6	19	6.7	02.8-10.6	150	14.8	11.5-18.1	81	10.4	07.5-13.3
Oth. Race/Non-Hisp.	118	27,647	55	46.1	33.2-59.0	11	11.3	03.9-18.7	10	9.0	02.9-15.1	14	20.1	08.3-31.9	19	7.0	01.5-12.5	9	6.5	00.0-13.0
MultiRacial/Non-Hisp.	322	10,321	142	53.7	46.1-61.3	18	7.1	03.2-11.0	12	4.3	01.2-07.4	5	3.3	00.0-06.8	126	26.4	20.7-32.1	19	5.1	02.4-07.8
Hispanic	247	56,180	147	63.6	56.5-70.7	27	10.8	06.3-15.3	35	13.1	08.4-17.8	4	2.1	00.0-04.3	16	3.2	01.4-05.0	18	7.2	03.1-11.3
18-24	176	91,659	107	57.0	48.0-66.0	15	9.2	03.9-14.5	7	2.5	00.3-04.7	41	28.5	19.9-37.1				6	2.8	00.4-05.2
25-34	360	118,846	261	77.9	73.2-82.6	30	8.1	04.8-11.4	41	8.6	05.7-11.5	13	2.4	01.0-03.8				15	3.0	01.4-04.6
35-44	422	109,915	335	81.3	77.2-85.4	28	6.8	04.1-09.5	33	6.7	04.2-09.2	3	0.7	00.0-01.7	1	0.2	00.0-00.6	22	4.3	02.3-06.3
45-54	716	125,654	538	75.7	71.8-79.6	55	6.7	04.7-08.7	19	3.1	01.5-04.7	3	0.3	00.0-00.7	10	0.6	00.2-01.0	91	13.7	10.4-17.0
55-64	975	120,176	552	59.5	55.6-63.4	61	5.6	04.0-07.2	38	4.1	02.5-05.7	3	0.2	00.0-00.4	203	17.8	15.1-20.5	118	12.8	09.9-15.7
65+	1550	151,916	223	14.8	12.4-17.2	18	1.1	00.5-01.7	65	3.6	02.6-04.6				1195	77.6	75.1-80.1	49	2.9	01.9-03.9
Less Than H.S.	397	96,182	122	44.5	37.4-51.6	26	8.9	04.8-13.0	37	7.7	04.8-10.6	2	1.1	00.0-03.1	125	19.5	15.0-24.0	85	18.3	13.4-23.2
H.S. or G.E.D.	1268	227,415	552	57.2	53.3-61.1	92	7.9	05.7-10.1	67	4.9	03.3-06.5	19	4.6	02.1-07.1	436	19.0	16.6-21.4	102	6.3	04.7-07.9
Some Post-H.S.	1035	209,971	467	57.4	53.1-61.7	47	4.7	02.9-06.5	59	4.7	03.1-06.3	27	7.2	03.9-10.5	361	20.6	17.9-23.3	74	5.4	03.8-07.0
College Graduate	1542	189,013	894	69.8	67.1-72.5	43	3.1	01.9-04.3	42	3.3	02.1-04.5	15	1.9	00.7-03.1	505	19.3	17.3-21.3	43	2.5	01.7-03.3
Less than \$15,000	350	59,145	81	36.5	28.1-44.9	54	17.4	11.7-23.1	20	5.1	02.4-07.8	6	4.7	00.2-09.2	92	13.8	09.5-18.1	97	22.5	16.6-28.4
\$15,000- 24,999	664	111,824	222	42.6	37.1-48.1	48	8.1	05.4-10.8	42	6.3	04.1-08.5	14	6.1	02.4-09.8	257	25.3	21.2-29.4	81	11.4	08.1-14.7
\$25,000- 34,999	372	58,212	161	60.3	53.8-66.8	13	2.6	01.0-04.2	20	5.0	02.5-07.5	7	1.8	00.0-03.8	145	23.1	18.4-27.8	26	7.1	03.8-10.4
\$35,000- 49,999	506	86,234	247	62.8	57.3-68.3	14	3.8	01.3-06.3	14	3.6	01.2-06.0	6	2.0	00.0-04.0	208	23.2	19.3-27.1	17	4.6	02.1-07.1
\$50,000- 74,999	563	88,746	333	66.9	61.8-72.0	19	3.2	01.2-05.2	17	3.0	01.2-04.8	5	3.8	00.1-07.5	180	20.8	17.1-24.5	9	2.2	00.4-04.0
\$75,000+	1097	205,828	785	77.8	74.3-81.3	14	2.4	00.6-04.2	35	3.8	02.4-05.2	11	4.0	01.1-06.9	239	10.8	09.0-12.6	13	1.1	00.5-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	345,485	901	64.4	61.3-67.5	78	5.7	03.9-07.5	3	0.2	00.0-00.6	25	3.9	01.9-05.9	597	19.0	17.0-21.0	132	6.8	05.2-08.4
White/Non-Hisp	1197	224,144	619	65.8	62.3-69.3	38	4.1	02.3-05.9	3	0.4	00.0-00.8	8	2.7	00.5-04.9	455	22.2	19.7-24.7	74	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	205	64,782	85	54.8	45.6-64.0	12	7.8	02.5-13.1				5	4.6	00.0-09.7	70	19.5	13.4-25.6	33	13.2	07.7-18.7
Oth. Race/Non-Hisp.	50	12,932	29	61.7	42.3-81.1	3	7.5	00.0-17.5				9	26.4	08.4-44.4	7	3.6	00.1-07.1	2	0.8	00.0-02.2
MultiRacial/Non-Hisp.	126	4,384	59	61.4	49.4-73.4	8	7.1	01.0-13.2				1	0.8	00.0-02.4	48	23.3	14.5-32.1	10	7.3	02.4-12.2
Hispanic	114	29,557	81	74.3	64.9-83.7	14	10.0	04.5-15.5				2	2.7	00.0-06.4	7	2.2	00.2-04.2	10	10.8	03.4-18.2
18-24	77	45,837	49	59.7	46.8-72.6	9	13.0	04.4-21.6				18	26.3	14.3-38.3				1	1.0	00.0-03.0
25-34	136	59,271	120	90.2	84.5-95.9	6	5.9	00.8-11.0				5	1.8	00.0-03.6				5	2.1	00.0-04.3
35-44	179	53,513	154	89.0	84.1-93.9	12	5.4	01.9-08.9	2	1.3	00.0-03.3	1	0.3	00.0-00.9	1	0.4	00.0-01.2	9	3.6	00.7-06.5
45-54	302	60,789	230	76.9	70.8-83.0	24	6.7	03.8-09.6	1	0.3	00.0-00.9				3	0.3	00.0-00.7	44	15.8	10.1-21.5
55-64	398	56,458	240	62.9	57.0-68.8	18	3.9	01.7-06.1				1	0.2	00.0-00.6	87	18.3	14.0-22.6	52	14.8	09.9-19.7
65+	629	67,446	98	15.2	11.7-18.7	9	1.4	00.4-02.4							502	81.0	77.1-84.9	20	2.5	01.1-03.9
Less Than H.S.	182	54,493	76	53.8	44.0-63.6	15	10.5	04.2-16.8				1	1.9	00.0-05.4	54	18.0	11.9-24.1	36	15.9	09.2-22.6
H.S. or G.E.D.	506	111,492	261	68.8	63.5-74.1	32	6.7	03.6-09.8				4	2.0	00.0-04.2	165	16.1	13.0-19.2	44	6.4	03.9-08.9
Some Post-H.S.	395	93,585	194	59.4	52.5-66.3	19	4.9	02.0-07.8	1	0.5	00.0-01.5	12	9.0	03.3-14.7	137	20.3	15.8-24.8	32	5.9	03.4-08.4
College Graduate	647	84,123	366	70.8	66.7-74.9	12	2.1	00.3-03.9	2	0.4	00.0-01.0	8	2.1	00.3-03.9	241	22.5	19.2-25.8	18	2.1	00.9-03.3
Less than \$15,000	122	26,870	34	46.2	32.3-60.1	16	14.8	05.2-24.4				1	4.2	00.0-12.2	35	11.2	05.9-16.5	36	23.6	13.6-33.6
\$15,000- 24,999	255	48,997	89	45.4	36.6-54.2	19	6.9	03.0-10.8				7	6.3	00.8-11.8	101	27.8	20.9-34.7	39	13.6	08.1-19.1
\$25,000- 34,999	118	21,711	46	59.5	48.3-70.7	4	2.1	00.0-04.3				3	3.7	00.0-08.6	55	26.2	17.6-34.8	10	8.5	02.2-14.8
\$35,000- 49,999	240	46,816	120	65.7	57.9-73.5	6	3.8	00.0-07.7				3	2.5	00.0-05.8	102	23.0	17.3-28.7	9	5.0	01.3-08.7
\$50,000- 74,999	237	39,345	137	68.0	59.8-76.2	3	2.1	00.0-04.6	1	0.5	00.0-01.5	3	5.4	00.0-12.3	87	22.1	16.2-28.0	6	1.9	00.1-03.7
\$75,000+	533	113,759	395	82.6	77.9-87.3	8	3.3	00.4-06.2	2	0.6	00.0-01.6	3	2.3	00.0-05.4	120	10.5	08.1-12.9	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	379,520	1142	53.9	51.2-56.6	132	6.0	04.6-07.4	203	8.9	07.3-10.5	38	4.5	02.7-06.3	835	20.1	18.3-21.9	174	6.6	05.4-07.8
White/Non-Hisp	1692	249,545	738	53.6	50.5-56.7	73	4.4	03.2-05.6	126	7.6	06.0-09.2	13	3.0	01.2-04.8	642	25.0	22.6-27.4	100	6.3	04.9-07.7
Black or Afr. Am./Non-Hisp	394	77,873	210	59.6	52.5-66.7	27	7.9	03.8-12.0	15	5.1	01.8-08.4	14	8.4	02.7-14.1	80	10.9	07.8-14.0	48	8.1	05.2-11.0
Oth. Race/Non-Hisp.	68	14,715	26	32.4	18.3-46.5	8	14.5	03.9-25.1	10	17.0	05.8-28.2	5	14.7	00.0-30.2	12	9.9	00.5-19.3	7	11.6	00.0-23.2
MultiRacial/Non-Hisp.	196	5,937	83	48.0	38.8-57.2	10	7.2	01.9-12.5	12	7.5	02.2-12.8	4	5.2	00.0-11.1	78	28.6	21.3-35.9	9	3.5	00.6-06.4
Hispanic	133	26,622	66	51.8	41.4-62.2	13	11.7	04.6-18.8	35	27.5	18.5-36.5	2	1.4	00.0-03.4	9	4.3	01.2-07.4	8	3.2	00.5-05.9
18-24	99	45,822	58	54.3	42.0-66.6	6	5.5	00.0-11.2	7	4.9	00.6-09.2	23	30.7	18.5-42.9				5	4.5	00.0-09.0
25-34	224	59,575	141	65.7	58.4-73.0	24	10.3	05.6-15.0	41	17.1	11.6-22.6	8	3.0	00.6-05.4				10	3.9	01.4-06.4
35-44	243	56,402	181	74.1	67.6-80.6	16	8.0	03.9-12.1	31	11.9	07.4-16.4	2	1.1	00.0-02.9				13	5.0	02.1-07.9
45-54	414	64,865	308	74.6	69.3-79.9	31	6.7	04.0-09.4	18	5.6	02.5-08.7	3	0.6	00.0-01.2	7	0.9	00.1-01.7	47	11.6	07.7-15.5
55-64	577	63,718	312	56.5	51.6-61.4	43	7.1	04.7-09.5	38	7.7	05.0-10.4	2	0.2	00.0-00.4	116	17.4	13.9-20.9	66	11.1	08.0-14.2
65+	921	84,470	125	14.5	11.6-17.4	9	0.9	00.3-01.5	65	6.5	04.7-08.3				693	74.9	71.4-78.4	29	3.1	01.7-04.5
Less Than H.S.	215	41,689	46	32.3	23.3-41.3	11	6.9	02.2-11.6	37	17.8	11.5-24.1	1	0.1	00.0-00.3	71	21.6	14.7-28.5	49	21.3	14.2-28.4
H.S. or G.E.D.	762	115,924	291	46.1	41.0-51.2	60	9.1	06.0-12.2	67	9.6	06.7-12.5	15	7.1	02.8-11.4	271	21.8	18.5-25.1	58	6.3	04.3-08.3
Some Post-H.S.	640	116,386	273	55.7	50.4-61.0	28	4.5	02.3-06.7	58	8.0	05.5-10.5	15	5.8	02.3-09.3	224	20.9	17.6-24.2	42	5.0	03.0-07.0
College Graduate	895	104,890	528	69.1	65.4-72.8	31	3.9	02.1-05.7	40	5.7	03.5-07.9	7	1.8	00.2-03.4	264	16.8	14.4-19.2	25	2.8	01.4-04.2
Less than \$15,000	228	32,275	47	28.4	19.0-37.8	38	19.5	12.4-26.6	20	9.4	04.5-14.3	5	5.1	00.2-10.0	57	15.9	09.4-22.4	61	21.6	14.9-28.3
\$15,000- 24,999	409	62,827	133	40.5	33.4-47.6	29	9.1	05.2-13.0	42	11.3	07.4-15.2	7	6.0	00.9-11.1	156	23.4	18.5-28.3	42	9.7	05.8-13.6
\$25,000- 34,999	254	36,501	115	60.8	53.2-68.4	9	2.9	00.7-05.1	20	8.0	04.1-11.9	4	0.7	00.0-01.5	90	21.3	15.6-27.0	16	6.3	02.6-10.0
\$35,000- 49,999	266	39,418	127	59.3	51.7-66.9	8	3.8	00.9-06.7	14	7.9	03.0-12.8	3	1.4	00.0-03.0	106	23.5	18.0-29.0	8	4.1	01.0-07.2
\$50,000- 74,999	326	49,402	196	66.1	59.4-72.8	16	4.2	01.5-06.9	16	5.0	01.9-08.1	2	2.6	00.0-06.3	93	19.8	15.1-24.5	3	2.4	00.0-05.1
\$75,000+	564	92,069	390	71.9	66.4-77.4	6	1.2	00.0-02.6	33	7.8	04.9-10.7	8	6.1	01.2-11.0	119	11.3	08.9-13.7	8	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3548	609,279	157	4.3	03.3-05.3	187	5.2	04.0-06.4	283	8.0	06.6-09.4	381	10.4	09.0-11.8	373	9.6	08.2-11.0	2167	62.5	60.1-64.9
Male	1501	296,417	52	3.5	02.1-04.9	65	5.1	03.1-07.1	115	7.1	05.1-09.1	140	9.5	07.5-11.5	118	7.3	05.5-09.1	1011	67.5	64.2-70.8
Female	2047	312,862	105	5.1	03.9-06.3	122	5.3	03.9-06.7	168	8.8	07.0-10.6	241	11.3	09.3-13.3	255	11.7	09.7-13.7	1156	57.8	54.9-60.7
White/Non-Hisp	2413	402,204	62	2.5	01.7-03.3	107	4.4	03.0-05.8	150	5.5	04.3-06.7	217	8.1	06.7-09.5	244	8.8	07.4-10.2	1633	70.6	68.1-73.1
Black or Afr. Am./Non-Hisp	512	119,865	54	7.8	05.1-10.5	41	6.9	04.0-09.8	56	11.8	07.7-15.9	73	14.3	10.0-18.6	59	10.6	06.9-14.3	229	48.7	42.4-55.0
Oth. Race/Non-Hisp.	97	23,185	8	6.6	00.9-12.3	1	1.1	00.0-03.3	16	12.0	04.2-19.8	12	11.0	02.2-19.8	9	5.0	00.7-09.3	51	64.3	51.4-77.2
MultiRacial/Non-Hisp.	276	9,009	12	4.3	01.2-07.4	13	3.9	01.0-06.8	22	6.0	02.9-09.1	34	12.4	06.1-18.7	25	9.1	04.8-13.4	170	64.3	56.3-72.3
Hispanic	205	46,746	19	10.0	04.7-15.3	22	9.4	04.9-13.9	37	18.2	12.1-24.3	38	18.5	12.0-25.0	30	15.6	09.7-21.5	59	28.3	20.7-35.9
18-24	130	65,803	12	6.3	02.4-10.2	8	7.4	01.3-13.5	15	10.2	03.9-16.5	25	18.6	10.6-26.6	17	9.4	04.1-14.7	53	48.0	37.4-58.6
25-34	311	104,003	17	4.1	01.6-06.6	15	6.0	02.1-09.9	37	12.0	07.7-16.3	38	9.5	06.2-12.8	42	12.5	08.0-17.0	162	56.0	49.1-62.9
35-44	390	101,042	18	4.6	02.2-07.0	13	3.2	01.0-05.4	29	6.2	03.8-08.6	34	7.4	04.5-10.3	33	7.6	04.9-10.3	263	71.0	65.9-76.1
45-54	642	112,172	44	5.4	03.4-07.4	35	4.7	02.7-06.7	35	4.4	02.6-06.2	51	8.1	05.6-10.6	57	8.7	06.0-11.4	420	68.8	64.3-73.3
55-64	845	104,072	32	4.1	01.7-06.5	44	5.4	03.4-07.4	45	4.6	03.0-06.2	71	7.4	05.0-09.8	68	6.3	04.3-08.3	585	72.3	68.4-76.2
65+	1204	118,461	32	2.2	01.2-03.2	70	5.6	03.6-07.6	117	10.8	08.1-13.5	161	14.4	11.7-17.1	155	12.6	10.2-15.0	669	54.4	50.7-58.1
Less Than H.S.	317	76,384	47	13.1	08.6-17.6	53	16.5	10.2-22.8	70	19.8	14.3-25.3	65	18.9	13.2-24.6	35	11.5	06.8-16.2	47	20.2	13.3-27.1
H.S. or G.E.D.	1039	189,181	64	5.0	03.2-06.8	72	5.5	03.7-07.3	110	8.5	06.1-10.9	161	13.2	10.7-15.7	154	12.8	10.1-15.5	478	55.0	50.7-59.3
Some Post-H.S.	869	177,592	34	3.4	01.8-05.0	36	3.5	01.7-05.3	74	7.3	04.8-09.8	105	10.6	07.7-13.5	109	10.3	07.8-12.8	511	64.9	60.4-69.4
College Graduate	1320	165,461	12	0.5	00.1-00.9	26	1.7	00.9-02.5	28	2.5	01.1-03.9	50	3.1	01.9-04.3	74	4.2	03.0-05.4	1130	88.0	85.8-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1501	296,417	52	3.5	02.1-04.9	65	5.1	03.1-07.1	115	7.1	05.1-09.1	140	9.5	07.5-11.5	118	7.3	05.5-09.1	1011	67.5	64.2-70.8
White/Non-Hisp	1035	194,973	18	1.3	00.5-02.1	39	4.2	02.0-06.4	55	4.2	02.4-06.0	72	6.6	04.6-08.6	75	6.5	04.5-08.5	776	77.2	73.5-80.9
Black or Afr. Am./Non-Hisp	180	55,114	14	6.9	02.2-11.6	14	8.6	02.7-14.5	24	12.5	06.0-19.0	26	14.1	08.2-20.0	17	7.1	02.4-11.8	85	50.7	40.5-60.9
MultiRacial/Non-Hisp.	115	4,032	6	5.8	00.1-11.5	4	2.0	00.0-04.2	10	6.9	01.6-12.2	15	17.6	05.3-29.9	4	2.1	00.0-04.5	76	65.6	52.1-79.1
Hispanic	98	24,735	9	10.4	02.0-18.8	6	5.6	00.5-10.7	18	17.4	09.0-25.8	20	20.7	10.3-31.1	13	15.7	07.1-24.3	32	30.2	19.4-41.0
18-24	52	30,133	4	4.4	00.0-08.9	3	8.9	00.0-18.9	4	6.9	00.0-15.1	11	18.6	07.2-30.0	5	8.1	00.8-15.4	25	53.2	37.3-69.1
25-34	124	54,889	4	2.9	00.0-06.6	7	8.1	01.2-15.0	12	10.2	03.5-16.9	17	7.9	03.6-12.2	9	7.8	02.1-13.5	75	63.1	52.7-73.5
35-44	169	50,241	6	2.9	00.5-05.3	4	2.4	00.0-05.1	10	4.1	01.4-06.8	15	7.4	02.9-11.9	12	6.1	02.6-09.6	122	77.1	70.0-84.2
45-54	270	53,863	16	5.2	02.1-08.3	12	3.7	00.6-06.8	18	5.0	02.3-07.7	24	8.4	04.5-12.3	19	8.0	03.7-12.3	181	69.7	62.6-76.8
55-64	350	50,313	10	4.4	00.3-08.5	18	5.8	02.7-08.9	21	4.3	02.1-06.5	19	5.9	02.4-09.4	20	3.9	01.9-05.9	262	75.6	69.5-81.7
65+	527	55,606	11	1.4	00.4-02.4	21	3.6	01.4-05.8	49	11.2	06.9-15.5	54	12.4	08.5-16.3	53	10.2	07.1-13.3	339	61.1	55.6-66.6
Less Than H.S.	153	43,862	22	11.7	05.6-17.8	20	16.4	07.0-25.8	36	18.9	11.6-26.2	25	15.4	08.1-22.7	18	11.1	05.0-17.2	32	26.5	16.1-36.9
H.S. or G.E.D.	437	96,789	16	3.5	01.0-06.0	22	4.1	01.2-07.0	40	6.4	03.1-09.7	62	13.3	09.4-17.2	51	9.3	05.8-12.8	246	63.4	57.1-69.7
Some Post-H.S.	343	80,056	9	1.8	00.4-03.2	12	3.4	00.9-05.9	28	6.0	02.5-09.5	30	6.9	03.6-10.2	29	7.6	04.1-11.1	235	74.3	68.0-80.6
College Graduate	567	75,105	5	0.4	00.0-00.8	11	1.8	00.4-03.2	11	2.2	00.2-04.2	23	3.8	01.6-06.0	20	2.3	00.9-03.7	497	89.4	86.1-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2047	312,862	105	5.1	03.9-06.3	122	5.3	03.9-06.7	168	8.8	07.0-10.6	241	11.3	09.3-13.3	255	11.7	09.7-13.7	1156	57.8	54.9-60.7
White/Non-Hisp	1378	207,232	44	3.7	02.3-05.1	68	4.6	02.8-06.4	95	6.7	04.9-08.5	145	9.6	07.6-11.6	169	11.0	08.8-13.2	857	64.4	61.1-67.7
Black or Afr. Am./Non-Hisp	332	64,751	40	8.6	05.3-11.9	27	5.4	03.0-07.8	32	11.2	05.9-16.5	47	14.4	08.3-20.5	42	13.5	08.0-19.0	144	46.9	39.1-54.7
Oth. Race/Non-Hisp.	53	11,907	4	4.2	00.0-08.7	1	2.2	00.0-06.5	10	15.9	03.0-28.8	8	16.5	01.0-32.0	5	6.6	00.0-13.5	25	54.6	36.0-73.2
MultiRacial/Non-Hisp.	161	4,977	6	3.0	00.0-06.1	9	5.4	00.3-10.5	12	5.4	01.9-08.9	19	8.2	03.7-12.7	21	14.8	07.7-21.9	94	63.2	53.8-72.6
Hispanic	107	22,011	10	9.5	03.2-15.8	16	13.7	05.9-21.5	19	19.2	10.6-27.8	18	15.9	08.3-23.5	17	15.4	07.6-23.2	27	26.2	15.2-37.2
18-24	78	35,669	8	8.0	01.7-14.3	5	6.2	00.0-13.5	11	13.1	03.9-22.3	14	18.6	07.2-30.0	12	10.6	03.0-18.2	28	43.5	29.4-57.6
25-34	187	49,115	13	5.5	02.2-08.8	8	3.6	01.1-06.1	25	13.9	08.2-19.6	21	11.2	05.9-16.5	33	17.8	11.1-24.5	87	48.1	39.7-56.5
35-44	221	50,801	12	6.3	02.4-10.2	9	4.0	00.9-07.1	19	8.2	04.3-12.1	19	7.4	03.9-10.9	21	9.2	05.1-13.3	141	65.0	57.7-72.3
45-54	372	58,309	28	5.6	03.2-08.0	23	5.6	03.1-08.1	17	3.8	01.6-06.0	27	7.8	04.3-11.3	38	9.3	05.8-12.8	239	67.9	62.2-73.6
55-64	495	53,759	22	3.7	01.5-05.9	26	5.0	02.6-07.4	24	4.8	02.6-07.0	52	8.7	06.0-11.4	48	8.6	05.5-11.7	323	69.2	64.3-74.1
65+	677	62,855	21	2.9	01.3-04.5	49	7.4	04.1-10.7	68	10.5	07.2-13.8	107	16.1	12.6-19.6	102	14.8	11.5-18.1	330	48.4	43.5-53.3
Less Than H.S.	164	32,522	25	14.9	08.2-21.6	33	16.5	08.9-24.1	34	21.1	13.1-29.1	40	23.7	14.9-32.5	17	12.0	04.7-19.3	15	11.7	05.0-18.4
H.S. or G.E.D.	602	92,392	48	6.6	04.2-09.0	50	6.9	04.5-09.3	70	10.8	07.5-14.1	99	13.0	09.7-16.3	103	16.5	12.4-20.6	232	46.3	40.6-52.0
Some Post-H.S.	526	97,536	25	4.7	02.2-07.2	24	3.6	00.9-06.3	46	8.4	04.9-11.9	75	13.6	09.1-18.1	80	12.5	09.0-16.0	276	57.2	51.3-63.1
College Graduate	753	90,356	7	0.5	00.1-00.9	15	1.6	00.6-02.6	17	2.8	01.0-04.6	27	2.6	01.4-03.8	54	5.7	03.7-07.7	633	86.8	83.9-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4056	698,236	43	0.7	00.5-00.9	1175	27.9	25.9-29.9	1815	45.0	42.8-47.2	774	19.8	18.0-21.6	237	6.1	04.9-07.3	12	0.5	00.1-00.9
Male	1706	340,278	6	0.1	00.0-00.3	189	12.2	09.8-14.6	856	50.3	46.8-53.8	497	27.4	24.5-30.3	151	9.2	07.0-11.4	7	0.7	00.1-01.3
Female	2350	357,958	37	1.2	00.6-01.8	986	42.8	39.9-45.7	959	40.0	37.3-42.7	277	12.5	10.5-14.5	86	3.2	02.2-04.2	5	0.2	00.0-00.4
White/Non-Hisp	2764	458,299	26	0.7	00.3-01.1	819	28.6	26.2-31.0	1235	44.4	41.9-46.9	529	19.8	17.6-22.0	154	6.5	05.1-07.9	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	575	139,365	3	0.2	00.0-00.4	114	20.7	15.6-25.8	261	46.0	40.1-51.9	149	25.9	20.8-31.0	48	7.2	03.9-10.5			
Oth. Race/Non-Hisp.	110	26,145	6	3.1	00.0-06.8	44	42.6	29.5-55.7	41	44.3	30.6-58.0	9	4.9	00.4-09.4	6	2.3	00.1-04.5	4	2.8	00.0-05.9
MultiRacial/Non-Hisp.	308	9,915	4	0.7	00.0-01.5	95	32.2	24.6-39.8	135	41.7	34.1-49.3	50	18.1	10.5-25.7	23	7.0	03.7-10.3	1	0.4	00.0-01.2
Hispanic	229	52,338	2	0.8	00.0-02.0	85	34.4	27.1-41.7	110	48.0	40.2-55.8	23	10.5	05.2-15.8	4	2.2	00.0-04.6	5	4.1	00.0-08.2
18-24	171	89,529				73	40.1	31.3-48.9	73	46.4	37.4-55.4	21	11.7	05.8-17.6	3	1.5	00.0-03.3	1	0.4	00.0-01.2
25-34	346	115,685	5	0.9	00.0-01.9	122	31.5	25.6-37.4	149	46.4	39.7-53.1	39	12.7	08.0-17.4	24	6.6	03.7-09.5	7	1.9	00.1-03.7
35-44	402	106,041	2	0.3	00.0-00.9	103	23.6	18.9-28.3	175	41.3	35.4-47.2	91	25.0	19.5-30.5	30	9.5	05.0-14.0	1	0.2	00.0-00.6
45-54	684	121,183	4	0.6	00.0-01.4	176	22.3	18.6-26.0	301	45.5	40.6-50.4	149	23.3	19.0-27.6	52	7.9	04.2-11.6	2	0.4	00.0-01.0
55-64	931	114,869	6	0.5	00.0-01.1	226	22.9	19.4-26.4	416	43.9	40.0-47.8	205	24.6	21.1-28.1	77	7.9	05.7-10.1	1	0.1	00.0-00.3
65+	1487	146,524	25	1.3	00.7-01.9	460	29.0	26.1-31.9	686	46.1	42.8-49.4	265	20.1	17.2-23.0	51	3.4	02.2-04.6			
Less Than H.S.	382	91,769	7	1.0	00.0-02.0	109	31.8	25.1-38.5	186	45.9	39.0-52.8	60	13.7	09.2-18.2	17	6.6	01.9-11.3	3	0.9	00.0-02.1
H.S. or G.E.D.	1220	222,196	13	0.6	00.2-01.0	366	27.7	24.0-31.4	529	44.9	40.8-49.0	234	19.8	16.7-22.9	76	6.4	04.6-08.2	2	0.6	00.0-01.6
Some Post-H.S.	983	202,735	9	0.4	00.0-00.8	241	23.2	19.5-26.9	466	47.0	42.5-51.5	199	22.3	18.4-26.2	67	6.9	04.4-09.4	1	0.1	00.0-00.3
College Graduate	1462	180,308	13	0.9	00.3-01.5	454	31.4	28.3-34.5	632	42.8	39.5-46.1	281	20.1	17.2-23.0	76	4.3	03.1-05.5	6	0.5	00.1-00.9
Less than \$15,000	332	56,420	7	2.0	00.2-03.8	93	33.0	25.0-41.0	142	40.8	32.8-48.8	58	15.3	09.4-21.2	31	7.3	04.2-10.4	1	1.7	00.0-05.0
\$15,000- 24,999	640	108,540	12	1.2	00.4-02.0	200	31.2	25.9-36.5	280	42.7	37.2-48.2	108	19.1	14.6-23.6	38	5.2	03.0-07.4	2	0.5	00.0-01.3
\$25,000- 34,999	360	56,627	2	0.4	00.0-01.0	120	29.2	22.9-35.5	152	46.8	39.5-54.1	66	18.5	13.2-23.8	19	5.1	02.2-08.0	1	0.1	00.0-00.3
\$35,000- 49,999	496	84,568	2	0.2	00.0-00.4	115	22.8	17.7-27.9	228	45.1	38.8-51.4	117	23.3	17.8-28.8	34	8.7	05.0-12.4			
\$50,000- 74,999	544	85,693	4	0.3	00.1-00.5	152	24.7	20.2-29.2	239	43.7	38.0-49.4	112	23.9	18.4-29.4	35	7.0	03.7-10.3	2	0.4	00.0-01.0
\$75,000+	1062	200,670	6	0.6	00.0-01.2	275	25.4	21.5-29.3	505	47.3	42.8-51.8	225	21.1	17.8-24.4	49	5.5	02.8-08.2	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1706	340,278	6	0.1	00.0-00.3	189	12.2	09.8-14.6	856	50.3	46.8-53.8	497	27.4	24.5-30.3	151	9.2	07.0-11.4	7	0.7	00.1-01.3
White/Non-Hisp	1180	222,084	2	0.1	00.1-00.1	121	11.7	08.8-14.6	590	49.9	45.8-54.0	359	28.1	24.6-31.6	108	10.3	07.6-13.0			
Black or Afr. Am./Non-Hisp	206	65,047				18	9.6	04.3-14.9	98	47.6	38.2-57.0	66	32.6	23.8-41.4	24	10.2	03.5-16.9			
MultiRacial/Non-Hisp.	125	4,373	1	0.4	00.0-01.2	12	13.4	02.2-24.6	62	43.6	30.7-56.5	37	33.4	19.1-47.7	13	9.3	03.6-15.0			
Hispanic	106	27,220	1	0.9	00.0-02.7	22	17.2	09.6-24.8	61	53.7	42.3-65.1	15	17.4	08.0-26.8	3	3.8	00.0-08.1	4	7.0	00.0-14.6
18-24	75	44,337				21	26.6	15.4-37.8	43	60.1	47.6-72.6	9	11.1	03.3-18.9	1	1.3	00.0-03.8	1	0.8	00.0-02.4
25-34	132	58,105	1	0.4	00.0-01.2	20	14.1	06.8-21.4	71	54.6	44.0-65.2	20	19.0	10.4-27.6	16	9.4	04.1-14.7	4	2.5	00.0-05.8
35-44	172	52,441	1	0.2	00.0-00.6	20	8.8	04.5-13.1	81	43.1	34.1-52.1	52	32.8	23.8-41.8	17	14.8	06.6-23.0	1	0.4	00.0-01.2
45-54	296	59,728				27	8.2	04.7-11.7	145	49.6	42.0-57.2	90	29.0	22.1-35.9	33	12.5	05.4-19.6	1	0.7	00.0-02.1
55-64	397	56,836	1	0.1	00.0-00.3	35	9.3	05.0-13.6	181	43.8	37.7-49.9	130	35.5	29.6-41.4	50	11.3	07.6-15.0			
65+	622	66,893	3	0.1	00.0-00.3	64	9.6	06.7-12.5	327	51.2	45.9-56.5	194	33.5	28.4-38.6	34	5.6	03.4-07.8			
Less Than H.S.	176	51,522	2	0.5	00.0-01.5	31	20.7	11.9-29.5	92	49.8	39.8-59.8	39	18.3	11.0-25.6	10	9.6	01.8-17.4	2	1.1	00.0-02.9
H.S. or G.E.D.	499	111,206	1	0.0	00.0-00.0	58	11.9	07.6-16.2	250	50.8	44.5-57.1	140	26.7	21.4-32.0	48	9.3	06.2-12.4	2	1.2	00.0-03.0
Some Post-H.S.	389	93,010	1	0.0	00.0-00.0	29	7.6	04.1-11.1	200	51.9	44.6-59.2	118	29.8	23.1-36.5	40	10.5	05.4-15.6	1	0.2	00.0-00.6
College Graduate	639	83,547	2	0.2	00.0-00.4	70	12.4	08.9-15.9	313	48.7	43.6-53.8	200	31.5	26.6-36.4	52	6.9	04.5-09.3	2	0.3	00.0-00.9
Less than \$15,000	112	24,728	1	0.2	00.0-00.6	27	29.4	15.3-43.5	45	46.2	32.1-60.3	26	12.8	05.4-20.2	12	7.5	02.2-12.8	1	3.9	00.0-11.2
\$15,000- 24,999	250	47,259	2	0.6	00.0-01.6	47	18.8	12.5-25.1	125	45.6	37.0-54.2	57	26.5	18.3-34.7	17	7.2	03.1-11.3	2	1.2	00.0-03.0
\$25,000- 34,999	115	21,220				13	8.8	03.1-14.5	61	58.8	46.6-71.0	30	24.6	14.0-35.2	10	7.7	01.6-13.8	1	0.2	00.0-00.6
\$35,000- 49,999	237	46,131				17	9.4	03.7-15.1	116	49.2	39.8-58.6	79	30.0	21.4-38.6	25	11.4	05.5-17.3			
\$50,000- 74,999	236	39,308	2	0.3	00.0-00.9	21	9.7	04.8-14.6	111	40.8	32.4-49.2	77	37.5	28.3-46.7	24	11.1	04.6-17.6	1	0.6	00.0-01.8
\$75,000+	530	113,605				35	7.5	04.0-11.0	279	53.2	46.9-59.5	172	29.9	24.6-35.2	43	9.2	04.5-13.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2350	357,958	37	1.2	00.6-01.8	986	42.8	39.9-45.7	959	40.0	37.3-42.7	277	12.5	10.5-14.5	86	3.2	02.2-04.2	5	0.2	00.0-00.4
White/Non-Hisp	1584	236,216	24	1.3	00.7-01.9	698	44.6	41.3-47.9	645	39.2	36.1-42.3	170	12.0	09.6-14.4	46	3.0	01.8-04.2	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	369	74,318	3	0.4	00.0-01.0	96	30.4	22.8-38.0	163	44.6	37.2-52.0	83	20.1	14.8-25.4	24	4.5	02.3-06.7			
Oth. Race/Non-Hisp.	62	13,561	5	5.9	00.0-13.0	30	58.2	41.5-74.9	17	24.8	09.7-39.9	3	3.7	00.0-08.4	5	3.9	00.0-08.0	2	3.4	00.0-08.3
MultiRacial/Non-Hisp.	183	5,542	3	0.9	00.0-02.1	83	47.1	37.5-56.7	73	40.2	30.8-49.6	13	6.0	02.1-09.9	10	5.2	01.1-09.3	1	0.6	00.0-01.8
Hispanic	123	25,118	1	0.7	00.0-02.1	63	53.0	42.0-64.0	49	41.8	30.8-52.8	8	3.0	00.6-05.4	1	0.5	00.0-01.5	1	1.0	00.0-03.0
18-24	96	45,192				52	53.2	40.9-65.5	30	32.8	21.2-44.4	12	12.3	03.7-20.9	2	1.7	00.0-04.2			
25-34	214	57,581	4	1.4	00.0-03.2	102	49.0	41.0-57.0	78	38.2	30.4-46.0	19	6.5	03.2-09.8	8	3.7	00.8-06.6	3	1.3	00.0-02.7
35-44	230	53,600	1	0.5	00.0-01.5	83	38.1	30.7-45.5	94	39.7	32.3-47.1	39	17.4	11.9-22.9	13	4.3	01.6-07.0			
45-54	388	61,455	4	1.2	00.0-02.6	149	36.0	30.3-41.7	156	41.6	35.3-47.9	59	17.7	12.6-22.8	19	3.5	01.7-05.3	1	0.1	00.0-00.3
55-64	534	58,033	5	1.0	00.0-02.2	191	36.3	31.2-41.4	235	43.9	38.8-49.0	75	14.0	10.5-17.5	27	4.5	02.3-06.7	1	0.2	00.0-00.6
65+	865	79,631	22	2.3	01.1-03.5	396	45.3	41.0-49.6	359	41.8	37.7-45.9	71	8.9	06.4-11.4	17	1.6	00.4-02.8			
Less Than H.S.	206	40,247	5	1.7	00.0-03.5	78	46.0	36.6-55.4	94	41.0	32.2-49.8	21	7.9	03.8-12.0	7	2.8	00.1-05.5	1	0.6	00.0-01.8
H.S. or G.E.D.	721	110,990	12	1.2	00.4-02.0	308	43.6	38.3-48.9	279	39.0	33.9-44.1	94	12.8	09.7-15.9	28	3.5	01.7-05.3			
Some Post-H.S.	594	109,725	8	0.8	00.0-01.6	212	36.4	30.7-42.1	266	42.9	37.4-48.4	81	16.0	11.5-20.5	27	3.9	02.1-05.7			
College Graduate	823	96,761	11	1.6	00.4-02.8	384	47.8	43.3-52.3	319	37.7	33.2-42.2	81	10.2	07.5-12.9	24	2.0	01.0-03.0	4	0.7	00.0-01.5
Less than \$15,000	220	31,693	6	3.3	00.2-06.4	66	35.8	26.4-45.2	97	36.5	27.9-45.1	32	17.1	08.7-25.5	19	7.2	03.1-11.3			
\$15,000- 24,999	390	61,282	10	1.7	00.3-03.1	153	40.7	33.3-48.1	155	40.4	33.3-47.5	51	13.4	09.1-17.7	21	3.7	01.5-05.9			
\$25,000- 34,999	245	35,407	2	0.6	00.0-01.4	107	41.4	33.0-49.8	91	39.7	30.9-48.5	36	14.9	09.2-20.6	9	3.5	00.8-06.2			
\$35,000- 49,999	259	38,436	2	0.4	00.0-01.0	98	38.8	30.8-46.8	112	40.2	32.2-48.2	38	15.2	09.7-20.7	9	5.4	01.1-09.7			
\$50,000- 74,999	308	46,385	2	0.2	00.0-00.4	131	37.5	30.6-44.4	128	46.1	38.7-53.5	35	12.4	06.9-17.9	11	3.6	01.1-06.1	1	0.3	00.0-00.9
\$75,000+	532	87,064	6	1.4	00.0-02.8	240	48.8	42.7-54.9	226	39.5	33.6-45.4	53	9.6	06.5-12.7	6	0.6	00.0-01.2	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4170	708,187	255	4.6	03.8-05.4	1954	43.4	41.2-45.6	1614	40.9	38.7-43.1	297	9.2	07.6-10.8	8	0.3	00.1-00.5	42	1.6	01.0-02.2
Male	1708	338,982	6	0.3	00.1-00.5	212	12.1	09.7-14.5	1165	66.0	62.7-69.3	291	18.7	15.8-21.6	8	0.5	00.0-01.1	26	2.4	01.4-03.4
Female	2462	369,205	249	8.6	07.2-10.0	1742	72.1	69.7-74.5	449	17.9	15.9-19.9	6	0.5	00.0-01.1				16	0.8	00.4-01.2
White/Non-Hisp	2860	470,929	156	4.2	03.4-05.0	1313	42.2	39.7-44.7	1178	43.9	41.4-46.4	207	9.4	07.6-11.2	6	0.3	00.0-00.7			
Black or Afr. Am./Non-Hisp	591	140,747	52	5.0	03.2-06.8	294	47.5	41.6-53.4	203	37.0	31.3-42.7	41	10.5	06.0-15.0	1	0.1	00.0-00.3			
Oth. Race/Non-Hisp.	113	26,383	9	4.2	00.3-08.1	61	51.8	38.3-65.3	37	38.7	25.0-52.4	4	4.4	00.0-09.3	1	0.3	00.0-00.9	1	0.6	00.0-01.8
MultiRacial/Non-Hisp.	315	10,124	16	4.8	01.9-07.7	156	45.2	37.4-53.0	115	37.3	29.9-44.7	28	12.7	05.6-19.8						
Hispanic	214	47,466	18	8.4	03.9-12.9	100	40.5	32.7-48.3	50	26.8	19.4-34.2	7	3.1	00.4-05.8				39	21.3	14.4-28.2
18-24	172	89,215	9	3.4	00.9-05.9	76	45.8	36.8-54.8	69	40.1	31.3-48.9	13	8.4	03.3-13.5	2	1.4	00.0-03.4	3	1.0	00.0-02.2
25-34	340	113,604	18	4.3	01.8-06.8	152	39.0	32.7-45.3	128	39.8	33.1-46.5	21	11.1	06.0-16.2	2	0.2	00.0-00.6	19	5.6	02.9-08.3
35-44	408	106,719	16	2.7	01.3-04.1	186	43.8	37.9-49.7	146	38.0	32.1-43.9	46	12.7	08.2-17.2	1	0.1	00.0-00.3	13	2.7	01.1-04.3
45-54	707	123,388	38	4.4	02.8-06.0	309	40.3	35.6-45.0	288	42.6	37.9-47.3	64	11.7	07.6-15.8	2	0.1	00.0-00.3	6	0.8	00.0-01.6
55-64	967	118,986	44	3.8	02.4-05.2	444	43.1	39.2-47.0	407	45.4	41.5-49.3	71	7.6	05.4-09.8				1	0.1	00.0-00.3
65+	1526	150,216	129	7.8	06.2-09.4	753	47.3	44.0-50.6	562	39.6	36.3-42.9	81	5.3	03.9-06.7	1	0.0	00.0-00.0			
Less Than H.S.	367	87,490	29	4.2	02.4-06.0	181	43.2	36.1-50.3	112	33.3	26.4-40.2	18	10.9	05.0-16.8				27	8.4	05.1-11.7
H.S. or G.E.D.	1254	226,399	103	6.1	04.5-07.7	600	41.4	37.5-45.3	459	42.8	38.7-46.9	82	8.1	05.7-10.5	1	0.3	00.0-00.9	9	1.4	00.4-02.4
Some Post-H.S.	1021	206,925	64	4.1	02.9-05.3	485	45.2	40.7-49.7	393	40.6	36.3-44.9	74	9.6	06.3-12.9	4	0.4	00.0-01.0	1	0.0	00.0-00.0
College Graduate	1516	185,972	59	3.6	02.4-04.8	679	43.9	40.6-47.2	647	42.6	39.3-45.9	123	9.4	07.4-11.4	3	0.1	00.0-00.3	5	0.4	00.0-00.8
Less than \$15,000	335	55,811	31	7.5	04.4-10.6	181	48.7	40.5-56.9	90	27.3	20.2-34.4	17	8.5	02.2-14.8				16	7.9	03.2-12.6
\$15,000- 24,999	643	107,867	51	5.0	03.2-06.8	321	47.8	42.3-53.3	238	41.2	35.7-46.7	19	2.6	01.0-04.2				14	3.4	01.4-05.4
\$25,000- 34,999	365	55,656	35	7.6	04.5-10.7	194	51.9	44.8-59.0	115	32.2	25.5-38.9	16	6.1	02.2-10.0				5	2.2	00.2-04.2
\$35,000- 49,999	504	85,785	28	4.0	02.2-05.8	209	36.3	30.4-42.2	213	43.8	37.7-49.9	49	14.5	08.6-20.4	4	1.0	00.0-02.4	1	0.4	00.0-01.2
\$50,000- 74,999	558	87,472	22	3.7	01.9-05.5	256	44.3	38.8-49.8	236	41.9	36.2-47.6	43	9.9	06.0-13.8				1	0.2	00.0-00.6
\$75,000+	1089	204,604	39	2.4	01.4-03.4	428	37.2	33.1-41.3	505	48.8	44.5-53.1	115	11.6	08.7-14.5	2	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	338,982	6	0.3	00.1-00.5	212	12.1	09.7-14.5	1165	66.0	62.7-69.3	291	18.7	15.8-21.6	8	0.5	00.0-01.1	26	2.4	01.4-03.4
White/Non-Hisp	1184	222,605	4	0.3	00.0-00.7	117	8.4	06.0-10.8	853	70.9	67.0-74.8	204	19.7	16.4-23.0	6	0.7	00.0-01.5			
Black or Afr. Am./Non-Hisp	204	63,824				34	17.6	10.5-24.7	129	60.6	51.0-70.2	40	21.7	12.9-30.5	1	0.1	00.0-00.3			
MultiRacial/Non-Hisp.	126	4,390				15	14.4	03.4-25.4	84	59.2	44.9-73.5	27	26.3	12.4-40.2						
Hispanic	106	27,159	2	0.8	00.0-02.0	32	25.7	16.5-34.9	41	41.8	30.6-53.0	7	5.4	00.7-10.1				24	26.3	15.9-36.7
18-24	75	44,337				10	16.7	06.3-27.1	47	61.7	49.0-74.4	13	16.9	07.1-26.7	2	2.7	00.0-06.4	3	2.0	00.0-04.4
25-34	128	56,722				12	8.7	02.8-14.6	83	62.0	51.6-72.4	18	19.8	10.6-29.0	2	0.4	00.0-01.0	13	9.1	03.6-14.6
35-44	177	53,100	2	0.5	00.0-01.3	23	12.0	06.5-17.5	100	59.4	50.4-68.4	45	25.2	16.8-33.6	1	0.3	00.0-00.9	6	2.6	00.4-04.8
45-54	296	59,110	3	0.9	00.0-02.1	31	9.4	05.7-13.1	193	64.3	56.7-71.9	63	24.0	16.4-31.6	2	0.3	00.0-00.7	4	1.1	00.0-02.5
55-64	400	56,916				46	14.0	08.9-19.1	283	70.1	64.2-76.0	71	16.0	11.7-20.3						
65+	618	66,570	1	0.1	00.0-00.3	88	12.9	09.6-16.2	448	75.2	71.1-79.3	80	11.8	08.9-14.7	1	0.0	00.0-00.0			
Less Than H.S.	174	51,330	3	0.7	00.0-01.5	41	21.3	13.5-29.1	94	49.0	39.0-59.0	18	18.6	09.2-28.0				18	10.5	05.4-15.6
H.S. or G.E.D.	503	111,590	2	0.2	00.0-00.4	68	12.8	08.3-17.3	345	68.1	62.2-74.0	81	16.1	11.6-20.6	1	0.6	00.0-01.8	6	2.2	00.0-04.4
Some Post-H.S.	390	92,154	1	0.4	00.0-01.2	39	8.4	04.5-12.3	274	69.7	62.6-76.8	71	20.4	13.7-27.1	4	1.0	00.0-02.4	1	0.1	00.0-00.3
College Graduate	637	82,867				63	9.3	06.4-12.2	449	69.6	64.9-74.3	121	20.5	16.2-24.8	3	0.3	00.0-00.7	1	0.2	00.0-00.6
Less than \$15,000	115	25,006	1	0.2	00.0-00.6	29	25.0	13.0-37.0	61	45.4	31.7-59.1	16	18.0	05.1-30.9				8	11.4	02.0-20.8
\$15,000- 24,999	245	46,634	1	0.4	00.0-01.2	39	14.1	08.4-19.8	176	73.3	66.0-80.6	19	6.0	02.5-09.5				10	6.1	02.2-10.0
\$25,000- 34,999	114	20,249	1	0.6	00.0-01.8	18	16.5	08.1-24.9	76	62.0	50.0-74.0	16	16.8	06.8-26.8				3	4.2	00.0-08.9
\$35,000- 49,999	239	46,428	1	0.2	00.0-00.6	24	8.7	02.8-14.6	161	63.7	53.9-73.5	48	24.8	15.4-34.2	4	1.8	00.0-04.3	1	0.7	00.0-02.1
\$50,000- 74,999	235	39,095	1	0.9	00.0-02.7	19	6.9	03.0-10.8	172	69.7	61.3-78.1	42	22.0	14.0-30.0				1	0.5	00.0-01.5
\$75,000+	528	113,025				43	8.4	05.1-11.7	370	70.8	65.1-76.5	113	20.5	15.4-25.6	2	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2462	369,205	249	8.6	07.2-10.0	1742	72.1	69.7-74.5	449	17.9	15.9-19.9	6	0.5	00.0-01.1	16	0.8	00.4-01.2
White/Non-Hisp	1676	248,323	152	7.6	06.0-09.2	1196	72.5	69.8-75.2	325	19.7	17.2-22.2	3	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	387	76,923	52	9.1	06.0-12.2	260	72.3	66.4-78.2	74	17.4	12.5-22.3	1	1.2	00.0-03.6			
Oth. Race/Non-Hisp.	66	14,049	9	7.9	00.6-15.2	51	83.8	73.6-94.0	4	5.3	00.0-11.2	1	1.9	00.0-05.6	1	1.2	00.0-03.6
MultiRacial/Non-Hisp.	189	5,734	16	8.5	03.4-13.6	141	68.8	59.8-77.8	31	20.4	12.6-28.2	1	2.2	00.0-06.5			
Hispanic	108	20,307	16	18.6	09.0-28.2	68	60.2	48.8-71.6	9	6.7	02.0-11.4				15	14.5	07.2-21.8
18-24	97	44,877	9	6.7	01.8-11.6	66	74.5	64.7-84.3	22	18.8	10.2-27.4						
25-34	212	56,882	18	8.7	03.8-13.6	140	69.2	61.8-76.6	45	17.8	11.9-23.7	3	2.3	00.0-05.6	6	2.0	00.4-03.6
35-44	231	53,619	14	4.9	02.2-07.6	163	75.3	69.2-81.4	46	16.8	11.7-21.9	1	0.2	00.0-00.6	7	2.8	00.6-05.0
45-54	411	64,278	35	7.6	04.7-10.5	278	68.8	63.5-74.1	95	22.7	17.8-27.6	1	0.4	00.0-01.2	2	0.5	00.0-01.3
55-64	567	62,070	44	7.3	04.9-09.7	398	69.8	65.1-74.5	124	22.8	18.5-27.1				1	0.2	00.0-00.6
65+	908	83,647	128	14.0	11.3-16.7	665	74.6	71.1-78.1	114	11.3	08.9-13.7	1	0.1	00.0-00.3			
Less Than H.S.	193	36,160	26	9.2	05.1-13.3	140	74.4	67.0-81.8	18	11.0	05.5-16.5				9	5.4	01.9-08.9
H.S. or G.E.D.	751	114,808	101	11.9	08.8-15.0	532	69.2	64.5-73.9	114	18.2	14.3-22.1	1	0.2	00.0-00.6	3	0.5	00.0-01.1
Some Post-H.S.	631	114,772	63	7.1	04.9-09.3	446	74.7	70.4-79.0	119	17.2	13.5-20.9	3	1.0	00.0-02.6			
College Graduate	879	103,105	59	6.4	04.2-08.6	616	71.7	67.8-75.6	198	21.0	17.7-24.3	2	0.4	00.0-01.0	4	0.5	00.0-01.1
Less than \$15,000	220	30,805	30	13.5	08.0-19.0	152	67.9	59.7-76.1	29	12.7	07.0-18.4	1	0.9	00.0-02.7	8	5.1	01.4-08.8
\$15,000- 24,999	398	61,233	50	8.4	05.3-11.5	282	73.5	67.6-79.4	62	16.7	11.4-22.0				4	1.4	00.0-02.8
\$25,000- 34,999	251	35,406	34	11.7	06.8-16.6	176	72.1	65.0-79.2	39	15.2	09.7-20.7				2	1.0	00.0-02.4
\$35,000- 49,999	265	39,357	27	8.6	04.9-12.3	185	68.8	61.4-76.2	52	20.3	14.0-26.6	1	2.3	00.0-06.8			
\$50,000- 74,999	323	48,378	21	6.0	03.1-08.9	237	74.4	68.1-80.7	64	19.4	13.5-25.3	1	0.1	00.0-00.3			
\$75,000+	561	91,579	39	5.3	03.1-07.5	385	72.7	67.8-77.6	135	21.5	17.0-26.0	2	0.5	00.0-01.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4216	715,718	4112	97.5	96.9-98.1	61	1.6	01.2-02.0	43	0.9	00.5-01.3
Male	1717	340,479	1672	97.5	96.7-98.3	28	1.7	00.9-02.5	17	0.7	00.3-01.1
Female	2499	375,239	2440	97.4	96.6-98.2	33	1.5	00.9-02.1	26	1.1	00.5-01.7
White/Non-Hisp	2855	466,766	2823	98.9	98.3-99.5	10	0.2	00.0-00.4	22	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	596	141,909	586	98.9	97.9-99.9	7	0.9	00.1-01.7	3	0.2	00.0-00.6
Oth. Race/Non-Hisp.	115	27,060	109	96.1	92.8-99.4	3	2.3	00.0-05.0	3	1.6	00.0-03.6
MultiRacial/Non-Hisp.	319	10,230	313	98.0	96.0-0100	3	1.1	00.0-02.9	3	0.8	00.0-01.8
Hispanic	243	55,282	203	83.7	78.4-89.0	37	15.2	09.9-20.5	3	1.0	00.0-02.2
18-24	169	89,282	162	97.2	95.0-99.4	5	1.5	00.1-02.9	2	1.3	00.0-03.1
25-34	352	116,385	327	94.2	91.7-96.7	20	4.5	02.3-06.7	5	1.2	00.0-02.4
35-44	413	107,434	402	98.1	96.9-99.3	8	1.4	00.2-02.6	3	0.4	00.0-01.0
45-54	710	124,708	698	98.6	97.6-99.6	7	0.9	00.1-01.7	5	0.6	00.0-01.2
55-64	971	119,875	959	98.4	97.2-99.6	7	1.1	00.1-02.1	5	0.5	00.1-00.9
65+	1538	150,862	1509	98.5	97.9-99.1	14	0.6	00.2-01.0	15	0.9	00.3-01.5
Less Than H.S.	395	94,962	358	91.2	88.1-94.3	33	8.1	05.0-11.2	4	0.6	00.0-01.4
H.S. or G.E.D.	1259	225,952	1240	98.8	98.0-99.6	11	0.8	00.2-01.4	8	0.3	00.1-00.5
Some Post-H.S.	1026	208,217	1007	98.5	97.5-99.5	5	0.2	00.0-00.4	14	1.3	00.5-02.1
College Graduate	1517	184,484	1496	98.2	97.2-99.2	8	0.6	00.0-01.2	13	1.2	00.4-02.0
Less than \$15,000	339	56,501	322	94.5	91.6-97.4	17	5.5	02.6-08.4			
\$15,000- 24,999	654	110,166	636	97.2	95.6-98.8	15	2.6	01.0-04.2	3	0.2	00.0-00.4
\$25,000- 34,999	370	57,784	363	97.2	94.7-99.7	4	2.3	00.0-04.8	3	0.6	00.0-01.4
\$35,000- 49,999	504	85,690	495	97.3	95.1-99.5	1	0.5	00.0-01.5	8	2.2	00.2-04.2
\$50,000- 74,999	559	88,018	556	99.4	98.6-0100	1	0.2	00.0-00.6	2	0.4	00.0-01.0
\$75,000+	1079	202,582	1076	99.8	99.6-0100				3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1717	340,479	1672	97.5	96.7-98.3	28	1.7	00.9-02.5	17	0.7	00.3-01.1
White/Non-Hisp	1178	219,857	1165	99.1	98.5-99.7	1	0.0	00.0-00.0	12	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	206	64,729	202	99.1	97.7-0100	4	0.9	00.0-02.3			
MultiRacial/Non-Hisp.	126	4,365	124	97.6	93.5-0100	2	2.4	00.0-06.5			
Hispanic	113	29,522	93	83.2	75.6-90.8	20	16.8	09.2-24.4			
18-24	73	44,526	70	98.0	95.6-0100	3	2.0	00.0-04.4			
25-34	130	57,363	121	95.0	91.5-98.5	8	4.2	01.1-07.3	1	0.8	00.0-02.4
35-44	176	52,439	173	98.5	96.7-0100	3	1.5	00.0-03.3			
45-54	299	60,224	290	97.5	95.5-99.5	6	1.4	00.0-03.0	3	1.1	00.0-02.3
55-64	398	56,566	391	98.3	96.9-99.7	3	0.9	00.0-02.1	4	0.7	00.0-01.5
65+	624	67,061	613	98.4	97.2-99.6	5	0.5	00.0-01.1	6	1.1	00.1-02.1
Less Than H.S.	183	53,855	164	91.6	87.3-95.9	17	7.8	03.7-11.9	2	0.6	00.0-01.6
H.S. or G.E.D.	506	111,322	496	98.5	97.3-99.7	7	1.1	00.1-02.1	3	0.4	00.0-00.8
Some Post-H.S.	392	93,310	384	99.1	98.5-99.7	2	0.1	00.0-00.3	6	0.8	00.2-01.4
College Graduate	630	80,621	623	98.5	97.1-99.9	2	0.3	00.0-00.7	5	1.2	00.0-02.6
Less than \$15,000	117	25,544	108	92.6	86.9-98.3	9	7.4	01.7-13.1			
\$15,000- 24,999	254	48,689	243	95.9	93.0-98.8	10	3.9	01.0-06.8	1	0.2	00.0-00.6
\$25,000- 34,999	117	21,602	115	96.3	91.2-0100	2	3.7	00.0-08.8			
\$35,000- 49,999	238	46,273	233	97.4	94.7-0100	1	0.9	00.0-02.7	4	1.7	00.0-03.9
\$50,000- 74,999	233	38,617	232	99.7	99.1-0100				1	0.3	00.0-00.9
\$75,000+	522	111,325	520	99.7	99.3-0100				2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2499	375,239	2440	97.4	96.6-98.2	33	1.5	00.9-02.1	26	1.1	00.5-01.7
White/Non-Hisp	1677	246,909	1658	98.8	98.0-99.6	9	0.4	00.2-00.6	10	0.9	00.1-01.7
Black or Afr. Am./Non-Hisp	390	77,181	384	98.7	97.5-99.9	3	0.9	00.0-02.1	3	0.4	00.0-01.0
Oth. Race/Non-Hisp.	66	14,436	61	93.6	87.7-99.5	3	4.4	00.0-09.5	2	2.0	00.0-04.9
MultiRacial/Non-Hisp.	193	5,865	189	98.3	96.5-0100	1	0.2	00.0-00.6	3	1.5	00.0-03.3
Hispanic	130	25,760	110	84.4	77.1-91.7	17	13.5	06.6-20.4	3	2.2	00.0-04.7
18-24	96	44,756	92	96.4	92.7-0100	2	1.0	00.0-02.6	2	2.5	00.0-06.0
25-34	222	59,022	206	93.5	90.2-96.8	12	4.8	01.9-07.7	4	1.7	00.0-03.7
35-44	237	54,995	229	97.8	96.2-99.4	5	1.4	00.0-02.8	3	0.9	00.0-01.9
45-54	411	64,484	408	99.6	99.0-0100	1	0.3	00.0-00.9	2	0.1	00.0-00.3
55-64	573	63,309	568	98.4	96.6-0100	4	1.3	00.0-03.1	1	0.3	00.0-00.9
65+	914	83,801	896	98.5	97.7-99.3	9	0.7	00.1-01.3	9	0.8	00.2-01.4
Less Than H.S.	212	41,106	194	90.8	86.1-95.5	16	8.5	04.0-13.0	2	0.7	00.0-01.7
H.S. or G.E.D.	753	114,631	744	99.2	98.4-0100	4	0.6	00.0-01.4	5	0.2	00.0-00.4
Some Post-H.S.	634	114,907	623	97.9	96.3-99.5	3	0.3	00.0-00.7	8	1.7	00.1-03.3
College Graduate	887	103,864	873	97.9	96.5-99.3	6	0.8	00.0-01.6	8	1.2	00.0-02.4
Less than \$15,000	222	30,957	214	96.1	93.2-99.0	8	3.9	01.0-06.8			
\$15,000- 24,999	400	61,477	393	98.2	96.4-0100	5	1.6	00.0-03.4	2	0.2	00.0-00.6
\$25,000- 34,999	253	36,181	248	97.7	94.8-0100	2	1.4	00.0-04.1	3	0.9	00.0-02.1
\$35,000- 49,999	266	39,418	262	97.2	93.9-0100				4	2.8	00.0-06.1
\$50,000- 74,999	326	49,402	324	99.1	97.9-0100	1	0.4	00.0-01.2	1	0.5	00.0-01.5
\$75,000+	557	91,256	556	100.0	0100-0100				1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4248	723,317	4056	95.5	94.5-96.5	1	0.0	00.0-00.0	55	1.3	00.9-01.7	136	3.2	02.4-04.0
Male	1733	344,078	1643	94.5	92.9-96.1				27	1.7	00.9-02.5	63	3.8	02.4-05.2
Female	2515	379,239	2413	96.4	95.4-97.4	1	0.1	00.0-00.3	28	1.0	00.4-01.6	73	2.6	01.8-03.4
White/Non-Hisp	2882	473,554	2785	96.4	95.4-97.4				29	0.9	00.5-01.3	68	2.7	01.7-03.7
Black or Afr. Am./Non-Hisp	597	142,505	580	98.1	96.9-99.3				2	0.4	00.0-01.2	15	1.5	00.5-02.5
Oth. Race/Non-Hisp.	117	27,339	107	94.0	89.9-98.1	1	0.7	00.0-02.1	2	1.1	00.0-02.7	7	4.1	00.6-07.6
MultiRacial/Non-Hisp.	320	10,265	306	96.8	94.4-99.2				2	1.0	00.0-02.8	12	2.2	00.6-03.8
Hispanic	243	54,634	218	88.0	82.7-93.3				16	7.4	03.5-11.3	9	4.6	00.7-08.5
18-24	173	89,790	161	92.5	87.8-97.2				5	2.3	00.1-04.5	7	5.2	00.9-09.5
25-34	360	119,002	339	94.4	91.7-97.1				9	2.5	00.7-04.3	12	3.1	00.9-05.3
35-44	421	109,955	408	97.3	95.7-98.9				8	1.7	00.3-03.1	5	1.0	00.0-02.0
45-54	713	125,405	685	96.5	94.9-98.1	1	0.2	00.0-00.6	7	0.8	00.2-01.4	20	2.6	01.2-04.0
55-64	975	120,468	943	96.8	95.6-98.0				7	0.5	00.1-00.9	25	2.6	01.4-03.8
65+	1542	151,292	1480	96.5	95.5-97.5				16	0.6	00.2-01.0	46	2.9	01.9-03.9
Less Than H.S.	396	94,662	375	95.2	92.8-97.6				15	3.9	01.7-06.1	6	0.9	00.1-01.7
H.S. or G.E.D.	1265	227,533	1217	96.2	94.6-97.8				17	1.3	00.3-02.3	31	2.5	01.3-03.7
Some Post-H.S.	1033	210,035	987	95.4	93.4-97.4				7	0.5	00.0-01.1	39	4.1	02.1-06.1
College Graduate	1534	188,435	1468	95.3	93.9-96.7	1	0.1	00.0-00.3	13	1.0	00.2-01.8	52	3.6	02.2-05.0
Less than \$15,000	341	57,749	328	94.8	90.9-98.7				9	3.2	00.7-05.7	4	2.0	00.0-05.1
\$15,000- 24,999	656	110,075	632	95.4	92.9-97.9				13	2.2	00.4-04.0	11	2.3	00.3-04.3
\$25,000- 34,999	372	58,167	358	97.0	95.0-99.0				3	1.0	00.0-02.2	11	2.0	00.6-03.4
\$35,000- 49,999	506	86,234	492	97.0	95.0-99.0				2	0.7	00.0-01.9	12	2.3	00.7-03.9
\$50,000- 74,999	562	88,583	545	97.3	95.7-98.9				5	0.5	00.0-01.1	12	2.2	00.8-03.6
\$75,000+	1095	205,908	1074	98.1	97.1-99.1				5	0.3	00.0-00.7	16	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1733	344,078	1643	94.5	92.9-96.1	27	1.7	00.9-02.5	63	3.8	02.4-05.2
White/Non-Hisp	1194	223,874	1145	95.5	93.5-97.5	13	0.9	00.1-01.7	36	3.6	01.8-05.4
Black or Afr. Am./Non-Hisp	207	65,237	201	97.8	95.6-0100	1	0.8	00.0-02.4	5	1.4	00.0-03.0
MultiRacial/Non-Hisp.	127	4,401	123	96.6	92.3-0100	2	2.3	00.0-06.2	2	1.0	00.0-02.6
Hispanic	110	28,012	96	83.8	74.6-93.0	10	10.1	03.4-16.8	4	6.1	00.0-13.2
18-24	74	43,968	66	89.5	81.3-97.7	3	2.8	00.0-06.1	5	7.7	00.1-15.3
25-34	135	59,099	124	92.8	87.9-97.7	6	3.3	00.4-06.2	5	3.9	00.0-07.8
35-44	180	53,758	174	96.9	94.2-99.6	4	2.2	00.0-04.6	2	0.9	00.0-02.3
45-54	300	60,548	287	95.9	93.4-98.4	4	0.8	00.0-01.6	9	3.3	00.9-05.7
55-64	401	57,081	381	95.3	92.9-97.7	3	0.5	00.0-01.3	17	4.2	02.0-06.4
65+	625	67,090	600	96.5	94.9-98.1	7	0.8	00.0-01.6	18	2.7	01.3-04.1
Less Than H.S.	182	52,855	171	95.1	91.8-98.4	8	4.2	01.1-07.3	3	0.8	00.0-01.8
H.S. or G.E.D.	508	112,014	486	95.1	92.4-97.8	9	2.1	00.3-03.9	13	2.8	00.6-05.0
Some Post-H.S.	394	93,725	370	93.6	89.7-97.5	3	0.4	00.0-00.8	21	6.1	02.2-10.0
College Graduate	642	83,565	613	95.3	93.1-97.5	7	1.0	00.2-01.8	22	3.8	01.8-05.8
Less than \$15,000	115	25,293	110	93.0	85.0-0100	3	2.9	00.0-06.8	2	4.1	00.0-11.4
\$15,000- 24,999	253	47,688	239	93.0	88.1-97.9	10	4.8	01.1-08.5	4	2.3	00.0-05.6
\$25,000- 34,999	117	21,602	113	96.9	93.4-0100	2	1.9	00.0-04.8	2	1.2	00.0-03.2
\$35,000- 49,999	240	46,816	234	97.0	94.1-99.9	1	1.1	00.0-03.3	5	1.9	00.0-04.1
\$50,000- 74,999	237	39,345	228	97.0	94.8-99.2	4	1.1	00.0-02.3	5	1.9	00.1-03.7
\$75,000+	533	113,903	519	97.8	96.4-99.2	3	0.5	00.0-01.1	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2515	379,239	2413	96.4	95.4-97.4	1	0.1	00.0-00.3	28	1.0	00.4-01.6	73	2.6	01.8-03.4
White/Non-Hisp	1688	249,680	1640	97.2	96.0-98.4				16	0.9	00.3-01.5	32	1.9	00.9-02.9
Black or Afr. Am./Non-Hisp	390	77,268	379	98.4	97.2-99.6				1	0.0	00.0-00.0	10	1.6	00.4-02.8
Oth. Race/Non-Hisp.	68	14,715	61	92.4	86.1-98.7	1	1.3	00.0-03.8	1	0.8	00.0-02.4	5	5.5	00.0-11.2
MultiRacial/Non-Hisp.	193	5,865	183	96.9	94.5-99.3							10	3.1	00.7-05.5
Hispanic	133	26,622	122	92.4	87.5-97.3				6	4.6	00.5-08.7	5	2.9	00.2-05.6
18-24	99	45,822	95	95.4	90.7-0100				2	1.8	00.0-04.3	2	2.8	00.0-06.7
25-34	225	59,903	215	96.0	93.3-98.7				3	1.7	00.0-03.7	7	2.3	00.3-04.3
35-44	241	56,197	234	97.7	95.7-99.7				4	1.2	00.0-02.6	3	1.2	00.0-02.6
45-54	413	64,857	398	97.0	95.2-98.8	1	0.3	00.0-00.9	3	0.7	00.0-01.7	11	2.0	00.6-03.4
55-64	574	63,386	562	98.2	97.0-99.4				4	0.5	00.0-01.1	8	1.3	00.3-02.3
65+	917	84,202	880	96.5	95.1-97.9				9	0.5	00.1-00.9	28	3.0	01.6-04.4
Less Than H.S.	214	41,808	204	95.4	92.3-98.5				7	3.5	00.8-06.2	3	1.1	00.0-02.3
H.S. or G.E.D.	757	115,519	731	97.4	95.8-99.0				8	0.5	00.1-00.9	18	2.1	00.7-03.5
Some Post-H.S.	639	116,310	617	96.9	95.1-98.7				4	0.5	00.0-01.5	18	2.6	01.2-04.0
College Graduate	892	104,871	855	95.4	93.4-97.4	1	0.2	00.0-00.6	6	1.0	00.0-02.0	30	3.4	01.6-05.2
Less than \$15,000	226	32,456	218	96.2	93.1-99.3				6	3.5	00.4-06.6	2	0.3	00.0-00.9
\$15,000- 24,999	403	62,386	393	97.3	94.8-99.8				3	0.3	00.0-00.7	7	2.4	00.0-04.9
\$25,000- 34,999	255	36,565	245	97.1	94.9-99.3				1	0.4	00.0-01.2	9	2.5	00.5-04.5
\$35,000- 49,999	266	39,418	258	97.0	94.6-99.4				1	0.3	00.0-00.9	7	2.7	00.5-04.9
\$50,000- 74,999	325	49,239	317	97.5	95.3-99.7				1	0.1	00.0-00.3	7	2.4	00.2-04.6
\$75,000+	562	92,005	555	98.5	97.1-99.9				2	0.2	00.0-00.4	5	1.3	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2820	380,966	156	4.6	03.4-05.8	2664	95.4	94.2-96.6
Male	1072	169,457	67	5.1	03.1-07.1	1005	94.9	92.9-96.9
Female	1748	211,509	89	4.3	02.9-05.7	1659	95.7	94.3-97.1
White/Non-Hisp	1945	266,645	115	4.7	03.3-06.1	1830	95.3	93.9-96.7
Black or Afr. Am./Non-Hisp	367	67,926	16	5.3	01.8-08.8	351	94.7	91.2-98.2
Oth. Race/Non-Hisp.	60	11,341	4	3.0	00.0-06.7	56	97.0	93.3-0100
MultiRacial/Non-Hisp.	296	9,136	16	4.2	00.7-07.7	280	95.8	92.3-99.3
Hispanic	93	18,273				93	100.0	0100-0100
25-34	140	42,138	2	4.7	00.0-11.0	138	95.3	89.0-0100
35-44	218	50,418	7	2.3	00.3-04.3	211	97.7	95.7-99.7
45-54	447	74,363	29	5.9	03.4-08.4	418	94.1	91.6-96.6
55-64	678	76,993	31	4.9	02.4-07.4	647	95.1	92.6-97.6
65+	1251	112,779	85	4.8	03.4-06.2	1166	95.2	93.8-96.6
Less Than H.S.	235	45,974	6	2.2	00.0-05.1	229	97.8	94.9-0100
H.S. or G.E.D.	839	117,092	41	5.0	02.5-07.5	798	95.0	92.5-97.5
Some Post-H.S.	674	111,343	33	4.4	02.2-06.6	641	95.6	93.4-97.8
College Graduate	1060	105,728	75	5.6	04.0-07.2	985	94.4	92.8-96.0
Less than \$15,000	207	25,056	6	1.2	00.0-02.4	201	98.8	97.6-0100
\$15,000- 24,999	420	51,799	9	1.4	00.2-02.6	411	98.6	97.4-99.8
\$25,000- 34,999	234	27,730	8	5.0	00.0-12.3	226	95.0	87.7-0100
\$35,000- 49,999	351	49,165	25	8.4	03.1-13.7	326	91.6	86.3-96.9
\$50,000- 74,999	390	52,322	17	4.5	01.8-07.2	373	95.5	92.8-98.2
\$75,000+	727	114,506	56	5.4	03.6-07.2	671	94.6	92.8-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1072	169,457	67	5.1	03.1-07.1	1005	94.9	92.9-96.9
White/Non-Hisp	754	117,140	50	5.4	02.9-07.9	704	94.6	92.1-97.1
Black or Afr. Am./Non-Hisp	117	31,110	8	5.2	00.7-09.7	109	94.8	90.3-99.3
MultiRacial/Non-Hisp.	117	3,853	6	5.7	00.0-13.3	111	94.3	86.7-0100
35-44	84	22,447	2	1.5	00.0-03.5	82	98.5	96.5-0100
45-54	175	33,939	10	4.5	01.2-07.8	165	95.5	92.2-98.8
55-64	267	35,015	13	5.9	01.4-10.4	254	94.1	89.6-98.6
65+	474	46,771	40	6.4	04.0-08.8	434	93.6	91.2-96.0
Less Than H.S.	97	24,790	3	3.8	00.0-09.1	94	96.2	90.9-0100
H.S. or G.E.D.	306	50,532	17	6.8	01.7-11.9	289	93.2	88.1-98.3
Some Post-H.S.	244	49,601	17	4.3	01.8-06.8	227	95.7	93.2-98.2
College Graduate	422	44,132	30	4.8	02.6-07.0	392	95.2	93.0-97.4
Less than \$15,000	62	9,083	2	1.7	00.0-04.1	60	98.3	95.9-0100
\$15,000- 24,999	154	22,660	2	0.8	00.0-02.0	152	99.2	98.0-0100
\$25,000- 34,999	68	9,057	4	13.6	00.0-34.0	64	86.4	66.0-0100
\$35,000- 49,999	154	23,942	14	8.6	01.5-15.7	140	91.4	84.3-98.5
\$50,000- 74,999	160	23,523	10	6.5	01.6-11.4	150	93.5	88.6-98.4
\$75,000+	339	59,349	25	4.7	02.3-07.1	314	95.3	92.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1748	211,509	89	4.3	02.9-05.7	1659	95.7	94.3-97.1
White/Non-Hisp	1191	149,506	65	4.1	02.7-05.5	1126	95.9	94.5-97.3
Black or Afr. Am./Non-Hisp	250	36,816	8	5.4	00.1-10.7	242	94.6	89.3-99.9
MultiRacial/Non-Hisp.	179	5,283	10	3.2	00.8-05.6	169	96.8	94.4-99.2
Hispanic	57	9,103				57	100.0	0100-0100
25-34	97	23,454	1	3.9	00.0-11.3	96	96.1	88.7-0100
35-44	134	27,971	5	3.1	00.0-06.4	129	96.9	93.6-0100
45-54	272	40,424	19	7.0	03.3-10.7	253	93.0	89.3-96.7
55-64	411	41,978	18	4.1	01.4-06.8	393	95.9	93.2-98.6
65+	777	66,008	45	3.7	02.3-05.1	732	96.3	94.9-97.7
Less Than H.S.	138	21,183	3	0.4	00.0-01.0	135	99.6	99.0-0100
H.S. or G.E.D.	533	66,560	24	3.6	01.4-05.8	509	96.4	94.2-98.6
Some Post-H.S.	430	61,742	16	4.5	01.2-07.8	414	95.5	92.2-98.8
College Graduate	638	61,596	45	6.2	03.8-08.6	593	93.8	91.4-96.2
Less than \$15,000	145	15,974	4	0.9	00.0-02.1	141	99.1	97.9-0100
\$15,000- 24,999	266	29,140	7	1.9	00.1-03.7	259	98.1	96.3-99.9
\$25,000- 34,999	166	18,673	4	0.8	00.0-01.6	162	99.2	98.4-0100
\$35,000- 49,999	197	25,223	11	8.1	00.3-15.9	186	91.9	84.1-99.7
\$50,000- 74,999	230	28,799	7	2.9	00.0-06.0	223	97.1	94.0-0100
\$75,000+	388	55,157	31	6.3	03.6-09.0	357	93.7	91.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	150	16,906	81	76.1	67.7-84.5	58	21.5	13.7-29.3	8	1.8	00.2-03.4	2	0.5	00.0-01.3	1	0.1	00.0-00.3
Male	66	8,502	32	73.3	60.0-86.6	31	25.0	12.1-37.9	2	0.9	00.0-02.1	1	0.9	00.0-02.7			
Female	84	8,404	49	79.0	68.8-89.2	27	17.9	08.3-27.5	6	2.7	00.0-05.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6
White/Non-Hisp	110	11,712	60	77.7	68.9-86.5	40	18.8	10.8-26.8	7	2.6	00.4-04.8	2	0.8	00.0-02.0	1	0.1	00.0-00.3
65+	81	5,176	41	66.4	54.2-78.6	33	29.7	17.9-41.5	4	1.8	00.0-04.0	2	1.8	00.0-04.5	1	0.3	00.0-00.9
College Graduate	72	5,458	38	69.9	57.4-82.4	28	25.7	13.7-37.7	5	4.1	00.0-08.4				1	0.3	00.0-00.9
\$75,000+	55	5,978	29	70.5	57.2-83.8	23	25.7	13.2-38.2	2	2.6	00.0-06.3	1	1.2	00.0-03.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	66	8,502	32	73.3	59.4-87.2	31	25.0	11.5-38.5	2	0.9	00.0-02.1	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	84	8,404	49	79.0	68.6-89.4	27	17.9	08.3-27.5	6	2.7	00.0-05.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6
White/Non-Hisp	61	5,481	35	80.1	69.9-90.3	19	15.2	06.4-24.0	5	4.1	00.0-08.4	1	0.3	00.0-00.9	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2816	382,569	2275	89.3	87.9-90.7	541	10.7	09.3-12.1
Male	1072	171,274	847	89.1	86.9-91.3	225	10.9	08.7-13.1
Female	1744	211,295	1428	89.4	87.8-91.0	316	10.6	09.0-12.2
White/Non-Hisp	1941	266,421	1608	90.7	89.3-92.1	333	9.3	07.9-10.7
Black or Afr. Am./Non-Hisp	366	67,905	282	88.7	85.2-92.2	84	11.3	07.8-14.8
Oth. Race/Non-Hisp.	61	13,019	49	89.7	82.1-97.3	12	10.3	02.7-17.9
MultiRacial/Non-Hisp.	296	9,132	238	89.6	86.3-92.9	58	10.4	07.1-13.7
Hispanic	93	18,273	54	75.6	66.2-85.0	39	24.4	15.0-33.8
25-34	141	43,816	116	91.4	87.3-95.5	25	8.6	04.5-12.7
35-44	217	50,340	186	91.2	87.7-94.7	31	8.8	05.3-12.3
45-54	447	74,183	380	90.4	87.5-93.3	67	9.6	06.7-12.5
55-64	676	76,901	559	90.6	88.4-92.8	117	9.4	07.2-11.6
65+	1249	112,880	967	87.1	85.3-88.9	282	12.9	11.1-14.7
Less Than H.S.	235	46,262	125	74.8	67.9-81.7	110	25.2	18.3-32.1
H.S. or G.E.D.	839	118,686	635	87.6	85.1-90.1	204	12.4	09.9-14.9
Some Post-H.S.	674	110,968	560	90.9	88.5-93.3	114	9.1	06.7-11.5
College Graduate	1056	105,824	950	95.7	94.7-96.7	106	4.3	03.3-05.3
Less than \$15,000	207	25,056	123	73.9	65.9-81.9	84	26.1	18.1-34.1
\$15,000- 24,999	422	52,212	278	79.6	75.1-84.1	144	20.4	15.9-24.9
\$25,000- 34,999	235	27,742	185	87.2	82.5-91.9	50	12.8	08.1-17.5
\$35,000- 49,999	348	48,585	289	91.4	88.5-94.3	59	8.6	05.7-11.5
\$50,000- 74,999	390	52,322	353	93.1	90.2-96.0	37	6.9	04.0-09.8
\$75,000+	727	116,163	690	97.8	96.8-98.8	37	2.2	01.2-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1072	171,274	847	89.1	86.9-91.3	225	10.9	08.7-13.1
White/Non-Hisp	754	117,120	608	90.1	87.7-92.5	146	9.9	07.5-12.3
Black or Afr. Am./Non-Hisp	117	31,110	88	88.3	82.4-94.2	29	11.7	05.8-17.6
MultiRacial/Non-Hisp.	116	3,836	87	87.1	80.8-93.4	29	12.9	06.6-19.2
35-44	84	22,447	70	91.4	85.9-96.9	14	8.6	03.1-14.1
45-54	176	33,780	143	87.8	82.3-93.3	33	12.2	06.7-17.7
55-64	266	34,964	215	90.4	87.1-93.7	51	9.6	06.3-12.9
65+	473	46,945	354	86.0	82.9-89.1	119	14.0	10.9-17.1
Less Than H.S.	97	25,079	55	78.4	68.4-88.4	42	21.6	11.6-31.6
H.S. or G.E.D.	307	52,204	219	86.2	81.7-90.7	88	13.8	09.3-18.3
Some Post-H.S.	243	49,213	201	91.8	88.5-95.1	42	8.2	04.9-11.5
College Graduate	422	44,377	370	95.3	93.5-97.1	52	4.7	02.9-06.5
Less than \$15,000	62	9,083	34	77.2	63.7-90.7	28	22.8	09.3-36.3
\$15,000- 24,999	156	23,072	102	80.7	73.6-87.8	54	19.3	12.2-26.4
\$25,000- 34,999	68	9,057	46	81.7	71.5-91.9	22	18.3	08.1-28.5
\$35,000- 49,999	152	23,439	116	88.8	83.9-93.7	36	11.2	06.3-16.1
\$50,000- 74,999	160	23,523	138	90.0	84.5-95.5	22	10.0	04.5-15.5
\$75,000+	340	61,028	317	97.4	96.0-98.8	23	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1744	211,295	1428	89.4	87.8-91.0	316	10.6	09.0-12.2
White/Non-Hisp	1187	149,301	1000	91.1	89.3-92.9	187	8.9	07.1-10.7
Black or Afr. Am./Non-Hisp	249	36,794	194	89.0	85.1-92.9	55	11.0	07.1-14.9
MultiRacial/Non-Hisp.	180	5,296	151	91.4	87.7-95.1	29	8.6	04.9-12.3
Hispanic	57	9,103	30	67.2	52.9-81.5	27	32.8	18.5-47.1
25-34	97	23,454	77	86.6	79.7-93.5	20	13.4	06.5-20.3
35-44	133	27,894	116	91.0	86.1-95.9	17	9.0	04.1-13.9
45-54	271	40,403	237	92.6	89.5-95.7	34	7.4	04.3-10.5
55-64	410	41,937	344	90.7	88.0-93.4	66	9.3	06.6-12.0
65+	776	65,935	613	87.9	85.7-90.1	163	12.1	09.9-14.3
Less Than H.S.	138	21,183	70	70.6	61.4-79.8	68	29.4	20.2-38.6
H.S. or G.E.D.	532	66,483	416	88.8	86.1-91.5	116	11.2	08.5-13.9
Some Post-H.S.	431	61,755	359	90.2	87.1-93.3	72	9.8	06.7-12.9
College Graduate	634	61,447	580	96.0	94.6-97.4	54	4.0	02.6-05.4
Less than \$15,000	145	15,974	89	72.0	62.2-81.8	56	28.0	18.2-37.8
\$15,000- 24,999	266	29,140	176	78.7	72.8-84.6	90	21.3	15.4-27.2
\$25,000- 34,999	167	18,686	139	89.8	84.7-94.9	28	10.2	05.1-15.3
\$35,000- 49,999	196	25,145	173	93.9	90.6-97.2	23	6.1	02.8-09.4
\$50,000- 74,999	230	28,799	215	95.5	92.8-98.2	15	4.5	01.8-07.2
\$75,000+	387	55,136	373	98.3	96.9-99.7	14	1.7	00.3-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4221	719,321	3219	81.5	79.9-83.1	1002	18.5	16.9-20.1
Male	1725	342,511	1300	80.2	77.8-82.6	425	19.8	17.4-22.2
Female	2496	376,809	1919	82.7	80.9-84.5	577	17.3	15.5-19.1
18-24	173	89,790	160	93.7	90.0-97.4	13	6.3	02.6-10.0
25-34	357	118,123	319	90.9	87.8-94.0	38	9.1	06.0-12.2
35-44	419	109,547	372	89.1	85.8-92.4	47	10.9	07.6-14.2
45-54	712	125,317	591	82.1	78.4-85.8	121	17.9	14.2-21.6
55-64	970	119,660	790	80.9	77.6-84.2	180	19.1	15.8-22.4
65+	1527	149,514	945	61.3	58.2-64.4	582	38.7	35.6-41.8
Less Than H.S.	393	93,764	127	47.3	40.4-54.2	266	52.7	45.8-59.6
H.S. or G.E.D.	1260	226,998	848	78.0	75.3-80.7	412	22.0	19.3-24.7
Some Post-H.S.	1029	209,655	829	88.5	86.3-90.7	200	11.5	09.3-13.7
College Graduate	1524	186,693	1408	95.2	94.0-96.4	116	4.8	03.6-06.0
Less than \$15,000	338	57,463	174	61.3	53.9-68.7	164	38.7	31.3-46.1
\$15,000- 24,999	653	109,192	373	66.7	62.0-71.4	280	33.3	28.6-38.0
\$25,000- 34,999	371	58,156	259	74.0	68.3-79.7	112	26.0	20.3-31.7
\$35,000- 49,999	504	86,110	421	84.2	79.7-88.7	83	15.8	11.3-20.3
\$50,000- 74,999	560	88,146	501	91.8	89.3-94.3	59	8.2	05.7-10.7
\$75,000+	1093	205,539	1047	96.6	95.2-98.0	46	3.4	02.0-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 53: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1725	342,511	1300	80.2	77.8-82.6	425	19.8	17.4-22.2
18-24	74	43,968	69	93.9	88.4-99.4	5	6.1	00.6-11.6
25-34	135	59,099	122	91.6	86.5-96.7	13	8.4	03.3-13.5
35-44	179	53,533	157	88.6	83.5-93.7	22	11.4	06.3-16.5
45-54	300	60,548	239	76.6	70.1-83.1	61	23.4	16.9-29.9
55-64	398	56,715	315	78.2	72.5-83.9	83	21.8	16.1-27.5
65+	621	66,115	384	58.8	53.7-63.9	237	41.2	36.1-46.3
Less Than H.S.	181	52,080	64	48.9	38.9-58.9	117	51.1	41.1-61.1
H.S. or G.E.D.	506	111,823	336	78.8	74.7-82.9	170	21.2	17.1-25.3
Some Post-H.S.	392	93,592	313	86.8	82.9-90.7	79	13.2	09.3-17.1
College Graduate	640	83,321	584	94.1	92.1-96.1	56	5.9	03.9-07.9
Less than \$15,000	115	25,293	60	61.5	48.8-74.2	55	38.5	25.8-51.2
\$15,000- 24,999	252	46,914	130	60.1	52.1-68.1	122	39.9	31.9-47.9
\$25,000- 34,999	117	21,602	74	71.1	60.9-81.3	43	28.9	18.7-39.1
\$35,000- 49,999	238	46,692	183	77.1	69.5-84.7	55	22.9	15.3-30.5
\$50,000- 74,999	236	39,269	197	88.4	84.1-92.7	39	11.6	07.3-15.9
\$75,000+	532	113,716	501	95.4	93.2-97.6	31	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 54: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2496	376,809	1919	82.7	80.9-84.5	577	17.3	15.5-19.1
18-24	99	45,822	91	93.5	88.4-98.6	8	6.5	01.4-11.6
25-34	222	59,024	197	90.1	86.2-94.0	25	9.9	06.0-13.8
35-44	240	56,014	215	89.6	85.3-93.9	25	10.4	06.1-14.7
45-54	412	64,769	352	87.3	83.6-91.0	60	12.7	09.0-16.4
55-64	572	62,946	475	83.4	79.5-87.3	97	16.6	12.7-20.5
65+	906	83,399	561	63.3	59.4-67.2	345	36.7	32.8-40.6
Less Than H.S.	212	41,684	63	45.1	35.9-54.3	149	54.9	45.7-64.1
H.S. or G.E.D.	754	115,174	512	77.2	73.7-80.7	242	22.8	19.3-26.3
Some Post-H.S.	637	116,063	516	89.9	87.5-92.3	121	10.1	07.7-12.5
College Graduate	884	103,372	824	96.2	95.0-97.4	60	3.8	02.6-05.0
Less than \$15,000	223	32,170	114	61.1	52.5-69.7	109	38.9	30.3-47.5
\$15,000- 24,999	401	62,279	243	71.6	65.9-77.3	158	28.4	22.7-34.1
\$25,000- 34,999	254	36,554	185	75.7	69.0-82.4	69	24.3	17.6-31.0
\$35,000- 49,999	266	39,418	238	92.7	89.0-96.4	28	7.3	03.6-11.0
\$50,000- 74,999	324	48,877	304	94.5	91.4-97.6	20	5.5	02.4-08.6
\$75,000+	561	91,823	546	98.1	96.9-99.3	15	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4187	712,289	3172	74.3	72.3-76.3	874	21.0	19.2-22.8	141	4.6	03.6-05.6
Male	1709	338,929	1328	75.3	72.2-78.4	325	20.4	17.7-23.1	56	4.3	02.7-05.9
Female	2478	373,360	1844	73.5	71.1-75.9	549	21.7	19.5-23.9	85	4.9	03.5-06.3
18-24	171	87,839	60	48.0	38.8-57.2	73	31.1	23.5-38.7	38	20.9	13.8-28.0
25-34	354	116,776	151	55.0	48.7-61.3	183	40.8	34.5-47.1	20	4.1	01.7-06.5
35-44	417	108,749	272	69.6	64.3-74.9	134	28.6	23.3-33.9	11	1.8	00.6-03.0
45-54	705	124,019	527	81.5	78.2-84.8	157	15.6	12.7-18.5	21	2.8	01.4-04.2
55-64	966	119,688	796	88.4	86.2-90.6	149	9.9	07.9-11.9	21	1.6	00.8-02.4
65+	1521	148,773	1325	90.7	89.1-92.3	167	7.8	06.2-09.4	29	1.4	00.8-02.0
Less Than H.S.	390	92,953	190	53.7	47.0-60.4	181	40.8	34.3-47.3	19	5.5	02.6-08.4
H.S. or G.E.D.	1256	224,500	906	72.0	68.3-75.7	298	22.3	19.0-25.6	52	5.7	03.5-07.9
Some Post-H.S.	1018	207,482	764	74.8	70.9-78.7	212	19.9	16.4-23.4	42	5.2	03.0-07.4
College Graduate	1508	185,755	1304	86.9	84.7-89.1	176	10.9	08.9-12.9	28	2.2	01.2-03.2
Less than \$15,000	340	57,659	136	45.4	37.2-53.6	177	48.2	40.2-56.2	27	6.4	03.3-09.5
\$15,000- 24,999	653	109,734	378	55.0	49.5-60.5	252	41.0	35.7-46.3	23	4.0	01.8-06.2
\$25,000- 34,999	370	58,029	245	62.9	56.0-69.8	111	33.8	26.9-40.7	14	3.3	01.1-05.5
\$35,000- 49,999	502	85,776	415	80.1	74.4-85.8	79	18.6	12.9-24.3	8	1.4	00.2-02.6
\$50,000- 74,999	560	88,338	477	82.5	77.6-87.4	68	12.2	08.5-15.9	15	5.3	01.4-09.2
\$75,000+	1089	203,675	1017	93.1	90.9-95.3	57	4.2	02.8-05.6	15	2.7	00.9-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	338,929	1328	75.3	72.4-78.2	325	20.4	17.7-23.1	56	4.3	02.7-05.9
18-24	73	42,685	30	47.3	34.0-60.6	26	29.8	18.2-41.4	17	22.9	11.9-33.9
25-34	134	58,551	64	61.2	51.6-70.8	65	36.5	27.1-45.9	5	2.2	00.0-04.4
35-44	178	52,935	115	69.6	61.2-78.0	60	29.4	21.0-37.8	3	1.0	00.0-02.2
45-54	296	59,744	225	83.4	78.7-88.1	61	14.4	09.9-18.9	10	2.2	00.6-03.8
55-64	397	56,662	331	88.2	84.9-91.5	57	10.2	07.1-13.3	9	1.5	00.5-02.5
65+	616	66,027	552	91.8	89.3-94.3	52	6.8	04.3-09.3	12	1.4	00.4-02.4
Less Than H.S.	180	52,241	93	57.0	47.6-66.4	78	37.0	28.0-46.0	9	6.0	01.5-10.5
H.S. or G.E.D.	503	110,027	377	73.1	67.4-78.8	108	22.7	17.4-28.0	18	4.2	01.5-06.9
Some Post-H.S.	387	92,698	304	78.2	71.9-84.5	65	16.1	10.6-21.6	18	5.7	01.8-09.6
College Graduate	634	82,818	550	86.3	82.8-89.8	73	11.8	08.5-15.1	11	2.0	00.4-03.6
Less than \$15,000	115	25,293	47	47.9	33.8-62.0	56	45.7	32.0-59.4	12	6.5	01.6-11.4
\$15,000- 24,999	252	47,469	146	55.1	46.5-63.7	97	41.0	32.6-49.4	9	3.9	00.8-07.0
\$25,000- 34,999	117	21,602	84	61.4	48.7-74.1	32	38.1	25.4-50.8	1	0.4	00.0-01.2
\$35,000- 49,999	237	46,496	195	80.3	72.1-88.5	36	17.6	09.6-25.6	6	2.2	00.0-04.4
\$50,000- 74,999	236	39,269	200	81.3	73.1-89.5	30	13.5	07.4-19.6	6	5.2	00.0-11.7
\$75,000+	531	112,433	491	92.0	88.7-95.3	34	5.5	03.3-07.7	6	2.6	00.1-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	373,360	1844	73.5	71.1-75.9	549	21.7	19.5-23.9	85	4.9	03.5-06.3
18-24	98	45,154	30	48.6	36.1-61.1	47	32.3	21.9-42.7	21	19.1	10.3-27.9
25-34	220	58,226	87	48.8	41.0-56.6	118	45.2	37.6-52.8	15	6.1	02.0-10.2
35-44	239	55,814	157	69.6	62.9-76.3	74	27.7	21.2-34.2	8	2.7	00.7-04.7
45-54	409	64,275	302	79.8	75.3-84.3	96	16.8	12.9-20.7	11	3.4	01.0-05.8
55-64	569	63,026	465	88.6	85.9-91.3	92	9.7	07.2-12.2	12	1.7	00.5-02.9
65+	905	82,746	773	89.9	87.7-92.1	115	8.7	06.7-10.7	17	1.4	00.6-02.2
Less Than H.S.	210	40,712	97	49.3	40.3-58.3	103	45.8	37.0-54.6	10	4.9	01.6-08.2
H.S. or G.E.D.	753	114,473	529	71.0	66.3-75.7	190	21.9	18.0-25.8	34	7.1	03.8-10.4
Some Post-H.S.	631	114,784	460	72.1	67.2-77.0	147	23.1	18.6-27.6	24	4.8	02.4-07.2
College Graduate	874	102,937	754	87.4	84.7-90.1	103	10.2	07.7-12.7	17	2.4	01.0-03.8
Less than \$15,000	225	32,366	89	43.5	33.9-53.1	121	50.2	40.8-59.6	15	6.3	02.2-10.4
\$15,000- 24,999	401	62,265	232	54.9	47.8-62.0	155	41.0	34.1-47.9	14	4.1	01.4-06.8
\$25,000- 34,999	253	36,427	161	63.8	55.8-71.8	79	31.2	23.6-38.8	13	5.0	01.7-08.3
\$35,000- 49,999	265	39,280	220	79.9	72.3-87.5	43	19.7	12.1-27.3	2	0.4	00.0-01.0
\$50,000- 74,999	324	49,069	277	83.3	77.2-89.4	38	11.2	06.7-15.7	9	5.5	01.0-10.0
\$75,000+	558	91,241	526	94.6	92.1-97.1	23	2.6	01.2-04.0	9	2.8	00.4-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4300	730,755	1755	47.8	45.6-50.0	2545	52.2	50.0-54.4
White/Non-Hisp	2907	476,695	1203	47.4	44.9-49.9	1704	52.6	50.1-55.1
Black or Afr. Am./Non-Hisp	606	144,002	208	45.7	39.8-51.6	398	54.3	48.4-60.2
Oth. Race/Non-Hisp.	119	27,689	50	46.7	33.6-59.8	69	53.3	40.2-66.4
MultiRacial/Non-Hisp.	325	10,353	127	42.5	34.5-50.5	198	57.5	49.5-65.5
Hispanic	251	56,686	118	53.0	45.6-60.4	133	47.0	39.6-54.4
18-24	178	92,520	78	50.4	41.6-59.2	100	49.6	40.8-58.4
25-34	364	119,977	138	50.0	43.5-56.5	226	50.0	43.5-56.5
35-44	425	110,514	182	49.0	43.1-54.9	243	51.0	45.1-56.9
45-54	725	126,787	305	48.2	43.3-53.1	420	51.8	46.9-56.7
55-64	982	121,021	403	47.2	43.3-51.1	579	52.8	48.9-56.7
65+	1560	152,450	631	44.4	41.1-47.7	929	55.6	52.3-58.9
Less Than H.S.	417	98,617	190	56.6	50.1-63.1	227	43.4	36.9-49.9
H.S. or G.E.D.	1275	228,618	511	49.2	45.3-53.1	764	50.8	46.9-54.7
Some Post-H.S.	1039	211,101	398	44.8	40.3-49.3	641	55.2	50.7-59.7
College Graduate	1546	189,487	647	44.4	41.1-47.7	899	55.6	52.3-58.9
Less than \$15,000	373	61,819	130	45.5	37.5-53.5	243	54.5	46.5-62.5
\$15,000- 24,999	664	111,824	255	43.8	38.3-49.3	409	56.2	50.7-61.7
\$25,000- 34,999	373	58,276	118	37.3	30.2-44.4	255	62.7	55.6-69.8
\$35,000- 49,999	506	86,234	240	54.3	48.2-60.4	266	45.7	39.6-51.8
\$50,000- 74,999	563	88,746	237	44.3	38.6-50.0	326	55.7	50.0-61.4
\$75,000+	1098	206,073	534	55.3	51.0-59.6	564	44.7	40.4-49.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	562	161,164	23	4.6	02.4-06.8	539	95.4	93.2-97.6
White/Non-Hisp	289	86,788	11	4.1	01.4-06.8	278	95.9	93.2-98.6
Black or Afr. Am./Non-Hisp	129	43,242	7	5.7	00.0-11.4	122	94.3	88.6-0100
Hispanic	83	19,911	2	2.2	00.0-05.3	81	97.8	94.7-0100
18-24	99	45,822	2	3.1	00.0-08.2	97	96.9	91.8-0100
25-34	223	59,328	16	8.1	03.8-12.4	207	91.9	87.6-96.2
35-44	240	56,014	5	2.1	00.1-04.1	235	97.9	95.9-99.9
Less Than H.S.	58	19,156	1	0.9	00.0-02.7	57	99.1	97.3-0100
H.S. or G.E.D.	139	43,624	6	7.1	00.8-13.4	133	92.9	86.6-99.2
Some Post-H.S.	156	54,727	7	3.1	00.4-05.8	149	96.9	94.2-99.6
College Graduate	208	43,611	9	5.6	01.7-09.5	199	94.4	90.5-98.3
Less than \$15,000	55	14,710	1	2.6	00.0-07.7	54	97.4	92.3-0100
\$15,000- 24,999	108	31,568	2	1.2	00.0-03.0	106	98.8	97.0-0100
\$25,000- 34,999	66	17,165	6	14.2	00.9-27.5	60	85.8	72.5-99.1
\$35,000- 49,999	59	15,751	4	4.2	00.0-08.7	55	95.8	91.3-0100
\$50,000- 74,999	66	18,596	3	6.2	00.0-13.3	63	93.8	86.7-0100
\$75,000+	130	37,603	5	4.1	00.2-08.0	125	95.9	92.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4191	714,428	1045	21.0	19.2-22.8	3146	79.0	77.2-80.8
Male	1707	339,399	415	20.5	17.8-23.2	1292	79.5	76.8-82.2
Female	2484	375,028	630	21.5	19.3-23.7	1854	78.5	76.3-80.7
18-24	170	88,341	13	7.6	02.7-12.5	157	92.4	87.5-97.3
25-34	355	117,655	38	12.0	07.3-16.7	317	88.0	83.3-92.7
35-44	418	109,130	65	16.0	11.3-20.7	353	84.0	79.3-88.7
45-54	707	123,994	175	23.0	19.3-26.7	532	77.0	73.3-80.7
55-64	962	119,177	283	31.0	27.1-34.9	679	69.0	65.1-72.9
65+	1517	149,151	454	29.8	26.7-32.9	1063	70.2	67.1-73.3
Less Than H.S.	388	92,919	126	27.8	21.7-33.9	262	72.2	66.1-78.3
H.S. or G.E.D.	1246	224,835	317	19.7	16.6-22.8	929	80.3	77.2-83.4
Some Post-H.S.	1020	207,840	300	23.8	20.5-27.1	720	76.2	72.9-79.5
College Graduate	1518	186,229	299	16.3	14.1-18.5	1219	83.7	81.5-85.9
Less than \$15,000	334	56,435	172	43.3	35.5-51.1	162	56.7	48.9-64.5
\$15,000- 24,999	644	108,409	199	26.5	21.6-31.4	445	73.5	68.6-78.4
\$25,000- 34,999	368	57,478	101	21.9	16.6-27.2	267	78.1	72.8-83.4
\$35,000- 49,999	500	85,674	113	19.5	15.2-23.8	387	80.5	76.2-84.8
\$50,000- 74,999	561	88,507	115	19.8	15.1-24.5	446	80.2	75.5-84.9
\$75,000+	1085	204,574	152	13.1	10.0-16.2	933	86.9	83.8-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	339,399	415	20.5	17.8-23.2	1292	79.5	76.8-82.2
18-24	71	42,519	5	8.9	00.5-17.3	66	91.1	82.7-99.5
25-34	135	59,099	16	13.8	05.8-21.8	119	86.2	78.2-94.2
35-44	179	53,418	23	12.8	05.5-20.1	156	87.2	79.9-94.5
45-54	297	59,534	74	22.4	16.7-28.1	223	77.6	71.9-83.3
55-64	393	56,202	111	31.0	24.9-37.1	282	69.0	62.9-75.1
65+	614	66,095	179	29.2	24.1-34.3	435	70.8	65.7-75.9
Less Than H.S.	179	51,861	59	28.5	19.3-37.7	120	71.5	62.3-80.7
H.S. or G.E.D.	499	110,450	116	19.4	14.1-24.7	383	80.6	75.3-85.9
Some Post-H.S.	386	92,045	109	22.3	16.8-27.8	277	77.7	72.2-83.2
College Graduate	636	83,124	129	14.8	11.7-17.9	507	85.2	82.1-88.3
Less than \$15,000	113	24,831	58	47.4	33.3-61.5	55	52.6	38.5-66.7
\$15,000- 24,999	248	46,684	78	28.9	20.5-37.3	170	71.1	62.7-79.5
\$25,000- 34,999	116	21,381	33	23.1	13.7-32.5	83	76.9	67.5-86.3
\$35,000- 49,999	236	46,454	52	16.3	10.8-21.8	184	83.7	78.2-89.2
\$50,000- 74,999	236	39,269	55	21.5	13.7-29.3	181	78.5	70.7-86.3
\$75,000+	526	113,164	71	12.2	07.5-16.9	455	87.8	83.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	375,028	630	21.5	19.3-23.7	1854	78.5	76.3-80.7
18-24	99	45,822	8	6.3	01.2-11.4	91	93.7	88.6-98.8
25-34	220	58,556	22	10.2	05.5-14.9	198	89.8	85.1-94.5
35-44	239	55,712	42	19.1	13.2-25.0	197	80.9	75.0-86.8
45-54	410	64,460	101	23.4	18.5-28.3	309	76.6	71.7-81.5
55-64	569	62,975	172	31.0	26.3-35.7	397	69.0	64.3-73.7
65+	903	83,056	275	30.3	26.4-34.2	628	69.7	65.8-73.6
Less Than H.S.	209	41,059	67	27.0	19.6-34.4	142	73.0	65.6-80.4
H.S. or G.E.D.	747	114,386	201	19.9	16.4-23.4	546	80.1	76.6-83.6
Some Post-H.S.	634	115,795	191	24.9	20.6-29.2	443	75.1	70.8-79.4
College Graduate	882	103,105	170	17.5	14.4-20.6	712	82.5	79.4-85.6
Less than \$15,000	221	31,604	114	40.1	31.3-48.9	107	59.9	51.1-68.7
\$15,000- 24,999	396	61,724	121	24.7	19.0-30.4	275	75.3	69.6-81.0
\$25,000- 34,999	252	36,097	68	21.2	14.9-27.5	184	78.8	72.5-85.1
\$35,000- 49,999	264	39,221	61	23.3	16.8-29.8	203	76.7	70.2-83.2
\$50,000- 74,999	325	49,239	60	18.4	12.9-23.9	265	81.6	76.1-87.1
\$75,000+	559	91,410	81	14.1	10.4-17.8	478	85.9	82.2-89.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4199	715,147	574	9.6	08.6-10.6	3625	90.4	89.4-91.4
Male	1711	340,054	217	8.9	07.3-10.5	1494	91.1	89.5-92.7
Female	2488	375,092	357	10.3	08.9-11.7	2131	89.7	88.3-91.1
18-24	170	88,341	2	1.6	00.0-03.8	168	98.4	96.2-0100
25-34	353	117,135	7	1.7	00.3-03.1	346	98.3	96.9-99.7
35-44	419	109,637	23	4.7	02.3-07.1	396	95.3	92.9-97.7
45-54	709	124,194	70	9.3	06.8-11.8	639	90.7	88.2-93.2
55-64	961	119,143	135	14.2	11.3-17.1	826	85.8	82.9-88.7
65+	1525	149,673	332	20.8	18.1-23.5	1193	79.2	76.5-81.9
Less Than H.S.	392	93,626	98	18.9	14.0-23.8	294	81.1	76.2-86.0
H.S. or G.E.D.	1252	225,713	181	8.7	07.1-10.3	1071	91.3	89.7-92.9
Some Post-H.S.	1022	207,837	150	9.1	07.1-11.1	872	90.9	88.9-92.9
College Graduate	1516	185,499	142	6.3	04.9-07.7	1374	93.7	92.3-95.1
Less than \$15,000	338	57,410	96	20.0	14.9-25.1	242	80.0	74.9-85.1
\$15,000- 24,999	645	108,429	134	16.0	12.1-19.9	511	84.0	80.1-87.9
\$25,000- 34,999	368	57,525	54	9.5	06.2-12.8	314	90.5	87.2-93.8
\$35,000- 49,999	500	85,400	67	10.4	07.3-13.5	433	89.6	86.5-92.7
\$50,000- 74,999	560	88,281	36	4.6	02.4-06.8	524	95.4	93.2-97.6
\$75,000+	1087	204,705	53	3.1	01.9-04.3	1034	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1711	340,054	217	8.9	07.3-10.5	1494	91.1	89.5-92.7
18-24	71	42,519	1	1.3	00.0-03.8	70	98.7	96.2-0100
25-34	135	59,099				135	100.0	0100-0100
35-44	180	53,758	11	4.7	01.2-08.2	169	95.3	91.8-98.8
45-54	297	59,534	29	10.0	05.7-14.3	268	90.0	85.7-94.3
55-64	392	56,079	54	14.4	09.7-19.1	338	85.6	80.9-90.3
65+	619	66,616	121	19.4	15.1-23.7	498	80.6	76.3-84.9
Less Than H.S.	180	52,082	32	13.9	07.8-20.0	148	86.1	80.0-92.2
H.S. or G.E.D.	501	110,773	61	7.6	05.1-10.1	440	92.4	89.9-94.9
Some Post-H.S.	387	92,190	54	8.4	05.5-11.3	333	91.6	88.7-94.5
College Graduate	637	83,138	69	7.4	05.2-09.6	568	92.6	90.4-94.8
Less than \$15,000	114	25,171	25	13.7	06.8-20.6	89	86.3	79.4-93.2
\$15,000- 24,999	248	46,643	45	16.2	09.9-22.5	203	83.8	77.5-90.1
\$25,000- 34,999	117	21,602	21	13.0	05.9-20.1	96	87.0	79.9-94.1
\$35,000- 49,999	236	46,454	33	9.9	05.6-14.2	203	90.1	85.8-94.4
\$50,000- 74,999	235	39,042	24	6.7	03.2-10.2	211	93.3	89.8-96.8
\$75,000+	529	113,491	26	3.0	01.4-04.6	503	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	375,092	357	10.3	08.9-11.7	2131	89.7	88.3-91.1
18-24	99	45,822	1	1.8	00.0-05.3	98	98.2	94.7-0100
25-34	218	58,035	7	3.4	00.7-06.1	211	96.6	93.9-99.3
35-44	239	55,879	12	4.7	01.8-07.6	227	95.3	92.4-98.2
45-54	412	64,661	41	8.7	05.6-11.8	371	91.3	88.2-94.4
55-64	569	63,064	81	14.0	10.3-17.7	488	86.0	82.3-89.7
65+	906	83,056	211	21.9	18.4-25.4	695	78.1	74.6-81.6
Less Than H.S.	212	41,544	66	25.2	17.8-32.6	146	74.8	67.4-82.2
H.S. or G.E.D.	751	114,940	120	9.8	07.6-12.0	631	90.2	88.0-92.4
Some Post-H.S.	635	115,647	96	9.6	07.1-12.1	539	90.4	87.9-92.9
College Graduate	879	102,361	73	5.4	03.8-07.0	806	94.6	93.0-96.2
Less than \$15,000	224	32,239	71	24.8	17.9-31.7	153	75.2	68.3-82.1
\$15,000- 24,999	397	61,786	89	15.8	11.1-20.5	308	84.2	79.5-88.9
\$25,000- 34,999	251	35,923	33	7.4	04.3-10.5	218	92.6	89.5-95.7
\$35,000- 49,999	264	38,946	34	11.0	06.5-15.5	230	89.0	84.5-93.5
\$50,000- 74,999	325	49,239	12	2.9	00.5-05.3	313	97.1	94.7-99.5
\$75,000+	558	91,214	27	3.2	01.6-04.8	531	96.8	95.2-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4198	714,750	189	3.8	03.0-04.6	4009	96.2	95.4-97.0
Male	1709	339,846	68	3.5	02.3-04.7	1641	96.5	95.3-97.7
Female	2489	374,904	121	4.0	03.0-05.0	2368	96.0	95.0-97.0
18-24	170	88,341	4	2.0	00.0-04.2	166	98.0	95.8-100.0
25-34	352	116,586	7	2.0	00.4-03.6	345	98.0	96.4-99.6
35-44	418	109,395	7	1.4	00.2-02.6	411	98.6	97.4-99.8
45-54	708	124,074	43	5.6	03.6-07.6	665	94.4	92.4-96.4
55-64	963	119,256	46	5.2	03.4-07.0	917	94.8	93.0-96.6
65+	1524	149,991	79	5.2	03.4-07.0	1445	94.8	93.0-96.6
Less Than H.S.	391	93,106	43	7.6	04.9-10.3	348	92.4	89.7-95.1
H.S. or G.E.D.	1249	225,443	66	4.2	02.8-05.6	1183	95.8	94.4-97.2
Some Post-H.S.	1025	208,285	46	3.4	01.8-05.0	979	96.6	95.0-98.2
College Graduate	1516	185,445	34	1.9	01.1-02.7	1482	98.1	97.3-98.9
Less than \$15,000	336	57,382	46	10.3	06.6-14.0	290	89.7	86.0-93.4
\$15,000- 24,999	645	108,082	45	5.5	03.1-07.9	600	94.5	92.1-96.9
\$25,000- 34,999	369	57,852	16	3.0	01.4-04.6	353	97.0	95.4-98.6
\$35,000- 49,999	500	85,400	15	3.1	00.9-05.3	485	96.9	94.7-99.1
\$50,000- 74,999	558	87,743	10	1.5	00.5-02.5	548	98.5	97.5-99.5
\$75,000+	1086	204,585	17	1.2	00.4-02.0	1069	98.8	98.0-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	339,846	68	3.5	02.3-04.7	1641	96.5	95.3-97.7
18-24	71	42,519	1	1.2	00.0-03.6	70	98.8	96.4-0100
25-34	134	58,848	4	3.0	00.1-05.9	130	97.0	94.1-99.9
35-44	180	53,758	2	0.6	00.0-01.6	178	99.4	98.4-0100
45-54	296	59,413	15	4.9	02.0-07.8	281	95.1	92.2-98.0
55-64	393	56,188	16	3.9	01.7-06.1	377	96.1	93.9-98.3
65+	617	66,588	29	6.3	02.6-10.0	588	93.7	90.0-97.4
Less Than H.S.	180	52,082	19	6.7	03.0-10.4	161	93.3	89.6-97.0
H.S. or G.E.D.	500	110,763	22	3.4	01.4-05.4	478	96.6	94.6-98.6
Some Post-H.S.	388	92,273	13	3.3	00.6-06.0	375	96.7	94.0-99.4
College Graduate	635	82,857	14	2.0	00.8-03.2	621	98.0	96.8-99.2
Less than \$15,000	113	25,161	13	8.3	02.4-14.2	100	91.7	85.8-97.6
\$15,000- 24,999	248	46,501	15	4.6	01.5-07.7	233	95.4	92.3-98.5
\$25,000- 34,999	117	21,602	3	1.9	00.0-04.3	114	98.1	95.7-0100
\$35,000- 49,999	236	46,454	10	4.1	00.8-07.4	226	95.9	92.6-99.2
\$50,000- 74,999	234	39,024	5	1.6	00.0-03.2	229	98.4	96.8-0100
\$75,000+	528	113,370	8	1.4	00.2-02.6	520	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2489	374,904	121	4.0	03.0-05.0	2368	96.0	95.0-97.0
18-24	99	45,822	3	2.8	00.0-06.3	96	97.2	93.7-0100
25-34	218	57,738	3	0.9	00.0-02.1	215	99.1	97.9-0100
35-44	238	55,637	5	2.2	00.0-04.6	233	97.8	95.4-0100
45-54	412	64,661	28	6.3	03.8-08.8	384	93.7	91.2-96.2
55-64	570	63,068	30	6.5	03.6-09.4	540	93.5	90.6-96.4
65+	907	83,403	50	4.4	03.0-05.8	857	95.6	94.2-97.0
Less Than H.S.	211	41,024	24	8.6	04.5-12.7	187	91.4	87.3-95.5
H.S. or G.E.D.	749	114,680	44	4.8	02.8-06.8	705	95.2	93.2-97.2
Some Post-H.S.	637	116,012	33	3.5	01.9-05.1	604	96.5	94.9-98.1
College Graduate	881	102,588	20	1.8	01.0-02.6	861	98.2	97.4-99.0
Less than \$15,000	223	32,221	33	11.9	07.0-16.8	190	88.1	83.2-93.0
\$15,000- 24,999	397	61,582	30	6.2	02.9-09.5	367	93.8	90.5-97.1
\$25,000- 34,999	252	36,250	13	3.6	01.4-05.8	239	96.4	94.2-98.6
\$35,000- 49,999	264	38,946	5	1.8	00.0-04.3	259	98.2	95.7-0100
\$50,000- 74,999	324	48,719	5	1.5	00.1-02.9	319	98.5	97.1-99.9
\$75,000+	558	91,214	9	0.9	00.3-01.5	549	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4174	710,522	443	10.5	09.1-11.9	3731	89.5	88.1-90.9
Male	1702	337,994	179	10.7	08.3-13.1	1523	89.3	86.9-91.7
Female	2472	372,528	264	10.3	08.5-12.1	2208	89.7	87.9-91.5
18-24	169	87,684	19	11.3	05.2-17.4	150	88.7	82.6-94.8
25-34	351	116,260	39	13.5	08.2-18.8	312	86.5	81.2-91.8
35-44	417	109,361	46	9.4	06.3-12.5	371	90.6	87.5-93.7
45-54	704	123,635	86	10.7	08.2-13.2	618	89.3	86.8-91.8
55-64	956	117,644	118	11.2	08.7-13.7	838	88.8	86.3-91.3
65+	1515	149,002	133	8.2	06.4-10.0	1382	91.8	90.0-93.6
Less Than H.S.	388	91,473	88	21.2	15.5-26.9	300	78.8	73.1-84.5
H.S. or G.E.D.	1245	224,681	150	10.9	08.2-13.6	1095	89.1	86.4-91.8
Some Post-H.S.	1014	207,015	109	10.4	07.7-13.1	905	89.6	86.9-92.3
College Graduate	1510	184,882	94	4.8	03.4-06.2	1416	95.2	93.8-96.6
Less than \$15,000	335	56,346	100	30.6	22.8-38.4	235	69.4	61.6-77.2
\$15,000- 24,999	644	108,258	108	18.3	13.6-23.0	536	81.7	77.0-86.4
\$25,000- 34,999	367	57,377	55	13.3	09.0-17.6	312	86.7	82.4-91.0
\$35,000- 49,999	496	85,033	36	6.3	03.6-09.0	460	93.7	91.0-96.4
\$50,000- 74,999	557	87,582	34	4.9	02.7-07.1	523	95.1	92.9-97.3
\$75,000+	1083	204,380	40	4.2	02.0-06.4	1043	95.8	93.6-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1702	337,994	179	10.7	08.3-13.1	1523	89.3	86.9-91.7
18-24	71	42,519	8	13.0	03.4-22.6	63	87.0	77.4-96.6
25-34	134	58,848	15	14.5	05.5-23.5	119	85.5	76.5-94.5
35-44	180	53,758	16	6.6	02.5-10.7	164	93.4	89.3-97.5
45-54	296	59,413	33	9.5	05.8-13.2	263	90.5	86.8-94.2
55-64	390	54,937	49	12.0	07.7-16.3	341	88.0	83.7-92.3
65+	613	65,987	58	9.7	06.8-12.6	555	90.3	87.4-93.2
Less Than H.S.	179	51,169	39	20.7	12.3-29.1	140	79.3	70.9-87.7
H.S. or G.E.D.	499	110,430	63	11.3	06.8-15.8	436	88.7	84.2-93.2
Some Post-H.S.	385	91,918	44	10.1	05.8-14.4	341	89.9	85.6-94.2
College Graduate	633	82,605	32	4.3	02.1-06.5	601	95.7	93.5-97.9
Less than \$15,000	112	24,137	35	37.8	23.1-52.5	77	62.2	47.5-76.9
\$15,000- 24,999	248	46,501	41	17.3	10.0-24.6	207	82.7	75.4-90.0
\$25,000- 34,999	116	21,454	18	12.0	05.5-18.5	98	88.0	81.5-94.5
\$35,000- 49,999	235	46,327	22	6.5	02.8-10.2	213	93.5	89.8-97.2
\$50,000- 74,999	235	39,042	19	5.3	02.4-08.2	216	94.7	91.8-97.6
\$75,000+	525	113,166	21	6.0	02.3-09.7	504	94.0	90.3-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2472	372,528	264	10.3	08.5-12.1	2208	89.7	87.9-91.5
18-24	98	45,165	11	9.7	02.4-17.0	87	90.3	83.0-97.6
25-34	217	57,412	24	12.5	07.2-17.8	193	87.5	82.2-92.8
35-44	237	55,603	30	12.1	07.6-16.6	207	87.9	83.4-92.4
45-54	408	64,222	53	11.8	08.1-15.5	355	88.2	84.5-91.9
55-64	566	62,707	69	10.4	07.3-13.5	497	89.6	86.5-92.7
65+	902	83,015	75	7.0	05.0-09.0	827	93.0	91.0-95.0
Less Than H.S.	209	40,304	49	21.8	14.7-28.9	160	78.2	71.1-85.3
H.S. or G.E.D.	746	114,251	87	10.4	07.7-13.1	659	89.6	86.9-92.3
Some Post-H.S.	629	115,098	65	10.7	07.2-14.2	564	89.3	85.8-92.8
College Graduate	877	102,276	62	5.2	03.4-07.0	815	94.8	93.0-96.6
Less than \$15,000	223	32,209	65	25.2	17.9-32.5	158	74.8	67.5-82.1
\$15,000- 24,999	396	61,758	67	19.0	13.1-24.9	329	81.0	75.1-86.9
\$25,000- 34,999	251	35,924	37	14.1	08.6-19.6	214	85.9	80.4-91.4
\$35,000- 49,999	261	38,705	14	6.1	02.0-10.2	247	93.9	89.8-98.0
\$50,000- 74,999	322	48,540	15	4.5	01.6-07.4	307	95.5	92.6-98.4
\$75,000+	558	91,214	19	1.9	00.7-03.1	539	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4183	711,753	789	14.3	12.9-15.7	3394	85.7	84.3-87.1
Male	1707	338,588	279	12.7	10.5-14.9	1428	87.3	85.1-89.5
Female	2476	373,165	510	15.7	13.9-17.5	1966	84.3	82.5-86.1
18-24	169	87,684	3	1.7	00.0-03.7	166	98.3	96.3-100.0
25-34	352	116,586	11	2.9	01.1-04.7	341	97.1	95.3-98.9
35-44	417	109,387	39	10.4	06.1-14.7	378	89.6	85.3-93.9
45-54	707	123,960	124	16.8	13.5-20.1	583	83.2	79.9-86.5
55-64	956	117,773	198	21.2	17.9-24.5	758	78.8	75.5-82.1
65+	1520	149,339	406	26.0	23.1-28.9	1114	74.0	71.1-76.9
Less Than H.S.	389	91,536	132	26.0	20.1-31.9	257	74.0	68.1-79.9
H.S. or G.E.D.	1249	225,247	274	14.4	12.2-16.6	975	85.6	83.4-87.8
Some Post-H.S.	1016	207,313	220	15.3	12.6-18.0	796	84.7	82.0-87.4
College Graduate	1512	185,185	160	7.2	05.8-08.6	1352	92.8	91.4-94.2
Less than \$15,000	337	56,497	145	32.0	25.3-38.7	192	68.0	61.3-74.7
\$15,000- 24,999	643	107,848	181	21.1	17.0-25.2	462	78.9	74.8-83.0
\$25,000- 34,999	367	57,757	82	15.9	11.6-20.2	285	84.1	79.8-88.4
\$35,000- 49,999	498	85,233	85	14.2	10.5-17.9	413	85.8	82.1-89.5
\$50,000- 74,999	556	87,490	70	10.3	07.4-13.2	486	89.7	86.8-92.6
\$75,000+	1084	204,456	70	5.5	03.3-07.7	1014	94.5	92.3-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1707	338,588	279	12.7	10.5-14.9	1428	87.3	85.1-89.5
18-24	71	42,519	1	1.4	00.0-04.1	70	98.6	95.9-100
25-34	134	58,848	3	1.5	00.0-03.5	131	98.5	96.5-100
35-44	180	53,758	14	9.4	02.5-16.3	166	90.6	83.7-97.5
45-54	296	59,413	53	17.6	12.1-23.1	243	82.4	76.9-87.9
55-64	391	55,058	73	20.6	15.1-26.1	318	79.4	73.9-84.9
65+	618	66,542	133	22.0	17.3-26.7	485	78.0	73.3-82.7
Less Than H.S.	179	51,169	50	23.3	14.9-31.7	129	76.7	68.3-85.1
H.S. or G.E.D.	500	110,557	87	11.2	08.1-14.3	413	88.8	85.7-91.9
Some Post-H.S.	387	92,190	70	13.5	09.4-17.6	317	86.5	82.4-90.6
College Graduate	635	82,801	70	7.2	05.0-09.4	565	92.8	90.6-95.0
Less than \$15,000	113	24,258	47	30.3	18.9-41.7	66	69.7	58.3-81.1
\$15,000- 24,999	248	46,501	54	18.6	11.9-25.3	194	81.4	74.7-88.1
\$25,000- 34,999	117	21,602	27	17.8	09.8-25.8	90	82.2	74.2-90.2
\$35,000- 49,999	236	46,454	32	10.8	06.1-15.5	204	89.2	84.5-93.9
\$50,000- 74,999	235	39,042	34	11.0	06.3-15.7	201	89.0	84.3-93.7
\$75,000+	527	113,296	30	4.9	01.8-08.0	497	95.1	92.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2476	373,165	510	15.7	13.9-17.5	1966	84.3	82.5-86.1
18-24	98	45,165	2	1.9	00.0-04.6	96	98.1	95.4-0100
25-34	218	57,738	8	4.2	01.1-07.3	210	95.8	92.7-98.9
35-44	237	55,629	25	11.3	06.2-16.4	212	88.7	83.6-93.8
45-54	411	64,547	71	16.1	11.8-20.4	340	83.9	79.6-88.2
55-64	565	62,715	125	21.7	17.6-25.8	440	78.3	74.2-82.4
65+	902	82,797	273	29.2	25.3-33.1	629	70.8	66.9-74.7
Less Than H.S.	210	40,367	82	29.3	21.7-36.9	128	70.7	63.1-78.3
H.S. or G.E.D.	749	114,690	187	17.5	14.4-20.6	562	82.5	79.4-85.6
Some Post-H.S.	629	115,124	150	16.8	13.3-20.3	479	83.2	79.7-86.7
College Graduate	877	102,385	90	7.2	05.2-09.2	787	92.8	90.8-94.8
Less than \$15,000	224	32,239	98	33.3	25.5-41.1	126	66.7	58.9-74.5
\$15,000- 24,999	395	61,347	127	22.9	17.6-28.2	268	77.1	71.8-82.4
\$25,000- 34,999	250	36,154	55	14.8	09.9-19.7	195	85.2	80.3-90.1
\$35,000- 49,999	262	38,780	53	18.2	12.3-24.1	209	81.8	75.9-87.7
\$50,000- 74,999	321	48,448	36	9.8	05.9-13.7	285	90.2	86.3-94.1
\$75,000+	557	91,160	40	6.3	03.6-09.0	517	93.7	91.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4183	711,479	199	4.3	03.3-05.3	3984	95.7	94.7-96.7
Male	1704	338,340	80	4.8	03.2-06.4	1624	95.2	93.6-96.8
Female	2479	373,139	119	3.9	02.9-04.9	2360	96.1	95.1-97.1
18-24	169	87,684				169	100.0	0100-0100
25-34	352	116,586	7	1.7	00.1-03.3	345	98.3	96.7-99.9
35-44	415	108,567	18	5.5	02.0-09.0	397	94.5	91.0-98.0
45-54	706	123,766	43	6.1	03.9-08.3	663	93.9	91.7-96.1
55-64	955	118,136	55	6.8	04.3-09.3	900	93.2	90.7-95.7
65+	1523	149,633	73	4.4	03.0-05.8	1450	95.6	94.2-97.0
Less Than H.S.	389	92,030	43	13.0	07.7-18.3	346	87.0	81.7-92.3
H.S. or G.E.D.	1247	224,738	64	3.3	02.3-04.3	1183	96.7	95.7-97.7
Some Post-H.S.	1017	207,224	45	3.1	01.7-04.5	972	96.9	95.5-98.3
College Graduate	1513	185,016	46	2.5	01.5-03.5	1467	97.5	96.5-98.5
Less than \$15,000	337	57,289	56	14.2	09.1-19.3	281	85.8	80.7-90.9
\$15,000- 24,999	644	107,897	53	8.6	05.5-11.7	591	91.4	88.3-94.5
\$25,000- 34,999	367	57,438	12	2.2	00.6-03.8	355	97.8	96.2-99.4
\$35,000- 49,999	498	85,280	18	4.2	01.8-06.6	480	95.8	93.4-98.2
\$50,000- 74,999	556	86,981	9	1.2	00.0-02.4	547	98.8	97.6-0100
\$75,000+	1086	204,585	17	1.6	00.0-03.2	1069	98.4	96.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1704	338,340	80	4.8	03.2-06.4	1624	95.2	93.6-96.8
18-24	71	42,519				71	100.0	0100-0100
25-34	134	58,848	2	0.6	00.0-01.8	132	99.4	98.2-0100
35-44	178	53,012	7	6.2	00.0-12.9	171	93.8	87.1-0100
45-54	296	59,413	23	8.9	04.8-13.0	273	91.1	87.0-95.2
55-64	388	55,398	23	8.1	03.6-12.6	365	91.9	87.4-96.4
65+	619	66,616	25	4.0	01.5-06.5	594	96.0	93.5-98.5
Less Than H.S.	179	51,663	26	17.1	08.7-25.5	153	82.9	74.5-91.3
H.S. or G.E.D.	498	109,890	21	2.8	01.2-04.4	477	97.2	95.6-98.8
Some Post-H.S.	387	92,151	15	2.7	00.9-04.5	372	97.3	95.5-99.1
College Graduate	634	82,763	18	2.0	00.8-03.2	616	98.0	96.8-99.2
Less than \$15,000	113	25,050	21	18.0	07.8-28.2	92	82.0	71.8-92.2
\$15,000- 24,999	247	46,081	25	11.6	05.7-17.5	222	88.4	82.5-94.3
\$25,000- 34,999	116	21,505	5	2.6	00.0-05.3	111	97.4	94.7-0100
\$35,000- 49,999	235	46,439	5	2.2	00.0-04.6	230	97.8	95.4-0100
\$50,000- 74,999	233	38,376	5	1.2	00.0-02.4	228	98.8	97.6-0100
\$75,000+	528	113,370	8	2.2	00.0-05.1	520	97.8	94.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2479	373,139	119	3.9	02.9-04.9	2360	96.1	95.1-97.1
18-24	98	45,165				98	100.0	0100-0100
25-34	218	57,738	5	2.7	00.0-05.4	213	97.3	94.6-0100
35-44	237	55,555	11	4.8	01.7-07.9	226	95.2	92.1-98.3
45-54	410	64,353	20	3.5	01.3-05.7	390	96.5	94.3-98.7
55-64	567	62,737	32	5.7	03.2-08.2	535	94.3	91.8-96.8
65+	904	83,017	48	4.8	03.0-06.6	856	95.2	93.4-97.0
Less Than H.S.	210	40,367	17	7.9	03.4-12.4	193	92.1	87.6-96.6
H.S. or G.E.D.	749	114,847	43	3.7	02.3-05.1	706	96.3	94.9-97.7
Some Post-H.S.	630	115,073	30	3.5	01.7-05.3	600	96.5	94.7-98.3
College Graduate	879	102,253	28	2.9	01.5-04.3	851	97.1	95.7-98.5
Less than \$15,000	224	32,239	35	11.2	06.7-15.7	189	88.8	84.3-93.3
\$15,000- 24,999	397	61,815	28	6.4	03.3-09.5	369	93.6	90.5-96.7
\$25,000- 34,999	251	35,933	7	1.9	00.1-03.7	244	98.1	96.3-99.9
\$35,000- 49,999	263	38,841	13	6.5	02.0-11.0	250	93.5	89.0-98.0
\$50,000- 74,999	323	48,605	4	1.2	00.0-03.0	319	98.8	97.0-0100
\$75,000+	558	91,214	9	0.8	00.2-01.4	549	99.2	98.6-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4173	710,767	312	5.9	05.1-06.7	3861	94.1	93.3-94.9
Male	1703	338,521	95	3.9	02.9-04.9	1608	96.1	95.1-97.1
Female	2470	372,246	217	7.7	06.3-09.1	2253	92.3	90.9-93.7
18-24	169	87,684	4	1.6	00.0-03.2	165	98.4	96.8-0100
25-34	350	116,124	13	2.7	00.9-04.5	337	97.3	95.5-99.1
35-44	416	108,894	25	5.5	03.1-07.9	391	94.5	92.1-96.9
45-54	706	123,922	60	8.4	05.9-10.9	646	91.6	89.1-94.1
55-64	955	118,179	74	7.1	04.9-09.3	881	92.9	90.7-95.1
65+	1515	149,146	130	7.8	06.0-09.6	1385	92.2	90.4-94.0
Less Than H.S.	388	91,940	58	11.9	08.2-15.6	330	88.1	84.4-91.8
H.S. or G.E.D.	1243	224,661	100	5.2	03.8-06.6	1143	94.8	93.4-96.2
Some Post-H.S.	1017	207,077	83	5.5	03.9-07.1	934	94.5	92.9-96.1
College Graduate	1509	184,667	70	4.0	02.8-05.2	1439	96.0	94.8-97.2
Less than \$15,000	336	57,308	75	16.3	11.6-21.0	261	83.7	79.0-88.4
\$15,000- 24,999	641	107,452	76	10.2	07.1-13.3	565	89.8	86.7-92.9
\$25,000- 34,999	368	57,536	27	5.3	02.8-07.8	341	94.7	92.2-97.2
\$35,000- 49,999	497	84,939	28	5.3	02.9-07.7	469	94.7	92.3-97.1
\$50,000- 74,999	556	87,497	16	3.6	01.2-06.0	540	96.4	94.0-98.8
\$75,000+	1084	204,451	22	1.4	00.8-02.0	1062	98.6	98.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1703	338,521	95	3.9	02.9-04.9	1608	96.1	95.1-97.1
18-24	71	42,519	1	1.2	00.0-03.6	70	98.8	96.4-0100
25-34	133	58,520	2	0.2	00.0-00.6	131	99.8	99.4-0100
35-44	179	53,339	6	2.4	00.0-04.9	173	97.6	95.1-0100
45-54	296	59,413	27	8.6	04.7-12.5	269	91.4	87.5-95.3
55-64	391	55,907	25	5.5	02.6-08.4	366	94.5	91.6-97.4
65+	615	66,291	33	4.3	02.5-06.1	582	95.7	93.9-97.5
Less Than H.S.	179	51,663	19	7.5	03.0-12.0	160	92.5	88.0-97.0
H.S. or G.E.D.	498	110,164	31	3.6	02.0-05.2	467	96.4	94.8-98.0
Some Post-H.S.	387	92,206	21	3.3	01.3-05.3	366	96.7	94.7-98.7
College Graduate	633	82,617	23	2.5	01.3-03.7	610	97.5	96.3-98.7
Less than \$15,000	113	25,107	22	11.4	04.9-17.9	91	88.6	82.1-95.1
\$15,000- 24,999	245	45,854	25	9.0	04.3-13.7	220	91.0	86.3-95.7
\$25,000- 34,999	117	21,602	9	3.9	01.0-06.8	108	96.1	93.2-99.0
\$35,000- 49,999	236	46,454	9	3.0	00.3-05.7	227	97.0	94.3-99.7
\$50,000- 74,999	234	39,024	5	1.6	00.0-03.2	229	98.4	96.8-0100
\$75,000+	527	113,291	7	0.8	00.2-01.4	520	99.2	98.6-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2470	372,246	217	7.7	06.3-09.1	2253	92.3	90.9-93.7
18-24	98	45,165	3	2.0	00.0-04.4	95	98.0	95.6-100
25-34	217	57,605	11	5.2	01.7-08.7	206	94.8	91.3-98.3
35-44	237	55,555	19	8.5	04.4-12.6	218	91.5	87.4-95.6
45-54	410	64,509	33	8.2	04.9-11.5	377	91.8	88.5-95.1
55-64	564	62,272	49	8.5	05.6-11.4	515	91.5	88.6-94.4
65+	900	82,854	97	10.6	08.1-13.1	803	89.4	86.9-91.9
Less Than H.S.	209	40,277	39	17.6	11.3-23.9	170	82.4	76.1-88.7
H.S. or G.E.D.	745	114,496	69	6.7	04.7-08.7	676	93.3	91.3-95.3
Some Post-H.S.	630	114,871	62	7.2	04.8-09.6	568	92.8	90.4-95.2
College Graduate	876	102,050	47	5.3	03.3-07.3	829	94.7	92.7-96.7
Less than \$15,000	223	32,201	53	20.1	13.6-26.6	170	79.9	73.4-86.4
\$15,000- 24,999	396	61,599	51	11.0	06.9-15.1	345	89.0	84.9-93.1
\$25,000- 34,999	251	35,933	18	6.1	02.6-09.6	233	93.9	90.4-97.4
\$35,000- 49,999	261	38,486	19	8.0	03.7-12.3	242	92.0	87.7-96.3
\$50,000- 74,999	322	48,472	11	5.2	01.5-08.9	311	94.8	91.1-98.5
\$75,000+	557	91,160	15	2.1	00.9-03.3	542	97.9	96.7-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	181
14 MALES ONLY	182
15 FEMALES ONLY	183

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4151	707,370	1935	44.5	42.3-46.7	2216	55.5	53.3-57.7
Male	1692	336,845	900	51.6	48.1-55.1	792	48.4	44.9-51.9
Female	2459	370,526	1035	38.1	35.6-40.6	1424	61.9	59.4-64.4
White/Non-Hisp	2822	464,718	1424	50.3	47.8-52.8	1398	49.7	47.2-52.2
Black or Afr. Am./Non-Hisp	582	139,451	228	34.3	28.8-39.8	354	65.7	60.2-71.2
Oth. Race/Non-Hisp.	113	26,236	31	27.6	14.5-40.7	82	72.4	59.3-85.5
MultiRacial/Non-Hisp.	315	10,196	154	47.9	39.9-55.9	161	52.1	44.1-60.1
Hispanic	238	52,879	68	29.3	22.0-36.6	170	70.7	63.4-78.0
18-24	168	87,485	52	29.5	21.7-37.3	116	70.5	62.7-78.3
25-34	349	115,887	129	42.1	35.4-48.8	220	57.9	51.2-64.6
35-44	414	108,278	150	39.0	33.3-44.7	264	61.0	55.3-66.7
45-54	703	123,280	304	43.6	38.9-48.3	399	56.4	51.7-61.1
55-64	952	117,725	483	51.1	47.2-55.0	469	48.9	45.0-52.8
65+	1504	147,842	795	55.7	52.4-59.0	709	44.3	41.0-47.6
Less Than H.S.	386	91,672	219	61.6	55.1-68.1	167	38.4	31.9-44.9
H.S. or G.E.D.	1240	224,278	646	49.7	45.6-53.8	594	50.3	46.2-54.4
Some Post-H.S.	1011	205,563	490	41.9	37.6-46.2	521	58.1	53.8-62.4
College Graduate	1500	183,664	575	32.6	29.5-35.7	925	67.4	64.3-70.5
Less than \$15,000	338	57,410	196	60.4	52.6-68.2	142	39.6	31.8-47.4
\$15,000- 24,999	636	106,739	328	48.0	42.5-53.5	308	52.0	46.5-57.5
\$25,000- 34,999	366	57,292	189	48.9	41.8-56.0	177	51.1	44.0-58.2
\$35,000- 49,999	495	84,867	235	47.0	40.7-53.3	260	53.0	46.7-59.3
\$50,000- 74,999	553	86,545	238	44.9	39.2-50.6	315	55.1	49.4-60.8
\$75,000+	1080	203,859	444	37.2	33.1-41.3	636	62.8	58.7-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1692	336,845	900	51.6	48.1-55.1	792	48.4	44.9-51.9
White/Non-Hisp	1170	220,091	659	55.6	51.5-59.7	511	44.4	40.3-48.5
Black or Afr. Am./Non-Hisp	201	63,508	100	47.0	37.4-56.6	101	53.0	43.4-62.6
MultiRacial/Non-Hisp.	124	4,353	68	59.7	47.0-72.4	56	40.3	27.6-53.0
Hispanic	107	27,110	43	41.4	30.2-52.6	64	58.6	47.4-69.8
18-24	70	42,320	30	39.8	26.9-52.7	40	60.2	47.3-73.1
25-34	133	58,653	59	52.1	41.7-62.5	74	47.9	37.5-58.3
35-44	179	53,339	71	40.6	31.8-49.4	108	59.4	50.6-68.2
45-54	295	59,265	136	47.8	40.2-55.4	159	52.2	44.6-59.8
55-64	390	55,455	217	58.2	52.1-64.3	173	41.8	35.7-47.9
65+	609	65,513	383	66.6	61.9-71.3	226	33.4	28.7-38.1
Less Than H.S.	176	51,305	109	67.9	58.7-77.1	67	32.1	22.9-41.3
H.S. or G.E.D.	498	110,344	302	57.4	51.1-63.7	196	42.6	36.3-48.9
Some Post-H.S.	382	90,986	218	48.6	41.2-56.0	164	51.4	44.0-58.8
College Graduate	632	82,572	269	36.8	31.9-41.7	363	63.2	58.3-68.1
Less than \$15,000	114	25,171	78	74.6	63.4-85.8	36	25.4	14.2-36.6
\$15,000- 24,999	243	45,475	152	57.3	48.3-66.3	91	42.7	33.7-51.7
\$25,000- 34,999	116	21,454	71	61.5	49.2-73.8	45	38.5	26.2-50.8
\$35,000- 49,999	232	46,026	127	53.9	44.5-63.3	105	46.1	36.7-55.5
\$50,000- 74,999	233	38,527	114	51.2	42.0-60.4	119	48.8	39.6-58.0
\$75,000+	526	113,074	240	42.3	36.0-48.6	286	57.7	51.4-64.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2459	370,526	1035	38.1	35.6-40.6	1424	61.9	59.4-64.4
White/Non-Hisp	1652	244,627	765	45.6	42.5-48.7	887	54.4	51.3-57.5
Black or Afr. Am./Non-Hisp	381	75,944	128	23.7	18.4-29.0	253	76.3	71.0-81.6
Oth. Race/Non-Hisp.	66	14,049	20	28.8	13.9-43.7	46	71.2	56.3-86.1
MultiRacial/Non-Hisp.	191	5,844	86	39.2	30.4-48.0	105	60.8	52.0-69.6
Hispanic	131	25,770	25	16.5	08.5-24.5	106	83.5	75.5-91.5
18-24	98	45,165	22	19.7	10.7-28.7	76	80.3	71.3-89.3
25-34	216	57,234	70	31.8	24.5-39.1	146	68.2	60.9-75.5
35-44	235	54,939	79	37.4	30.0-44.8	156	62.6	55.2-70.0
45-54	408	64,015	168	39.6	33.7-45.5	240	60.4	54.5-66.3
55-64	562	62,270	266	44.8	39.7-49.9	296	55.2	50.1-60.3
65+	895	82,329	412	47.0	42.7-51.3	483	53.0	48.7-57.3
Less Than H.S.	210	40,367	110	53.6	44.6-62.6	100	46.4	37.4-55.4
H.S. or G.E.D.	742	113,934	344	42.2	37.3-47.1	398	57.8	52.9-62.7
Some Post-H.S.	629	114,577	272	36.5	31.6-41.4	357	63.5	58.6-68.4
College Graduate	868	101,092	306	29.2	25.5-32.9	562	70.8	67.1-74.5
Less than \$15,000	224	32,239	118	49.3	39.9-58.7	106	50.7	41.3-60.1
\$15,000- 24,999	393	61,265	176	41.0	34.1-47.9	217	59.0	52.1-65.9
\$25,000- 34,999	250	35,837	118	41.3	32.9-49.7	132	58.7	50.3-67.1
\$35,000- 49,999	263	38,841	108	38.8	31.0-46.6	155	61.2	53.4-69.0
\$50,000- 74,999	320	48,019	124	39.9	32.8-47.0	196	60.1	53.0-67.2
\$75,000+	554	90,785	204	30.8	25.7-35.9	350	69.2	64.1-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1932	314,509	483	33.0	29.7-36.3	172	11.6	09.4-13.8	1277	55.3	52.0-58.6
Male	897	173,265	218	33.8	28.9-38.7	69	11.8	08.3-15.3	610	54.4	49.5-59.3
Female	1035	141,244	265	32.1	28.0-36.2	103	11.4	08.7-14.1	667	56.5	52.4-60.6
White/Non-Hisp	1422	233,733	355	33.9	30.2-37.6	104	9.7	07.2-12.2	963	56.4	52.7-60.1
Black or Afr. Am./Non-Hisp	228	47,838	63	32.8	23.4-42.2	35	17.1	10.4-23.8	130	50.1	40.7-59.5
MultiRacial/Non-Hisp.	154	4,889	34	33.7	19.8-47.6	12	9.8	03.7-15.9	108	56.4	43.3-69.5
Hispanic	68	15,478	11	14.9	05.5-24.3	14	19.6	08.8-30.4	43	65.5	52.2-78.8
18-24	52	25,766	31	62.2	47.7-76.7	10	22.0	09.1-34.9	11	15.7	06.3-25.1
25-34	129	48,772	53	45.4	34.2-56.6	29	23.3	14.3-32.3	47	31.3	21.5-41.1
35-44	149	42,111	59	40.9	31.3-50.5	15	7.1	03.0-11.2	75	52.0	42.4-61.6
45-54	302	53,380	112	35.7	29.0-42.4	45	16.0	10.5-21.5	145	48.3	41.0-55.6
55-64	483	60,180	125	27.3	21.8-32.8	40	8.2	05.1-11.3	318	64.5	58.8-70.2
65+	795	82,342	100	15.5	11.6-19.4	30	3.5	01.9-05.1	665	81.0	76.9-85.1
Less Than H.S.	219	56,478	87	48.3	39.1-57.5	27	17.0	09.9-24.1	105	34.7	26.7-42.7
H.S. or G.E.D.	646	111,462	197	37.3	31.6-43.0	61	11.8	07.9-15.7	388	50.9	45.4-56.4
Some Post-H.S.	488	85,752	111	26.4	20.9-31.9	43	10.2	06.3-14.1	334	63.4	57.3-69.5
College Graduate	574	59,800	86	19.1	13.8-24.4	40	8.4	05.1-11.7	448	72.4	66.7-78.1
Less than \$15,000	196	34,668	71	52.1	41.3-62.9	32	14.9	08.4-21.4	93	33.0	23.8-42.2
\$15,000- 24,999	328	51,191	111	39.5	31.9-47.1	34	12.6	07.3-17.9	183	47.9	40.5-55.3
\$25,000- 34,999	189	28,001	59	39.2	29.4-49.0	18	14.8	05.8-23.8	112	45.9	36.3-55.5
\$35,000- 49,999	234	39,734	53	32.8	23.4-42.2	22	11.0	05.1-16.9	159	56.2	46.8-65.6
\$50,000- 74,999	237	38,807	52	27.6	19.0-36.2	12	5.9	02.2-09.6	173	66.5	57.9-75.1
\$75,000+	444	75,815	67	22.8	15.7-29.9	34	11.2	06.1-16.3	343	66.0	58.7-73.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	897	173,265	218	33.8	28.9-38.7	69	11.8	08.3-15.3	610	54.4	49.5-59.3
White/Non-Hisp	657	122,162	155	33.5	28.0-39.0	37	10.3	06.2-14.4	465	56.2	50.7-61.7
Black or Afr. Am./Non-Hisp	100	29,870	28	38.0	24.3-51.7	15	14.4	05.8-23.0	57	47.6	34.1-61.1
MultiRacial/Non-Hisp.	68	2,600	17	38.7	16.7-60.7	5	9.8	00.2-19.4	46	51.5	31.3-71.7
25-34	59	30,578	27	48.8	32.9-64.7	13	23.5	10.6-36.4	19	27.8	14.3-41.3
35-44	70	21,583	26	42.4	28.3-56.5	5	4.1	00.0-08.2	39	53.5	39.4-67.6
45-54	134	28,015	56	36.0	26.2-45.8	15	14.4	06.0-22.8	63	49.6	38.8-60.4
55-64	217	32,276	53	27.3	19.3-35.3	14	7.6	02.9-12.3	150	65.1	56.7-73.5
65+	383	43,622	40	12.9	07.8-18.0	14	3.9	01.4-06.4	329	83.2	77.7-88.7
Less Than H.S.	109	34,848	42	47.1	34.6-59.6	16	18.7	09.1-28.3	51	34.2	23.2-45.2
H.S. or G.E.D.	302	63,331	88	35.7	27.3-44.1	24	12.8	06.7-18.9	190	51.5	43.3-59.7
Some Post-H.S.	216	43,892	46	26.6	18.0-35.2	15	9.5	03.4-15.6	155	63.9	54.7-73.1
College Graduate	268	30,330	40	22.9	14.1-31.7	14	5.6	01.9-09.3	214	71.5	62.7-80.3
Less than \$15,000	78	18,769	29	53.9	37.4-70.4	11	13.3	03.9-22.7	38	32.8	18.7-46.9
\$15,000- 24,999	152	26,055	56	41.9	30.9-52.9	10	6.5	01.6-11.4	86	51.6	40.8-62.4
\$25,000- 34,999	71	13,205	22	33.5	19.2-47.8	5	17.5	01.0-34.0	44	49.1	33.6-64.6
\$35,000- 49,999	126	24,682	31	34.8	22.3-47.3	8	9.8	02.0-17.6	87	55.4	42.7-68.1
\$50,000- 74,999	113	19,654	25	27.5	15.0-40.0	6	8.0	01.5-14.5	82	64.6	51.7-77.5
\$75,000+	240	47,849	34	27.6	17.6-37.6	18	13.2	05.8-20.6	188	59.2	49.0-69.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1035	141,244	265	32.1	28.0-36.2	103	11.4	08.7-14.1	667	56.5	52.4-60.6
White/Non-Hisp	765	111,570	200	34.3	29.6-39.0	67	9.1	06.6-11.6	498	56.6	51.9-61.3
Black or Afr. Am./Non-Hisp	128	17,967	35	24.3	15.1-33.5	20	21.6	11.4-31.8	73	54.1	42.7-65.5
MultiRacial/Non-Hisp.	86	2,289	17	28.1	14.4-41.8	7	9.9	02.3-17.5	62	62.1	48.0-76.2
25-34	70	18,194	26	39.6	26.1-53.1	16	23.0	12.0-34.0	28	37.3	24.6-50.0
35-44	79	20,527	33	39.3	26.8-51.8	10	10.3	03.0-17.6	36	50.4	37.5-63.3
45-54	168	25,364	56	35.4	26.4-44.4	30	17.8	10.7-24.9	82	46.8	37.6-56.0
55-64	266	27,904	72	27.3	20.2-34.4	26	8.8	04.9-12.7	168	63.8	56.5-71.1
65+	412	38,719	60	18.4	12.5-24.3	16	3.0	01.2-04.8	336	78.5	72.4-84.6
Less Than H.S.	110	21,630	45	50.3	37.4-63.2	11	14.3	04.5-24.1	54	35.4	24.2-46.6
H.S. or G.E.D.	344	48,130	109	39.4	32.3-46.5	37	10.4	06.5-14.3	198	50.1	43.2-57.0
Some Post-H.S.	272	41,860	65	26.3	19.2-33.4	28	11.0	06.3-15.7	179	62.8	55.2-70.4
College Graduate	306	29,470	46	15.2	09.7-20.7	26	11.4	05.9-16.9	234	73.4	66.3-80.5
Less than \$15,000	118	15,899	42	49.9	37.2-62.6	21	16.8	08.6-25.0	55	33.3	22.3-44.3
\$15,000- 24,999	176	25,136	55	37.1	26.7-47.5	24	18.9	09.9-27.9	97	44.0	34.2-53.8
\$25,000- 34,999	118	14,797	37	44.4	31.5-57.3	13	12.5	04.3-20.7	68	43.1	31.3-54.9
\$35,000- 49,999	108	15,053	22	29.6	16.1-43.1	14	13.0	04.4-21.6	72	57.4	44.1-70.7
\$50,000- 74,999	124	19,152	27	27.7	15.9-39.5	6	3.9	00.6-07.2	91	68.4	56.6-80.2
\$75,000+	204	27,966	33	14.6	08.3-20.9	16	7.8	03.3-12.3	155	77.6	70.3-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	653	140,153	395	59.3	53.8-64.8	258	40.7	35.2-46.2
Male	287	79,007	163	58.0	49.8-66.2	124	42.0	33.8-50.2
Female	366	61,147	232	60.9	54.0-67.8	134	39.1	32.2-46.0
White/Non-Hisp	458	101,729	264	56.0	49.5-62.5	194	44.0	37.5-50.5
Black or Afr. Am./Non-Hisp	98	23,884	66	71.5	59.7-83.3	32	28.5	16.7-40.3
25-34	81	33,248	48	53.1	38.8-67.4	33	46.9	32.6-61.2
35-44	74	20,222	51	63.5	49.2-77.8	23	36.5	22.2-50.8
45-54	156	27,580	96	58.2	48.4-68.0	60	41.8	32.0-51.6
55-64	165	21,351	97	58.0	47.8-68.2	68	42.0	31.8-52.2
65+	130	15,622	67	49.9	37.9-61.9	63	50.1	38.1-62.1
Less Than H.S.	114	36,901	69	57.0	44.7-69.3	45	43.0	30.7-55.3
H.S. or G.E.D.	258	54,723	149	56.4	47.6-65.2	109	43.6	34.8-52.4
Some Post-H.S.	153	31,186	100	66.4	56.0-76.8	53	33.6	23.2-44.0
College Graduate	125	16,452	75	59.8	46.9-72.7	50	40.2	27.3-53.1
Less than \$15,000	103	23,222	70	69.0	55.3-82.7	33	31.0	17.3-44.7
\$15,000- 24,999	145	26,674	89	64.7	53.9-75.5	56	35.3	24.5-46.1
\$25,000- 34,999	77	15,143	44	44.4	29.5-59.3	33	55.6	40.7-70.5
\$35,000- 49,999	74	17,169	40	45.5	29.8-61.2	34	54.5	38.8-70.2
\$50,000- 74,999	64	13,014	32	47.6	30.9-64.3	32	52.4	35.7-69.1
\$75,000+	100	25,745	69	66.6	51.3-81.9	31	33.4	18.1-48.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
 Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	79,007	163	58.0	49.8-66.2	124	42.0	33.8-50.2
White/Non-Hisp	192	53,539	103	53.8	44.0-63.6	89	46.2	36.4-56.0
45-54	71	14,115	40	52.0	37.3-66.7	31	48.0	33.3-62.7
55-64	67	11,264	36	61.5	47.0-76.0	31	38.5	24.0-53.0
65+	54	7,313	25	46.6	28.6-64.6	29	53.4	35.4-71.4
Less Than H.S.	58	22,934	32	54.0	37.3-70.7	26	46.0	29.3-62.7
H.S. or G.E.D.	112	30,727	66	60.2	46.9-73.5	46	39.8	26.5-53.1
Some Post-H.S.	61	15,834	38	63.6	46.9-80.3	23	36.4	19.7-53.1
College Graduate	54	8,648	26	49.4	29.0-69.8	28	50.6	30.2-71.0
\$15,000- 24,999	66	12,600	39	69.1	55.0-83.2	27	30.9	16.8-45.0
\$75,000+	52	19,525	40	70.0	50.4-89.6	12	30.0	10.4-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	366	61,147	232	60.9	54.0-67.8	134	39.1	32.2-46.0
White/Non-Hisp	266	48,191	161	58.4	50.4-66.4	105	41.6	33.6-49.6
Black or Afr. Am./Non-Hisp	55	8,247	38	71.3	56.8-85.8	17	28.7	14.2-43.2
45-54	85	13,465	56	64.6	52.1-77.1	29	35.4	22.9-47.9
55-64	98	10,088	61	54.0	40.5-67.5	37	46.0	32.5-59.5
65+	76	8,310	42	52.8	36.5-69.1	34	47.2	30.9-63.5
Less Than H.S.	56	13,967	37	62.0	44.4-79.6	19	38.0	20.4-55.6
H.S. or G.E.D.	146	23,996	83	51.6	41.0-62.2	63	48.4	37.8-59.0
Some Post-H.S.	92	15,352	62	69.3	57.5-81.1	30	30.7	18.9-42.5
College Graduate	71	7,805	49	71.3	57.4-85.2	22	28.7	14.8-42.6
Less than \$15,000	63	10,607	44	70.5	56.4-84.6	19	29.5	15.4-43.6
\$15,000- 24,999	79	14,074	50	60.7	45.0-76.4	29	39.3	23.6-55.0
\$25,000- 34,999	50	8,419	31	57.4	38.0-76.8	19	42.6	23.2-62.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1265	172,781	127	15.2	12.1-18.3	115	11.7	9.0-14.4	111	10.0	7.6-12.4	912	63.1	59.2-67.0
Male	606	93,951	63	16.4	11.7-21.1	54	11.4	7.3-15.5	55	11.4	7.7-15.1	434	60.7	55.0-66.4
Female	659	78,830	64	13.6	9.7-17.5	61	12.1	8.6-15.6	56	8.4	5.7-11.1	478	65.9	61.0-70.8
White/Non-Hisp	954	130,908	77	12.4	9.1-15.7	81	10.7	8.0-13.4	81	10.3	7.6-13.0	715	66.6	62.5-70.7
Black or Afr. Am./Non-Hisp	129	23,832	24	23.2	12.8-33.6	13	15.1	0.3-26.5	6	3.0	0.5-5.5	86	58.8	46.1-71.5
MultiRacial/Non-Hisp.	108	2,759	14	17.1	0.6-27.5	11	11.5	0.3-19.3	14	14.7	0.3-25.9	69	56.6	43.5-69.7
35-44	75	21,888	18	26.7	14.7-38.7	14	18.2	8.2-28.2	14	17.1	8.1-26.1	29	38.0	25.5-50.5
45-54	143	25,492	24	14.6	7.9-21.3	15	12.3	5.4-19.2	17	15.3	6.7-23.9	87	57.8	47.4-68.2
55-64	315	38,436	32	13.4	8.1-18.7	30	7.6	4.7-10.5	35	11.8	6.9-16.7	218	67.3	60.6-74.0
65+	661	66,407	27	3.6	0.1-05.6	36	5.1	0.3-07.1	41	6.3	0.3-08.8	557	85.0	81.5-88.5
Less Than H.S.	105	19,577	14	17.5	0.7-27.5	9	12.0	0.3-20.4	8	13.6	0.3-24.2	74	56.9	44.0-69.8
H.S. or G.E.D.	384	56,382	50	21.1	14.8-27.4	37	12.8	6.9-18.7	28	6.6	0.3-10.1	269	59.5	52.4-66.6
Some Post-H.S.	332	53,956	29	12.1	0.6-18.0	31	10.7	0.6-15.2	37	12.3	0.7-17.0	235	64.9	57.6-72.2
College Graduate	442	42,739	34	10.2	0.6-14.3	38	11.6	0.7-16.1	38	10.0	0.6-13.5	332	68.2	62.3-74.1
Less than \$15,000	92	11,325	18	30.5	15.8-45.2	10	16.7	0.4-28.7	7	10.6	0.0-21.4	57	42.3	28.6-56.0
\$15,000- 24,999	181	24,371	24	22.6	13.2-32.0	15	7.4	0.2-11.9	19	9.2	0.3-14.9	123	60.8	50.8-70.8
\$25,000- 34,999	111	12,835	15	15.6	0.6-24.4	8	11.4	0.2-20.0	8	7.2	0.1-12.9	80	65.8	54.4-77.2
\$35,000- 49,999	158	22,144	13	12.7	0.5-20.3	16	16.5	0.4-28.3	16	13.8	0.6-21.4	113	57.0	45.6-68.4
\$50,000- 74,999	171	25,456	8	6.8	0.0-13.1	19	13.6	0.6-20.5	12	7.0	0.2-11.7	132	72.6	63.4-81.8
\$75,000+	341	49,778	31	13.6	0.7-20.1	27	10.2	0.5-14.9	36	11.8	0.7-16.5	247	64.4	57.0-71.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	606	93,951	63	16.4	11.7-21.1	54	11.4	07.3-15.5	55	11.4	07.7-15.1	434	60.7	55.0-66.4
White/Non-Hisp	461	68,316	38	13.0	07.7-18.3	34	9.3	05.6-13.0	37	11.4	07.3-15.5	352	66.4	60.3-72.5
Black or Afr. Am./Non-Hisp	57	14,233	11	23.6	08.9-38.3	8	17.5	00.3-34.7	3	2.7	00.0-06.0	35	56.2	37.6-74.8
45-54	63	13,900	8	10.5	01.5-19.5	9	16.8	05.6-28.0	9	19.2	05.3-33.1	37	53.5	37.8-69.2
55-64	148	20,804	19	15.3	07.3-23.3	10	3.2	00.8-05.6	15	14.0	06.0-22.0	104	67.4	57.4-77.4
65+	327	36,210	11	2.9	00.7-05.1	19	4.5	02.0-07.0	23	7.6	03.5-11.7	274	84.9	80.0-89.8
Less Than H.S.	51	11,914	7	17.3	03.6-31.0	5	11.6	00.0-23.2	6	20.3	03.8-36.8	33	50.8	32.8-68.8
H.S. or G.E.D.	189	32,573	27	23.6	14.6-32.6	19	14.1	05.1-23.1	13	7.1	01.8-12.4	130	55.3	45.3-65.3
Some Post-H.S.	155	28,058	14	15.0	05.2-24.8	13	8.3	03.2-13.4	17	12.1	05.6-18.6	111	64.6	53.6-75.6
College Graduate	211	21,406	15	7.0	02.9-11.1	17	11.3	04.4-18.2	19	12.2	06.3-18.1	160	69.5	61.1-77.9
\$15,000- 24,999	85	13,430	11	22.7	08.8-36.6	5	3.6	00.1-07.1	7	7.9	00.0-16.1	62	65.8	51.1-80.5
\$35,000- 49,999	87	13,685	10	17.8	06.2-29.4	10	20.3	02.7-37.9	7	7.4	01.1-13.7	60	54.4	38.7-70.1
\$50,000- 74,999	82	12,687	6	13.0	01.6-24.4	8	13.4	03.2-23.6	6	10.7	01.9-19.5	62	63.0	48.5-77.5
\$75,000+	186	28,073	15	12.6	03.2-22.0	16	9.4	03.7-15.1	24	16.0	08.6-23.4	131	62.1	51.7-72.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	659	78,830	64	13.6	09.7-17.5	61	12.1	08.6-15.6	56	8.4	05.7-11.1	478	65.9	61.0-70.8
White/Non-Hisp	493	62,592	39	11.8	07.7-15.9	47	12.2	08.3-16.1	44	9.1	05.8-12.4	363	66.8	61.3-72.3
Black or Afr. Am./Non-Hisp	72	9,599	13	22.6	08.3-36.9	5	11.4	00.4-22.4	3	3.5	00.0-08.0	51	62.5	47.0-78.0
MultiRacial/Non-Hisp.	62	1,421	7	12.2	01.2-23.2	5	6.9	00.2-13.6	5	7.0	00.0-14.6	45	73.9	60.0-87.8
45-54	80	11,591	16	19.6	09.8-29.4	6	6.8	00.0-13.9	8	10.6	02.6-18.6	50	63.0	50.5-75.5
55-64	167	17,632	13	11.0	04.1-17.9	20	12.7	07.0-18.4	20	9.1	04.4-13.8	114	67.2	58.6-75.8
65+	334	30,196	16	4.5	01.0-08.0	17	5.7	02.6-08.8	18	4.7	02.0-07.4	283	85.1	80.0-90.2
Less Than H.S.	54	7,663	7	17.9	04.0-31.8	4	12.6	00.6-24.6	2	3.1	00.0-07.4	41	66.4	49.9-82.9
H.S. or G.E.D.	195	23,809	23	17.8	09.8-25.8	18	10.9	04.8-17.0	15	6.0	02.1-09.9	139	65.3	56.3-74.3
Some Post-H.S.	177	25,898	15	8.9	03.2-14.6	18	13.3	06.0-20.6	20	12.6	06.1-19.1	124	65.2	55.8-74.6
College Graduate	231	21,333	19	13.3	06.4-20.2	21	12.0	06.1-17.9	19	7.8	03.7-11.9	172	66.9	58.7-75.1
Less than \$15,000	54	5,171	10	31.9	13.3-50.5	6	15.4	02.3-28.5	4	5.8	00.0-12.7	34	46.8	29.4-64.2
\$15,000- 24,999	96	10,940	13	22.6	10.3-34.9	10	12.0	03.2-20.8	12	10.9	02.9-18.9	61	54.6	41.5-67.7
\$25,000- 34,999	67	6,354	10	14.3	04.7-23.9	6	13.3	01.9-24.7	3	4.2	00.0-09.1	48	68.2	54.5-81.9
\$35,000- 49,999	71	8,459	3	4.3	00.0-11.0	6	10.3	02.1-18.5	9	24.2	08.9-39.5	53	61.2	46.1-76.3
\$50,000- 74,999	89	12,769	2	0.6	00.0-01.6	11	13.8	04.4-23.2	6	3.4	00.1-06.7	70	82.1	72.1-92.1
\$75,000+	155	21,706	16	14.9	06.5-23.3	11	11.3	03.5-19.1	12	6.3	02.2-10.4	116	67.5	57.1-77.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4176	709,384	31	0.8	00.4-01.2	31	0.7	00.3-01.1	4114	98.4	97.8-99.0
Male	1702	337,553	28	1.7	00.9-02.5	25	1.4	00.6-02.2	1649	96.9	95.9-97.9
Female	2474	371,830	3	0.1	00.0-00.3	6	0.1	00.0-00.3	2465	99.8	99.6-0100
White/Non-Hisp	2840	465,852	25	1.1	00.5-01.7	21	0.7	00.3-01.1	2794	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	588	140,259	1	0.1	00.0-00.3	3	0.4	00.0-00.8	584	99.6	99.2-0100
Oth. Race/Non-Hisp.	112	26,072	1	1.0	00.0-03.0	1	0.2	00.0-00.6	110	98.8	96.8-0100
MultiRacial/Non-Hisp.	316	10,212	3	0.5	00.0-01.3	1	0.2	00.0-00.6	312	99.2	98.2-0100
Hispanic	238	52,879	1	0.5	00.0-01.5	5	2.2	00.0-04.7	232	97.4	94.7-0100
18-24	167	86,931	4	1.9	00.0-03.9	3	1.8	00.0-04.0	160	96.4	93.5-99.3
25-34	348	115,723	1	0.5	00.0-01.5	3	0.7	00.0-01.7	344	98.8	97.4-0100
35-44	414	108,278	6	1.6	00.2-03.0	3	0.5	00.0-01.3	405	97.9	96.3-99.5
45-54	706	123,812	8	0.8	00.2-01.4	7	0.6	00.2-01.0	691	98.6	97.8-99.4
55-64	957	118,302	3	0.1	00.0-00.3	9	0.8	00.2-01.4	945	99.0	98.4-99.6
65+	1522	149,357	9	0.6	00.0-01.2	6	0.4	00.0-00.8	1507	99.0	98.4-99.6
Less Than H.S.	388	91,882	7	1.9	00.1-03.7	1	0.0	00.0-00.0	380	98.0	96.2-99.8
H.S. or G.E.D.	1246	224,267	11	0.7	00.1-01.3	11	0.9	00.3-01.5	1224	98.5	97.7-99.3
Some Post-H.S.	1016	206,431	7	0.9	00.1-01.7	7	1.0	00.0-02.0	1002	98.1	96.9-99.3
College Graduate	1510	184,461	6	0.5	00.0-01.1	12	0.6	00.2-01.0	1492	98.9	98.3-99.5
Less than \$15,000	338	57,410	2	0.1	00.0-00.3	2	1.2	00.0-03.0	334	98.7	96.9-0100
\$15,000- 24,999	640	107,093	5	0.4	00.0-00.8	8	0.9	00.1-01.7	627	98.8	98.0-99.6
\$25,000- 34,999	367	57,388	6	2.3	00.1-04.5	4	2.3	00.0-05.2	357	95.4	91.9-98.9
\$35,000- 49,999	498	85,099	4	1.1	00.0-02.3	4	0.5	00.0-01.1	490	98.4	97.0-99.8
\$50,000- 74,999	557	87,286	3	0.8	00.0-01.8	4	0.8	00.0-01.8	550	98.4	97.0-99.8
\$75,000+	1086	204,585	6	0.6	00.0-01.2	8	0.5	00.1-00.9	1072	98.9	98.1-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1702	337,553	28	1.7	00.9-02.5	25	1.4	00.6-02.2	1649	96.9	95.9-97.9
White/Non-Hisp	1176	220,118	22	2.3	01.1-03.5	19	1.5	00.5-02.5	1135	96.2	94.8-97.6
Black or Afr. Am./Non-Hisp	204	64,173	1	0.1	00.0-00.3	2	0.6	00.0-01.4	201	99.3	98.5-0100
MultiRacial/Non-Hisp.	125	4,369	3	1.3	00.0-03.1	1	0.6	00.0-01.8	121	98.2	96.0-0100
Hispanic	107	27,110	1	0.9	00.0-02.7	2	3.2	00.0-08.1	104	95.9	90.8-0100
18-24	69	41,766	4	3.9	00.0-08.0	3	3.7	00.0-08.0	62	92.4	86.5-98.3
25-34	133	58,653	1	0.9	00.0-02.7	2	1.2	00.0-03.0	130	97.8	95.3-0100
35-44	179	53,339	6	3.2	00.5-05.9	3	1.1	00.0-02.5	170	95.7	92.6-98.8
45-54	295	59,265	6	1.2	00.0-02.4	5	1.0	00.0-02.0	284	97.7	96.3-99.1
55-64	391	55,670	2	0.2	00.0-00.6	8	1.7	00.3-03.1	381	98.1	96.7-99.5
65+	618	66,456	9	1.3	00.1-02.5	4	0.5	00.0-01.1	605	98.2	96.8-99.6
Less Than H.S.	178	51,515	7	3.4	00.1-06.7				171	96.6	93.3-99.9
H.S. or G.E.D.	499	110,002	10	1.3	00.3-02.3	8	1.5	00.1-02.9	481	97.2	95.6-98.8
Some Post-H.S.	385	91,578	6	1.7	00.1-03.3	6	2.1	00.1-04.1	373	96.1	93.6-98.6
College Graduate	635	82,714	5	1.1	00.0-02.3	11	1.3	00.5-02.1	619	97.6	96.0-99.2
Less than \$15,000	114	25,171	2	0.3	00.0-00.7	2	2.7	00.0-06.8	110	97.0	92.9-0100
\$15,000- 24,999	245	45,723	5	0.9	00.0-01.9	5	1.3	00.0-02.7	235	97.9	96.3-99.5
\$25,000- 34,999	116	21,454	4	5.0	00.0-10.7	2	5.6	00.0-13.0	110	89.4	80.4-98.4
\$35,000- 49,999	235	46,258	4	2.1	00.0-04.3	3	0.7	00.0-01.5	228	97.2	94.8-99.6
\$50,000- 74,999	235	39,042	3	1.7	00.0-04.1	4	1.9	00.0-04.1	228	96.4	93.3-99.5
\$75,000+	528	113,370	6	1.1	00.1-02.1	8	1.0	00.2-01.8	514	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2474	371,830	3	0.1	00.0-00.3	6	0.1	00.0-00.3	2465	99.8	99.6-0100
White/Non-Hisp	1664	245,734	3	0.1	00.0-00.3	2	0.0	00.0-00.0	1659	99.8	99.6-0100
Black or Afr. Am./Non-Hisp	384	76,086				1	0.2	00.0-00.6	383	99.8	99.4-0100
Oth. Race/Non-Hisp.	65	13,886							65	100.0	0100-0100
MultiRacial/Non-Hisp.	191	5,844							191	100.0	0100-0100
Hispanic	131	25,770				3	1.0	00.0-02.4	128	99.0	97.6-0100
18-24	98	45,165							98	100.0	0100-0100
25-34	215	57,071				1	0.1	00.0-00.3	214	99.9	99.7-0100
35-44	235	54,939							235	100.0	0100-0100
45-54	411	64,547	2	0.4	00.0-01.0	2	0.2	00.0-00.4	407	99.5	98.9-0100
55-64	566	62,632	1	0.0	00.0-00.0	1	0.1	00.0-00.3	564	99.9	99.7-0100
65+	904	82,901				2	0.4	00.0-00.8	902	99.6	99.2-0100
Less Than H.S.	210	40,367				1	0.1	00.0-00.3	209	99.9	99.7-0100
H.S. or G.E.D.	747	114,264	1	0.1	00.0-00.3	3	0.2	00.0-00.6	743	99.7	99.3-0100
Some Post-H.S.	631	114,853	1	0.2	00.0-00.6	1	0.1	00.0-00.3	629	99.7	99.3-0100
College Graduate	875	101,747	1	0.0	00.0-00.0	1	0.1	00.0-00.3	873	99.9	99.7-0100
Less than \$15,000	224	32,239							224	100.0	0100-0100
\$15,000- 24,999	395	61,370				3	0.6	00.0-01.4	392	99.4	98.6-0100
\$25,000- 34,999	251	35,933	2	0.7	00.0-01.7	2	0.3	00.0-00.7	247	99.1	97.9-0100
\$35,000- 49,999	263	38,841				1	0.2	00.0-00.6	262	99.8	99.4-0100
\$50,000- 74,999	322	48,244							322	100.0	0100-0100
\$75,000+	558	91,214							558	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	185
2 MALES ONLY	186
3 FEMALES ONLY	187
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	188
5 MALES ONLY	189
6 FEMALES ONLY	190
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	191
8 MALES ONLY	192
9 FEMALES ONLY	193
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	194
11 MALES ONLY	195
12 FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4126	701,153	443	11.7	10.3-13.1	91	1.6	0.12-02.0	1176	31.3	29.1-33.5	358	8.3	07.1-09.5	2058	47.1	44.9-49.3
Male	1673	332,665	210	13.3	10.9-15.7	50	2.0	0.12-02.8	474	32.8	29.5-36.1	222	11.4	09.2-13.6	717	40.5	37.0-44.0
Female	2453	368,488	233	10.2	08.4-12.0	41	1.2	00.8-01.6	702	30.1	27.6-32.6	136	5.5	04.3-06.7	1341	53.1	50.4-55.8
White/Non-Hisp	2807	461,365	334	13.5	11.7-15.3	71	2.1	0.15-02.7	837	32.3	29.8-34.8	295	9.7	08.3-11.1	1270	42.3	39.8-44.8
Black or Afr. Am./Non-Hisp	583	137,707	41	9.3	05.8-12.8	6	0.4	00.0-00.8	145	30.0	24.3-35.7	19	4.4	01.7-07.1	372	55.8	49.9-61.7
Oth. Race/Non-Hisp.	111	26,092	6	2.3	00.1-04.5				37	30.4	18.8-42.0	4	6.9	00.0-18.9	64	60.3	46.8-73.8
MultiRacial/Non-Hisp.	313	10,144	46	21.1	13.3-28.9	10	1.9	00.5-03.3	73	20.0	14.5-25.5	23	7.4	03.9-10.9	161	49.6	41.6-57.6
Hispanic	235	52,586	10	4.2	00.9-07.5	1	0.5	00.0-01.5	63	28.7	21.6-35.8	11	7.5	02.2-12.8	150	59.1	51.3-66.9
18-24	165	85,175	26	17.1	10.2-24.0	1	0.7	00.0-02.1	55	34.8	25.8-43.8	9	4.7	01.2-08.2	74	42.7	33.5-51.9
25-34	346	114,824	34	8.9	05.4-12.4	3	1.3	00.0-02.9	117	33.6	27.3-39.9	25	10.1	05.4-14.8	167	46.1	39.4-52.8
35-44	410	107,029	64	16.5	12.2-20.8	1	0.1	00.0-00.3	143	34.4	28.7-40.1	23	6.4	03.3-09.5	179	42.6	36.7-48.5
45-54	697	122,576	83	11.6	08.7-14.5	11	1.5	00.5-02.5	240	36.4	31.7-41.1	59	8.6	05.9-11.3	304	41.8	36.9-46.7
55-64	950	117,726	109	10.8	08.4-13.2	21	2.0	00.8-03.2	284	30.7	27.0-34.4	88	9.1	06.9-11.3	448	47.5	43.6-51.4
65+	1499	147,224	123	8.2	06.4-10.0	53	3.3	02.3-04.3	326	22.3	19.6-25.0	151	9.4	07.6-11.2	846	56.8	53.7-59.9
Less Than H.S.	384	90,882	17	4.8	02.3-07.3	6	1.3	00.0-02.7	41	12.8	07.7-17.9	14	4.8	01.5-08.1	306	76.2	70.1-82.3
H.S. or G.E.D.	1228	220,509	125	11.1	08.6-13.6	18	0.9	00.3-01.5	296	28.1	24.4-31.8	82	7.4	05.0-09.8	707	52.5	48.4-56.6
Some Post-H.S.	1003	204,852	101	13.0	09.9-16.1	20	1.7	00.7-02.7	305	36.5	32.0-41.0	74	6.9	04.7-09.1	503	42.0	37.7-46.3
College Graduate	1495	182,566	200	14.4	12.0-16.8	46	2.4	01.4-03.4	532	38.7	35.4-42.0	187	12.5	10.1-14.9	530	31.9	28.8-35.0
Less than \$15,000	337	57,408	15	6.6	01.7-11.5	4	0.9	00.0-02.1	52	18.9	12.2-25.6	10	3.7	00.0-07.4	256	70.0	62.0-78.0
\$15,000- 24,999	634	106,011	39	6.3	03.8-08.8	6	0.5	00.1-00.9	137	25.8	20.5-31.1	40	6.3	03.6-09.0	412	61.2	55.5-66.9
\$25,000- 34,999	362	56,851	33	12.2	07.3-17.1	2	0.7	00.0-01.9	97	24.8	19.1-30.5	29	8.1	04.6-11.6	201	54.0	46.9-61.1
\$35,000- 49,999	492	84,177	45	8.2	05.1-11.3	10	0.9	00.3-01.5	137	31.5	25.4-37.6	38	9.7	05.2-14.2	262	49.8	43.5-56.1
\$50,000- 74,999	555	87,194	75	15.5	10.8-20.2	16	1.4	00.6-02.2	183	35.9	30.6-41.2	58	7.8	05.1-10.5	223	39.4	33.9-44.9
\$75,000+	1082	203,841	194	17.8	14.7-20.9	37	2.9	01.7-04.1	413	39.3	35.0-43.6	141	11.4	08.7-14.1	297	28.6	24.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1673	332,665	210	13.3	10.9-15.7	50	2.0	0.1-0.2	474	32.8	29.5-36.1	222	11.4	0.9-13.6	717	40.5	37.0-44.0
White/Non-Hisp	1156	217,389	157	15.1	12.2-18.0	40	2.7	0.1-0.3	337	33.1	29.2-37.0	180	12.7	10.3-15.1	442	36.3	32.2-40.4
Black or Afr. Am./Non-Hisp	201	62,864	19	11.2	0.5-17.3	4	0.8	0.0-0.1	51	29.8	20.8-38.8	12	7.8	0.2-13.5	115	50.3	40.7-59.9
MultiRacial/Non-Hisp.	125	4,369	22	27.3	12.6-42.0	4	2.2	0.0-0.4	20	12.1	0.5-18.8	15	12.2	0.4-9.9	64	46.3	32.8-59.8
Hispanic	105	26,832	5	5.1	0.0-10.6	1	1.0	0.0-0.3	35	36.7	25.5-47.9	9	10.0	0.2-17.8	55	47.2	35.8-58.6
18-24	68	41,169	13	20.9	0.9-32.1	1	1.4	0.0-0.4	21	35.1	21.8-48.4	6	6.4	0.3-12.5	27	36.2	23.1-49.3
25-34	131	57,792	21	12.7	0.6-18.8	1	1.3	0.0-0.3	45	35.8	25.8-45.8	13	13.8	0.5-22.0	51	36.3	26.3-46.3
35-44	176	52,493	32	18.8	1.1-25.9	1	0.2	0.0-0.0	65	37.2	28.0-46.4	15	8.8	0.3-13.9	63	34.9	26.3-43.5
45-54	290	58,395	35	10.1	0.6-13.8	5	1.7	0.0-0.3	98	37.0	29.6-44.4	42	13.6	0.8-18.5	110	37.6	29.6-45.6
55-64	387	55,317	50	11.5	0.8-15.0	13	3.3	0.1-0.5	114	31.9	26.0-37.8	55	12.2	0.8-15.7	155	41.1	34.8-47.4
65+	604	65,097	58	9.4	0.6-12.3	29	3.9	0.2-0.5	126	22.1	17.8-26.4	90	12.0	0.9-14.7	301	52.6	47.3-57.9
Less Than H.S.	175	50,600	12	6.7	0.2-10.8	5	2.2	0.0-0.4	23	16.9	0.8-25.3	10	6.9	0.1-12.4	125	67.3	57.5-77.1
H.S. or G.E.D.	491	108,551	64	13.2	0.9-17.3	10	1.2	0.2-0.2	132	32.3	26.4-38.2	52	10.5	0.6-14.8	233	42.8	36.5-49.1
Some Post-H.S.	375	90,478	44	15.4	0.9-20.9	14	2.9	0.0-0.5	118	38.2	30.8-45.6	41	8.1	0.5-11.2	158	35.3	28.2-42.4
College Graduate	627	81,293	90	15.5	1.1-19.4	21	2.2	0.1-0.3	199	36.8	31.7-41.9	118	18.8	1.4-23.1	199	26.8	22.5-31.1
Less than \$15,000	114	25,171	2	7.0	0.0-16.6	3	1.8	0.0-0.4	18	17.1	0.7-27.1	7	6.9	0.0-14.9	84	67.2	53.5-80.9
\$15,000- 24,999	241	44,825	18	8.2	0.3-13.1	2	0.3	0.0-0.0	52	26.3	18.1-34.5	20	5.5	0.2-0.8	149	59.7	50.9-68.5
\$25,000- 34,999	111	20,917	16	19.8	0.9-30.4	1	1.7	0.0-0.5	26	23.1	13.3-32.9	14	10.8	0.4-17.3	54	44.5	31.8-57.2
\$35,000- 49,999	231	45,623	25	9.5	0.4-14.2	8	1.5	0.3-0.2	60	31.3	22.1-40.5	27	14.3	0.6-21.7	111	43.4	34.2-52.6
\$50,000- 74,999	233	38,951	34	17.8	0.9-26.2	10	2.2	0.0-0.3	59	30.8	22.4-39.2	37	12.5	0.7-17.8	93	36.7	28.3-45.1
\$75,000+	526	113,064	99	17.4	1.3-21.7	19	3.0	0.1-0.4	194	41.2	34.9-47.5	96	15.3	1.1-19.6	118	23.1	17.2-29.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2453	368,488	233	10.2	08.4-12.0	41	1.2	00.8-01.6	702	30.1	27.6-32.6	136	5.5	04.3-06.7	1341	53.1	50.4-55.8
White/Non-Hisp	1651	243,976	177	12.1	09.9-14.3	31	1.6	00.8-02.4	500	31.6	28.7-34.5	115	7.1	05.5-08.7	828	47.6	44.5-50.7
Black or Afr. Am./Non-Hisp	382	74,843	22	7.7	03.8-11.6	2	0.1	00.0-00.3	94	30.2	23.1-37.3	7	1.5	00.1-02.9	257	60.5	53.2-67.8
Oth. Race/Non-Hisp.	66	14,049	2	1.0	00.0-02.6				19	22.5	10.3-34.7	3	0.9	00.0-02.1	42	75.6	63.1-88.1
MultiRacial/Non-Hisp.	188	5,775	24	16.3	08.7-23.9	6	1.8	00.2-03.4	53	25.9	18.3-33.5	8	3.9	01.0-06.8	97	52.1	42.7-61.5
Hispanic	130	25,753	5	3.3	00.0-06.8				28	20.3	12.3-28.3	2	4.9	00.0-11.8	95	71.5	61.7-81.3
18-24	97	44,007	13	13.6	05.4-21.8				34	34.6	22.6-46.6	3	3.2	00.0-06.9	47	48.7	36.2-61.2
25-34	215	57,033	13	5.0	01.9-08.1	2	1.2	00.0-03.0	72	31.4	24.1-38.7	12	6.4	02.1-10.7	116	56.0	48.2-63.8
35-44	234	54,536	32	14.2	08.7-19.7				78	31.7	24.8-38.6	8	4.1	00.6-07.6	116	50.0	42.4-57.6
45-54	407	64,181	48	13.0	08.7-17.3	6	1.3	00.0-02.7	142	35.9	30.2-41.6	17	4.2	01.7-06.7	194	45.7	39.6-51.8
55-64	563	62,410	59	10.1	07.2-13.0	8	0.8	00.0-01.6	170	29.6	25.1-34.1	33	6.4	04.0-08.8	293	53.1	48.0-58.2
65+	895	82,127	65	7.1	05.1-09.1	24	2.8	01.4-04.2	200	22.5	19.2-25.8	61	7.4	05.2-09.6	545	60.2	56.1-64.3
Less Than H.S.	209	40,282	5	2.5	00.0-05.0	1	0.1	00.0-00.3	18	7.8	03.7-11.9	4	2.2	00.0-04.4	181	87.4	82.3-92.5
H.S. or G.E.D.	737	111,959	61	9.0	06.1-11.9	8	0.7	00.1-01.3	164	24.0	19.9-28.1	30	4.4	02.2-06.6	474	61.9	57.0-66.8
Some Post-H.S.	628	114,374	57	11.1	07.4-14.8	6	0.7	00.1-01.3	187	35.0	29.5-40.5	33	5.9	03.2-08.6	345	47.3	41.8-52.8
College Graduate	868	101,274	110	13.6	10.5-16.7	25	2.7	01.3-04.1	333	40.2	35.9-44.5	69	7.5	05.3-09.7	331	36.0	31.7-40.3
Less than \$15,000	223	32,236	13	6.2	01.7-10.7	1	0.1	00.0-00.3	34	20.3	11.3-29.3	3	1.2	00.0-03.0	172	72.2	62.8-81.6
\$15,000- 24,999	393	61,186	21	4.9	02.4-07.4	4	0.6	00.0-01.2	85	25.4	18.3-32.5	20	6.8	02.7-10.9	263	62.3	54.9-69.7
\$25,000- 34,999	251	35,933	17	7.8	03.3-12.3	1	0.2	00.0-00.6	71	25.9	19.0-32.8	15	6.6	02.3-10.9	147	59.6	51.4-67.8
\$35,000- 49,999	261	38,554	20	6.6	02.7-10.5	2	0.3	00.0-00.7	77	31.6	24.2-39.0	11	4.2	01.1-07.3	151	57.3	49.3-65.3
\$50,000- 74,999	322	48,244	41	13.7	08.6-18.8	6	0.7	00.0-01.5	124	40.0	32.9-47.1	21	4.1	02.1-06.1	130	41.6	34.3-48.9
\$75,000+	556	90,777	95	18.4	13.5-23.3	18	2.7	01.1-04.3	219	37.0	31.5-42.5	45	6.5	04.0-09.0	179	35.5	29.6-41.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2031	362,957	985	40.8	37.9-43.7	645	33.6	30.7-36.5	205	11.5	09.3-13.7	78	5.5	03.9-07.1	118	8.5	06.5-10.5
Male	934	193,182	354	31.0	26.9-35.1	315	33.4	29.1-37.7	131	15.7	12.2-19.2	55	8.1	05.4-10.8	79	11.7	08.6-14.8
Female	1097	169,775	631	52.1	48.0-56.2	330	33.8	29.9-37.7	74	6.7	04.7-08.7	23	2.5	01.3-03.7	39	4.9	02.9-06.9
White/Non-Hisp	1516	262,844	734	39.3	36.2-42.4	491	34.4	31.1-37.7	151	12.0	09.5-14.5	64	6.6	04.6-08.6	76	7.7	05.5-09.9
Black or Afr. Am./Non-Hisp	205	59,091	106	49.7	40.1-59.3	66	33.1	24.3-41.9	15	9.7	03.2-16.2	4	1.4	00.0-03.0	14	6.2	02.3-10.1
MultiRacial/Non-Hisp.	152	5,113	69	39.3	28.5-50.1	49	30.7	20.9-40.5	22	13.2	06.7-19.7	6	4.3	00.4-08.2	6	12.5	00.0-25.2
Hispanic	82	20,455	33	35.1	22.8-47.4	19	26.3	14.3-38.3	8	11.1	03.1-19.1	3	4.4	00.0-09.7	19	23.1	11.7-34.5
18-24	88	47,404	21	29.7	17.5-41.9	27	27.8	16.8-38.8	17	21.8	11.2-32.4	4	2.7	00.0-05.6	19	18.0	09.6-26.4
25-34	176	60,632	57	28.4	20.4-36.4	51	28.4	19.8-37.0	22	12.8	06.7-18.9	22	17.2	09.6-24.8	24	13.1	07.2-19.0
35-44	228	60,038	83	30.5	23.1-37.9	93	46.1	38.1-54.1	27	11.3	06.4-16.2	12	5.1	02.0-08.2	13	7.1	01.2-13.0
45-54	386	69,388	161	41.3	35.2-47.4	142	37.4	31.3-43.5	44	10.8	07.1-14.5	10	2.4	00.8-04.0	29	8.1	04.8-11.4
55-64	500	61,714	250	49.1	43.8-54.4	158	33.3	28.2-38.4	57	9.7	06.8-12.6	15	2.9	01.1-04.7	20	4.9	02.4-07.4
65+	636	62,114	403	62.6	58.1-67.1	168	26.5	22.2-30.8	38	5.4	03.2-07.6	14	2.8	01.0-04.6	13	2.6	01.0-04.2
Less Than H.S.	73	20,342	25	28.4	16.1-40.7	18	20.6	10.2-31.0	12	21.6	07.9-35.3	4	2.1	00.0-04.6	14	27.3	11.2-43.4
H.S. or G.E.D.	509	102,698	217	34.8	29.3-40.3	151	32.4	26.5-38.3	68	13.7	09.6-17.8	26	7.0	03.7-10.3	47	12.1	08.0-16.2
Some Post-H.S.	488	115,552	239	43.0	36.7-49.3	159	33.4	27.5-39.3	37	9.5	05.4-13.6	22	6.5	03.0-10.0	31	7.5	04.4-10.6
College Graduate	959	123,880	504	46.0	41.9-50.1	317	37.1	33.0-41.2	87	9.7	07.0-12.4	26	3.9	02.1-05.7	25	3.3	01.7-04.9
Less than \$15,000	78	16,687	28	30.1	14.4-45.8	20	20.4	09.2-31.6	12	21.6	05.1-38.1	2	1.5	00.0-03.7	16	26.4	11.5-41.3
\$15,000- 24,999	216	40,535	110	46.0	36.0-56.0	55	27.5	18.9-36.1	20	11.9	04.5-19.3	8	3.6	00.7-06.5	23	11.0	05.5-16.5
\$25,000- 34,999	158	25,408	77	37.9	28.7-47.1	36	27.0	18.0-36.0	21	14.8	07.2-22.4	9	4.9	01.2-08.6	15	15.5	07.3-23.7
\$35,000- 49,999	227	41,837	113	41.8	32.4-51.2	73	28.5	20.7-36.3	24	17.4	09.4-25.4	9	5.9	01.0-10.8	8	6.4	01.7-11.1
\$50,000- 74,999	326	51,463	163	44.5	37.1-51.9	108	35.3	28.0-42.6	28	9.6	05.5-13.7	12	5.2	01.9-08.5	15	5.4	01.9-08.9
\$75,000+	778	143,687	360	38.4	33.7-43.1	284	40.3	35.2-45.4	73	8.1	05.6-10.6	33	7.6	04.3-10.9	28	5.7	02.8-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	934	193,182	354	31.0	26.9-35.1	315	33.4	29.1-37.7	131	15.7	12.2-19.2	55	8.1	05.4-10.8	79	11.7	08.6-14.8
White/Non-Hisp	700	136,007	260	28.3	24.2-32.4	245	34.5	29.6-39.4	99	17.1	12.8-21.4	46	10.0	06.3-13.7	50	10.1	06.6-13.6
Black or Afr. Am./Non-Hisp	85	31,167	41	45.2	30.9-59.5	25	31.7	18.6-44.8	7	12.6	01.6-23.6	3	2.2	00.0-05.3	9	8.3	01.8-14.8
MultiRacial/Non-Hisp.	61	2,346	19	24.3	10.4-38.2	23	31.2	15.1-47.3	12	15.8	05.0-26.6	3	4.2	00.0-09.9	4	24.5	00.2-48.8
25-34	79	36,340	13	15.0	05.6-24.4	23	29.2	16.5-41.9	13	14.2	05.6-22.8	16	25.6	13.4-37.8	14	16.0	07.2-24.8
35-44	111	33,374	30	24.8	13.8-35.8	44	42.3	30.9-53.7	18	15.6	07.8-23.4	10	8.2	02.9-13.5	9	9.1	00.0-18.7
45-54	175	35,150	62	36.7	27.9-45.5	56	32.8	24.2-41.4	30	15.8	09.5-22.1	7	2.9	00.5-05.3	20	11.9	06.4-17.4
55-64	232	32,587	87	38.9	31.5-46.3	82	36.7	29.1-44.3	34	11.6	07.3-15.9	14	5.2	02.1-08.3	15	7.7	03.2-12.2
65+	292	30,010	153	52.7	45.6-59.8	99	34.5	27.6-41.4	24	6.7	03.6-09.8	6	1.8	00.0-03.6	10	4.3	01.4-07.2
H.S. or G.E.D.	253	61,107	79	25.6	18.3-32.9	79	32.8	24.4-41.2	43	16.8	10.5-23.1	18	9.1	04.0-14.2	34	15.6	09.5-21.7
Some Post-H.S.	210	56,914	83	35.9	26.9-44.9	65	30.3	21.7-38.9	26	13.3	06.0-20.6	18	11.3	04.6-18.0	18	9.2	04.1-14.3
College Graduate	423	59,212	182	34.8	29.3-40.3	160	41.6	35.3-47.9	50	13.7	08.8-18.6	18	6.3	02.8-09.8	13	3.6	01.2-06.0
\$15,000- 24,999	91	17,897	34	34.0	21.1-46.9	26	31.3	18.0-44.6	14	22.0	07.3-36.7	4	2.2	00.0-04.7	13	10.4	03.9-16.9
\$25,000- 34,999	54	10,886	22	31.6	17.1-46.1	10	26.6	11.1-42.1	8	9.8	02.0-17.6	5	6.1	00.0-12.6	9	25.9	10.0-41.8
\$35,000- 49,999	119	25,762	46	32.0	18.7-45.3	35	24.7	14.5-34.9	22	25.2	13.4-37.0	9	9.6	01.8-17.4	7	8.6	01.9-15.3
\$50,000- 74,999	136	24,287	53	34.5	22.5-46.5	51	35.2	23.8-46.6	16	12.9	05.6-20.2	8	8.9	02.2-15.6	8	8.5	01.6-15.4
\$75,000+	402	85,375	151	30.4	24.5-36.3	155	40.5	33.4-47.6	47	10.0	06.1-13.9	27	11.5	06.2-16.8	22	7.6	02.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1097	169,775	631	52.1	48.0-56.2	330	33.8	29.9-37.7	74	6.7	04.7-08.7	23	2.5	01.3-03.7	39	4.9	03.1-06.7
White/Non-Hisp	816	126,838	474	51.1	46.6-55.6	246	34.2	29.9-38.5	52	6.6	04.4-08.8	18	3.0	01.4-04.6	26	5.1	02.7-07.5
Black or Afr. Am./Non-Hisp	120	27,924	65	54.7	42.4-67.0	41	34.6	23.2-46.0	8	6.4	00.9-11.9	1	0.4	00.0-01.2	5	3.9	00.0-08.0
MultiRacial/Non-Hisp.	91	2,766	50	52.0	38.9-65.1	26	30.3	18.3-42.3	10	11.0	03.4-18.6	3	4.4	00.0-09.7	2	2.4	00.0-06.1
25-34	97	24,292	44	48.5	36.7-60.3	28	27.1	16.9-37.3	9	10.8	03.4-18.2	6	4.7	00.6-08.8	10	8.9	02.8-15.0
35-44	117	26,664	53	37.7	27.9-47.5	49	50.8	40.0-61.6	9	5.8	01.1-10.5	2	1.2	00.0-03.0	4	4.6	00.0-09.9
45-54	211	34,238	99	46.1	37.7-54.5	86	42.2	33.8-50.6	14	5.6	01.7-09.5	3	1.8	00.0-04.0	9	4.2	00.9-07.5
55-64	268	29,128	163	60.6	53.5-67.7	76	29.6	22.9-36.3	23	7.6	04.1-11.1	1	0.4	00.0-01.2	5	1.8	00.0-03.6
65+	344	32,104	250	71.9	66.2-77.6	69	19.1	14.2-24.0	14	4.2	01.5-06.9	8	3.7	01.0-06.4	3	1.0	00.0-02.2
H.S. or G.E.D.	256	41,591	138	48.2	40.2-56.2	72	31.7	24.1-39.3	25	9.2	04.9-13.5	8	4.1	01.0-07.2	13	6.8	02.3-11.3
Some Post-H.S.	278	58,638	156	50.0	41.8-58.2	94	36.4	28.6-44.2	11	5.8	01.9-09.7	4	1.9	00.0-04.1	13	5.9	02.2-09.6
College Graduate	536	64,668	322	56.3	50.8-61.8	157	32.9	27.6-38.2	37	6.0	03.6-08.4	8	1.7	00.3-03.1	12	3.0	00.8-05.2
\$15,000- 24,999	125	22,638	76	55.4	42.3-68.5	29	24.6	13.6-35.6	6	3.9	00.0-08.0	4	4.6	00.0-09.3	10	11.5	03.3-19.7
\$25,000- 34,999	104	14,522	55	42.6	30.8-54.4	26	27.2	16.4-38.0	13	18.6	07.2-30.0	4	3.9	00.0-08.4	6	7.7	00.4-15.0
\$35,000- 49,999	108	16,076	67	57.5	45.2-69.8	38	34.7	23.1-46.3	2	5.0	00.0-12.4				1	2.9	00.0-08.4
\$50,000- 74,999	190	27,177	110	53.5	44.5-62.5	57	35.4	26.4-44.4	12	6.7	02.0-11.4	4	1.9	00.0-04.1	7	2.6	00.4-04.8
\$75,000+	376	58,312	209	50.0	43.1-56.9	129	40.1	33.0-47.2	26	5.2	02.7-07.7	6	1.9	00.3-03.5	6	2.8	00.1-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2043	365,621	182	13.5	11.0-16.0	88	5.9	04.3-07.5	31	1.8	01.0-02.6	44	3.1	01.9-04.3	93	5.5	04.1-06.9	1605	70.2	67.1-73.3
Male	942	194,720	92	16.3	12.4-20.2	43	6.8	04.1-09.5	21	2.6	01.2-04.0	27	3.7	01.9-05.5	59	6.2	04.2-08.2	700	64.4	59.7-69.1
Female	1101	170,900	90	10.4	07.7-13.1	45	4.8	03.0-06.6	10	0.9	00.3-01.5	17	2.5	00.7-04.3	34	4.7	02.7-06.7	905	76.7	73.0-80.4
White/Non-Hisp	1523	264,042	141	14.5	11.6-17.4	63	5.9	04.1-07.7	21	1.6	00.8-02.4	31	2.4	01.4-03.4	64	5.7	04.1-07.3	1203	69.9	66.6-73.2
Black or Afr. Am./Non-Hisp	207	58,699	10	6.1	01.0-11.2	10	5.1	00.6-09.6	2	0.5	00.0-01.3	5	5.1	00.0-10.2	11	3.8	00.9-06.7	169	79.4	71.4-87.4
MultiRacial/Non-Hisp.	150	5,081	13	13.5	04.9-22.1	8	3.7	00.8-06.6	3	2.0	00.0-04.5	1	0.8	00.0-02.4	10	13.1	00.8-25.4	115	66.8	54.1-79.5
Hispanic	82	21,034	10	14.8	05.4-24.2	5	8.1	00.0-16.3	1	1.6	00.0-04.7	5	6.8	00.0-15.6	6	9.7	00.7-18.7	55	59.0	45.5-72.5
18-24	88	47,892	28	28.8	17.8-39.8	5	5.9	00.0-11.8	4	3.8	00.0-07.9	3	3.9	00.0-09.4	8	7.7	02.2-13.2	40	49.9	37.6-62.2
25-34	177	60,311	35	20.0	12.4-27.6	19	13.1	06.4-19.8	4	2.3	00.0-04.8	5	3.3	00.0-06.8	13	6.2	02.1-10.3	101	55.0	45.8-64.2
35-44	229	60,743	26	16.7	09.3-24.1	12	4.9	02.0-07.8	1	0.6	00.0-01.8	8	5.6	01.5-09.7	14	5.5	02.0-09.0	168	66.6	58.4-74.8
45-54	388	70,680	35	8.5	05.2-11.8	20	5.3	02.2-08.4	9	2.1	00.5-03.7	12	3.0	01.0-05.0	29	8.3	05.0-11.6	283	72.9	67.4-78.4
55-64	497	61,270	36	8.2	05.1-11.3	22	5.0	02.5-07.5	8	1.4	00.2-02.6	8	1.7	00.3-03.1	17	3.4	01.4-05.4	406	80.2	75.7-84.7
65+	646	62,977	21	3.6	02.0-05.2	10	1.6	00.4-02.8	5	1.1	00.1-02.1	8	1.6	00.4-02.8	12	1.9	00.5-03.3	590	90.3	87.6-93.0
Less Than H.S.	75	21,049	10	20.6	04.5-36.7	4	8.0	00.0-16.4	4	5.6	00.0-11.7	5	2.6	00.0-05.3	7	10.1	02.1-18.1	45	53.0	37.5-68.5
H.S. or G.E.D.	513	102,239	47	14.5	09.4-19.6	27	6.7	03.2-10.2	12	2.6	00.4-04.8	17	5.2	02.3-08.1	33	7.4	04.5-10.3	377	63.5	57.4-69.6
Some Post-H.S.	495	117,425	50	14.0	09.3-18.7	19	5.3	02.2-08.4	5	1.0	00.0-02.0	10	2.6	00.2-05.0	23	5.0	02.5-07.5	388	72.1	66.2-78.0
College Graduate	957	123,818	74	10.7	08.0-13.4	38	5.5	03.5-07.5	10	1.2	00.2-02.2	12	2.0	00.4-03.6	29	3.4	01.8-05.0	794	77.2	73.5-80.9
Less than \$15,000	79	16,950	9	13.9	01.2-26.6	6	13.6	00.0-27.3	1	1.0	00.0-03.0	3	7.5	00.0-18.3	11	13.3	03.1-23.5	49	50.6	33.5-67.7
\$15,000- 24,999	217	40,526	19	11.5	04.2-18.8	10	7.9	01.8-14.0	4	1.3	00.0-02.7	7	5.3	00.0-11.4	15	6.0	01.5-10.5	162	68.0	58.0-78.0
\$25,000- 34,999	161	26,127	18	14.4	07.3-21.5	5	4.5	00.2-08.8	9	10.4	03.1-17.7	4	1.2	00.0-02.6	11	8.4	02.9-13.9	114	61.0	51.2-70.8
\$35,000- 49,999	223	40,084	16	11.2	04.7-17.7	13	5.7	02.2-09.2	3	1.2	00.0-03.0	4	0.9	00.0-01.9	8	5.5	01.2-09.8	179	75.5	67.5-83.5
\$50,000- 74,999	329	52,510	23	8.3	04.2-12.4	12	2.2	00.6-03.8	8	4.0	00.9-07.1	13	4.9	01.6-08.2	13	4.9	01.6-08.2	273	80.6	74.7-86.5
\$75,000+	784	145,403	84	18.1	13.4-22.8	31	6.0	03.3-08.7	11	1.0	00.4-01.6	14	2.9	01.1-04.7	27	4.2	02.2-06.2	617	67.7	62.6-72.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	942	194,720	92	16.3	12.4-20.2	43	6.8	04.1-09.5	21	2.6	01.2-04.0	27	3.7	01.9-05.5	59	6.2	04.2-08.2	700	64.4	59.7-69.1
White/Non-Hisp	706	137,266	73	17.6	13.1-22.1	30	6.5	03.6-09.4	15	2.4	01.0-03.8	25	4.0	02.0-06.0	40	6.4	04.0-08.8	523	63.1	58.0-68.2
Black or Afr. Am./Non-Hisp	84	29,734	5	7.3	00.0-15.7	4	6.2	00.0-14.2	1	0.5	00.0-01.5	1	2.5	00.0-07.2	5	4.3	00.0-09.2	68	79.2	67.0-91.4
MultiRacial/Non-Hisp.	60	2,330	5	12.8	00.0-26.5	3	4.0	00.0-09.3	2	1.8	00.0-04.5				8	26.8	03.5-50.1	42	54.5	33.5-75.5
25-34	78	35,206	19	25.3	13.3-37.3	8	12.8	03.2-22.4	3	3.8	00.0-08.1	2	3.7	00.0-09.2	7	7.2	01.1-13.3	39	47.2	33.9-60.5
35-44	113	34,150	16	20.8	09.4-32.2	7	5.4	01.3-09.5	1	1.0	00.0-03.0	6	7.3	01.0-13.6	9	4.9	01.4-08.4	74	60.5	48.5-72.5
45-54	178	36,283	16	9.4	04.1-14.7	7	6.2	00.7-11.7	7	3.2	00.7-05.7	9	4.8	01.3-08.3	17	9.5	04.6-14.4	122	66.9	58.3-75.5
55-64	227	32,013	16	7.6	03.1-12.1	12	5.6	01.7-09.5	6	2.2	00.2-04.2	4	1.5	00.0-03.1	15	6.0	02.5-09.5	174	77.1	70.4-83.8
65+	299	30,597	9	3.1	00.9-05.3	6	2.2	00.2-04.2	2	0.7	00.0-01.9	5	2.0	00.0-04.2	7	2.8	00.3-05.3	270	89.3	85.0-93.6
H.S. or G.E.D.	254	60,148	28	17.5	10.1-24.9	14	8.2	02.7-13.7	11	4.4	00.9-07.9	12	7.0	02.5-11.5	21	7.4	03.5-11.3	168	55.5	46.9-64.1
Some Post-H.S.	216	58,385	20	16.1	08.5-23.7	13	7.2	01.7-12.7	3	1.6	00.0-03.6	7	2.3	00.0-04.7	15	5.0	01.9-08.1	158	67.8	58.8-76.8
College Graduate	422	59,129	36	12.3	07.8-16.8	14	5.1	02.0-08.2	5	1.2	00.0-02.4	8	2.8	00.1-05.5	15	3.8	01.6-06.0	344	74.7	68.8-80.6
\$15,000- 24,999	89	17,911	7	16.6	02.5-30.7	7	10.1	00.5-19.7	2	1.4	00.0-03.4	2	1.5	00.0-03.9	7	3.0	00.1-05.9	64	67.4	52.3-82.5
\$25,000- 34,999	57	11,605	6	13.7	01.9-25.5	2	4.1	00.0-10.0	7	19.6	05.3-33.9	1	1.0	00.0-03.2	5	8.3	00.5-16.1	36	53.2	37.1-69.3
\$35,000- 49,999	116	24,313	7	11.4	02.4-20.4	8	6.8	01.7-11.9	3	1.9	00.0-04.8	3	0.9	00.0-02.1	7	7.2	00.9-13.5	88	71.7	60.3-83.1
\$50,000- 74,999	137	24,328	13	9.1	02.8-15.4	3	0.9	00.0-02.5				5	4.7	00.0-09.4	8	8.4	01.5-15.3	108	77.0	67.4-86.6
\$75,000+	407	86,813	49	21.4	14.5-28.3	17	7.3	03.0-11.6	7	1.1	00.1-02.1	12	4.3	01.6-07.0	19	4.5	02.3-06.7	303	61.5	54.2-68.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1101	170,900	90	10.4	07.7-13.1	45	4.8	03.0-06.6	10	0.9	00.3-01.5	17	2.5	00.7-04.3	34	4.7	02.7-06.7	905	76.7	73.0-80.4
White/Non-Hisp	817	126,776	68	11.0	07.9-14.1	33	5.4	03.2-07.6	6	0.8	00.0-01.6	6	0.7	00.1-01.3	24	4.9	02.7-07.1	680	77.2	73.1-81.3
Black or Afr. Am./Non-Hisp	123	28,965	5	4.7	00.0-10.2	6	4.0	00.5-07.5	1	0.6	00.0-01.8	4	7.9	00.0-16.9	6	3.2	00.0-06.5	101	79.7	69.1-90.3
MultiRacial/Non-Hisp.	90	2,751	8	14.1	03.3-24.9	5	3.5	00.4-06.6	1	2.2	00.0-06.5	1	1.5	00.0-04.4	2	1.5	00.0-03.7	73	77.2	65.6-88.8
25-34	99	25,105	16	12.6	05.7-19.5	11	13.7	05.3-22.1	1	0.2	00.0-00.6	3	2.8	00.0-06.3	6	4.9	00.2-09.6	62	65.9	55.1-76.7
35-44	116	26,593	10	11.5	03.9-19.1	5	4.3	00.0-08.6				2	3.5	00.0-08.2	5	6.3	00.0-13.0	94	74.5	63.9-85.1
45-54	210	34,396	19	7.5	03.8-11.2	13	4.4	01.5-07.3	2	0.9	00.0-02.3	3	1.0	00.0-02.2	12	7.1	02.8-11.4	161	79.1	72.8-85.4
55-64	270	29,257	20	9.0	04.7-13.3	10	4.4	01.1-07.7	2	0.6	00.0-01.4	4	2.0	00.0-04.2	2	0.7	00.0-01.7	232	83.5	77.8-89.2
65+	347	32,379	12	4.0	01.5-06.5	4	1.0	00.0-02.2	3	1.4	00.0-03.0	3	1.3	00.0-02.9	5	1.1	00.0-02.5	320	91.1	87.4-94.8
H.S. or G.E.D.	259	42,091	19	10.2	04.9-15.5	13	4.7	01.6-07.8	1	0.2	00.0-00.6	5	2.5	00.1-04.9	12	7.4	02.5-12.3	209	74.9	67.6-82.2
Some Post-H.S.	279	59,040	30	11.9	06.2-17.6	6	3.4	00.1-06.7	2	0.4	00.0-01.0	3	3.0	00.0-07.3	8	4.9	01.0-08.8	230	76.4	68.6-84.2
College Graduate	535	64,689	38	9.1	06.0-12.2	24	5.8	03.1-08.5	5	1.2	00.0-02.6	4	1.3	00.0-02.9	14	3.1	00.9-05.3	450	79.5	74.8-84.2
\$15,000- 24,999	128	22,615	12	7.5	02.0-13.0	3	6.2	00.0-13.8	2	1.2	00.0-03.2	5	8.2	00.0-18.6	8	8.4	00.8-16.0	98	68.4	55.1-81.7
\$25,000- 34,999	104	14,522	12	15.0	06.4-23.6	3	4.9	00.0-11.0	2	3.0	00.0-07.9	3	1.4	00.0-03.2	6	8.5	01.1-15.9	78	67.2	55.4-79.0
\$35,000- 49,999	107	15,771	9	11.0	02.4-19.6	5	4.1	00.0-09.0				1	0.8	00.0-02.4	1	2.9	00.0-08.6	91	81.3	70.7-91.9
\$50,000- 74,999	192	28,182	10	7.6	02.3-12.9	9	3.3	00.8-05.8				3	3.5	00.0-07.6	5	1.9	00.0-03.9	165	83.7	76.6-90.8
\$75,000+	377	58,590	35	13.3	07.6-19.0	14	4.2	01.7-06.7	4	0.8	00.0-01.6	2	1.0	00.0-02.8	8	3.9	00.6-07.2	314	77.0	70.3-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1981	353,554	590	25.1	22.6-27.6	599	27.1	24.4-29.8	314	15.0	12.6-17.4	169	9.7	07.7-11.7	309	23.1	20.2-26.0
Male	913	188,778	197	17.4	14.3-20.5	244	23.4	19.7-27.1	173	17.3	13.8-20.8	75	8.1	05.4-10.8	224	33.8	29.1-38.5
Female	1068	164,776	393	34.0	30.1-37.9	355	31.4	27.7-35.1	141	12.4	09.9-14.9	94	11.4	08.5-14.3	85	10.8	08.1-13.5
White/Non-Hisp	1482	256,168	417	22.1	19.6-24.6	463	27.9	25.0-30.8	244	16.0	13.5-18.5	128	10.0	07.6-12.4	230	24.0	20.7-27.3
Black or Afr. Am./Non-Hisp	199	57,567	77	37.5	28.3-46.7	61	29.7	20.7-38.7	24	12.1	06.0-18.2	16	9.4	03.7-15.1	21	11.2	04.5-17.9
MultiRacial/Non-Hisp.	147	4,992	44	22.7	14.1-31.3	39	23.3	14.5-32.1	25	15.7	08.8-22.6	13	12.1	04.7-19.5	26	26.2	13.3-39.1
Hispanic	78	19,570	26	27.0	16.2-37.8	14	15.1	05.7-24.5	11	17.3	06.7-27.9	5	6.1	00.6-11.6	22	34.5	21.0-48.0
18-24	84	45,802	11	17.7	06.9-28.5	9	9.6	03.1-16.1	14	16.2	06.4-26.0	13	15.3	05.5-25.1	37	41.2	28.9-53.5
25-34	165	56,739	32	16.4	10.1-22.7	33	20.2	12.2-28.2	21	13.6	07.1-20.1	22	13.4	06.9-19.9	57	36.5	26.9-46.1
35-44	223	58,717	53	18.8	13.3-24.3	65	28.6	21.0-36.2	41	17.6	11.7-23.5	16	8.1	03.6-12.6	48	26.8	18.8-34.8
45-54	377	69,103	93	26.1	20.4-31.8	120	31.3	25.6-37.0	53	13.3	09.2-17.4	38	8.7	05.4-12.0	73	20.6	15.5-25.7
55-64	485	59,743	154	31.6	26.7-36.5	143	29.9	24.8-35.0	83	15.7	12.0-19.4	44	8.9	06.2-11.6	61	13.9	09.8-18.0
65+	631	61,829	240	37.3	32.8-41.8	224	37.3	32.6-42.0	99	14.1	11.2-17.0	36	5.6	03.4-07.8	32	5.8	03.4-08.2
Less Than H.S.	69	20,129	18	19.8	09.0-30.6	13	16.0	06.8-25.2	10	13.9	03.9-23.9	9	10.8	01.8-19.8	19	39.5	22.6-56.4
H.S. or G.E.D.	491	98,422	149	23.7	19.0-28.4	127	24.6	19.1-30.1	70	13.7	09.8-17.6	41	7.9	05.0-10.8	104	30.2	24.1-36.3
Some Post-H.S.	479	113,357	146	26.3	20.8-31.8	152	27.4	22.1-32.7	65	14.6	09.9-19.3	46	11.8	06.9-16.7	70	19.9	14.4-25.4
College Graduate	940	120,816	277	26.3	22.8-29.8	307	31.0	27.3-34.7	169	16.8	13.7-19.9	73	8.9	06.5-11.3	114	17.0	13.7-20.3
Less than \$15,000	75	15,365	20	26.8	10.7-42.9	15	16.0	05.2-26.8	10	9.3	01.9-16.7	9	7.6	01.5-13.7	21	40.2	22.4-58.0
\$15,000- 24,999	208	39,225	73	32.1	22.5-41.7	52	21.0	13.9-28.1	24	13.0	06.7-19.3	20	9.7	03.0-16.4	39	24.3	14.9-33.7
\$25,000- 34,999	155	24,865	53	25.6	17.8-33.4	34	16.2	09.3-23.1	22	20.5	11.3-29.7	13	8.8	03.5-14.1	33	28.8	19.2-38.4
\$35,000- 49,999	218	40,620	71	24.5	17.4-31.6	62	27.9	18.3-37.5	38	19.8	12.0-27.6	17	9.6	03.9-15.3	30	18.1	10.7-25.5
\$50,000- 74,999	321	50,773	93	27.2	20.7-33.7	108	33.7	26.6-40.8	52	15.0	08.9-21.1	28	9.4	05.3-13.5	40	14.8	09.3-20.3
\$75,000+	769	141,437	197	21.1	17.4-24.8	242	28.3	24.2-32.4	143	15.6	12.1-19.1	66	9.7	06.4-13.0	121	25.4	20.3-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	913	188,778	197	17.4	14.3-20.5	244	23.4	19.7-27.1	173	17.3	13.8-20.8	75	8.1	05.4-10.8	224	33.8	29.1-38.5
White/Non-Hisp	688	133,876	141	15.1	12.0-18.2	183	21.3	17.8-24.8	133	18.4	14.1-22.7	59	9.5	06.0-13.0	172	35.8	30.5-41.1
Black or Afr. Am./Non-Hisp	79	29,669	24	26.2	14.2-38.2	26	37.7	22.8-52.6	13	15.5	05.5-25.5	4	3.2	00.0-06.7	12	17.4	05.4-29.4
MultiRacial/Non-Hisp.	60	2,322	10	10.0	02.2-17.8	13	17.9	04.8-31.0	12	13.3	04.3-22.3	7	13.1	02.5-23.7	18	45.7	24.7-66.7
25-34	74	34,099	6	6.4	00.9-11.9	12	17.2	05.8-28.6	10	14.6	05.2-24.0	11	13.7	04.3-23.1	35	48.1	34.2-62.0
35-44	110	33,399	17	10.9	05.2-16.6	27	25.2	14.2-36.2	22	20.2	11.2-29.2	7	5.0	00.9-09.1	37	38.7	26.5-50.9
45-54	172	35,249	36	23.1	14.9-31.3	42	24.6	16.8-32.4	28	14.2	08.3-20.1	14	6.4	02.1-10.7	52	31.8	23.2-40.4
55-64	221	31,226	49	22.7	16.2-29.2	58	28.7	21.3-36.1	44	18.9	12.8-25.0	22	8.5	04.8-12.2	48	21.2	14.5-27.9
65+	294	30,193	84	29.4	23.1-35.7	103	38.1	31.0-45.2	61	17.4	12.7-22.1	17	4.1	01.7-06.5	29	11.0	06.7-15.3
H.S. or G.E.D.	243	57,788	50	16.7	10.8-22.6	53	21.2	13.6-28.8	39	14.1	08.6-19.6	22	7.5	03.6-11.4	79	40.4	31.4-49.4
Some Post-H.S.	206	56,113	42	17.6	11.1-24.1	59	24.0	16.2-31.8	34	17.2	09.4-25.0	20	10.5	03.6-17.4	51	30.8	21.6-40.0
College Graduate	419	58,599	97	19.0	14.7-23.3	122	27.3	21.8-32.8	92	21.3	15.8-26.8	31	7.1	04.0-10.2	77	25.2	19.3-31.1
\$15,000- 24,999	84	17,100	20	23.5	11.7-35.3	23	22.2	11.2-33.2	11	18.0	06.4-29.6	7	4.4	00.5-08.3	23	31.8	16.1-47.5
\$25,000- 34,999	55	10,960	13	18.3	07.5-29.1	11	17.0	04.8-29.2	9	19.1	05.4-32.8	3	2.0	00.0-04.4	19	43.6	27.1-60.1
\$35,000- 49,999	113	24,501	24	14.8	07.4-22.2	31	26.8	12.7-40.9	26	25.3	13.5-37.1	9	10.1	01.9-18.3	23	23.0	12.0-34.0
\$50,000- 74,999	134	23,855	26	16.7	07.5-25.9	36	29.3	18.1-40.5	28	19.0	08.0-30.0	16	11.8	05.1-18.5	28	23.2	13.4-33.0
\$75,000+	399	84,613	86	16.2	11.7-20.7	102	22.2	17.1-27.3	83	17.5	12.0-23.0	29	6.8	03.1-10.5	99	37.2	29.9-44.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1068	164,776	393	34.0	30.1-37.9	355	31.4	27.7-35.1	141	12.4	09.9-14.9	94	11.4	08.5-14.3	85	10.8	08.1-13.5
White/Non-Hisp	794	122,292	276	29.8	25.9-33.7	280	35.2	30.9-39.5	111	13.3	10.4-16.2	69	10.6	07.5-13.7	58	11.1	08.0-14.2
Black or Afr. Am./Non-Hisp	120	27,898	53	49.6	37.1-62.1	35	21.2	12.6-29.8	11	8.4	02.5-14.3	12	16.1	05.5-26.7	9	4.7	01.0-08.4
MultiRacial/Non-Hisp.	87	2,670	34	33.8	21.1-46.5	26	28.0	16.6-39.4	13	17.7	07.9-27.5	6	11.2	00.8-21.6	8	9.2	02.3-16.1
25-34	91	22,640	26	31.3	19.7-42.9	21	24.8	14.2-35.4	11	12.1	03.9-20.3	11	12.9	05.3-20.5	22	18.9	09.3-28.5
35-44	113	25,317	36	29.3	19.7-38.9	38	33.1	22.9-43.3	19	14.2	06.9-21.5	9	12.3	03.9-20.7	11	11.1	03.3-18.9
45-54	205	33,854	57	29.3	21.3-37.3	78	38.3	30.1-46.5	25	12.3	06.4-18.2	24	11.1	06.2-16.0	21	9.0	04.7-13.3
55-64	264	28,518	105	41.3	34.0-48.6	85	31.2	24.5-37.9	39	12.3	08.0-16.6	22	9.3	05.0-13.6	13	5.9	02.0-09.8
65+	337	31,636	156	44.8	38.3-51.3	121	36.5	30.2-42.8	38	10.9	07.0-14.8	19	6.9	03.6-10.2	3	0.9	00.0-02.1
H.S. or G.E.D.	248	40,634	99	33.5	26.1-40.9	74	29.4	22.0-36.8	31	13.1	07.8-18.4	19	8.5	04.4-12.6	25	15.6	08.7-22.5
Some Post-H.S.	273	57,244	104	34.9	26.9-42.9	93	30.7	23.6-37.8	31	12.2	07.1-17.3	26	13.1	06.2-20.0	19	9.2	04.1-14.3
College Graduate	521	62,217	180	33.2	27.9-38.5	185	34.5	29.4-39.6	77	12.5	09.2-15.8	42	10.6	06.9-14.3	37	9.2	05.9-12.5
\$15,000- 24,999	124	22,125	53	38.8	25.1-52.5	29	20.0	10.8-29.2	13	9.1	03.0-15.2	13	13.7	02.5-24.9	16	18.4	07.8-29.0
\$25,000- 34,999	100	13,905	40	31.3	20.5-42.1	23	15.6	08.2-23.0	13	21.6	09.3-33.9	10	14.2	05.2-23.2	14	17.2	07.4-27.0
\$35,000- 49,999	105	16,119	47	39.2	27.4-51.0	31	29.6	18.4-40.8	12	11.5	03.1-19.9	8	9.0	02.3-15.7	7	10.7	01.3-20.1
\$50,000- 74,999	187	26,918	67	36.4	27.6-45.2	72	37.5	28.7-46.3	24	11.4	05.9-16.9	12	7.3	02.6-12.0	12	7.4	02.1-12.7
\$75,000+	370	56,824	111	28.4	22.1-34.7	140	37.3	30.6-44.0	60	12.7	08.8-16.6	37	13.9	08.0-19.8	22	7.7	03.6-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	198
2 MALES ONLY	199
3 FEMALES ONLY	200
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	201
5 MALES ONLY	202
6 FEMALES ONLY	203
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	204
8 MALES ONLY	205
9 FEMALES ONLY	206
THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
10 MALES AND FEMALES	207
11 MALES ONLY	208
12 FEMALES ONLY	209

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4150	705,690	2059	41.1	38.9-43.3	2091	58.9	56.7-61.1
Male	1684	334,207	801	37.4	34.1-40.7	883	62.6	59.3-65.9
Female	2466	371,483	1258	44.4	41.7-47.1	1208	55.6	52.9-58.3
White/Non-Hisp	2825	463,691	1502	45.7	43.2-48.2	1323	54.3	51.8-56.8
Black or Afr. Am./Non-Hisp	586	139,641	227	28.9	24.0-33.8	359	71.1	66.2-76.0
Oth. Race/Non-Hisp.	111	26,016	44	36.8	24.1-49.5	67	63.2	50.5-75.9
MultiRacial/Non-Hisp.	313	10,156	164	47.1	39.3-54.9	149	52.9	45.1-60.7
Hispanic	234	52,061	93	37.2	29.8-44.6	141	62.8	55.4-70.2
18-24	166	86,487	56	32.1	23.5-40.7	110	67.9	59.3-76.5
25-34	346	115,259	95	23.0	17.9-28.1	251	77.0	71.9-82.1
35-44	412	107,343	159	36.0	30.3-41.7	253	64.0	58.3-69.7
45-54	699	122,596	280	38.1	33.4-42.8	419	61.9	57.2-66.6
55-64	953	117,958	466	44.1	40.2-48.0	487	55.9	52.0-59.8
65+	1512	148,805	974	64.0	60.7-67.3	538	36.0	32.7-39.3
Less Than H.S.	383	90,569	168	38.9	32.2-45.6	215	61.1	54.4-67.8
H.S. or G.E.D.	1239	222,862	569	36.1	32.4-39.8	670	63.9	60.2-67.6
Some Post-H.S.	1013	205,888	469	39.2	34.9-43.5	544	60.8	56.5-65.1
College Graduate	1499	184,028	847	50.6	47.3-53.9	652	49.4	46.1-52.7
Less than \$15,000	336	56,693	145	31.4	24.3-38.5	191	68.6	61.5-75.7
\$15,000- 24,999	635	106,060	282	37.6	32.3-42.9	353	62.4	57.1-67.7
\$25,000- 34,999	367	57,388	181	39.7	33.0-46.4	186	60.3	53.6-67.0
\$35,000- 49,999	495	84,853	222	30.7	25.4-36.0	273	69.3	64.0-74.6
\$50,000- 74,999	556	87,120	283	46.8	41.1-52.5	273	53.2	47.5-58.9
\$75,000+	1083	204,092	586	45.5	41.2-49.8	497	54.5	50.2-58.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	334,207	801	37.4	34.1-40.7	883	62.6	59.3-65.9
White/Non-Hisp	1166	218,689	590	41.7	37.8-45.6	576	58.3	54.4-62.2
Black or Afr. Am./Non-Hisp	201	63,257	74	27.5	19.9-35.1	127	72.5	64.9-80.1
MultiRacial/Non-Hisp.	125	4,369	68	43.3	30.4-56.2	57	56.7	43.8-69.6
Hispanic	104	26,308	38	35.0	24.0-46.0	66	65.0	54.0-76.0
18-24	68	41,322	13	22.9	10.7-35.1	55	77.1	64.9-89.3
25-34	130	58,025	31	20.2	12.4-28.0	99	79.8	72.0-87.6
35-44	177	52,507	66	33.8	25.0-42.6	111	66.2	57.4-75.0
45-54	293	58,504	98	31.4	24.3-38.5	195	68.6	61.5-75.7
55-64	388	55,361	181	42.6	36.5-48.7	207	57.4	51.3-63.5
65+	611	66,084	403	65.0	59.9-70.1	208	35.0	29.9-40.1
Less Than H.S.	174	50,265	68	38.0	28.2-47.8	106	62.0	52.2-71.8
H.S. or G.E.D.	496	108,915	209	30.5	25.2-35.8	287	69.5	64.2-74.8
Some Post-H.S.	383	91,393	165	34.4	27.7-41.1	218	65.6	58.9-72.3
College Graduate	626	81,891	359	50.3	45.0-55.6	267	49.7	44.4-55.0
Less than \$15,000	112	24,454	47	24.1	14.3-33.9	65	75.9	66.1-85.7
\$15,000- 24,999	241	45,048	91	31.9	23.9-39.9	150	68.1	60.1-76.1
\$25,000- 34,999	116	21,454	52	34.9	23.9-45.9	64	65.1	54.1-76.1
\$35,000- 49,999	232	46,013	92	26.3	18.9-33.7	140	73.7	66.3-81.1
\$50,000- 74,999	234	38,876	118	42.6	33.8-51.4	116	57.4	48.6-66.2
\$75,000+	525	112,614	279	42.5	36.4-48.6	246	57.5	51.4-63.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2466	371,483	1258	44.4	41.7-47.1	1208	55.6	52.9-58.3
White/Non-Hisp	1659	245,002	912	49.3	46.2-52.4	747	50.7	47.6-53.8
Black or Afr. Am./Non-Hisp	385	76,384	153	30.1	24.0-36.2	232	69.9	63.8-76.0
Oth. Race/Non-Hisp.	65	13,855	29	46.9	29.7-64.1	36	53.1	35.9-70.3
MultiRacial/Non-Hisp.	188	5,787	96	50.0	40.6-59.4	92	50.0	40.6-59.4
Hispanic	130	25,753	55	39.5	29.5-49.5	75	60.5	50.5-70.5
18-24	98	45,165	43	40.5	28.5-52.5	55	59.5	47.5-71.5
25-34	216	57,234	64	25.9	19.4-32.4	152	74.1	67.6-80.6
35-44	235	54,835	93	38.1	30.8-45.4	142	61.9	54.6-69.2
45-54	406	64,092	182	44.3	38.2-50.4	224	55.7	49.6-61.8
55-64	565	62,597	285	45.5	40.6-50.4	280	54.5	49.6-59.4
65+	901	82,721	571	63.2	59.1-67.3	330	36.8	32.7-40.9
Less Than H.S.	209	40,304	100	40.1	31.5-48.7	109	59.9	51.3-68.5
H.S. or G.E.D.	743	113,948	360	41.3	36.4-46.2	383	58.7	53.8-63.6
Some Post-H.S.	630	114,495	304	43.0	37.5-48.5	326	57.0	51.5-62.5
College Graduate	873	102,137	488	50.9	46.6-55.2	385	49.1	44.8-53.4
Less than \$15,000	224	32,239	98	37.0	27.8-46.2	126	63.0	53.8-72.2
\$15,000- 24,999	394	61,012	191	41.9	35.0-48.8	203	58.1	51.2-65.0
\$25,000- 34,999	251	35,933	129	42.6	34.4-50.8	122	57.4	49.2-65.6
\$35,000- 49,999	263	38,841	130	36.0	28.7-43.3	133	64.0	56.7-71.3
\$50,000- 74,999	322	48,244	165	50.2	42.9-57.5	157	49.8	42.5-57.1
\$75,000+	558	91,477	307	49.2	43.3-55.1	251	50.8	44.9-56.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1347	178,112	9	0.8	00.2-01.4	28	2.2	01.0-03.4	1310	97.1	95.9-98.3
Male	510	72,460	6	1.2	00.0-02.4	10	1.7	00.0-03.5	494	97.1	94.9-99.3
Female	837	105,652	3	0.5	00.0-01.1	18	2.5	01.1-03.9	816	97.0	95.4-98.6
White/Non-Hisp	1002	138,204	6	0.8	00.0-01.6	16	1.9	00.7-03.1	980	97.3	95.9-98.7
Black or Afr. Am./Non-Hisp	140	21,196	2	1.3	00.0-03.1	3	1.8	00.0-04.3	135	97.0	93.9-0100
MultiRacial/Non-Hisp.	118	3,311				5	4.0	00.1-07.9	113	96.0	92.1-99.9
25-34	57	16,905				2	2.5	00.0-06.0	55	97.5	94.0-0100
35-44	98	22,601	1	0.5	00.0-01.5				97	99.5	98.5-0100
45-54	173	26,092	2	0.6	00.0-01.4	4	2.7	00.0-06.0	167	96.7	93.2-0100
55-64	333	35,678	2	1.4	00.0-03.4	6	1.4	00.0-02.8	325	97.2	94.8-99.6
65+	640	59,901	3	0.5	00.0-01.1	11	1.1	00.3-01.9	626	98.5	97.5-99.5
Less Than H.S.	90	18,600	2	1.3	00.0-03.3	4	3.0	00.0-07.5	84	95.7	90.8-0100
H.S. or G.E.D.	368	48,681	5	2.0	00.0-04.0	13	3.5	01.1-05.9	350	94.5	91.6-97.4
Some Post-H.S.	285	44,564				5	2.6	00.0-05.5	280	97.4	94.5-0100
College Graduate	602	66,128	2	0.3	00.0-00.7	6	0.6	00.0-01.2	594	99.1	98.3-99.9
Less than \$15,000	77	9,070	2	2.6	00.0-06.5	5	5.4	00.0-11.1	70	92.0	85.1-98.9
\$15,000- 24,999	179	23,446	1	0.9	00.0-02.7	3	0.4	00.0-01.0	175	98.7	96.7-0100
\$25,000- 34,999	114	13,277	1	0.5	00.0-01.5	7	10.2	01.8-18.6	106	89.3	80.9-97.7
\$35,000- 49,999	147	16,265	4	4.7	00.0-09.8	2	2.2	00.0-05.5	141	93.1	87.0-99.2
\$50,000- 74,999	197	25,910	1	0.4	00.0-01.2	1	0.3	00.0-00.9	195	99.3	98.3-0100
\$75,000+	413	63,775				6	0.8	00.0-01.6	407	99.2	98.4-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	510	72,460	6	1.2	00.0-02.4	10	1.7	00.0-03.5	494	97.1	94.9-99.3
White/Non-Hisp	388	57,972	5	1.4	00.0-03.0	6	1.6	00.0-03.8	377	96.9	94.4-99.4
45-54	56	8,398	2	1.9	00.0-04.6	2	1.2	00.0-03.0	52	96.9	93.6-0100
55-64	129	15,949	1	1.8	00.0-05.3	2	1.0	00.0-02.6	126	97.2	93.5-0100
65+	256	26,945	2	0.5	00.0-01.3	4	0.7	00.0-01.5	250	98.8	97.8-99.8
H.S. or G.E.D.	135	18,070	4	4.1	00.0-08.8	4	1.6	00.0-03.6	127	94.3	89.2-99.4
Some Post-H.S.	92	14,876				2	4.8	00.0-12.4	90	95.2	87.6-0100
College Graduate	248	29,493	1	0.2	00.0-00.6	3	0.5	00.0-01.1	244	99.2	98.4-0100
\$15,000- 24,999	57	8,084				1	0.3	00.0-00.9	56	99.7	99.1-0100
\$35,000- 49,999	59	6,703	3	9.7	00.0-21.3				56	90.3	78.7-0100
\$50,000- 74,999	74	8,864	1	1.0	00.0-03.0	1	0.9	00.0-02.7	72	98.1	95.4-0100
\$75,000+	195	32,285				3	0.8	00.0-01.8	192	99.2	98.2-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	837	105,652	3	0.5	00.0-01.1	18	2.5	01.1-03.9	816	97.0	95.4-98.6
White/Non-Hisp	614	80,233	1	0.3	00.0-00.9	10	2.1	00.5-03.7	603	97.6	96.0-99.2
Black or Afr. Am./Non-Hisp	98	13,813	2	2.0	00.0-04.7	2	2.5	00.0-06.4	94	95.6	90.9-0100
MultiRacial/Non-Hisp.	74	2,152				3	3.7	00.0-08.6	71	96.3	91.4-0100
35-44	58	12,293	1	0.9	00.0-02.7				57	99.1	97.3-0100
45-54	117	17,694				2	3.4	00.0-08.3	115	96.6	91.7-0100
55-64	204	19,729	1	1.1	00.0-03.3	4	1.7	00.0-03.7	199	97.2	94.3-0100
65+	384	32,956	1	0.5	00.0-01.5	7	1.4	00.2-02.6	376	98.2	96.8-99.6
Less Than H.S.	55	8,578	1	1.8	00.0-05.3	3	6.2	00.0-15.6	51	91.9	81.9-0100
H.S. or G.E.D.	233	30,611	1	0.7	00.0-02.1	9	4.7	01.2-08.2	223	94.6	90.9-98.3
Some Post-H.S.	193	29,689				3	1.5	00.0-03.5	190	98.5	96.5-0100
College Graduate	354	36,636	1	0.3	00.0-00.9	3	0.7	00.0-01.7	350	99.0	97.8-0100
Less than \$15,000	53	6,929	1	2.3	00.0-06.8	2	4.0	00.0-09.9	50	93.7	86.3-0100
\$15,000- 24,999	122	15,362	1	1.4	00.0-04.1	2	0.4	00.0-01.2	119	98.1	95.2-0100
\$25,000- 34,999	82	8,890				7	15.3	03.1-27.5	75	84.7	72.5-96.9
\$35,000- 49,999	88	9,562	1	1.2	00.0-03.6	2	3.8	00.0-09.5	85	95.1	89.0-0100
\$50,000- 74,999	123	17,046							123	100.0	0100-0100
\$75,000+	218	31,490				3	0.8	00.0-02.0	215	99.2	98.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3814	621,557	1655	34.6	32.4-36.8	2159	65.4	63.2-67.6
Male	1514	288,953	641	32.3	29.2-35.4	873	67.7	64.6-70.8
Female	2300	332,603	1014	36.7	34.0-39.4	1286	63.3	60.6-66.0
White/Non-Hisp	2607	408,250	1216	37.6	35.2-40.0	1391	62.4	60.0-64.8
Black or Afr. Am./Non-Hisp	538	125,181	203	32.0	26.1-37.9	335	68.0	62.1-73.9
Oth. Race/Non-Hisp.	98	23,329	31	20.4	10.6-30.2	67	79.6	69.8-89.4
MultiRacial/Non-Hisp.	295	9,271	132	35.3	28.2-42.4	163	64.7	57.6-71.8
Hispanic	201	42,451	41	20.8	13.7-27.9	160	79.2	72.1-86.3
18-24	131	65,255	31	29.7	19.5-39.9	100	70.3	60.1-80.5
25-34	279	92,197	58	20.8	14.9-26.7	221	79.2	73.3-85.1
35-44	358	92,706	61	16.7	12.2-21.2	297	83.3	78.8-87.8
45-54	636	110,100	142	20.3	16.6-24.0	494	79.7	76.0-83.4
55-64	900	112,259	280	29.2	25.5-32.9	620	70.8	67.1-74.5
65+	1455	142,980	1060	72.9	70.0-75.8	395	27.1	24.2-30.0
Less Than H.S.	355	80,499	156	32.1	26.0-38.2	199	67.9	61.8-74.0
H.S. or G.E.D.	1153	200,639	517	35.8	31.9-39.7	636	64.2	60.3-68.1
Some Post-H.S.	923	174,689	401	35.6	31.3-39.9	522	64.4	60.1-68.7
College Graduate	1368	163,433	575	33.8	30.5-37.1	793	66.2	62.9-69.5
Less than \$15,000	311	47,926	151	38.3	30.7-45.9	160	61.7	54.1-69.3
\$15,000- 24,999	597	96,814	281	38.7	33.2-44.2	316	61.3	55.8-66.8
\$25,000- 34,999	342	52,740	158	37.1	30.0-44.2	184	62.9	55.8-70.0
\$35,000- 49,999	464	77,309	212	37.2	31.1-43.3	252	62.8	56.7-68.9
\$50,000- 74,999	518	77,677	199	32.7	27.6-37.8	319	67.3	62.2-72.4
\$75,000+	965	175,356	333	25.5	21.8-29.2	632	74.5	70.8-78.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1514	288,953	641	32.3	29.2-35.4	873	67.7	64.6-70.8
White/Non-Hisp	1056	190,855	471	33.7	30.0-37.4	585	66.3	62.6-70.0
Black or Afr. Am./Non-Hisp	182	54,932	66	31.5	22.3-40.7	116	68.5	59.3-77.7
MultiRacial/Non-Hisp.	111	3,573	52	40.1	27.2-53.0	59	59.9	47.0-72.8
Hispanic	85	19,714	20	22.0	11.8-32.2	65	78.0	67.8-88.2
18-24	50	29,876	14	29.8	15.1-44.5	36	70.2	55.5-84.9
25-34	106	46,332	20	19.1	10.1-28.1	86	80.9	71.9-89.9
35-44	151	45,031	27	15.9	09.0-22.8	124	84.1	77.2-91.0
45-54	256	51,297	55	16.9	11.6-22.2	201	83.1	77.8-88.4
55-64	358	52,310	111	28.0	22.3-33.7	247	72.0	66.3-77.7
65+	579	62,374	408	71.3	66.6-76.0	171	28.7	24.0-33.4
Less Than H.S.	157	42,922	53	24.9	17.1-32.7	104	75.1	67.3-82.9
H.S. or G.E.D.	456	97,073	194	30.9	25.2-36.6	262	69.1	63.4-74.8
Some Post-H.S.	342	75,739	142	34.4	27.3-41.5	200	65.6	58.5-72.7
College Graduate	554	71,477	252	37.2	31.9-42.5	302	62.8	57.5-68.1
Less than \$15,000	100	19,170	44	33.7	20.2-47.2	56	66.3	52.8-79.8
\$15,000- 24,999	220	40,649	94	38.6	29.8-47.4	126	61.4	52.6-70.2
\$25,000- 34,999	107	20,150	51	35.9	23.7-48.1	56	64.1	51.9-76.3
\$35,000- 49,999	216	41,345	94	37.4	28.4-46.4	122	62.6	53.6-71.6
\$50,000- 74,999	212	33,207	90	32.6	24.6-40.6	122	67.4	59.4-75.4
\$75,000+	457	95,725	162	21.4	17.1-25.7	295	78.6	74.3-82.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	332,603	1014	36.7	34.0-39.4	1286	63.3	60.6-66.0
White/Non-Hisp	1551	217,395	745	41.0	37.9-44.1	806	59.0	55.9-62.1
Black or Afr. Am./Non-Hisp	356	70,249	137	32.3	24.9-39.7	219	67.7	60.3-75.1
Oth. Race/Non-Hisp.	58	12,694	19	20.8	09.2-32.4	39	79.2	67.6-90.8
MultiRacial/Non-Hisp.	184	5,699	80	32.3	24.1-40.5	104	67.7	59.5-75.9
Hispanic	116	22,737	21	19.8	10.2-29.4	95	80.2	70.6-89.8
18-24	81	35,379	17	29.7	15.8-43.6	64	70.3	56.4-84.2
25-34	173	45,865	38	22.4	15.1-29.7	135	77.6	70.3-84.9
35-44	207	47,675	34	17.5	11.4-23.6	173	82.5	76.4-88.6
45-54	380	58,804	87	23.2	17.9-28.5	293	76.8	71.5-82.1
55-64	542	59,949	169	30.1	25.4-34.8	373	69.9	65.2-74.6
65+	876	80,606	652	74.2	70.5-77.9	224	25.8	22.1-29.5
Less Than H.S.	198	37,577	103	40.3	31.3-49.3	95	59.7	50.7-68.7
H.S. or G.E.D.	697	103,566	323	40.4	35.1-45.7	374	59.6	54.3-64.9
Some Post-H.S.	581	98,950	259	36.5	31.4-41.6	322	63.5	58.4-68.6
College Graduate	814	91,956	323	31.1	27.0-35.2	491	68.9	64.8-73.0
Less than \$15,000	211	28,755	107	41.3	32.5-50.1	104	58.7	49.9-67.5
\$15,000- 24,999	377	56,164	187	38.7	31.8-45.6	190	61.3	54.4-68.2
\$25,000- 34,999	235	32,590	107	37.8	29.2-46.4	128	62.2	53.6-70.8
\$35,000- 49,999	248	35,964	118	37.1	29.5-44.7	130	62.9	55.3-70.5
\$50,000- 74,999	306	44,470	109	32.8	25.9-39.7	197	67.2	60.3-74.1
\$75,000+	508	79,631	171	30.4	24.5-36.3	337	69.6	63.7-75.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 10: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2868	335,413	674	20.3	18.5-22.1	2194	79.7	77.9-81.5
Male	1163	152,360	253	19.0	16.5-21.5	910	81.0	78.5-83.5
Female	1705	183,054	421	21.3	18.9-23.7	1284	78.7	76.3-81.1
White/Non-Hisp	2132	257,759	557	23.0	21.0-25.0	1575	77.0	75.0-79.0
Black or Afr. Am./Non-Hisp	343	51,628	40	11.4	07.3-15.5	303	88.6	84.5-92.7
MultiRacial/Non-Hisp.	243	6,247	55	16.3	11.4-21.2	188	83.7	78.8-88.6
Hispanic	71	10,234	3	3.0	00.0-06.5	68	97.0	93.5-0100
45-54	424	71,356	19	5.3	02.6-08.0	405	94.7	92.0-97.4
55-64	944	116,733	142	13.7	11.2-16.2	802	86.3	83.8-88.8
65+	1500	147,324	513	32.7	29.8-35.6	987	67.3	64.4-70.2
Less Than H.S.	254	43,963	35	11.9	07.2-16.6	219	88.1	83.4-92.8
H.S. or G.E.D.	871	105,249	174	17.6	14.7-20.5	697	82.4	79.5-85.3
Some Post-H.S.	696	93,616	172	23.2	19.5-26.9	524	76.8	73.1-80.5
College Graduate	1040	92,054	291	24.5	21.6-27.4	749	75.5	72.6-78.4
Less than \$15,000	222	25,126	32	11.3	06.4-16.2	190	88.7	83.8-93.6
\$15,000- 24,999	433	49,844	80	16.3	12.0-20.6	353	83.7	79.4-88.0
\$25,000- 34,999	245	25,166	57	23.0	16.5-29.5	188	77.0	70.5-83.5
\$35,000- 49,999	367	44,747	91	19.4	14.7-24.1	276	80.6	75.9-85.3
\$50,000- 74,999	406	46,485	113	26.4	21.3-31.5	293	73.6	68.5-78.7
\$75,000+	702	90,160	182	21.6	18.3-24.9	520	78.4	75.1-81.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 11: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1163	152,360	253	19.0	16.5-21.5	910	81.0	78.5-83.5
White/Non-Hisp	875	115,227	214	21.5	18.6-24.4	661	78.5	75.6-81.4
Black or Afr. Am./Non-Hisp	136	26,809	18	12.7	06.0-19.4	118	87.3	80.6-94.0
MultiRacial/Non-Hisp.	91	2,376	15	11.9	05.2-18.6	76	88.1	81.4-94.8
45-54	175	32,617	9	4.9	01.2-08.6	166	95.1	91.4-98.8
55-64	380	54,219	52	12.6	08.9-16.3	328	87.4	83.7-91.1
65+	608	65,523	192	31.4	26.7-36.1	416	68.6	63.9-73.3
Less Than H.S.	110	23,064	15	10.7	04.4-17.0	95	89.3	83.0-95.6
H.S. or G.E.D.	324	44,821	55	15.8	11.1-20.5	269	84.2	79.5-88.9
Some Post-H.S.	274	41,822	60	21.1	15.6-26.6	214	78.9	73.4-84.4
College Graduate	454	42,393	123	25.1	20.6-29.6	331	74.9	70.4-79.4
Less than \$15,000	75	10,291	11	9.9	03.0-16.8	64	90.1	83.2-97.0
\$15,000- 24,999	166	22,698	23	13.9	07.0-20.8	143	86.1	79.2-93.0
\$25,000- 34,999	81	9,384	15	18.2	08.4-28.0	66	81.8	72.0-91.6
\$35,000- 49,999	171	22,959	37	19.3	12.2-26.4	134	80.7	73.6-87.8
\$50,000- 74,999	172	19,836	45	24.7	17.3-32.1	127	75.3	67.9-82.7
\$75,000+	341	47,351	93	23.5	18.4-28.6	248	76.5	71.4-81.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 12: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1705	183,054	421	21.3	18.9-23.7	1284	78.7	76.3-81.1
White/Non-Hisp	1257	142,532	343	24.2	21.5-26.9	914	75.8	73.1-78.5
Black or Afr. Am./Non-Hisp	207	24,819	22	10.1	05.0-15.2	185	89.9	84.8-95.0
MultiRacial/Non-Hisp.	152	3,872	40	19.0	12.3-25.7	112	81.0	74.3-87.7
45-54	249	38,739	10	5.7	01.6-09.8	239	94.3	90.2-98.4
55-64	564	62,514	90	14.7	11.2-18.2	474	85.3	81.8-88.8
65+	892	81,801	321	33.8	29.9-37.7	571	66.2	62.3-70.1
Less Than H.S.	144	20,899	20	13.2	06.1-20.3	124	86.8	79.7-93.9
H.S. or G.E.D.	547	60,428	119	18.9	15.0-22.8	428	81.1	77.2-85.0
Some Post-H.S.	422	51,794	112	24.9	19.8-30.0	310	75.1	70.0-80.2
College Graduate	586	49,661	168	24.1	20.2-28.0	418	75.9	72.0-79.8
Less than \$15,000	147	14,835	21	12.3	05.4-19.2	126	87.7	80.8-94.6
\$15,000- 24,999	267	27,146	57	18.3	12.8-23.8	210	81.7	76.2-87.2
\$25,000- 34,999	164	15,783	42	25.8	17.4-34.2	122	74.2	65.8-82.6
\$35,000- 49,999	196	21,788	54	19.5	13.6-25.4	142	80.5	74.6-86.4
\$50,000- 74,999	234	26,650	68	27.7	20.6-34.8	166	72.3	65.2-79.4
\$75,000+	361	42,809	89	19.5	15.0-24.0	272	80.5	76.0-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	211
2	MALES ONLY	212
3	FEMALES ONLY	213
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	214
5	MALES ONLY	215
6	FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3187	390,134	455	13.0	11.6-14.4	191	5.4	04.4-06.4	92	3.2	02.4-04.0	42	1.1	00.7-01.5	84	2.7	01.9-03.5	2323	74.6	72.6-76.6
Male	1295	179,470	167	12.0	09.8-14.2	78	5.1	03.7-06.5	38	3.0	01.6-04.4	15	0.7	00.3-01.1	39	3.4	01.8-05.0	958	75.7	72.6-78.8
Female	1892	210,664	288	13.8	12.0-15.6	113	5.7	04.3-07.1	54	3.4	02.2-04.6	27	1.4	00.6-02.2	45	2.1	01.3-02.9	1365	73.6	71.1-76.1
White/Non-Hisp	2319	288,079	345	13.6	12.0-15.2	141	5.7	04.5-06.9	68	3.3	02.3-04.3	32	1.4	00.8-02.0	59	2.4	01.6-03.2	1674	73.6	71.4-75.8
Black or Afr. Am./Non-Hisp	405	67,970	53	11.2	07.1-15.3	21	4.6	02.1-07.1	14	3.7	01.3-06.1	2	0.3	00.0-00.7	10	3.5	00.6-06.4	305	76.8	71.1-82.5
MultiRacial/Non-Hisp.	266	6,816	35	11.8	07.1-16.5	15	3.9	01.5-06.3	7	2.0	00.4-03.6	8	3.3	00.8-05.8	9	3.5	01.0-06.0	192	75.5	69.2-81.8
Hispanic	86	13,584	8	7.1	01.6-12.6	9	7.4	01.7-13.1	1	1.6	00.0-04.7				3	5.2	00.0-12.6	65	78.7	68.3-89.1
45-54	687	120,457	60	9.5	06.6-12.4	36	5.0	03.0-07.0	16	2.6	01.0-04.2	10	1.2	00.2-02.2	27	3.2	01.8-04.6	538	78.5	74.6-82.4
55-64	941	115,945	147	14.2	11.7-16.7	56	5.2	03.6-06.8	21	2.8	01.2-04.4	11	0.9	00.3-01.5	30	3.8	01.6-06.0	676	73.1	69.6-76.6
65+	1498	146,660	243	15.0	12.8-17.2	97	6.2	04.8-07.6	54	4.2	02.8-05.6	21	1.3	00.5-02.1	26	1.5	00.7-02.3	1057	71.9	69.2-74.6
Less Than H.S.	274	47,742	44	12.2	07.9-16.5	22	6.6	03.3-09.9	10	4.9	01.4-08.4	6	2.0	00.2-03.8	19	7.6	02.7-12.5	173	66.6	59.3-73.9
H.S. or G.E.D.	957	121,372	132	12.5	10.0-15.0	50	5.1	03.3-06.9	28	3.3	01.7-04.9	14	1.5	00.5-02.5	26	2.4	01.2-03.6	707	75.2	71.9-78.5
Some Post-H.S.	768	110,156	106	12.8	09.9-15.7	51	5.8	03.8-07.8	23	3.3	01.5-05.1	10	0.9	00.3-01.5	23	2.3	01.1-03.5	555	75.0	71.1-78.9
College Graduate	1176	109,947	170	14.1	11.7-16.5	68	4.9	03.5-06.3	30	2.1	01.1-03.1	12	0.5	00.1-00.9	16	1.4	00.6-02.2	880	77.0	74.1-79.9
Less than \$15,000	249	28,851	38	11.7	07.0-16.4	22	7.9	03.6-12.2	10	5.4	00.9-09.9	6	2.5	00.0-05.0	31	14.5	07.2-21.8	142	58.0	49.2-66.8
\$15,000- 24,999	466	54,232	82	18.4	13.7-23.1	38	7.3	04.6-10.0	14	2.8	00.8-04.8	5	1.1	00.0-02.3	17	3.9	01.4-06.4	310	66.4	60.7-72.1
\$25,000- 34,999	274	30,661	42	16.4	09.7-23.1	16	5.4	02.3-08.5	9	3.4	00.9-05.9	6	1.9	00.1-03.7	4	1.3	00.0-02.7	197	71.7	64.4-79.0
\$35,000- 49,999	384	48,157	58	13.6	09.7-17.5	20	3.8	01.8-05.8	14	5.7	02.0-09.4	4	0.5	00.0-01.3	4	0.7	00.0-01.5	284	75.7	70.2-81.2
\$50,000- 74,999	446	54,123	65	12.0	08.7-15.3	25	4.9	02.4-07.4	10	3.8	01.1-06.5	4	0.5	00.0-01.1	9	2.1	00.1-04.1	333	76.7	71.8-81.6
\$75,000+	819	111,703	106	11.8	09.3-14.3	43	5.3	03.5-07.1	20	1.6	00.8-02.4	6	0.6	00.0-01.4	11	1.3	00.3-02.3	633	79.4	76.1-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1295	179,470	167	12.0	09.8-14.2	78	5.1	03.7-06.5	38	3.0	01.6-04.4	15	0.7	00.3-01.1	39	3.4	01.8-05.0	958	75.7	72.6-78.8
White/Non-Hisp	958	129,836	131	12.5	10.1-14.9	58	5.6	03.8-07.4	25	2.8	01.4-04.2	10	0.8	00.2-01.4	27	3.0	01.6-04.4	707	75.3	72.0-78.6
Black or Afr. Am./Non-Hisp	152	34,930	16	10.6	03.9-17.3	8	3.8	00.7-06.9	6	4.2	00.5-07.9	1	0.3	00.0-00.9	4	4.1	00.0-09.4	117	77.0	68.0-86.0
MultiRacial/Non-Hisp.	103	2,651	9	5.8	01.9-09.7	6	4.6	00.1-09.1	6	4.7	00.6-08.8	4	5.6	00.0-11.5	5	4.7	00.4-09.0	73	74.5	64.7-84.3
45-54	285	57,001	27	11.3	06.2-16.4	12	4.5	01.8-07.2	8	3.0	00.6-05.4	5	0.7	00.0-01.5	12	3.2	01.0-05.4	221	77.3	71.0-83.6
55-64	383	54,347	46	11.2	07.7-14.7	20	3.8	01.8-05.8	9	2.3	00.0-04.7	4	0.7	00.0-01.7	14	5.5	01.4-09.6	290	76.5	70.8-82.2
65+	610	65,718	93	13.7	10.6-16.8	45	6.9	04.5-09.3	21	3.8	01.6-06.0	6	0.7	00.1-01.3	12	1.8	00.2-03.4	433	73.1	68.8-77.4
Less Than H.S.	124	26,369	18	10.7	05.0-16.4	10	5.8	01.3-10.3	6	5.7	00.2-11.2	1	0.6	00.0-01.8	12	11.4	03.0-19.8	77	65.8	55.0-76.6
H.S. or G.E.D.	362	51,937	43	11.2	07.1-15.3	22	5.8	02.9-08.7	11	2.0	00.6-03.4	4	0.9	00.0-02.1	13	3.2	01.0-05.4	269	76.9	71.6-82.2
Some Post-H.S.	295	49,828	32	10.6	05.9-15.3	17	4.2	01.8-06.6	9	3.3	00.6-06.0	4	0.7	00.0-01.5	9	1.8	00.4-03.2	224	79.4	73.5-85.3
College Graduate	512	50,972	74	15.1	11.2-19.0	29	5.0	02.8-07.2	11	1.9	00.5-03.3	6	0.6	00.2-01.0	5	1.1	00.1-02.1	387	76.3	71.8-80.8
Less than \$15,000	83	11,483	8	7.7	01.2-14.2	6	7.9	00.1-15.7	2	4.4	00.0-11.7	4	4.2	00.0-09.1	13	22.6	06.9-38.3	50	53.1	37.4-68.8
\$15,000- 24,999	180	24,818	29	15.5	08.4-22.6	16	7.1	02.8-11.4	8	3.6	00.1-07.1				8	5.7	00.4-11.0	119	68.1	58.9-77.3
\$25,000- 34,999	89	11,600	10	20.4	05.7-35.1	7	7.4	00.7-14.1	3	1.5	00.0-03.5	2	2.3	00.0-05.6	3	2.7	00.0-06.0	64	65.6	51.1-80.1
\$35,000- 49,999	182	25,259	24	10.6	05.7-15.5	11	4.3	01.4-07.2	4	3.3	00.0-07.8	2	0.7	00.0-01.9	3	0.8	00.0-01.8	138	80.3	73.4-87.2
\$50,000- 74,999	190	24,081	30	12.2	07.1-17.3	8	3.7	00.2-07.2	6	5.2	00.7-09.7	1	0.2	00.0-00.6	3	1.1	00.0-02.7	142	77.6	70.3-84.9
\$75,000+	394	58,147	50	12.2	08.3-16.1	22	5.2	02.7-07.7	6	1.1	00.1-02.1	5	0.5	00.1-00.9	6	1.3	00.1-02.5	305	79.7	75.0-84.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1892	210,664	288	13.8	12.0-15.6	113	5.7	04.3-07.1	54	3.4	02.2-04.6	27	1.4	00.6-02.2	45	2.1	01.3-02.9	1365	73.6	71.1-76.1
White/Non-Hisp	1361	158,243	214	14.5	12.3-16.7	83	5.9	04.5-07.3	43	3.7	02.3-05.1	22	1.8	00.8-02.8	32	2.0	01.2-02.8	967	72.2	69.3-75.1
Black or Afr. Am./Non-Hisp	253	33,040	37	11.8	07.3-16.3	13	5.4	01.5-09.3	8	3.2	00.3-06.1	1	0.2	00.0-00.6	6	2.9	00.4-05.4	188	76.5	69.8-83.2
MultiRacial/Non-Hisp.	163	4,165	26	15.7	08.4-23.0	9	3.4	00.9-05.9	1	0.3	00.0-00.9	4	1.8	00.0-03.6	4	2.7	00.0-05.8	119	76.2	68.2-84.2
45-54	402	63,456	33	7.9	04.8-11.0	24	5.4	02.7-08.1	8	2.3	00.3-04.3	5	1.6	00.0-03.2	15	3.2	01.2-05.2	317	79.6	74.9-84.3
55-64	558	61,598	101	16.8	13.1-20.5	36	6.4	03.9-08.9	12	3.2	00.8-05.6	7	1.0	00.2-01.8	16	2.4	01.0-03.8	386	70.1	65.4-74.8
65+	888	80,942	150	16.1	13.2-19.0	52	5.6	03.6-07.6	33	4.5	02.7-06.3	15	1.7	00.5-02.9	14	1.2	00.4-02.0	624	70.9	67.2-74.6
Less Than H.S.	150	21,373	26	14.1	07.4-20.8	12	7.6	02.9-12.3	4	4.0	00.0-08.3	5	3.7	00.2-07.2	7	2.9	00.4-05.4	96	67.7	58.3-77.1
H.S. or G.E.D.	595	69,435	89	13.4	10.1-16.7	28	4.6	02.4-06.8	17	4.3	01.9-06.7	10	2.0	00.4-03.6	13	1.8	00.6-03.0	438	73.9	69.4-78.4
Some Post-H.S.	473	60,328	74	14.6	10.9-18.3	34	7.0	04.1-09.9	14	3.2	01.0-05.4	6	1.0	00.0-02.0	14	2.7	00.7-04.7	331	71.4	66.3-76.5
College Graduate	664	58,975	96	13.2	10.3-16.1	39	4.9	03.1-06.7	19	2.3	01.1-03.5	6	0.5	00.0-01.1	11	1.6	00.4-02.8	493	77.5	73.8-81.2
Less than \$15,000	166	17,368	30	14.2	07.5-20.9	16	7.9	03.2-12.6	8	6.1	00.4-11.8	2	1.4	00.0-03.9	18	9.1	04.2-14.0	92	61.3	51.3-71.3
\$15,000- 24,999	286	29,415	53	20.8	14.5-27.1	22	7.4	03.7-11.1	6	2.2	00.2-04.2	5	2.0	00.0-04.2	9	2.5	00.7-04.3	191	65.1	58.0-72.2
\$25,000- 34,999	185	19,061	32	13.9	08.4-19.4	9	4.1	01.0-07.2	6	4.5	00.6-08.4	4	1.7	00.0-03.5	1	0.4	00.0-01.2	133	75.4	68.1-82.7
\$35,000- 49,999	202	22,898	34	17.0	10.5-23.5	9	3.3	00.8-05.8	10	8.3	02.4-14.2	2	0.3	00.0-00.9	1	0.5	00.0-01.5	146	70.5	62.3-78.7
\$50,000- 74,999	256	30,042	35	11.7	07.4-16.0	17	5.9	02.2-09.6	4	2.7	00.0-06.0	3	0.7	00.0-01.9	6	3.0	00.0-06.3	191	76.0	69.3-82.7
\$75,000+	425	53,557	56	11.4	08.1-14.7	21	5.4	02.7-08.1	14	2.2	00.8-03.6	1	0.8	00.0-02.4	5	1.4	00.0-02.8	328	79.0	74.3-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	856	98,306	264	30.2	26.3-34.1	50	5.8	03.8-07.8	15	1.8	00.8-02.8	16	1.8	00.8-02.8	14	1.8	00.6-03.0	497	58.6	54.3-62.9
Male	335	43,446	91	27.1	21.0-33.2	10	2.3	00.7-03.9	3	0.7	00.0-01.7	10	2.7	00.7-04.7	6	2.6	00.2-05.0	215	64.6	57.9-71.3
Female	521	54,860	173	32.6	27.5-37.7	40	8.5	05.4-11.6	12	2.7	00.9-04.5	6	1.0	00.0-02.0	8	1.3	00.1-02.5	282	53.9	48.4-59.4
White/Non-Hisp	639	75,197	193	29.8	25.5-34.1	42	7.1	04.6-09.6	11	1.5	00.5-02.5	12	1.9	00.5-03.3	11	1.9	00.5-03.3	370	57.8	53.1-62.5
Black or Afr. Am./Non-Hisp	99	15,714	34	31.2	19.0-43.4	2	0.9	00.0-02.3	1	1.7	00.0-04.8	3	1.8	00.0-04.0	1	1.6	00.0-04.7	58	62.8	50.1-75.5
MultiRacial/Non-Hisp.	74	1,668	20	30.8	16.5-45.1	3	4.5	00.0-11.2	1	1.0	00.0-03.0	1	0.5	00.0-01.5	1	3.5	00.0-10.2	48	59.7	45.2-74.2
45-54	149	25,852	51	34.3	24.7-43.9	11	7.2	02.3-12.1	5	2.3	00.1-04.5	5	2.7	00.0-05.6	6	3.6	00.1-07.1	71	50.0	40.0-60.0
55-64	263	30,960	87	30.3	23.6-37.0	15	6.0	02.5-09.5	3	1.0	00.0-02.6	6	1.2	00.2-02.2	5	2.1	00.0-04.5	147	59.6	52.2-67.0
65+	435	40,497	124	27.3	22.2-32.4	23	4.8	02.6-07.0	6	2.0	00.2-03.8	5	1.7	00.1-03.3	2	0.3	00.0-00.7	275	63.9	58.4-69.4
Less Than H.S.	99	15,712	35	29.1	18.1-40.1	5	4.5	00.2-08.8	3	3.9	00.0-08.2	5	3.1	00.0-06.6	2	2.2	00.0-05.7	49	57.1	44.6-69.6
H.S. or G.E.D.	246	29,554	78	31.3	24.0-38.6	11	4.7	01.6-07.8	2	0.9	00.0-02.1	6	2.6	00.1-05.1	6	3.2	00.1-06.3	143	57.4	49.6-65.2
Some Post-H.S.	213	27,489	66	27.5	20.1-34.9	19	8.8	03.9-13.7	8	2.6	00.2-05.0	3	1.2	00.0-02.6	3	0.9	00.0-01.9	114	59.1	50.7-67.5
College Graduate	294	25,195	83	32.8	25.9-39.7	15	4.7	02.0-07.4	2	0.8	00.0-02.2	2	0.5	00.0-01.3	3	1.1	00.0-02.7	189	60.1	53.0-67.2
Less than \$15,000	104	11,782	32	29.9	17.4-42.4	9	7.3	01.8-12.8	5	2.4	00.0-04.8	7	4.1	00.6-07.6	7	6.9	00.8-13.0	44	49.4	35.1-63.7
\$15,000- 24,999	156	18,199	53	33.0	23.4-42.6	12	6.5	02.4-10.6	3	1.9	00.0-04.3	2	2.2	00.0-05.7	4	2.4	00.0-05.5	82	54.0	43.8-64.2
\$25,000- 34,999	76	8,417	31	34.2	19.7-48.7	5	6.0	00.3-11.7	2	3.0	00.0-07.3	3	4.9	00.0-10.6				35	51.9	36.2-67.6
\$35,000- 49,999	100	11,722	32	34.8	23.0-46.6	2	1.7	00.0-04.2	1	1.7	00.0-05.0	1	0.7	00.0-02.1				64	61.1	49.1-73.1
\$50,000- 74,999	113	12,592	24	17.7	09.9-25.5	8	8.1	00.5-15.7				1	0.4	00.0-01.2	1	0.4	00.0-01.2	79	73.4	63.2-83.6
\$75,000+	184	22,882	57	31.4	23.4-39.4	5	4.2	00.5-07.9	2	1.2	00.0-03.4				1	0.5	00.0-01.5	119	62.7	54.3-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	335	43,446	91	27.1	20.8-33.4	10	2.3	00.7-03.9	3	0.7	00.0-01.7	10	2.7	00.7-04.7	6	2.6	00.2-05.0	215	64.6	57.9-71.3
White/Non-Hisp	250	31,906	68	26.2	19.7-32.7	9	3.0	00.8-05.2	1	0.2	00.0-00.6	9	3.4	00.7-06.1	6	3.5	00.4-06.6	157	63.8	56.5-71.1
45-54	64	12,934	20	34.0	19.3-48.7	2	1.9	00.0-04.8				5	5.3	00.0-11.2	1	2.9	00.0-08.6	36	55.9	40.6-71.2
55-64	93	12,758	22	20.5	11.1-29.9	2	2.2	00.0-05.3	1	0.1	00.0-00.3	3	1.9	00.0-04.1	4	4.8	00.0-10.3	61	70.4	59.2-81.6
65+	175	17,509	49	27.3	19.5-35.1	6	2.8	00.3-05.3	2	1.5	00.0-03.9	2	1.4	00.0-03.4				116	66.9	58.5-75.3
H.S. or G.E.D.	92	11,902	20	22.5	11.5-33.5	4	3.5	00.0-07.2				5	6.1	00.0-12.4	1	3.1	00.0-09.2	62	64.8	52.3-77.3
Some Post-H.S.	71	10,264	19	22.2	09.7-34.7	1	1.0	00.0-03.0	2	0.7	00.0-01.9	2	2.6	00.0-06.3	2	1.9	00.0-04.6	45	71.5	58.4-84.6
College Graduate	124	11,991	35	33.7	23.1-44.3	4	2.6	00.0-05.5				1	0.7	00.0-02.1	2	2.2	00.0-05.5	82	60.9	50.1-71.7
\$15,000- 24,999	61	7,920	21	39.6	22.7-56.5	3	4.6	00.0-09.9	1	0.7	00.0-02.1	1	4.2	00.0-12.2	2	4.5	00.0-11.6	33	46.4	29.5-63.3
\$75,000+	87	11,608	23	24.7	13.9-35.5	1	1.0	00.0-03.0	1	0.1	00.0-00.5				1	1.1	00.0-03.3	61	73.1	62.1-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	521	54,860	173	32.6	27.5-37.7	40	8.5	05.4-11.6	12	2.7	00.9-04.5	6	1.0	00.0-02.0	8	1.3	00.1-02.5	282	53.9	48.4-59.4
White/Non-Hisp	389	43,290	125	32.5	26.8-38.2	33	10.1	06.2-14.0	10	2.5	00.7-04.3	3	0.8	00.0-02.0	5	0.7	00.0-01.5	213	53.4	47.3-59.5
Black or Afr. Am./Non-Hisp	64	7,695	25	36.1	21.2-51.0	2	1.9	00.0-04.8	1	3.4	00.0-09.9	2	2.3	00.0-05.8	1	3.3	00.0-09.6	33	53.0	37.3-68.7
45-54	85	12,918	31	34.6	22.3-46.9	9	12.5	03.3-21.7	5	4.6	00.3-08.9				5	4.3	00.0-08.8	35	44.1	31.0-57.2
55-64	170	18,202	65	37.1	28.3-45.9	13	8.6	03.1-14.1	2	1.6	00.0-04.3	3	0.6	00.0-01.4	1	0.1	00.0-00.3	86	51.9	42.5-61.3
65+	260	22,987	75	27.3	20.6-34.0	17	6.3	03.0-09.6	4	2.3	00.0-04.8	3	1.9	00.0-04.3	2	0.5	00.0-01.3	159	61.7	54.4-69.0
Less Than H.S.	52	6,682	18	26.5	12.6-40.4	4	7.9	00.0-16.1	2	6.1	00.0-14.3	3	5.7	00.0-13.7	1	0.9	00.0-02.7	24	52.9	36.4-69.4
H.S. or G.E.D.	154	17,653	58	37.1	27.5-46.7	7	5.5	01.0-10.0	2	1.4	00.0-03.6	1	0.3	00.0-00.9	5	3.2	00.0-06.5	81	52.4	42.4-62.4
Some Post-H.S.	142	17,225	47	30.6	21.6-39.6	18	13.5	06.1-20.9	6	3.7	00.2-07.2	1	0.3	00.0-00.9	1	0.2	00.0-00.6	69	51.7	41.5-61.9
College Graduate	170	13,204	48	32.1	23.3-40.9	11	6.6	01.9-11.3	2	1.6	00.0-04.1	1	0.3	00.0-00.9	1	0.2	00.0-00.6	107	59.3	50.1-68.5
Less than \$15,000	71	6,397	23	32.1	16.8-47.4	7	9.6	01.6-17.6	5	4.5	00.2-08.8	2	2.0	00.0-05.7	6	9.6	00.6-18.6	28	42.1	26.2-58.0
\$15,000- 24,999	95	10,279	32	28.0	17.6-38.4	9	8.0	01.9-14.1	2	2.8	00.0-06.7	1	0.6	00.0-01.8	2	0.8	00.0-02.0	49	59.9	48.1-71.7
\$25,000- 34,999	51	4,421	28	49.6	33.5-65.7	5	11.5	01.1-21.9	2	5.7	00.0-13.7							16	33.3	17.8-48.8
\$35,000- 49,999	56	6,744	15	32.3	16.6-48.0	2	3.0	00.0-07.5	1	3.0	00.0-08.9							38	61.7	45.4-78.0
\$50,000- 74,999	65	7,208	16	22.4	10.4-34.4	6	12.0	00.0-24.7				1	0.6	00.0-01.8				42	65.0	49.7-80.3
\$75,000+	97	11,274	34	38.3	26.3-50.3	4	7.4	00.1-14.7	1	2.3	00.0-06.8							58	51.9	39.6-64.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4147	703,709	3880	92.0	90.6-93.4	140	4.1	03.1-05.1	62	2.1	01.5-02.7	20	0.5	00.1-00.9	41	1.3	00.5-02.1	4	0.0	00.0-00.0
Male	1684	333,160	1519	89.1	86.7-91.5	84	5.4	03.8-07.0	36	2.5	01.5-03.5	9	0.3	00.1-00.5	32	2.6	01.0-04.2	4	0.1	00.0-00.3
Female	2463	370,550	2361	94.6	93.2-96.0	56	2.9	01.9-03.9	26	1.7	00.9-02.5	11	0.7	00.1-01.3	9	0.2	00.0-00.4			
White/Non-Hisp	2820	461,585	2644	91.4	89.6-93.2	98	4.4	03.2-05.6	39	2.2	01.2-03.2	14	0.5	00.1-00.9	24	1.4	00.4-02.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	586	139,491	540	91.9	89.0-94.8	24	4.0	01.8-06.2	13	2.4	00.8-04.0	3	0.7	00.0-01.7	4	0.9	00.0-02.1	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	113	26,236	106	94.7	89.8-99.6	3	3.7	00.0-08.0	1	0.5	00.0-01.5	1	0.8	00.0-02.4	2	0.2	00.0-00.6			
MultiRacial/Non-Hisp.	314	10,163	297	94.5	91.6-97.4	9	3.6	00.9-06.3	3	0.8	00.0-01.8	1	0.2	00.0-00.6	3	0.6	00.0-01.4	1	0.4	00.0-01.2
Hispanic	235	52,407	222	95.3	92.4-98.2	5	2.6	00.2-05.0	4	1.0	00.0-02.2	1	0.5	00.0-01.5	3	0.7	00.0-01.5			
18-24	166	85,922	148	88.9	83.0-94.8	9	4.0	00.9-07.1	5	3.2	00.0-06.5	1	0.9	00.0-02.7	3	3.1	00.0-06.8			
25-34	345	114,710	310	87.7	82.8-92.6	20	5.8	02.7-08.9	11	4.0	01.5-06.5	2	0.9	00.0-02.5	2	1.5	00.0-04.2			
35-44	413	107,973	391	94.5	92.0-97.0	11	2.5	00.9-04.1	6	1.5	00.3-02.7	1	0.2	00.0-00.6	4	1.3	00.0-02.9			
45-54	697	121,947	647	91.7	89.2-94.2	22	4.4	02.2-06.6	14	1.9	00.7-03.1	5	0.6	00.0-01.2	8	1.2	00.2-02.2	1	0.1	00.0-00.3
55-64	951	117,707	895	92.9	90.5-95.3	32	4.6	02.4-06.8	11	1.4	00.4-02.4	3	0.3	00.0-00.7	9	0.7	00.1-01.3	1	0.1	00.0-00.3
65+	1513	148,207	1429	94.3	92.7-95.9	46	3.5	02.3-04.7	14	1.0	00.4-01.6	8	0.4	00.0-00.8	14	0.8	00.2-01.4	2	0.0	00.0-00.0
Less Than H.S.	381	89,445	346	87.8	82.1-93.5	11	4.3	01.0-07.6	7	2.1	00.1-04.1	5	1.5	00.0-03.5	9	4.0	00.0-08.1	3	0.2	00.0-00.6
H.S. or G.E.D.	1238	222,639	1135	90.1	87.7-92.5	57	5.1	03.5-06.7	26	3.6	01.8-05.4	3	0.2	00.0-00.4	17	1.0	00.4-01.6			
Some Post-H.S.	1011	205,619	956	93.7	91.3-96.1	32	3.6	01.8-05.4	10	1.0	00.4-01.6	5	0.6	00.0-01.4	8	1.1	00.0-02.5			
College Graduate	1501	183,663	1429	94.6	93.0-96.2	40	3.3	01.9-04.7	19	1.4	00.6-02.2	7	0.4	00.0-00.8	5	0.3	00.1-00.5	1	0.0	00.0-00.0
Less than \$15,000	336	56,642	312	88.0	80.7-95.3	11	6.8	01.7-11.9	3	1.1	00.0-02.7	3	0.7	00.0-01.7	5	3.2	00.0-08.7	2	0.2	00.0-00.6
\$15,000- 24,999	634	105,946	590	92.1	89.2-95.0	16	3.3	01.3-05.3	12	2.5	00.9-04.1	3	0.9	00.0-02.3	12	1.2	00.2-02.2	1	0.0	00.0-00.0
\$25,000- 34,999	366	57,116	338	90.5	86.0-95.0	12	3.5	01.3-05.7	11	4.0	01.1-06.9	3	1.8	00.0-04.7	2	0.2	00.0-00.4			
\$35,000- 49,999	495	84,363	459	91.3	88.0-94.6	23	4.8	02.4-07.2	9	2.8	00.6-05.0	4	1.1	00.0-02.5	4	1.1	00.0-02.5			
\$50,000- 74,999	554	86,633	525	94.3	91.8-96.8	14	2.9	00.9-04.9	6	1.7	00.1-03.3	4	0.5	00.0-01.1	5	0.6	00.0-01.2			
\$75,000+	1083	204,147	1017	92.8	90.4-95.2	42	4.9	02.9-06.9	15	1.5	00.3-02.7	5	0.2	00.0-00.4	3	0.5	00.0-01.1	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	333,160	1519	89.1	86.7-91.5	84	5.4	03.8-07.0	36	2.5	01.5-03.5	9	0.3	00.1-00.5	32	2.6	01.0-04.2	4	0.1	00.0-00.3
White/Non-Hisp	1165	217,411	1051	87.7	84.6-90.8	61	6.1	03.9-08.3	26	3.0	01.4-04.6	6	0.3	00.1-00.5	20	2.8	00.6-05.0	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	202	63,316	180	90.5	85.4-95.6	11	5.2	01.3-09.1	6	1.9	00.0-03.9	1	0.3	00.0-00.9	2	1.9	00.0-04.4	2	0.2	00.0-00.4
MultiRacial/Non-Hisp.	125	4,369	113	90.9	84.8-97.0	8	7.0	01.5-12.5	8	7.0	01.5-12.5	1	0.4	00.0-01.2	2	1.0	00.0-02.6	1	0.8	00.0-02.4
Hispanic	105	26,752	99	95.0	90.5-99.5	2	2.3	00.0-05.8	1	0.9	00.0-02.7	1	1.0	00.0-03.0	2	0.8	00.0-02.0			
18-24	68	40,757	60	85.1	74.7-95.5	3	4.4	00.0-09.9	2	4.0	00.0-09.9				3	6.4	00.0-14.0			
25-34	129	57,476	115	86.8	79.0-94.6	9	7.3	01.8-12.8	4	3.0	00.0-06.1				1	2.8	00.0-08.3			
35-44	178	53,137	163	92.4	88.1-96.7	9	4.0	01.1-06.9	2	0.9	00.0-02.3				4	2.7	00.0-05.6			
45-54	291	58,142	257	88.7	84.6-92.8	14	5.0	02.1-07.9	10	3.0	00.8-05.2	4	1.1	00.0-02.3	5	1.8	00.0-03.6	1	0.3	00.0-00.9
55-64	387	55,187	353	89.6	85.1-94.1	17	6.2	02.1-10.3	8	2.5	00.7-04.3	1	0.3	00.0-00.9	7	1.3	00.3-02.3	1	0.1	00.0-00.3
65+	614	66,056	556	90.6	87.7-93.5	32	5.4	03.2-07.6	9	1.8	00.4-03.2	4	0.5	00.0-01.1	11	1.7	00.3-03.1	2	0.1	00.0-00.3
Less Than H.S.	173	49,255	150	81.8	72.8-90.8	7	7.0	00.9-13.1	4	3.1	00.0-06.2	2	0.6	00.0-01.6	7	7.0	00.0-14.1	3	0.5	00.0-01.1
H.S. or G.E.D.	496	109,236	428	86.6	82.7-90.5	37	7.3	04.6-10.0	15	4.0	01.3-06.7	3	0.4	00.0-00.8	13	1.7	00.3-03.1			
Some Post-H.S.	382	91,332	356	92.8	88.5-97.1	13	3.8	00.7-06.9	4	0.8	00.0-01.6	2	0.3	00.0-00.7	7	2.4	00.0-05.3			
College Graduate	628	81,593	582	93.4	91.0-95.8	27	3.9	01.9-05.9	13	1.9	00.7-03.1	2	0.2	00.0-00.4	3	0.5	00.0-01.1	1	0.1	00.0-00.3
Less than \$15,000	113	24,480	99	78.4	63.5-93.3	6	12.4	01.2-23.6	1	0.4	00.0-01.2	1	1.1	00.0-03.3	4	7.3	00.0-19.5	2	0.5	00.0-01.3
\$15,000- 24,999	241	45,048	215	90.6	86.3-94.9	10	4.7	01.4-08.0	5	2.0	00.0-04.0	2	0.6	00.0-01.4	8	2.0	00.0-04.0	1	0.1	00.0-00.3
\$25,000- 34,999	116	21,454	103	87.9	80.1-95.7	5	3.2	00.1-06.3	6	8.2	00.9-15.5	1	0.4	00.0-01.2	1	0.3	00.0-00.9			
\$35,000- 49,999	232	45,523	205	87.3	81.8-92.8	17	7.7	03.4-12.0	6	3.0	00.3-05.7				4	2.0	00.0-04.4			
\$50,000- 74,999	234	38,876	214	92.2	87.7-96.7	10	3.5	00.6-06.4	5	3.1	00.0-06.4	2	0.4	00.0-01.2	3	0.8	00.0-02.0			
\$75,000+	526	112,888	482	90.9	87.2-94.6	27	5.7	02.8-08.6	10	2.1	00.0-04.3	3	0.3	00.0-00.7	3	0.9	00.0-02.1	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Nearly Always			Sometimes			Seldom			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2463	370,550	2361	94.6	93.2-96.0	56	2.9	01.9-03.9	26	1.7	00.9-02.5	11	0.7	00.1-01.3	9	0.2	00.0-00.4
White/Non-Hisp	1655	244,174	1593	94.7	92.9-96.5	37	2.9	01.7-04.1	13	1.5	00.3-02.7	8	0.6	00.0-01.4	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	384	76,176	360	93.1	89.6-96.6	13	2.9	00.7-05.1	7	2.8	00.4-05.2	2	1.0	00.0-03.0	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	66	14,049	62	94.5	88.2-0100	2	3.6	00.0-08.9				1	1.6	00.0-04.7	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	189	5,794	184	97.1	94.4-99.8	1	1.1	00.0-03.3	3	1.5	00.0-03.3				1	0.3	00.0-00.9
Hispanic	130	25,655	123	95.6	91.9-99.3	3	2.8	00.0-05.9	3	1.1	00.0-02.7				1	0.5	00.0-01.5
18-24	98	45,165	88	92.3	86.8-97.8	6	3.7	00.4-07.0	3	2.4	00.0-05.5	1	1.6	00.0-04.7			
25-34	216	57,234	195	88.6	82.9-94.3	11	4.3	01.6-07.0	7	5.0	00.7-09.3	2	1.9	00.0-04.8	1	0.2	00.0-00.6
35-44	235	54,835	228	96.7	94.2-99.2	2	1.0	00.0-02.4	4	2.1	00.1-04.1	1	0.3	00.0-00.9			
45-54	406	63,806	390	94.4	91.1-97.7	8	3.9	00.8-07.0	4	0.9	00.0-01.9	1	0.2	00.0-00.6	3	0.6	00.0-01.4
55-64	564	62,520	542	95.9	93.9-97.9	15	3.2	01.4-05.0	3	0.5	00.0-01.3	2	0.2	00.0-00.6	2	0.1	00.0-00.3
65+	899	82,151	873	97.4	96.2-98.6	14	1.9	00.7-03.1	5	0.3	00.0-00.7	4	0.3	00.1-00.5	3	0.1	00.0-00.3
Less Than H.S.	208	40,190	196	95.2	90.7-99.7	4	1.0	00.0-02.2	3	1.0	00.0-02.6	3	2.6	00.0-06.7	2	0.2	00.0-00.6
H.S. or G.E.D.	742	113,403	707	93.5	90.8-96.2	20	3.0	01.4-04.6	11	3.2	00.8-05.6				4	0.3	00.0-00.7
Some Post-H.S.	629	114,287	600	94.5	92.1-96.9	19	3.5	01.7-05.3	6	1.1	00.1-02.1	3	0.8	00.0-02.2	1	0.2	00.0-00.6
College Graduate	873	102,070	847	95.6	93.4-97.8	13	2.8	01.0-04.6	6	1.0	00.0-02.2	5	0.5	00.0-01.1	2	0.1	00.0-00.3
Less than \$15,000	223	32,162	213	95.3	91.6-99.0	5	2.6	00.1-05.1	2	1.7	00.0-04.4	2	0.4	00.0-01.0	1	0.1	00.0-00.3
\$15,000- 24,999	393	60,898	375	93.2	89.3-97.1	6	2.3	00.0-04.7	7	2.8	00.4-05.2	1	1.2	00.0-03.6	4	0.6	00.0-01.4
\$25,000- 34,999	250	35,661	235	92.1	86.4-97.8	7	3.6	00.7-06.5	5	1.4	00.0-03.2	2	2.7	00.0-07.4	1	0.2	00.0-00.6
\$35,000- 49,999	263	38,841	254	96.0	92.5-99.5	6	1.4	00.2-02.6	3	2.6	00.0-05.9						
\$50,000- 74,999	320	47,757	311	96.0	93.1-98.9	4	2.5	00.0-05.0	1	0.6	00.0-01.8	2	0.5	00.0-01.3	2	0.5	00.0-01.3
\$75,000+	557	91,259	535	95.2	92.7-97.7	15	3.9	01.5-06.3	5	0.8	00.0-01.8	2	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	222
2	MALES ONLY	223
3	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time						Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	2094	375,797	32	2.2	01.2-03.2	14	0.6	00.2-01.0	3	0.2	00.0-00.4	4	0.2	00.0-00.4	2041	96.8	95.8-97.8			
Male	973	201,140	21	3.1	01.5-04.7	8	0.4	00.0-00.8	1	0.2	00.0-00.6	4	0.4	00.0-00.8	939	95.9	94.1-97.7			
Female	1121	174,656	11	1.2	00.4-02.0	6	0.7	00.0-01.5	2	0.2	00.0-00.6				1102	97.8	96.6-99.0			
White/Non-Hisp	1553	268,051	25	2.2	01.2-03.2	9	0.4	00.0-00.8	2	0.1	00.0-00.3	3	0.2	00.0-00.4	1514	97.0	95.8-98.2			
Black or Afr. Am./Non-Hisp	214	63,022	3	2.0	00.0-04.4	3	1.5	00.0-03.5							208	96.5	93.4-99.6			
MultiRacial/Non-Hisp.	152	5,080	2	1.5	00.0-03.5	2	0.6	00.0-01.6	1	6.5	00.0-18.7				147	91.4	79.4-0100			
Hispanic	87	21,726										1	1.1	00.0-03.3	86	98.9	96.7-0100			
18-24	93	50,593	3	2.3	00.0-05.0				2	1.3	00.0-03.1				88	96.5	93.2-99.8			
25-34	180	62,754	6	3.6	00.3-06.9	1	0.7	00.0-02.1				1	0.4	00.0-01.2	172	95.3	91.8-98.8			
35-44	234	62,341	7	4.1	00.8-07.4	3	1.1	00.0-02.5				1	0.3	00.0-00.9	223	94.4	90.7-98.1			
45-54	394	71,046	5	1.3	00.0-02.7	1	0.2	00.0-00.6							388	98.4	96.8-0100			
55-64	502	61,985	6	1.0	00.2-01.8	5	0.5	00.0-01.1				1	0.1	00.0-00.3	490	98.4	97.4-99.4			
65+	669	64,657	5	1.2	00.0-02.4	4	0.7	00.0-01.5	1	0.1	00.0-00.3	1	0.5	00.0-01.5	658	97.4	95.6-99.2			
Less Than H.S.	79	22,220	3	4.1	00.0-09.2										76	95.9	90.8-0100			
H.S. or G.E.D.	532	107,570	9	2.4	00.4-04.4	4	1.0	00.0-02.2	1	0.3	00.0-00.9	2	0.4	00.0-01.0	516	95.9	93.5-98.3			
Some Post-H.S.	508	119,398	5	1.7	00.1-03.3	4	0.6	00.0-01.2	1	0.3	00.0-00.9	1	0.3	00.0-00.9	497	97.2	95.2-99.2			
College Graduate	971	125,491	15	2.3	00.9-03.7	6	0.3	00.1-00.5	1	0.1	00.0-00.3	1	0.0	00.0-00.0	948	97.3	95.7-98.9			
Less than \$15,000	80	17,102	1	1.7	00.0-05.0	1	2.5	00.0-07.4							78	95.8	89.9-0100			
\$15,000- 24,999	224	41,508							1	0.7	00.0-02.1	1	0.6	00.0-01.8	222	98.7	96.9-0100			
\$25,000- 34,999	164	26,341	5	3.8	00.1-07.5	3	2.0	00.0-04.2							156	94.2	89.9-98.5			
\$35,000- 49,999	234	43,030	5	2.4	00.0-04.9	1	0.4	00.0-01.2							228	97.2	94.5-99.9			
\$50,000- 74,999	332	52,656	4	2.1	00.0-04.6	6	1.6	00.0-03.4				1	0.1	00.0-00.3	321	96.2	93.1-99.3			
\$75,000+	785	145,805	16	3.1	01.1-05.1	2	0.0	00.0-00.0	2	0.3	00.0-00.7	2	0.4	00.0-01.0	763	96.2	94.2-98.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	973	201,140	21	3.1	01.5-04.7	8	0.4	00.0-00.8	1	0.2	00.0-00.6	4	0.4	00.0-00.8	939	95.9	94.1-97.7
White/Non-Hisp	726	140,084	16	3.1	01.3-04.9	7	0.6	00.2-01.0				3	0.4	00.0-01.0	700	95.9	93.9-97.9
Black or Afr. Am./Non-Hisp	88	32,450	2	2.6	00.0-06.7										86	97.4	93.3-0100
MultiRacial/Non-Hisp.	61	2,346	1	1.7	00.0-05.0	1	0.5	00.0-01.7	1	14.2	00.0-38.3				58	83.6	59.7-0100
Hispanic	51	14,378										1	1.6	00.0-04.7	50	98.4	95.3-0100
25-34	81	37,499	3	4.4	00.0-09.5							1	0.6	00.0-01.8	77	95.0	89.7-0100
35-44	115	34,795	5	5.6	00.1-11.1							1	0.6	00.0-01.8	109	93.7	88.2-99.2
45-54	182	36,825	2	0.9	00.0-02.3	1	0.5	00.0-01.5							179	98.7	97.1-0100
55-64	232	32,630	4	1.2	00.0-02.4	3	0.5	00.0-01.3				1	0.2	00.0-00.6	224	98.2	96.6-99.8
65+	314	31,829	4	2.3	00.0-04.7	4	1.5	00.0-03.1				1	1.0	00.0-03.0	305	95.1	91.8-98.4
Less Than H.S.	50	17,054	3	5.4	00.0-12.1										47	94.6	87.9-0100
H.S. or G.E.D.	265	63,330	7	3.0	00.1-05.9	1	0.2	00.0-00.6				2	0.7	00.0-01.7	255	96.1	93.0-99.2
Some Post-H.S.	226	59,569	3	2.4	00.0-05.3	3	0.8	00.0-01.8	1	0.6	00.0-01.8	1	0.6	00.0-01.8	218	95.7	92.4-99.0
College Graduate	429	60,098	8	3.3	00.6-06.0	4	0.4	00.0-00.8				1	0.1	00.0-00.3	416	96.2	93.5-98.9
\$15,000- 24,999	94	18,671										1	1.2	00.0-03.6	93	98.8	96.4-0100
\$25,000- 34,999	62	12,142	2	2.4	00.0-06.1	2	2.7	00.0-06.4							58	94.9	89.6-0100
\$35,000- 49,999	122	26,280	4	3.8	00.0-08.1	1	0.6	00.0-01.8							117	95.6	91.1-0100
\$50,000- 74,999	141	24,682	1	2.6	00.0-07.7	4	1.3	00.0-02.7				1	0.2	00.0-00.6	135	95.9	90.8-0100
\$75,000+	407	86,732	13	4.5	01.6-07.4	1	0.0	00.0-00.0	1	0.4	00.0-01.2	2	0.6	00.0-01.6	390	94.5	91.4-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time						Two Times			Three Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	1121	174,656	11	1.2	00.4-02.0	6	0.7	00.0-01.5	2	0.2	00.0-00.6	1102	97.8	96.6-99.0			
White/Non-Hisp	827	127,967	9	1.3	00.3-02.3	2	0.3	00.0-00.7	2	0.3	00.0-00.7	814	98.1	96.9-99.3			
Black or Afr. Am./Non-Hisp	126	30,572	1	1.4	00.0-04.1	3	3.1	00.0-07.0				122	95.5	90.8-0100			
MultiRacial/Non-Hisp.	91	2,734	1	1.3	00.0-03.8	1	0.7	00.0-02.1				89	98.0	95.3-0100			
18-24	51	23,731							1	1.3	00.0-03.8	50	98.7	96.2-0100			
25-34	99	25,256	3	2.5	00.0-05.4	1	1.7	00.0-05.0				95	95.8	91.3-0100			
35-44	119	27,546	2	2.2	00.0-05.5	3	2.6	00.0-05.9				114	95.2	90.7-99.7			
45-54	212	34,221	3	1.8	00.0-04.3							209	98.2	95.7-0100			
55-64	270	29,355	2	0.8	00.0-02.0	2	0.6	00.0-01.6				266	98.6	97.0-0100			
65+	355	32,827	1	0.2	00.0-00.6				1	0.3	00.0-00.9	353	99.6	99.0-0100			
H.S. or G.E.D.	267	44,240	2	1.4	00.0-03.6	3	2.2	00.0-04.9	1	0.7	00.0-02.1	261	95.6	92.1-99.1			
Some Post-H.S.	282	59,830	2	1.0	00.0-02.6	1	0.3	00.0-00.9				279	98.7	97.1-0100			
College Graduate	542	65,394	7	1.4	00.2-02.6	2	0.2	00.0-00.6	1	0.1	00.0-00.3	532	98.3	97.1-99.5			
Less than \$15,000	51	8,918	1	3.3	00.0-09.8	1	4.8	00.0-14.0				49	91.9	80.9-0100			
\$15,000- 24,999	130	22,837							1	1.3	00.0-03.8	129	98.7	96.2-0100			
\$25,000- 34,999	102	14,199	3	4.9	00.0-11.2	1	1.4	00.0-03.9				98	93.7	87.0-0100			
\$35,000- 49,999	112	16,751	1	0.2	00.0-00.6							111	99.8	99.4-0100			
\$50,000- 74,999	191	27,974	3	1.7	00.0-03.7	2	1.9	00.0-04.8				186	96.5	93.0-0100			
\$75,000+	378	59,073	3	1.1	00.0-02.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3	373	98.7	97.1-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	226
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	227
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	228
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	229
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	230
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	231
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2450	368,573	2039	69.8	66.9-72.7	411	30.2	27.3-33.1
White/Non-Hisp	1647	242,962	1427	75.1	71.8-78.4	220	24.9	21.6-28.2
Black or Afr. Am./Non-Hisp	382	75,817	300	62.8	55.2-70.4	82	37.2	29.6-44.8
Oth. Race/Non-Hisp.	65	13,902	42	54.1	36.9-71.3	23	45.9	28.7-63.1
MultiRacial/Non-Hisp.	188	5,743	167	79.8	70.8-88.8	21	20.2	11.2-29.2
Hispanic	129	25,607	68	45.4	35.0-55.8	61	54.6	44.2-65.0
18-24	98	45,165	15	16.9	07.3-26.5	83	83.1	73.5-92.7
25-34	213	56,720	39	19.8	13.3-26.3	174	80.2	73.7-86.7
35-44	234	54,625	140	60.3	53.0-67.6	94	39.7	32.4-47.0
45-54	406	63,694	387	94.6	91.7-97.5	19	5.4	02.5-08.3
55-64	563	62,413	552	98.6	97.4-99.8	11	1.4	00.2-02.6
65+	893	81,637	868	98.1	97.3-98.9	25	1.9	01.1-02.7
Less Than H.S.	207	39,906	162	66.0	56.8-75.2	45	34.0	24.8-43.2
H.S. or G.E.D.	739	112,929	621	69.1	63.4-74.8	118	30.9	25.2-36.6
Some Post-H.S.	624	113,685	509	67.2	61.5-72.9	115	32.8	27.1-38.5
College Graduate	870	101,501	738	75.0	70.7-79.3	132	25.0	20.7-29.3
Less than \$15,000	223	32,102	171	61.8	52.0-71.6	52	38.2	28.4-48.0
\$15,000- 24,999	390	60,560	303	60.2	52.8-67.6	87	39.8	32.4-47.2
\$25,000- 34,999	247	35,202	200	66.2	57.0-75.4	47	33.8	24.6-43.0
\$35,000- 49,999	263	38,841	227	77.7	70.1-85.3	36	22.3	14.7-29.9
\$50,000- 74,999	317	47,342	276	77.9	71.0-84.8	41	22.1	15.2-29.0
\$75,000+	554	90,761	475	75.3	69.0-81.6	79	24.7	18.4-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2011	253,693	1315	64.8	62.1-67.5	356	17.4	15.2-19.6	127	6.4	05.0-07.8	80	5.0	03.6-06.4	133	6.4	04.8-08.0
White/Non-Hisp	1412	180,886	930	65.7	62.6-68.8	229	16.0	13.6-18.4	93	6.8	05.0-08.6	56	4.6	03.2-06.0	104	6.8	05.2-08.4
Black or Afr. Am./Non-Hisp	294	46,502	202	66.9	59.3-74.5	56	17.1	11.2-23.0	16	5.5	02.4-08.6	12	8.2	03.3-13.1	8	2.4	00.4-04.4
MultiRacial/Non-Hisp.	166	4,579	104	62.1	52.5-71.7	32	20.7	12.9-28.5	10	4.6	01.3-07.9	9	4.3	01.2-07.4	11	8.2	01.7-14.7
Hispanic	65	10,965	32	47.7	32.2-63.2	20	27.8	15.3-40.3	6	8.9	01.3-16.5	2	2.9	00.0-07.4	5	12.6	00.0-26.9
35-44	139	32,756	80	62.1	52.9-71.3	25	11.1	06.4-15.8	13	9.6	04.3-14.9	10	8.1	03.0-13.2	11	9.1	02.8-15.4
45-54	382	59,326	252	64.2	58.1-70.3	84	22.2	17.1-27.3	22	6.7	03.6-09.8	9	3.6	00.7-06.5	15	3.3	01.3-05.3
55-64	547	61,013	375	68.4	63.5-73.3	99	18.4	14.3-22.5	32	6.0	03.6-08.4	17	3.6	01.4-05.8	24	3.6	01.8-05.4
65+	855	78,781	562	66.6	62.5-70.7	135	16.4	13.3-19.5	51	4.4	03.0-05.8	33	3.6	02.0-05.2	74	9.0	06.3-11.7
Less Than H.S.	153	24,785	94	67.9	58.3-77.5	29	14.7	07.8-21.6	8	4.0	00.7-07.3	6	3.6	00.1-07.1	16	9.8	03.3-16.3
H.S. or G.E.D.	613	77,202	407	65.5	60.6-70.4	101	18.5	14.4-22.6	42	7.1	04.6-09.6	22	2.8	01.2-04.4	41	6.2	03.8-08.6
Some Post-H.S.	505	75,829	302	60.0	54.3-65.7	93	15.9	12.2-19.6	43	8.8	05.5-12.1	29	7.7	04.6-10.8	38	7.6	04.3-10.9
College Graduate	731	75,371	504	67.8	63.3-72.3	132	18.8	14.9-22.7	34	4.2	02.4-06.0	23	5.0	02.3-07.7	38	4.3	02.5-06.1
Less than \$15,000	168	19,560	103	63.6	54.0-73.2	39	25.6	16.8-34.4	11	5.6	01.5-09.7	5	2.2	00.0-04.7	10	3.1	00.9-05.3
\$15,000- 24,999	298	35,716	180	60.5	52.5-68.5	47	14.2	09.3-19.1	23	8.1	03.6-12.6	17	5.8	02.3-09.3	31	11.4	06.3-16.5
\$25,000- 34,999	198	23,079	129	61.1	52.1-70.1	34	16.0	09.7-22.3	16	7.1	02.6-11.6	12	11.1	04.2-18.0	7	4.7	00.8-08.6
\$35,000- 49,999	226	30,093	149	65.9	57.7-74.1	36	15.4	09.5-21.3	17	8.9	03.6-14.2	11	4.8	01.3-08.3	13	5.1	01.6-08.6
\$50,000- 74,999	272	36,395	194	73.5	66.8-80.2	40	12.5	08.0-17.0	12	4.7	01.4-08.0	6	2.5	00.0-05.0	20	6.7	02.4-11.0
\$75,000+	474	68,169	310	63.8	57.9-69.7	99	20.0	15.3-24.7	24	5.5	02.8-08.2	15	4.9	02.0-07.8	26	5.8	02.7-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2439	366,828	2210	89.1	87.1-91.1	229	10.9	08.9-12.9
White/Non-Hisp	1640	241,760	1517	92.4	90.4-94.4	123	7.6	05.6-09.6
Black or Afr. Am./Non-Hisp	380	75,420	331	85.1	79.4-90.8	49	14.9	09.2-20.6
Oth. Race/Non-Hisp.	65	13,902	51	72.7	55.6-89.8	14	27.3	10.2-44.4
MultiRacial/Non-Hisp.	187	5,725	174	88.5	80.3-96.7	13	11.5	03.3-19.7
Hispanic	128	25,320	101	78.3	70.3-86.3	27	21.7	13.7-29.7
18-24	96	44,418	64	70.2	58.8-81.6	32	29.8	18.4-41.2
25-34	212	56,480	179	85.2	79.7-90.7	33	14.8	09.3-20.3
35-44	234	54,625	218	92.9	89.0-96.8	16	7.1	03.2-11.0
45-54	402	63,205	384	95.4	93.0-97.8	18	4.6	02.2-07.0
55-64	562	62,373	540	96.6	94.8-98.4	22	3.4	01.6-05.2
65+	890	81,203	790	89.2	86.7-91.7	100	10.8	08.3-13.3
Less Than H.S.	205	39,555	167	83.2	77.1-89.3	38	16.8	10.7-22.9
H.S. or G.E.D.	737	112,173	658	87.9	84.2-91.6	79	12.1	08.4-15.8
Some Post-H.S.	624	113,832	561	88.8	84.7-92.9	63	11.2	07.1-15.3
College Graduate	863	100,716	816	93.4	90.9-95.9	47	6.6	04.1-09.1
Less than \$15,000	222	32,062	182	84.2	78.5-89.9	40	15.8	10.1-21.5
\$15,000- 24,999	389	60,263	348	85.6	79.7-91.5	41	14.4	08.5-20.3
\$25,000- 34,999	246	35,127	216	88.3	83.4-93.2	30	11.7	06.8-16.6
\$35,000- 49,999	263	38,841	240	91.6	87.3-95.9	23	8.4	04.1-12.7
\$50,000- 74,999	315	46,946	303	95.5	92.0-99.0	12	4.5	01.0-08.0
\$75,000+	550	89,971	533	95.3	92.2-98.4	17	4.7	01.6-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2170	322,440	1493	71.6	69.1-74.1	330	14.2	12.2-16.2	138	6.1	04.7-07.5	76	3.4	02.4-04.4	133	4.8	03.6-06.0
White/Non-Hisp	1488	220,124	1011	70.5	67.6-73.4	227	14.5	12.1-16.9	101	6.9	05.1-08.7	50	3.0	02.0-04.0	99	5.2	04.0-06.4
Black or Afr. Am./Non-Hisp	327	63,676	245	76.8	70.5-83.1	45	12.4	07.5-17.3	12	2.7	00.7-04.7	12	4.8	01.5-08.1	13	3.3	00.8-05.8
Oth. Race/Non-Hisp.	50	9,942	35	65.3	47.5-83.1	9	17.6	05.4-29.8	2	2.9	00.0-07.4				4	14.2	00.0-30.3
MultiRacial/Non-Hisp.	172	5,038	108	65.8	57.2-74.4	29	17.7	10.3-25.1	12	6.2	02.5-09.9	9	4.1	01.2-07.0	14	6.2	02.3-10.1
Hispanic	100	19,675	68	69.1	58.7-79.5	18	15.8	08.0-23.6	9	9.4	03.1-15.7	4	4.3	00.0-08.6	1	1.3	00.0-03.8
18-24	63	30,707	53	84.2	73.8-94.6	6	10.3	01.3-19.3	2	2.9	00.0-07.0	2	2.5	00.0-06.0			
25-34	178	48,078	126	72.8	65.2-80.4	28	14.5	08.2-20.8	12	5.6	02.1-09.1	7	2.7	00.5-04.9	5	4.4	00.3-08.5
35-44	216	50,238	163	76.8	70.5-83.1	30	10.6	06.5-14.7	16	8.6	04.1-13.1	4	2.5	00.0-05.0	3	1.4	00.0-03.2
45-54	380	59,696	274	72.5	66.8-78.2	67	16.5	12.2-20.8	19	5.1	02.4-07.8	9	3.4	00.5-06.3	11	2.5	00.5-04.5
55-64	536	59,881	376	69.2	64.3-74.1	80	16.5	12.4-20.6	37	6.5	04.0-09.0	16	3.5	01.5-05.5	27	4.3	02.3-06.3
65+	766	70,636	481	63.1	58.6-67.6	113	14.3	10.8-17.8	50	5.7	03.9-07.5	37	5.0	03.0-07.0	85	11.9	08.6-15.2
Less Than H.S.	159	32,168	94	58.4	47.6-69.2	28	21.2	11.2-31.2	10	6.1	01.8-10.4	9	3.3	00.4-06.2	18	11.0	04.1-17.9
H.S. or G.E.D.	644	96,990	447	73.5	69.2-77.8	98	14.3	10.8-17.8	35	4.9	02.9-06.9	25	3.2	01.6-04.8	39	4.1	02.5-05.7
Some Post-H.S.	553	99,780	357	70.0	65.1-74.9	74	10.6	07.7-13.5	52	8.8	05.9-11.7	27	4.7	02.5-06.9	43	5.8	03.4-08.2
College Graduate	806	93,087	589	75.7	71.8-79.6	129	15.4	12.1-18.7	41	4.4	02.6-06.2	15	2.2	00.4-04.0	32	2.3	01.3-03.3
Less than \$15,000	177	26,686	118	68.0	58.0-78.0	31	20.2	11.0-29.4	11	4.9	01.2-08.6	7	2.9	00.0-05.8	10	4.0	00.7-07.3
\$15,000- 24,999	334	50,154	210	65.7	58.6-72.8	50	12.3	07.4-17.2	27	9.7	05.6-13.8	18	4.4	01.9-06.9	29	7.9	04.2-11.6
\$25,000- 34,999	213	30,711	144	71.0	63.2-78.8	40	16.7	10.6-22.8	14	4.1	01.2-07.0	6	4.6	00.5-08.7	9	3.6	00.9-06.3
\$35,000- 49,999	238	35,190	160	72.3	65.0-79.6	33	14.7	08.6-20.8	20	6.0	02.9-09.1	14	4.5	01.8-07.2	11	2.6	00.8-04.4
\$50,000- 74,999	301	44,452	213	72.9	66.2-79.6	44	13.0	08.5-17.5	18	6.7	02.6-10.8	5	2.1	00.0-04.3	21	5.2	01.7-08.7
\$75,000+	531	85,519	393	77.1	72.2-82.0	78	13.3	09.4-17.2	28	5.0	02.6-07.4	12	2.6	00.6-04.6	20	1.9	00.9-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2432	365,210	2294	91.7	89.5-93.9	138	8.3	06.1-10.5
White/Non-Hisp	1635	240,395	1560	94.7	92.9-96.5	75	5.3	03.5-07.1
Black or Afr. Am./Non-Hisp	380	75,354	348	84.8	77.9-91.7	32	15.2	08.3-22.1
Oth. Race/Non-Hisp.	65	13,902	53	72.4	54.2-90.6	12	27.6	09.4-45.8
MultiRacial/Non-Hisp.	186	5,703	177	93.9	87.8-0100	9	6.1	00.0-12.2
Hispanic	128	25,377	119	93.0	88.1-97.9	9	7.0	02.1-11.9
18-24	96	43,452	68	65.3	52.8-77.8	28	34.7	22.2-47.2
25-34	211	56,250	192	89.0	83.5-94.5	19	11.0	05.5-16.5
35-44	232	54,079	226	97.5	95.3-99.7	6	2.5	00.3-04.7
45-54	403	63,376	395	97.2	94.8-99.6	8	2.8	00.4-05.2
55-64	563	62,413	554	98.3	97.1-99.5	9	1.7	00.5-02.9
65+	884	81,042	818	94.2	92.6-95.8	66	5.8	04.2-07.4
Less Than H.S.	205	39,628	180	85.9	79.0-92.8	25	14.1	07.2-21.0
H.S. or G.E.D.	732	111,707	680	88.9	84.2-93.6	52	11.1	06.4-15.8
Some Post-H.S.	621	112,313	593	93.8	90.3-97.3	28	6.2	02.7-09.7
College Graduate	864	101,010	832	94.7	92.2-97.2	32	5.3	02.8-07.8
Less than \$15,000	223	32,141	208	92.4	87.5-97.3	15	7.6	02.7-12.5
\$15,000- 24,999	388	60,177	351	85.2	78.7-91.7	37	14.8	08.3-21.3
\$25,000- 34,999	245	35,038	235	95.8	92.7-98.9	10	4.2	01.1-07.3
\$35,000- 49,999	263	38,841	255	97.3	95.3-99.3	8	2.7	00.7-04.7
\$50,000- 74,999	313	46,678	308	98.4	96.8-0100	5	1.6	00.0-03.2
\$75,000+	552	90,479	531	91.6	86.1-97.1	21	8.4	02.9-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2229	329,389	1093	55.6	52.9-58.3	434	18.8	16.6-21.0	224	9.0	07.4-10.6	135	5.4	04.2-06.6	343	11.3	09.7-12.9
White/Non-Hisp	1515	223,976	694	52.5	49.2-55.8	289	17.8	15.4-20.2	160	9.8	07.8-11.8	101	6.4	04.8-08.0	271	13.5	11.5-15.5
Black or Afr. Am./Non-Hisp	342	63,127	212	66.2	59.1-73.3	65	19.6	13.3-25.9	27	6.2	02.9-09.5	11	2.9	00.7-05.1	27	5.1	02.7-07.5
Oth. Race/Non-Hisp.	52	9,977	26	41.8	25.5-58.1	16	35.5	19.0-52.0	2	0.8	00.0-02.0	1	2.1	00.0-06.2	7	19.8	03.3-36.3
MultiRacial/Non-Hisp.	170	5,211	75	47.5	37.9-57.1	34	18.8	11.7-25.9	20	12.2	05.1-19.3	15	7.5	02.6-12.4	26	14.0	06.7-21.3
Hispanic	117	23,142	67	61.5	51.1-71.9	26	20.5	12.1-28.9	12	11.3	04.4-18.2	6	3.9	00.6-07.2	6	2.8	00.4-05.2
18-24	68	28,373	48	71.6	58.5-84.7	13	19.0	07.2-30.8	5	7.8	00.7-14.9	2	1.6	00.0-04.0			
25-34	192	50,047	134	70.7	63.1-78.3	40	18.7	12.2-25.2	6	3.1	00.4-05.8	10	5.6	01.5-09.7	2	2.0	00.0-04.7
35-44	225	52,504	152	69.1	62.0-76.2	36	15.0	09.5-20.5	22	9.4	05.1-13.7	6	3.3	00.8-05.8	9	3.2	00.8-05.6
45-54	391	60,928	226	58.9	52.8-65.0	92	21.5	16.8-26.2	30	8.1	04.4-11.8	17	5.2	02.1-08.3	26	6.3	03.4-09.2
55-64	547	60,821	282	51.8	46.7-56.9	109	20.3	16.2-24.4	60	11.5	08.0-15.0	29	4.7	02.7-06.7	67	11.6	08.5-14.7
65+	772	73,082	234	29.8	25.7-33.9	138	17.8	13.9-21.7	99	12.1	09.4-14.8	69	9.1	06.6-11.6	232	31.2	26.9-35.5
Less Than H.S.	171	32,984	75	47.3	37.3-57.3	29	25.1	15.1-35.1	15	9.0	03.7-14.3	12	4.4	01.3-07.5	40	14.2	08.1-20.3
H.S. or G.E.D.	663	98,149	329	56.0	50.9-61.1	113	16.4	12.7-20.1	65	9.2	06.5-11.9	40	5.1	02.9-07.3	116	13.3	10.4-16.2
Some Post-H.S.	574	103,774	262	56.4	51.1-61.7	103	14.4	11.1-17.7	65	9.6	06.7-12.5	47	7.0	04.5-09.5	97	12.6	09.7-15.5
College Graduate	812	93,935	421	56.9	52.4-61.4	188	23.9	20.0-27.8	79	8.2	05.7-10.7	36	4.3	02.5-06.1	88	6.7	04.9-08.5
Less than \$15,000	201	28,954	95	52.2	42.2-62.2	41	23.1	14.7-31.5	18	7.7	03.2-12.2	7	2.8	00.0-05.7	40	14.1	08.4-19.8
\$15,000- 24,999	344	50,795	161	52.7	45.3-60.1	52	14.6	09.1-20.1	34	10.3	06.2-14.4	31	8.1	04.0-12.2	66	14.4	09.9-18.9
\$25,000- 34,999	233	33,348	102	53.0	44.2-61.8	57	21.5	15.0-28.0	21	5.9	02.2-09.6	8	3.2	00.5-05.9	45	16.3	10.6-22.0
\$35,000- 49,999	251	37,612	114	53.8	45.6-62.0	45	17.7	11.6-23.8	37	15.2	09.1-21.3	20	4.4	01.9-06.9	35	8.8	05.3-12.3
\$50,000- 74,999	301	45,343	163	60.6	53.5-67.7	55	16.2	10.9-21.5	28	8.0	04.1-11.9	11	4.1	01.6-06.6	44	11.2	06.9-15.5
\$75,000+	524	81,869	288	60.4	54.9-65.9	119	20.8	16.5-25.1	49	8.6	05.5-11.7	22	4.1	01.9-06.3	46	6.1	03.9-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 15: BREAST/CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2413	359,012	665	21.2	19.2-23.2	1748	78.8	76.8-80.8
White/Non-Hisp	1632	238,573	463	23.4	20.9-25.9	1169	76.6	74.1-79.1
Black or Afr. Am./Non-Hisp	370	72,413	116	20.5	15.8-25.2	254	79.5	74.8-84.2
Oth. Race/Non-Hisp.	62	13,126	10	11.3	03.1-19.5	52	88.7	80.5-96.9
MultiRacial/Non-Hisp.	186	5,678	53	27.7	18.9-36.5	133	72.3	63.5-81.1
Hispanic	125	24,747	14	6.7	03.0-10.4	111	93.3	89.6-97.0
18-24	94	42,986	2	0.5	00.0-01.3	92	99.5	98.7-0100
25-34	196	51,678	2	1.4	00.0-03.4	194	98.6	96.6-0100
35-44	227	52,920	20	8.6	04.3-12.9	207	91.4	87.1-95.7
45-54	403	63,306	87	20.4	15.5-25.3	316	79.6	74.7-84.5
55-64	560	62,244	180	34.8	29.9-39.7	380	65.2	60.3-70.1
65+	892	81,615	366	43.1	39.0-47.2	526	56.9	52.8-61.0
Less Than H.S.	202	39,223	67	23.8	16.9-30.7	135	76.2	69.3-83.1
H.S. or G.E.D.	727	108,706	237	25.0	21.1-28.9	490	75.0	71.1-78.9
Some Post-H.S.	616	111,933	183	21.7	18.0-25.4	433	78.3	74.6-82.0
College Graduate	858	98,599	178	15.6	12.9-18.3	680	84.4	81.7-87.1
Less than \$15,000	222	31,802	69	20.2	14.1-26.3	153	79.8	73.7-85.9
\$15,000- 24,999	386	59,774	104	18.2	13.9-22.5	282	81.8	77.5-86.1
\$25,000- 34,999	240	32,603	75	26.1	19.2-33.0	165	73.9	67.0-80.8
\$35,000- 49,999	258	38,093	81	27.6	20.5-34.7	177	72.4	65.3-79.5
\$50,000- 74,999	312	45,765	76	22.8	17.1-28.5	236	77.2	71.5-82.9
\$75,000+	548	88,760	119	16.2	12.7-19.7	429	83.8	80.3-87.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)	
1	MALES ONLY	234
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	235
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	236
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	237
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	238
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1316	196,593	914	65.8	62.3-69.3	402	34.2	30.7-37.7
White/Non-Hisp	963	140,752	685	66.0	61.9-70.1	278	34.0	29.9-38.1
Black or Afr. Am./Non-Hisp	153	36,771	114	74.7	65.5-83.9	39	25.3	16.1-34.5
MultiRacial/Non-Hisp.	105	2,919	73	65.6	52.7-78.5	32	34.4	21.5-47.3
Hispanic	51	9,470	19	39.4	22.0-56.8	32	60.6	43.2-78.0
35-44	89	25,540	24	25.7	15.1-36.3	65	74.3	63.7-84.9
45-54	285	56,942	165	59.8	52.4-67.2	120	40.2	32.8-47.6
55-64	367	52,299	268	72.6	66.5-78.7	99	27.4	21.3-33.5
65+	575	61,812	457	82.2	78.3-86.1	118	17.8	13.9-21.7
Less Than H.S.	126	29,109	62	47.7	35.5-59.9	64	52.3	40.1-64.5
H.S. or G.E.D.	374	58,460	243	61.8	55.3-68.3	131	38.2	31.7-44.7
Some Post-H.S.	301	53,596	214	72.8	66.5-79.1	87	27.2	20.9-33.5
College Graduate	514	55,202	394	72.6	67.3-77.9	120	27.4	22.1-32.7
Less than \$15,000	81	11,396	38	43.8	28.7-58.9	43	56.2	41.1-71.3
\$15,000- 24,999	183	26,749	108	59.2	49.8-68.6	75	40.8	31.4-50.2
\$25,000- 34,999	93	12,653	60	64.8	52.5-77.1	33	35.2	22.9-47.5
\$35,000- 49,999	186	26,792	123	55.4	45.8-65.0	63	44.6	35.0-54.2
\$50,000- 74,999	193	25,349	149	75.9	68.1-83.7	44	24.1	16.3-31.9
\$75,000+	415	69,728	314	69.4	62.7-76.1	101	30.6	23.9-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1309	195,099	402	30.9	27.6-34.2	907	69.1	65.8-72.4
White/Non-Hisp	958	139,630	269	27.5	24.0-31.0	689	72.5	69.0-76.0
Black or Afr. Am./Non-Hisp	155	36,861	71	43.7	32.7-54.7	84	56.3	45.3-67.3
MultiRacial/Non-Hisp.	105	2,950	34	34.7	22.0-47.4	71	65.3	52.6-78.0
Hispanic	50	9,217	12	26.3	09.4-43.2	38	73.7	56.8-90.6
35-44	91	25,963	12	13.9	05.7-22.1	79	86.1	77.9-94.3
45-54	280	55,772	74	25.2	18.7-31.7	206	74.8	68.3-81.3
55-64	360	51,209	142	40.5	34.0-47.0	218	59.5	53.0-66.0
65+	578	62,156	174	35.1	29.6-40.6	404	64.9	59.4-70.4
Less Than H.S.	123	28,582	33	27.8	17.2-38.4	90	72.2	61.6-82.8
H.S. or G.E.D.	375	58,157	102	26.0	20.5-31.5	273	74.0	68.5-79.5
Some Post-H.S.	296	53,046	85	34.1	26.5-41.7	211	65.9	58.3-73.5
College Graduate	514	55,089	181	34.2	29.1-39.3	333	65.8	60.7-70.9
Less than \$15,000	82	11,306	21	28.4	14.5-42.3	61	71.6	57.7-85.5
\$15,000- 24,999	185	26,703	52	27.0	18.6-35.4	133	73.0	64.6-81.4
\$25,000- 34,999	91	11,968	21	22.2	11.6-32.8	70	77.8	67.2-88.4
\$35,000- 49,999	185	26,639	52	27.6	19.8-35.4	133	72.4	64.6-80.2
\$50,000- 74,999	193	25,637	65	37.1	27.7-46.5	128	62.9	53.5-72.3
\$75,000+	417	69,928	139	30.4	24.7-36.1	278	69.6	63.9-75.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1322	198,103	862	58.1	54.4-61.8	460	41.9	38.2-45.6
White/Non-Hisp	968	141,980	644	58.6	54.5-62.7	324	41.4	37.3-45.5
Black or Afr. Am./Non-Hisp	159	37,224	107	60.9	49.3-72.5	52	39.1	27.5-50.7
MultiRacial/Non-Hisp.	103	2,894	64	61.5	48.6-74.4	39	38.5	25.6-51.4
Hispanic	51	9,302	23	49.7	32.6-66.8	28	50.3	33.2-67.4
35-44	92	26,105	18	18.1	08.9-27.3	74	81.9	72.7-91.1
45-54	282	56,547	133	46.0	38.2-53.8	149	54.0	46.2-61.8
55-64	363	52,551	250	65.7	59.0-72.4	113	34.3	27.6-41.0
65+	585	62,901	461	79.4	75.1-83.7	124	20.6	16.3-24.9
Less Than H.S.	126	29,456	57	44.7	32.7-56.7	69	55.3	43.3-67.3
H.S. or G.E.D.	380	59,338	228	54.3	47.8-60.8	152	45.7	39.2-52.2
Some Post-H.S.	302	53,847	207	63.0	55.0-71.0	95	37.0	29.0-45.0
College Graduate	512	54,978	369	64.7	59.2-70.2	143	35.3	29.8-40.8
Less than \$15,000	84	11,576	38	36.5	22.8-50.2	46	63.5	49.8-77.2
\$15,000- 24,999	190	27,315	106	56.4	47.0-65.8	84	43.6	34.2-53.0
\$25,000- 34,999	89	12,397	59	62.8	49.9-75.7	30	37.2	24.3-50.1
\$35,000- 49,999	189	27,656	122	55.1	45.7-64.5	67	44.9	35.5-54.3
\$50,000- 74,999	193	25,637	148	72.5	64.3-80.7	45	27.5	19.3-35.7
\$75,000+	413	69,679	276	53.9	46.8-61.0	137	46.1	39.0-53.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	856	113,771	799	89.8	86.7-92.9	57	10.2	07.1-13.3
White/Non-Hisp	640	82,837	607	92.7	90.0-95.4	33	7.3	04.6-10.0
Black or Afr. Am./Non-Hisp	106	21,890	95	85.0	75.6-94.4	11	15.0	05.6-24.4
MultiRacial/Non-Hisp.	64	1,781	60	92.4	84.4-0100	4	7.6	00.0-15.6
45-54	133	26,005	109	79.3	70.3-88.3	24	20.7	11.7-29.7
55-64	248	34,184	234	94.8	91.5-98.1	14	5.2	01.9-08.5
65+	457	48,857	446	96.8	94.3-99.3	11	3.2	00.7-05.7
Less Than H.S.	55	12,135	43	71.5	55.0-88.0	12	28.5	12.0-45.0
H.S. or G.E.D.	226	32,056	206	86.9	80.4-93.4	20	13.1	06.6-19.6
Some Post-H.S.	206	33,761	194	92.4	87.7-97.1	12	7.6	02.9-12.3
College Graduate	368	35,559	355	96.1	93.7-98.5	13	3.9	01.5-06.3
\$15,000- 24,999	103	14,446	95	86.9	76.3-97.5	8	13.1	02.5-23.7
\$25,000- 34,999	59	7,787	57	98.1	95.4-0100	2	1.9	00.0-04.6
\$35,000- 49,999	122	15,240	113	87.5	78.3-96.7	9	12.5	03.3-21.7
\$50,000- 74,999	148	18,579	139	93.1	87.6-98.6	9	6.9	01.4-12.4
\$75,000+	274	37,129	259	90.6	85.7-95.5	15	9.4	04.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	882	113,010	553	61.9	57.6-66.2	142	16.1	13.0-19.2	67	8.2	05.7-10.7	59	8.1	05.4-10.8	61	5.7	03.9-07.5
White/Non-Hisp	663	84,401	421	62.2	57.7-66.7	101	15.9	12.6-19.2	49	8.8	05.7-11.9	45	6.9	04.7-09.1	47	6.2	04.0-08.4
Black or Afr. Am./Non-Hisp	104	20,778	69	63.2	50.1-76.3	17	15.9	06.5-25.3	6	5.1	01.0-09.2	8	12.9	01.3-24.5	4	2.9	00.0-06.2
MultiRacial/Non-Hisp.	73	1,879	40	51.6	36.3-66.9	17	17.1	07.9-26.3	7	17.8	01.9-33.7	4	8.8	00.2-17.4	5	4.7	00.0-09.6
45-54	121	23,175	74	60.4	49.6-71.2	24	20.3	10.9-29.7	11	8.9	02.8-15.0	8	7.8	01.9-13.7	4	2.6	00.0-05.3
55-64	257	35,942	149	58.2	50.9-65.5	46	17.1	11.8-22.4	22	8.1	04.4-11.8	26	11.7	06.8-16.6	14	4.9	01.4-08.4
65+	491	51,710	327	67.4	61.5-73.3	69	13.2	09.5-16.9	30	6.4	02.9-09.9	23	5.6	01.3-09.9	42	7.5	04.8-10.2
Less Than H.S.	52	10,267	28	47.0	30.1-63.9	10	22.9	09.0-36.8	3	11.4	00.0-25.7	2	3.7	00.0-10.4	9	15.0	02.7-27.3
H.S. or G.E.D.	231	31,658	144	63.9	56.3-71.5	42	17.0	11.3-22.7	16	7.0	02.7-11.3	14	6.9	02.4-11.4	15	5.3	02.4-08.2
Some Post-H.S.	210	33,585	139	64.7	55.9-73.5	36	16.7	10.0-23.4	14	7.5	03.2-11.8	12	8.4	01.5-15.3	9	2.8	00.8-04.8
College Graduate	389	37,500	242	61.9	56.0-67.8	54	13.1	09.2-17.0	34	8.9	05.4-12.4	31	10.2	06.3-14.1	28	6.0	03.3-08.7
\$15,000- 24,999	112	14,374	68	62.9	51.3-74.5	17	17.1	07.5-26.7	7	5.2	00.7-09.7	6	3.9	00.0-07.8	14	10.9	04.4-17.4
\$25,000- 34,999	58	7,720	36	59.1	40.9-77.3	13	30.0	11.2-48.8	1	1.6	00.0-04.7	4	4.8	00.0-09.9	4	4.5	00.0-09.4
\$35,000- 49,999	135	15,756	82	57.7	47.5-67.9	27	23.6	14.6-32.6	9	5.8	01.7-09.9	8	5.7	01.4-10.0	9	7.2	00.0-14.6
\$50,000- 74,999	144	17,952	97	72.6	63.8-81.4	17	7.5	03.4-11.6	15	10.8	04.3-17.3	9	6.1	01.8-10.4	6	3.0	00.0-06.1
\$75,000+	280	37,316	178	63.1	55.8-70.4	45	15.0	10.1-19.9	20	9.7	04.2-15.2	24	8.8	04.9-12.7	13	3.4	01.2-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	894	114,180	651	70.8	66.7-74.9	70	7.2	05.0-09.4	55	8.4	05.5-11.3	37	3.2	02.0-04.4	81	10.4	07.5-13.3
White/Non-Hisp	672	85,233	488	71.8	67.5-76.1	57	8.0	05.5-10.5	38	7.6	04.9-10.3	28	3.2	01.8-04.6	61	9.4	06.5-12.3
Black or Afr. Am./Non-Hisp	105	20,865	77	67.6	54.5-80.7	7	4.0	00.5-07.5	7	10.0	00.0-20.6	5	4.0	00.3-07.7	9	14.4	03.6-25.2
MultiRacial/Non-Hisp.	74	1,897	53	68.3	52.2-84.4	4	2.9	00.0-06.2	8	14.9	00.0-30.2	3	2.4	00.0-05.1	6	11.5	01.1-21.9
45-54	121	23,175	88	69.5	58.5-80.5	3	2.0	00.0-04.4	15	11.9	05.0-18.8				15	16.6	06.8-26.4
55-64	260	36,318	198	73.1	66.0-80.2	12	6.7	02.0-11.4	20	8.2	03.9-12.5	6	2.1	00.3-03.9	24	9.8	04.9-14.7
65+	500	52,504	359	71.0	65.3-76.7	55	10.2	07.1-13.3	15	5.3	00.8-09.8	31	5.5	03.1-07.9	40	8.0	04.5-11.5
Less Than H.S.	51	10,039	33	55.1	37.5-72.7	11	22.0	07.1-36.9	1	3.6	00.0-10.5	1	3.5	00.0-10.2	5	15.9	00.6-31.2
H.S. or G.E.D.	233	31,727	177	76.5	69.4-83.6	22	8.2	04.3-12.1	13	6.3	02.0-10.6	6	1.6	00.2-03.0	15	7.5	02.8-12.2
Some Post-H.S.	213	34,260	145	66.9	58.1-75.7	9	3.5	01.0-06.0	19	12.6	05.2-20.0	12	4.3	01.6-07.0	28	12.7	06.0-19.4
College Graduate	397	38,153	296	73.8	68.3-79.3	28	5.9	03.2-08.6	22	7.6	03.9-11.3	18	3.5	01.5-05.5	33	9.2	05.3-13.1
\$15,000- 24,999	112	14,374	82	75.4	64.2-86.6	6	6.5	00.0-13.8	10	7.7	01.4-14.0	5	1.6	00.0-03.2	9	8.7	00.9-16.5
\$25,000- 34,999	60	8,004	38	59.1	42.4-75.8	11	16.7	06.1-27.3	3	8.6	00.0-20.8	3	5.4	00.0-12.1	5	10.2	00.4-20.0
\$35,000- 49,999	136	15,885	97	72.7	63.3-82.1	11	9.1	01.5-16.7	11	8.1	03.0-13.2	4	2.4	00.0-04.9	13	7.7	03.0-12.4
\$50,000- 74,999	148	18,211	110	72.4	61.6-83.2	11	6.6	01.7-11.5	5	4.2	00.1-08.3	9	2.9	00.7-05.1	13	13.9	03.3-24.5
\$75,000+	285	38,128	218	73.6	66.5-80.7	11	3.8	01.3-06.3	19	9.3	04.6-14.0	12	3.8	01.4-06.2	25	9.5	04.2-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10	MALES AND FEMALES	250
11	MALES ONLY	251
12	FEMALES ONLY	252
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	253
14	MALES ONLY	254
15	FEMALES ONLY	255

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2841	334,475	837	27.0	25.0-29.0	2004	73.0	71.0-75.0
Male	1158	153,591	336	25.7	22.6-28.8	822	74.3	71.2-77.4
Female	1683	180,884	501	28.2	25.5-30.9	1182	71.8	69.1-74.5
White/Non-Hisp	2111	255,295	644	28.4	26.0-30.8	1467	71.6	69.2-74.0
Black or Afr. Am./Non-Hisp	343	52,391	96	25.1	19.2-31.0	247	74.9	69.0-80.8
MultiRacial/Non-Hisp.	237	6,064	70	27.3	20.2-34.4	167	72.7	65.6-79.8
Hispanic	71	11,014	10	11.3	03.3-19.3	61	88.7	80.7-96.7
45-54	425	72,545	66	15.7	11.4-20.0	359	84.3	80.0-88.6
55-64	943	116,838	210	21.5	18.2-24.8	733	78.5	75.2-81.8
65+	1473	145,092	561	37.1	34.0-40.2	912	62.9	59.8-66.0
Less Than H.S.	253	44,666	63	22.0	15.3-28.7	190	78.0	71.3-84.7
H.S. or G.E.D.	856	103,993	234	24.5	21.0-28.0	622	75.5	72.0-79.0
Some Post-H.S.	691	93,667	231	32.5	28.2-36.8	460	67.5	63.2-71.8
College Graduate	1035	91,665	308	26.8	23.7-29.9	727	73.2	70.1-76.3
Less than \$15,000	222	25,001	59	20.8	14.1-27.5	163	79.2	72.5-85.9
\$15,000- 24,999	422	48,898	125	27.3	21.6-33.0	297	72.7	67.0-78.4
\$25,000- 34,999	241	25,407	73	29.7	22.3-37.1	168	70.3	62.9-77.7
\$35,000- 49,999	370	45,367	122	31.3	25.4-37.2	248	68.7	62.8-74.6
\$50,000- 74,999	403	46,013	133	31.8	26.3-37.3	270	68.2	62.7-73.7
\$75,000+	698	89,890	169	22.9	19.0-26.8	529	77.1	73.2-81.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1158	153,591	336	25.7	22.6-28.8	822	74.3	71.2-77.4
White/Non-Hisp	870	114,721	263	27.1	23.6-30.6	607	72.9	69.4-76.4
Black or Afr. Am./Non-Hisp	136	27,489	37	24.7	16.1-33.3	99	75.3	66.7-83.9
MultiRacial/Non-Hisp.	88	2,257	26	26.7	15.3-38.1	62	73.3	61.9-84.7
45-54	179	34,334	25	12.5	07.0-18.0	154	87.5	82.0-93.0
55-64	382	54,674	93	22.0	17.1-26.9	289	78.0	73.1-82.9
65+	597	64,582	218	35.8	30.9-40.7	379	64.2	59.3-69.1
Less Than H.S.	110	23,906	27	19.8	11.4-28.2	83	80.2	71.8-88.6
H.S. or G.E.D.	326	45,417	83	21.1	16.0-26.2	243	78.9	73.8-84.0
Some Post-H.S.	270	41,820	93	32.4	25.7-39.1	177	67.6	60.9-74.3
College Graduate	451	42,189	133	27.4	22.5-32.3	318	72.6	67.7-77.5
Less than \$15,000	75	10,130	18	19.4	08.2-30.6	57	80.6	69.4-91.8
\$15,000- 24,999	164	22,378	52	27.6	18.8-36.4	112	72.4	63.6-81.2
\$25,000- 34,999	82	10,168	24	25.4	14.6-36.2	58	74.6	63.8-85.4
\$35,000- 49,999	175	23,663	51	26.1	18.5-33.7	124	73.9	66.3-81.5
\$50,000- 74,999	170	19,642	62	35.3	26.7-43.9	108	64.7	56.1-73.3
\$75,000+	339	47,316	86	23.2	17.7-28.7	253	76.8	71.3-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1683	180,884	501	28.2	25.5-30.9	1182	71.8	69.1-74.5
White/Non-Hisp	1241	140,574	381	29.4	26.3-32.5	860	70.6	67.5-73.7
Black or Afr. Am./Non-Hisp	207	24,903	59	25.5	18.1-32.9	148	74.5	67.1-81.9
MultiRacial/Non-Hisp.	149	3,807	44	27.6	18.6-36.6	105	72.4	63.4-81.4
45-54	246	38,211	41	18.6	11.9-25.3	205	81.4	74.7-88.1
55-64	561	62,164	117	21.1	16.8-25.4	444	78.9	74.6-83.2
65+	876	80,509	343	38.2	34.1-42.3	533	61.8	57.7-65.9
Less Than H.S.	143	20,760	36	24.5	14.3-34.7	107	75.5	65.3-85.7
H.S. or G.E.D.	530	58,576	151	27.1	22.4-31.8	379	72.9	68.2-77.6
Some Post-H.S.	421	51,848	138	32.5	26.8-38.2	283	67.5	61.8-73.2
College Graduate	584	49,476	175	26.3	22.2-30.4	409	73.7	69.6-77.8
Less than \$15,000	147	14,870	41	21.7	13.7-29.7	106	78.3	70.3-86.3
\$15,000- 24,999	258	26,520	73	27.0	19.6-34.4	185	73.0	65.6-80.4
\$25,000- 34,999	159	15,239	49	32.7	22.9-42.5	110	67.3	57.5-77.1
\$35,000- 49,999	195	21,704	71	37.0	28.2-45.8	124	63.0	54.2-71.8
\$50,000- 74,999	233	26,371	71	29.3	22.4-36.2	162	70.7	63.8-77.6
\$75,000+	359	42,574	83	22.5	16.8-28.2	276	77.5	71.8-83.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	786	84,700	179	23.3	19.6-27.0	109	13.9	10.8-17.0	90	10.5	08.0-13.0	93	11.4	08.3-14.5	315	41.0	36.7-45.3
Male	322	37,754	75	25.0	19.1-30.9	49	14.5	09.8-19.2	41	11.4	07.3-15.5	36	9.0	05.9-12.1	121	40.2	33.5-46.9
Female	464	46,945	104	22.0	17.3-26.7	60	13.4	09.5-17.3	49	9.7	06.4-13.0	57	13.4	08.5-18.3	194	41.6	35.7-47.5
White/Non-Hisp	602	68,167	129	21.0	17.1-24.9	84	14.5	11.0-18.0	65	9.9	07.2-12.6	71	11.8	08.3-15.3	253	42.7	37.8-47.6
Black or Afr. Am./Non-Hisp	92	12,459	33	35.7	23.4-48.0	10	10.4	03.7-17.1	12	11.9	03.7-20.1	11	10.4	03.5-17.3	26	31.6	18.7-44.5
MultiRacial/Non-Hisp.	66	1,575	10	18.0	06.2-29.8	10	17.3	04.2-30.4	8	11.0	02.6-19.4	9	9.3	02.8-15.8	29	44.5	29.0-60.0
45-54	66	11,423	19	21.7	11.1-32.3	10	13.0	03.6-22.4	8	8.2	01.9-14.5	7	19.1	04.4-33.8	22	38.1	23.6-52.6
55-64	197	23,295	40	20.4	13.3-27.5	33	17.1	10.6-23.6	23	9.4	04.7-14.1	25	13.3	07.2-19.4	76	39.8	31.0-48.6
65+	523	49,982	120	25.0	20.3-29.7	66	12.5	09.0-16.0	59	11.5	08.0-15.0	61	8.8	06.1-11.5	217	42.2	36.9-47.5
Less Than H.S.	58	8,810	21	38.8	22.9-54.7	5	6.1	00.0-15.1	4	7.3	00.0-15.3	5	5.5	00.0-11.6	23	42.2	25.7-58.7
H.S. or G.E.D.	222	24,196	54	23.0	16.3-29.7	30	14.3	08.4-20.2	30	12.7	07.0-18.4	33	15.7	09.0-22.4	75	34.4	26.8-42.0
Some Post-H.S.	214	28,251	44	20.7	14.0-27.4	33	14.9	09.2-20.6	26	10.7	06.0-15.4	21	10.7	04.2-17.2	90	43.0	34.8-51.2
College Graduate	291	23,335	59	20.6	14.9-26.3	41	15.1	10.0-20.2	30	9.1	05.2-13.0	34	10.1	06.2-14.0	127	45.0	37.9-52.1
Less than \$15,000	54	4,996	18	33.1	17.6-48.6	9	19.0	04.5-33.5	6	9.8	01.0-18.6	4	5.5	00.0-11.4	17	32.5	15.6-49.4
\$15,000- 24,999	117	12,054	37	36.5	24.7-48.3	11	7.2	02.1-12.3	18	13.4	05.6-21.2	9	4.8	01.1-08.5	42	38.1	26.3-49.9
\$25,000- 34,999	67	7,178	15	16.4	06.6-26.2	10	15.8	03.5-28.1	6	10.1	00.1-20.1	8	11.3	02.5-20.1	28	46.3	31.2-61.4
\$35,000- 49,999	120	14,100	23	22.2	12.8-31.6	22	19.8	11.4-28.2	10	7.9	02.0-13.8	21	16.8	07.8-25.8	44	33.3	22.7-43.9
\$50,000- 74,999	124	13,642	21	15.5	08.6-22.4	20	16.5	08.1-24.9	16	14.8	07.0-22.6	12	10.4	03.9-16.9	55	42.7	32.1-53.3
\$75,000+	164	19,797	34	16.0	09.7-22.3	23	13.7	07.2-20.2	16	9.5	04.2-14.8	22	15.2	06.4-24.0	69	45.6	36.0-55.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	322	37,754	75	25.0	18.9-31.1	49	14.5	09.8-19.2	41	11.4	07.3-15.5	36	9.0	05.9-12.1	121	40.2	33.5-46.9
White/Non-Hisp	251	30,014	57	22.0	15.9-28.1	39	16.2	10.7-21.7	29	10.8	06.5-15.1	28	8.8	05.3-12.3	98	42.2	34.9-49.5
55-64	88	11,145	13	15.1	06.3-23.9	17	19.4	09.2-29.6	12	9.7	03.0-16.4	10	10.3	03.8-16.8	36	45.5	32.8-58.2
65+	209	22,311	57	31.8	23.6-40.0	28	12.4	06.7-18.1	25	12.2	06.5-17.9	26	10.0	05.7-14.3	73	33.6	25.8-41.4
H.S. or G.E.D.	83	9,580	25	26.1	14.9-37.3	15	17.1	07.1-27.1	8	10.7	01.9-19.5	7	7.6	01.5-13.7	28	38.5	25.8-51.2
Some Post-H.S.	87	12,517	19	24.0	13.2-34.8	12	15.2	05.6-24.8	15	13.6	05.8-21.4	10	8.9	03.0-14.8	31	38.3	26.0-50.6
College Graduate	125	10,919	20	14.7	08.0-21.4	21	17.4	09.4-25.4	14	8.8	03.5-14.1	15	9.8	04.5-15.1	55	49.3	38.5-60.1
\$15,000- 24,999	52	6,177	16	37.2	19.4-55.0	8	9.5	01.3-17.7	10	17.3	04.0-30.6	2	3.9	00.0-09.6	16	32.2	15.1-49.3
\$35,000- 49,999	50	6,108	13	30.3	14.6-46.0	6	10.8	01.2-20.4	6	13.0	01.6-24.4	6	10.4	01.2-19.6	19	35.5	19.8-51.2
\$50,000- 74,999	58	6,457	10	17.6	06.4-28.8	12	23.9	09.2-38.6	9	15.7	04.3-27.1	4	4.3	00.0-08.8	23	38.4	22.5-54.3
\$75,000+	84	10,443	14	12.4	05.0-19.8	14	18.5	08.7-28.3	10	9.9	02.8-17.0	13	10.1	04.2-16.0	33	49.1	36.6-61.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	464	46,945	104	22.0	17.5-26.5	60	13.4	09.5-17.3	49	9.7	06.4-13.0	57	13.4	08.5-18.3	194	41.6	35.7-47.5
White/Non-Hisp	351	38,153	72	20.3	15.4-25.2	45	13.1	08.6-17.6	36	9.3	05.6-13.0	43	14.2	08.5-19.9	155	43.0	36.5-49.5
Black or Afr. Am./Non-Hisp	57	6,259	21	32.1	16.4-47.8	8	16.0	04.8-27.2	8	11.3	01.3-21.3	6	10.5	00.7-20.3	14	30.2	13.0-47.4
55-64	109	12,149	27	25.3	14.7-35.9	16	15.0	07.0-23.0	11	9.1	02.6-15.6	15	16.0	06.2-25.8	40	34.5	22.9-46.1
65+	314	27,671	63	19.5	14.4-24.6	38	12.7	08.2-17.2	34	10.9	06.4-15.4	35	7.7	04.4-11.0	144	49.1	42.2-56.0
H.S. or G.E.D.	139	14,616	29	20.9	12.7-29.1	15	12.4	05.5-19.3	22	14.1	06.7-21.5	26	21.0	11.2-30.8	47	31.7	22.3-41.1
Some Post-H.S.	127	15,734	25	18.0	10.0-26.0	21	14.7	07.8-21.6	11	8.4	02.5-14.3	11	12.1	01.7-22.5	59	46.8	35.6-58.0
College Graduate	166	12,416	39	25.8	17.4-34.2	20	13.1	06.4-19.8	16	9.4	03.9-14.9	19	10.4	04.7-16.1	72	41.3	32.3-50.3
\$15,000- 24,999	65	5,877	21	35.7	20.6-50.8	3	4.8	00.0-10.5	8	9.4	02.0-16.8	7	5.7	01.0-10.4	26	44.4	28.5-60.3
\$35,000- 49,999	70	7,992	10	16.1	05.3-26.9	16	26.7	14.0-39.4	4	4.0	00.0-09.3	15	21.6	07.9-35.3	25	31.7	17.2-46.2
\$50,000- 74,999	66	7,184	11	13.6	05.0-22.2	8	9.9	02.5-17.3	7	14.0	02.8-25.2	8	15.9	04.7-27.1	32	46.6	32.5-60.7
\$75,000+	80	9,354	20	20.0	09.4-30.6	9	8.4	02.1-14.7	6	9.1	01.3-16.9	9	20.9	04.6-37.2	36	41.6	27.5-55.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2861	335,715	2253	76.5	74.3-78.7	608	23.5	21.3-25.7
Male	1167	153,777	915	75.7	72.2-79.2	252	24.3	20.8-27.8
Female	1694	181,939	1338	77.3	74.8-79.8	356	22.7	20.2-25.2
White/Non-Hisp	2124	256,471	1690	78.4	76.2-80.6	434	21.6	19.4-23.8
Black or Afr. Am./Non-Hisp	344	52,252	259	69.5	62.4-76.6	85	30.5	23.4-37.6
MultiRacial/Non-Hisp.	241	6,158	192	76.2	68.6-83.8	49	23.8	16.2-31.4
Hispanic	70	10,802	46	68.0	53.3-82.7	24	32.0	17.3-46.7
45-54	425	72,640	234	55.2	49.3-61.1	191	44.8	38.9-50.7
55-64	946	117,389	750	78.6	75.1-82.1	196	21.4	17.9-24.9
65+	1490	145,686	1269	85.5	83.1-87.9	221	14.5	12.1-16.9
Less Than H.S.	255	44,411	177	65.0	56.8-73.2	78	35.0	26.8-43.2
H.S. or G.E.D.	863	104,948	658	73.3	69.6-77.0	205	26.7	23.0-30.4
Some Post-H.S.	693	93,836	550	79.8	76.1-83.5	143	20.2	16.5-23.9
College Graduate	1044	92,036	862	82.4	79.7-85.1	182	17.6	14.9-20.3
Less than \$15,000	223	25,167	145	59.0	49.4-68.6	78	41.0	31.4-50.6
\$15,000- 24,999	428	49,234	321	73.4	67.7-79.1	107	26.6	20.9-32.3
\$25,000- 34,999	243	25,398	202	79.4	71.6-87.2	41	20.6	12.8-28.4
\$35,000- 49,999	369	45,128	288	74.6	68.7-80.5	81	25.4	19.5-31.3
\$50,000- 74,999	403	45,954	330	81.4	76.7-86.1	73	18.6	13.9-23.3
\$75,000+	706	90,571	577	80.4	76.7-84.1	129	19.6	15.9-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1167	153,777	915	75.7	72.2-79.2	252	24.3	20.8-27.8
White/Non-Hisp	876	115,155	704	79.2	75.9-82.5	172	20.8	17.5-24.1
Black or Afr. Am./Non-Hisp	137	27,335	96	64.6	53.4-75.8	41	35.4	24.2-46.6
MultiRacial/Non-Hisp.	90	2,320	70	77.4	66.2-88.6	20	22.6	11.4-33.8
45-54	178	34,279	96	52.6	43.4-61.8	82	47.4	38.2-56.6
55-64	385	55,038	302	78.8	73.3-84.3	83	21.2	15.7-26.7
65+	604	64,460	517	85.3	81.4-89.2	87	14.7	10.8-18.6
Less Than H.S.	109	23,421	62	52.6	40.1-65.1	47	47.4	34.9-59.9
H.S. or G.E.D.	327	45,555	242	72.4	66.1-78.7	85	27.6	21.3-33.9
Some Post-H.S.	273	42,235	219	79.7	73.6-85.8	54	20.3	14.2-26.4
College Graduate	457	42,307	391	87.8	84.5-91.1	66	12.2	08.9-15.5
Less than \$15,000	75	10,143	44	48.0	31.5-64.5	31	52.0	35.5-68.5
\$15,000- 24,999	165	22,419	113	66.6	56.8-76.4	52	33.4	23.6-43.2
\$25,000- 34,999	83	10,204	67	75.4	60.5-90.3	16	24.6	09.7-39.5
\$35,000- 49,999	175	23,523	132	71.6	62.6-80.6	43	28.4	19.4-37.4
\$50,000- 74,999	171	19,660	144	82.8	75.9-89.7	27	17.2	10.3-24.1
\$75,000+	343	47,547	292	84.6	79.7-89.5	51	15.4	10.5-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
 HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1694	181,939	1338	77.3	74.8-79.8	356	22.7	20.2-25.2
White/Non-Hisp	1248	141,316	986	77.8	74.9-80.7	262	22.2	19.3-25.1
Black or Afr. Am./Non-Hisp	207	24,918	163	74.8	67.0-82.6	44	25.2	17.4-33.0
MultiRacial/Non-Hisp.	151	3,838	122	75.4	65.2-85.6	29	24.6	14.4-34.8
45-54	247	38,361	138	57.6	50.2-65.0	109	42.4	35.0-49.8
55-64	561	62,351	448	78.4	74.1-82.7	113	21.6	17.3-25.9
65+	886	81,226	752	85.7	82.8-88.6	134	14.3	11.4-17.2
Less Than H.S.	146	20,990	115	78.9	70.1-87.7	31	21.1	12.3-29.9
H.S. or G.E.D.	536	59,393	416	74.0	69.3-78.7	120	26.0	21.3-30.7
Some Post-H.S.	420	51,601	331	79.8	75.3-84.3	89	20.2	15.7-24.7
College Graduate	587	49,730	471	77.8	73.5-82.1	116	22.2	17.9-26.5
Less than \$15,000	148	15,024	101	66.4	56.0-76.8	47	33.6	23.2-44.0
\$15,000- 24,999	263	26,815	208	79.2	72.7-85.7	55	20.8	14.3-27.3
\$25,000- 34,999	160	15,194	135	82.1	74.1-90.1	25	17.9	09.9-25.9
\$35,000- 49,999	194	21,605	156	77.9	70.3-85.5	38	22.1	14.5-29.7
\$50,000- 74,999	232	26,294	186	80.3	74.0-86.6	46	19.7	13.4-26.0
\$75,000+	363	43,024	285	75.7	70.2-81.2	78	24.3	18.8-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2200	251,959	84	4.2	03.0-05.4	2116	95.8	94.6-97.0
Male	890	114,226	36	4.3	02.5-06.1	854	95.7	93.9-97.5
Female	1310	137,733	48	4.1	02.7-05.5	1262	95.9	94.5-97.3
White/Non-Hisp	1657	197,962	66	4.2	03.0-05.4	1591	95.8	94.6-97.0
Black or Afr. Am./Non-Hisp	252	35,728	8	2.9	00.4-05.4	244	97.1	94.6-99.6
MultiRacial/Non-Hisp.	187	4,499	6	5.6	00.0-12.3	181	94.4	87.7-0100
45-54	231	39,476	6	2.8	00.3-05.3	225	97.2	94.7-99.7
55-64	738	90,797	23	3.3	01.5-05.1	715	96.7	94.9-98.5
65+	1231	121,686	55	5.3	03.7-06.9	1176	94.7	93.1-96.3
Less Than H.S.	164	26,911	6	5.5	00.4-10.6	158	94.5	89.4-99.6
H.S. or G.E.D.	639	75,235	23	4.4	02.2-06.6	616	95.6	93.4-97.8
Some Post-H.S.	539	74,068	24	4.1	02.1-06.1	515	95.9	93.9-97.9
College Graduate	852	75,261	31	3.6	02.0-05.2	821	96.4	94.8-98.0
Less than \$15,000	139	14,497	6	5.6	01.1-10.1	133	94.4	89.9-98.9
\$15,000- 24,999	303	34,088	9	4.8	00.7-08.9	294	95.2	91.1-99.3
\$25,000- 34,999	198	19,231	11	6.5	02.0-11.0	187	93.5	89.0-98.0
\$35,000- 49,999	285	33,468	14	5.5	02.2-08.8	271	94.5	91.2-97.8
\$50,000- 74,999	326	37,142	8	3.0	00.6-05.4	318	97.0	94.6-99.4
\$75,000+	575	72,460	19	2.6	01.2-04.0	556	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	890	114,226	36	4.3	02.5-06.1	854	95.7	93.9-97.5
White/Non-Hisp	686	89,389	26	3.7	02.1-05.3	660	96.3	94.7-97.9
Black or Afr. Am./Non-Hisp	94	17,567	3	4.1	00.0-09.0	91	95.9	91.0-0100
MultiRacial/Non-Hisp.	67	1,683	4	12.8	00.0-29.3	63	87.2	70.7-0100
45-54	94	17,408	3	1.8	00.0-04.0	91	98.2	96.0-0100
55-64	296	42,772	11	4.4	01.3-07.5	285	95.6	92.5-98.7
65+	500	54,047	22	5.0	02.5-07.5	478	95.0	92.5-97.5
Less Than H.S.	57	11,993	3	9.8	00.0-20.6	54	90.2	79.4-0100
H.S. or G.E.D.	231	31,870	9	3.5	00.8-06.2	222	96.5	93.8-99.2
Some Post-H.S.	214	33,185	10	4.3	01.4-07.2	204	95.7	92.8-98.6
College Graduate	387	36,919	14	3.2	01.2-05.2	373	96.8	94.8-98.8
\$15,000- 24,999	104	14,247	4	6.5	00.0-14.3	100	93.5	85.7-0100
\$25,000- 34,999	65	7,121	5	8.8	00.0-17.6	60	91.2	82.4-0100
\$35,000- 49,999	131	16,748	8	7.9	02.0-13.8	123	92.1	86.2-98.0
\$50,000- 74,999	142	16,139	3	1.5	00.0-04.0	139	98.5	96.0-0100
\$75,000+	291	40,028	10	2.2	00.6-03.8	281	97.8	96.2-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 DELAWARE CORE QUESTIONS DATA REPORT, 2014
 SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1310	137,733	48	4.1	02.7-05.5	1262	95.9	94.5-97.3
White/Non-Hisp	971	108,573	40	4.7	02.9-06.5	931	95.3	93.5-97.1
Black or Afr. Am./Non-Hisp	158	18,160	5	1.8	00.0-03.8	153	98.2	96.2-0100
MultiRacial/Non-Hisp.	120	2,816	2	1.3	00.0-03.3	118	98.7	96.7-0100
45-54	137	22,068	3	3.6	00.0-07.9	134	96.4	92.1-0100
55-64	442	48,026	12	2.4	00.8-04.0	430	97.6	96.0-99.2
65+	731	67,639	33	5.4	03.2-07.6	698	94.6	92.4-96.8
Less Than H.S.	107	14,918	3	2.1	00.0-04.5	104	97.9	95.5-0100
H.S. or G.E.D.	408	43,365	14	5.0	02.1-07.9	394	95.0	92.1-97.9
Some Post-H.S.	325	40,883	14	4.0	01.5-06.5	311	96.0	93.5-98.5
College Graduate	465	38,342	17	3.9	01.5-06.3	448	96.1	93.7-98.5
Less than \$15,000	99	9,802	3	3.8	00.0-08.1	96	96.2	91.9-0100
\$15,000- 24,999	199	19,841	5	3.6	00.0-08.1	194	96.4	91.9-0100
\$25,000- 34,999	133	12,110	6	5.2	00.3-10.1	127	94.8	89.9-99.7
\$35,000- 49,999	154	16,720	6	3.1	00.2-06.0	148	96.9	94.0-99.8
\$50,000- 74,999	184	21,003	5	4.1	00.6-07.6	179	95.9	92.4-99.4
\$75,000+	284	32,432	9	3.2	00.8-05.6	275	96.8	94.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2214	252,870	474	23.5	21.1-25.9	383	17.3	15.3-19.3	338	16.0	14.0-18.0	496	21.5	19.3-23.7	403	16.4	14.4-18.4	120	5.3	04.1-06.5
Male	899	114,530	200	25.0	21.1-28.9	164	18.1	15.0-21.2	144	15.5	12.6-18.4	197	22.4	18.9-25.9	151	14.7	11.8-17.6	43	4.3	02.7-05.9
Female	1315	138,340	274	22.2	19.3-25.1	219	16.7	14.2-19.2	194	16.4	13.5-19.3	299	20.7	18.2-23.2	252	17.9	15.4-20.4	77	6.1	04.3-07.9
White/Non-Hisp	1668	198,632	346	22.8	20.3-25.3	279	16.5	14.3-18.7	253	16.2	13.8-18.6	373	21.9	19.5-24.3	317	17.0	14.8-19.2	100	5.5	04.3-06.7
Black or Afr. Am./Non-Hisp	252	35,624	70	30.1	22.1-38.1	56	21.9	15.6-28.2	38	12.7	08.0-17.4	48	16.3	10.8-21.8	29	14.2	08.1-20.3	11	4.8	01.3-08.3
MultiRacial/Non-Hisp.	186	4,556	37	17.1	10.6-23.6	28	15.2	08.9-21.5	27	17.3	09.3-25.3	49	26.1	18.3-33.9	39	21.2	13.9-28.5	6	3.1	00.6-05.6
45-54	231	39,914	63	26.9	20.0-33.8	56	22.6	15.9-29.3	48	23.1	16.0-30.2	38	16.4	10.1-22.7	13	4.5	01.4-07.6	13	6.4	02.7-10.1
55-64	745	91,265	151	20.6	16.9-24.3	128	17.1	14.0-20.2	97	13.3	10.4-16.2	172	24.1	20.4-27.8	166	21.1	17.4-24.8	31	3.9	02.1-05.7
65+	1238	121,691	260	24.5	21.0-28.0	199	15.8	13.3-18.3	193	15.7	13.0-18.4	286	21.2	18.5-23.9	224	16.9	14.4-19.4	76	6.0	04.4-07.6
Less Than H.S.	170	27,394	46	32.0	22.4-41.6	24	14.3	07.6-21.0	19	12.4	04.4-20.4	37	16.8	10.1-23.5	30	16.1	08.5-23.7	14	8.3	03.0-13.6
H.S. or G.E.D.	645	75,809	150	26.1	21.8-30.4	109	17.0	13.3-20.7	107	15.9	12.4-19.4	139	21.0	17.1-24.9	109	15.8	12.3-19.3	31	4.2	02.4-06.0
Some Post-H.S.	541	74,105	121	24.5	19.6-29.4	100	18.2	14.3-22.1	75	14.7	10.8-18.6	120	22.2	17.9-26.5	94	15.1	11.6-18.6	31	5.3	03.3-07.3
College Graduate	854	75,386	156	16.7	13.8-19.6	148	17.8	14.7-20.9	137	18.7	15.4-22.0	199	23.0	19.5-26.5	170	18.5	15.4-21.6	44	5.4	03.4-07.4
Less than \$15,000	143	14,275	34	18.0	10.7-25.3	26	18.8	10.6-27.0	25	23.9	11.2-36.6	21	11.8	06.1-17.5	24	15.8	08.5-23.1	13	11.6	04.7-18.5
\$15,000- 24,999	311	34,935	80	28.0	21.3-34.7	50	18.0	12.1-23.9	43	12.7	08.0-17.4	66	19.3	13.8-24.8	51	15.5	10.0-21.0	21	6.4	02.7-10.1
\$25,000- 34,999	201	19,976	42	26.3	17.7-34.9	34	15.0	09.1-20.9	34	15.1	09.2-21.0	41	20.3	13.2-27.4	35	15.8	09.7-21.9	15	7.4	03.3-11.5
\$35,000- 49,999	283	33,130	52	18.8	13.1-24.5	48	18.4	12.9-23.9	47	16.1	11.0-21.2	66	20.9	14.4-27.4	56	20.0	13.5-26.5	14	5.8	02.1-09.5
\$50,000- 74,999	327	37,158	74	24.8	18.9-30.7	57	17.4	12.5-22.3	48	15.3	10.4-20.2	71	22.1	16.4-27.8	64	16.7	12.2-21.2	13	3.8	01.4-06.2
\$75,000+	575	72,741	112	21.5	17.0-26.0	102	17.0	13.1-20.9	91	18.1	13.8-22.4	142	24.4	20.1-28.7	103	15.0	11.7-18.3	25	4.0	02.2-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	899	114,530	200	25.0	21.1-28.9	164	18.1	15.0-21.2	144	15.5	12.6-18.4	197	22.4	18.9-25.9	151	14.7	11.8-17.6	43	4.3	02.7-05.9
White/Non-Hisp	696	89,956	150	23.2	19.1-27.3	128	18.2	14.7-21.7	118	17.3	14.0-20.6	152	23.1	19.2-27.0	114	14.0	10.9-17.1	34	4.1	02.5-05.7
Black or Afr. Am./Non-Hisp	92	17,173	28	38.1	24.6-51.6	21	19.0	10.2-27.8	7	4.1	00.6-07.6	16	16.0	06.8-25.2	14	17.3	07.1-27.5	6	5.5	00.8-10.2
MultiRacial/Non-Hisp.	67	1,753	14	19.0	06.8-31.2	9	13.5	03.9-23.1	12	26.9	10.2-43.6	17	21.2	10.6-31.8	13	16.4	07.0-25.8	2	3.0	00.0-07.5
45-54	94	17,909	25	23.8	13.6-34.0	23	25.9	14.7-37.1	16	17.6	08.6-26.6	15	20.6	09.6-31.6	8	4.5	00.6-08.4	7	7.6	01.9-13.3
55-64	299	42,559	64	21.7	15.8-27.6	54	17.4	12.5-22.3	40	13.1	08.6-17.6	73	25.4	19.3-31.5	56	19.5	13.4-25.6	12	2.9	00.9-04.9
65+	506	54,062	111	28.0	22.1-33.9	87	16.0	12.3-19.7	88	16.6	12.9-20.3	109	20.7	16.2-25.2	87	14.3	11.0-17.6	24	4.4	02.4-06.4
Less Than H.S.	58	11,683	18	36.1	19.6-52.6	9	13.9	03.7-24.1	4	6.9	00.0-15.7	16	21.0	09.2-32.8	6	16.0	01.9-30.1	5	6.2	00.1-12.3
H.S. or G.E.D.	238	32,453	57	27.0	19.6-34.4	43	19.0	12.3-25.7	44	16.8	11.1-22.5	52	21.1	14.2-28.0	35	14.2	08.7-19.7	7	1.8	00.2-03.4
Some Post-H.S.	216	33,419	55	28.6	20.4-36.8	42	18.6	12.7-24.5	30	13.3	08.2-18.4	46	24.2	17.1-31.3	32	10.5	06.4-14.6	11	4.9	02.0-07.8
College Graduate	387	36,975	70	16.4	12.1-20.7	70	18.2	13.7-22.7	66	19.0	14.1-23.9	83	22.4	17.3-27.5	78	18.5	13.8-23.2	20	5.4	02.7-08.1
\$15,000- 24,999	111	14,893	26	27.3	15.7-38.9	21	21.0	10.8-31.2	21	16.1	07.1-25.1	23	20.9	10.7-31.1	11	9.0	01.4-16.6	9	5.7	01.4-10.0
\$25,000- 34,999	67	7,697	17	29.9	15.0-44.8	11	15.9	06.3-25.5	12	14.5	05.5-23.5	15	21.5	10.5-32.5	7	11.3	01.7-20.9	5	6.9	00.6-13.2
\$35,000- 49,999	128	16,411	22	16.8	08.6-25.0	28	19.4	11.6-27.2	20	15.8	08.4-23.2	27	19.0	09.0-29.0	24	23.2	12.6-33.8	7	5.8	01.1-10.5
\$50,000- 74,999	143	16,261	39	28.7	19.3-38.1	24	16.7	09.6-23.8	23	15.9	09.0-22.8	33	25.1	15.9-34.3	22	12.1	06.6-17.6	2	1.4	00.0-03.8
\$75,000+	290	40,156	57	22.4	15.9-28.9	50	17.6	11.9-23.3	53	17.9	12.6-23.2	65	24.8	18.5-31.1	53	13.6	09.1-18.1	12	3.7	01.2-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1315	138,340	274	22.2	19.3-25.1	219	16.7	14.2-19.2	194	16.4	13.7-19.1	299	20.7	18.2-23.2	252	17.9	15.4-20.4	77	6.1	04.3-07.9
White/Non-Hisp	972	108,676	196	22.5	19.2-25.8	151	15.1	12.4-17.8	135	15.2	12.1-18.3	221	20.9	18.0-23.8	203	19.5	16.6-22.4	66	6.7	04.7-08.7
Black or Afr. Am./Non-Hisp	160	18,451	42	22.7	14.7-30.7	35	24.6	15.8-33.4	31	20.6	12.6-28.6	32	16.6	10.3-22.9	15	11.4	04.3-18.5	5	4.2	00.0-09.5
MultiRacial/Non-Hisp.	119	2,802	23	16.0	08.7-23.3	19	16.2	08.2-24.2	15	11.3	05.2-17.4	32	29.2	18.8-39.6	26	24.2	14.2-34.2	4	3.2	00.1-06.3
45-54	137	22,004	38	29.4	20.0-38.8	33	20.0	12.2-27.8	32	27.5	17.5-37.5	23	13.1	06.6-19.6	5	4.5	00.0-09.4	6	5.5	00.6-10.4
55-64	446	48,706	87	19.6	15.1-24.1	74	16.8	12.5-21.1	57	13.4	09.5-17.3	99	23.0	18.3-27.7	110	22.5	18.0-27.0	19	4.7	02.0-07.4
65+	732	67,630	149	21.7	18.0-25.4	112	15.5	12.0-19.0	105	14.9	11.2-18.6	177	21.5	18.2-24.8	137	18.9	15.4-22.4	52	7.3	04.9-09.7
Less Than H.S.	112	15,711	28	28.9	17.9-39.9	15	14.6	06.0-23.2	15	16.5	04.7-28.3	21	13.7	05.9-21.5	24	16.3	07.9-24.7	9	9.9	02.1-17.7
H.S. or G.E.D.	407	43,356	93	25.4	20.1-30.7	66	15.5	11.4-19.6	63	15.2	10.7-19.7	87	20.9	16.2-25.6	74	17.0	12.7-21.3	24	5.9	03.0-08.8
Some Post-H.S.	325	40,685	66	21.1	15.4-26.8	58	17.9	12.6-23.2	45	15.9	10.2-21.6	74	20.6	15.7-25.5	62	18.9	13.6-24.2	20	5.6	02.9-08.3
College Graduate	467	38,412	86	16.9	13.0-20.8	78	17.4	13.1-21.7	71	18.3	13.6-23.0	116	23.5	19.0-28.0	92	18.5	14.4-22.6	24	5.4	02.9-07.9
Less than \$15,000	101	9,970	23	16.6	08.2-25.0	18	18.8	08.8-28.8	23	31.7	15.4-48.0	14	11.4	04.7-18.1	14	10.8	04.5-17.1	9	10.8	03.2-18.4
\$15,000- 24,999	200	20,043	54	28.5	20.7-36.3	29	15.8	08.7-22.9	22	10.2	05.5-14.9	43	18.2	12.1-24.3	40	20.4	12.8-28.0	12	6.9	01.2-12.6
\$25,000- 34,999	134	12,279	25	24.1	13.7-34.5	23	14.4	07.1-21.7	22	15.5	07.9-23.1	26	19.6	10.4-28.8	28	18.6	10.6-26.6	10	7.7	02.4-13.0
\$35,000- 49,999	155	16,719	30	20.8	12.8-28.8	20	17.4	09.4-25.4	27	16.4	09.3-23.5	39	22.8	14.6-31.0	32	16.8	09.9-23.7	7	5.8	00.0-11.7
\$50,000- 74,999	184	20,896	35	21.7	14.1-29.3	33	17.9	10.8-25.0	25	14.7	07.8-21.6	38	19.8	12.7-26.9	42	20.3	13.6-27.0	11	5.6	02.1-09.1
\$75,000+	285	32,585	55	20.4	14.7-26.1	52	16.3	11.4-21.2	38	18.2	11.3-25.1	77	24.1	18.4-29.8	50	16.7	11.8-21.6	13	4.3	01.6-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	257
2	MALES ONLY	258
3	FEMALES ONLY	259
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	260
5	MALES ONLY	261
6	FEMALES ONLY	262
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)	
7	MALES AND FEMALES	263
8	MALES ONLY	264
9	FEMALES ONLY	265

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3947	674,392	1302	39.1	36.9-41.3	2645	60.9	58.7-63.1
Male	1598	319,496	510	38.1	34.6-41.6	1088	61.9	58.4-65.4
Female	2349	354,896	792	39.9	37.2-42.6	1557	60.1	57.4-62.8
White/Non-Hisp	2679	440,861	712	32.6	30.1-35.1	1967	67.4	64.9-69.9
Black or Afr. Am./Non-Hisp	566	136,193	320	62.2	56.3-68.1	246	37.8	31.9-43.7
Oth. Race/Non-Hisp.	104	24,502	33	23.5	12.9-34.1	71	76.5	65.9-87.1
MultiRacial/Non-Hisp.	298	9,385	107	39.2	31.8-46.6	191	60.8	53.4-68.2
Hispanic	224	50,333	102	40.2	32.6-47.8	122	59.8	52.2-67.4
18-24	157	82,528	60	35.5	26.5-44.5	97	64.5	55.5-73.5
25-34	336	112,635	205	55.9	49.0-62.8	131	44.1	37.2-51.0
35-44	398	104,572	249	61.4	55.5-67.3	149	38.6	32.7-44.5
45-54	671	116,511	325	46.4	41.5-51.3	346	53.6	48.7-58.5
55-64	918	113,057	264	28.6	24.9-32.3	654	71.4	67.7-75.1
65+	1414	138,949	186	13.7	11.3-16.1	1228	86.3	83.9-88.7
Less Than H.S.	360	86,255	120	38.2	31.1-45.3	240	61.8	54.7-68.9
H.S. or G.E.D.	1185	214,095	355	37.6	33.5-41.7	830	62.4	58.3-66.5
Some Post-H.S.	961	196,527	346	41.5	37.0-46.0	615	58.5	54.0-63.0
College Graduate	1427	175,269	476	38.5	35.0-42.0	951	61.5	58.0-65.0
Less than \$15,000	324	55,007	149	48.9	40.7-57.1	175	51.1	42.9-59.3
\$15,000- 24,999	599	101,526	216	42.7	37.0-48.4	383	57.3	51.6-63.0
\$25,000- 34,999	347	53,656	115	44.8	37.4-52.2	232	55.2	47.8-62.6
\$35,000- 49,999	481	82,412	159	41.5	34.8-48.2	322	58.5	51.8-65.2
\$50,000- 74,999	530	83,481	185	41.9	36.0-47.8	345	58.1	52.2-64.0
\$75,000+	1042	196,661	342	36.6	32.1-41.1	700	63.4	58.9-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	319,496	510	38.1	34.6-41.6	1088	61.9	58.4-65.4
White/Non-Hisp	1099	207,548	297	32.8	28.9-36.7	802	67.2	63.3-71.1
Black or Afr. Am./Non-Hisp	196	61,890	109	64.6	55.8-73.4	87	35.4	26.6-44.2
MultiRacial/Non-Hisp.	118	3,832	44	39.6	27.4-51.8	74	60.4	48.2-72.6
Hispanic	101	25,927	31	24.6	15.6-33.6	70	75.4	66.4-84.4
18-24	64	39,096	18	29.3	16.4-42.2	46	70.7	57.8-83.6
25-34	128	56,911	65	49.4	38.6-60.2	63	50.6	39.8-61.4
35-44	173	51,772	99	56.9	47.7-66.1	74	43.1	33.9-52.3
45-54	279	55,425	125	44.2	36.2-52.2	154	55.8	47.8-63.8
55-64	371	52,887	103	31.3	25.0-37.6	268	68.7	62.4-75.0
65+	567	61,017	96	18.4	14.1-22.7	471	81.6	77.3-85.9
Less Than H.S.	162	47,619	53	36.1	25.9-46.3	109	63.9	53.7-74.1
H.S. or G.E.D.	472	104,381	144	38.9	32.4-45.4	328	61.1	54.6-67.6
Some Post-H.S.	363	87,083	125	37.6	30.2-45.0	238	62.4	55.0-69.8
College Graduate	596	78,669	186	39.1	33.6-44.6	410	60.9	55.4-66.4
Less than \$15,000	105	23,073	44	47.8	32.9-62.7	61	52.2	37.3-67.1
\$15,000- 24,999	230	43,522	82	42.2	33.2-51.2	148	57.8	48.8-66.8
\$25,000- 34,999	108	19,590	34	42.3	29.0-55.6	74	57.7	44.4-71.0
\$35,000- 49,999	224	44,236	77	45.8	36.0-55.6	147	54.2	44.4-64.0
\$50,000- 74,999	225	38,059	82	39.6	30.6-48.6	143	60.4	51.4-69.4
\$75,000+	503	109,507	149	35.1	28.6-41.6	354	64.9	58.4-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2349	354,896	792	39.9	37.2-42.6	1557	60.1	57.4-62.8
White/Non-Hisp	1580	233,313	415	32.3	29.2-35.4	1165	67.7	64.6-70.8
Black or Afr. Am./Non-Hisp	370	74,303	211	60.2	52.6-67.8	159	39.8	32.2-47.4
Oth. Race/Non-Hisp.	60	13,154	19	28.4	12.7-44.1	41	71.6	55.9-87.3
MultiRacial/Non-Hisp.	180	5,553	63	38.9	29.5-48.3	117	61.1	51.7-70.5
Hispanic	123	24,406	71	56.7	46.1-67.3	52	43.3	32.7-53.9
18-24	93	43,432	42	41.1	28.8-53.4	51	58.9	46.6-71.2
25-34	208	55,724	140	62.6	54.6-70.6	68	37.4	29.4-45.4
35-44	225	52,800	150	65.8	58.5-73.1	75	34.2	26.9-41.5
45-54	392	61,086	200	48.4	42.3-54.5	192	51.6	45.5-57.7
55-64	547	60,170	161	26.3	22.0-30.6	386	73.7	69.4-78.0
65+	847	77,932	90	10.0	07.5-12.5	757	90.0	87.5-92.5
Less Than H.S.	198	38,637	67	40.8	31.6-50.0	131	59.2	50.0-68.4
H.S. or G.E.D.	713	109,714	211	36.5	31.4-41.6	502	63.5	58.4-68.6
Some Post-H.S.	598	109,444	221	44.7	39.0-50.4	377	55.3	49.6-61.0
College Graduate	831	96,600	290	38.1	33.8-42.4	541	61.9	57.6-66.2
Less than \$15,000	219	31,934	105	49.6	40.2-59.0	114	50.4	41.0-59.8
\$15,000- 24,999	369	58,004	134	43.1	35.8-50.4	235	56.9	49.6-64.2
\$25,000- 34,999	239	34,065	81	46.2	37.2-55.2	158	53.8	44.8-62.8
\$35,000- 49,999	257	38,176	82	36.6	28.4-44.8	175	63.4	55.2-71.6
\$50,000- 74,999	305	45,422	103	43.8	36.2-51.4	202	56.2	48.6-63.8
\$75,000+	539	87,154	193	38.5	32.6-44.4	346	61.5	55.6-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	870	189,562	32	2.1	01.3-02.9	53	4.1	02.7-05.5	61	5.4	03.6-07.2	106	10.0	07.5-12.5	476	57.4	52.9-61.9	142	21.1	17.0-25.2
Male	330	84,151	13	1.6	00.6-02.6	20	3.9	01.9-05.9	23	4.1	01.9-06.3	46	11.3	06.8-15.8	179	59.0	51.4-66.6	49	20.0	13.3-26.7
Female	540	105,411	19	2.5	01.3-03.7	33	4.2	02.2-06.2	38	6.5	03.8-09.2	60	8.9	06.2-11.6	297	56.1	50.6-61.6	93	21.9	16.8-27.0
White/Non-Hisp	469	100,913	27	3.5	02.1-04.9	35	5.6	03.6-07.6	43	7.3	04.8-09.8	66	13.3	09.4-17.2	237	54.2	48.5-59.9	61	16.2	11.3-21.1
Black or Afr. Am./Non-Hisp	227	65,848	2	0.6	00.0-01.4	4	0.6	00.0-01.4	11	3.7	00.6-06.8	16	6.0	02.1-09.9	141	59.9	50.9-68.9	53	29.3	20.9-37.7
MultiRacial/Non-Hisp.	74	2,582	3	2.0	00.0-04.4	8	15.2	02.1-28.3	5	4.7	00.0-09.8	16	20.3	09.7-30.9	29	38.7	25.0-52.4	13	19.0	07.4-30.6
Hispanic	62	13,123				4	8.0	00.0-20.0	2	3.2	00.0-08.1	2	2.2	00.0-05.3	43	65.9	49.8-82.0	11	20.8	06.9-34.7
18-24	54	26,994							1	0.7	00.0-02.1	1	3.8	00.0-11.1	35	62.0	46.1-77.9	17	33.4	18.1-48.7
25-34	168	51,631	1	0.4	00.0-01.2				2	0.8	00.0-02.0	9	4.1	01.0-07.2	113	67.1	58.3-75.9	43	27.5	19.1-35.9
35-44	177	47,181				5	3.6	00.0-07.5	13	9.4	03.9-14.9	26	15.5	09.4-21.6	97	49.7	40.7-58.7	36	21.8	13.4-30.2
45-54	217	36,261	7	2.6	00.4-04.8	21	9.4	04.9-13.9	24	9.3	05.0-13.6	32	14.3	07.4-21.2	112	54.7	45.3-64.1	21	9.6	04.7-14.5
55-64	151	17,890	16	12.2	05.9-18.5	17	9.8	04.3-15.3	10	4.6	01.5-07.7	23	11.9	06.0-17.8	71	53.0	42.2-63.8	14	8.5	02.8-14.2
65+	100	9,350	8	6.6	00.7-12.5	10	8.8	02.3-15.3	11	11.5	04.2-18.8	13	10.3	03.8-16.8	47	48.3	35.8-60.8	11	14.5	05.5-23.5
Less Than H.S.	68	20,154	2	0.5	00.0-01.3	2	1.6	00.0-04.3	1	0.7	00.0-02.1	7	9.5	00.0-19.7	44	64.3	49.6-79.0	12	23.4	10.1-36.7
H.S. or G.E.D.	241	59,660	9	2.4	00.8-04.0	12	3.1	01.1-05.1	13	3.7	01.3-06.1	24	8.1	04.0-12.2	137	58.9	50.7-67.1	46	23.9	16.5-31.3
Some Post-H.S.	223	58,460	7	1.8	00.2-03.4	12	4.2	00.9-07.5	14	6.2	02.1-10.3	19	7.5	03.0-12.0	133	58.9	49.7-68.1	38	21.4	13.0-29.8
College Graduate	335	50,928	14	2.8	01.0-04.6	27	6.1	03.4-08.8	33	8.6	05.3-11.9	55	15.1	10.4-19.8	161	51.3	44.2-58.4	45	16.2	10.1-22.3
Less than \$15,000	101	20,359	1	0.3	00.0-01.1	3	1.6	00.0-03.6	3	0.8	00.0-01.8	7	9.8	00.0-19.8	73	69.1	56.0-82.2	14	18.4	07.8-29.0
\$15,000- 24,999	141	31,401	2	0.6	00.0-01.4	3	1.5	00.0-03.3	9	4.0	00.7-07.3	10	5.1	01.8-08.4	83	58.3	47.7-68.9	34	30.5	20.1-40.9
\$25,000- 34,999	89	19,692	3	2.5	00.0-05.4	3	1.5	00.0-03.5	5	3.7	00.0-07.8	7	6.2	00.7-11.7	55	65.5	53.2-77.8	16	20.6	09.6-31.6
\$35,000- 49,999	105	24,439	6	2.4	00.2-04.6	3	0.7	00.0-01.9	8	3.0	00.5-05.5	12	7.1	02.2-12.0	63	67.4	53.3-81.5	13	19.4	05.3-33.5
\$50,000- 74,999	125	24,416	9	4.3	01.0-07.6	9	4.8	01.3-08.3	10	7.0	01.5-12.5	16	11.8	03.2-20.4	60	50.4	38.4-62.4	21	21.8	11.2-32.4
\$75,000+	232	49,915	9	2.5	00.5-04.5	26	8.7	04.2-13.2	25	11.5	06.2-16.8	47	16.9	10.8-23.0	96	43.9	34.3-53.5	29	16.6	08.6-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	330	84,151	13	1.6	00.6-02.6	20	3.9	01.9-05.9	23	4.1	01.9-06.3	46	11.3	06.8-15.8	179	59.0	51.4-66.6	49	20.0	13.1-26.9
White/Non-Hisp	198	46,654	10	2.6	00.8-04.4	17	6.8	03.3-10.3	16	5.9	02.4-09.4	31	16.1	09.2-23.0	100	54.1	45.1-63.1	24	14.5	07.2-21.8
Black or Afr. Am./Non-Hisp	64	29,200	1	0.4	00.0-01.4				4	2.0	00.0-04.5	5	5.4	00.0-12.3	40	61.8	45.7-77.9	14	30.3	15.0-45.6
25-34	52	22,641										3	3.9	00.0-09.4	36	68.4	53.1-83.7	13	27.7	12.8-42.6
35-44	67	20,138				2	2.1	00.0-05.0	4	6.6	00.0-13.5	14	19.5	08.9-30.1	34	46.7	31.6-61.8	13	25.0	09.1-40.9
45-54	86	17,398	5	3.9	00.2-07.6	11	11.7	03.7-19.7	9	6.8	01.1-12.5	8	9.2	00.0-20.2	45	58.9	43.0-74.8	8	9.5	01.9-17.1
55-64	59	8,857	3	4.0	00.0-08.5	4	8.2	00.0-16.4	2	1.5	00.0-04.0	12	15.7	05.3-26.1	32	61.9	46.0-77.8	6	8.7	00.0-17.7
H.S. or G.E.D.	93	28,234	1	0.3	00.0-00.9	5	3.2	00.0-06.5	4	1.1	00.0-02.3	8	6.2	00.5-11.9	60	66.9	53.8-80.0	15	22.4	10.2-34.6
Some Post-H.S.	77	23,591	3	1.6	00.0-03.6	6	5.1	00.6-09.6	6	5.3	00.0-10.6	9	12.5	02.1-22.9	44	59.6	43.3-75.9	9	16.0	02.1-29.9
College Graduate	133	23,612	8	3.9	00.8-07.0	7	3.8	00.7-06.9	13	7.8	02.5-13.1	25	15.1	08.0-22.2	59	46.4	35.0-57.8	21	22.9	11.7-34.1
\$50,000- 74,999	54	10,569	3	1.4	00.0-03.8	3	3.8	00.0-08.9	3	3.4	00.0-07.9	11	22.7	05.1-40.3	25	45.4	27.4-63.4	9	23.2	06.0-40.4
\$75,000+	102	25,965	3	1.7	00.0-03.9	8	6.1	01.2-11.0	10	8.3	02.4-14.2	22	17.1	08.1-26.1	45	50.6	36.3-64.9	14	16.3	05.3-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	540	105,411	19	2.5	01.3-03.7	33	4.2	02.2-06.2	38	6.5	03.8-09.2	60	8.9	06.2-11.6	297	56.1	50.6-61.6	93	21.9	16.8-27.0
White/Non-Hisp	271	54,259	17	4.3	02.1-06.5	18	4.5	02.3-06.7	27	8.5	04.8-12.2	35	10.8	06.9-14.7	137	54.3	46.9-61.7	37	17.7	11.2-24.2
Black or Afr. Am./Non-Hisp	163	36,648	1	0.7	00.0-02.1	4	1.1	00.0-02.5	7	5.0	00.0-10.1	11	6.4	01.9-10.9	101	58.3	48.3-68.3	39	28.5	19.3-37.7
25-34	116	28,989	1	0.8	00.0-02.4				2	1.5	00.0-03.7	6	4.2	00.5-07.9	77	66.2	56.0-76.4	30	27.4	17.6-37.2
35-44	110	27,043				3	4.7	00.0-11.0	9	11.5	03.5-19.5	12	12.5	05.2-19.8	63	51.9	40.7-63.1	23	19.4	10.8-28.0
45-54	131	18,863	2	1.5	00.0-03.7	10	7.3	02.6-12.0	15	11.6	05.1-18.1	24	19.1	10.9-27.3	67	50.8	40.4-61.2	13	9.8	03.3-16.3
55-64	92	9,033	13	20.2	09.4-31.0	13	11.5	04.1-18.9	8	7.6	01.9-13.3	11	8.1	02.2-14.0	39	44.3	31.4-57.2	8	8.4	01.1-15.7
65+	51	4,702	3	5.8	00.0-14.4	7	14.7	02.5-26.9	4	10.8	00.0-21.6	6	8.2	00.4-16.0	25	49.7	30.9-68.5	6	10.8	00.8-20.8
H.S. or G.E.D.	148	31,426	8	4.3	01.4-07.2	7	3.0	00.6-05.4	9	6.0	01.7-10.3	16	9.8	04.1-15.5	77	51.7	41.5-61.9	31	25.2	16.2-34.2
Some Post-H.S.	146	34,869	4	1.9	00.0-04.1	6	3.6	00.0-08.3	8	6.8	00.7-12.9	10	4.2	01.3-07.1	89	58.5	47.5-69.5	29	25.0	14.6-35.4
College Graduate	202	27,315	6	1.8	00.0-03.6	20	8.0	03.9-12.1	20	9.2	04.7-13.7	30	15.2	08.7-21.7	102	55.6	47.0-64.2	24	10.3	05.6-15.0
Less than \$15,000	70	11,480				1	1.3	00.0-03.8	1	0.8	00.0-02.4	2	4.0	00.0-09.7	54	69.6	55.3-83.9	12	24.2	10.3-38.1
\$15,000- 24,999	93	19,340	1	0.4	00.0-01.2	3	2.4	00.0-05.1	7	4.3	00.2-08.4	7	5.7	01.2-10.2	53	56.7	44.2-69.2	22	30.4	17.9-42.9
\$25,000- 34,999	62	12,488	2	2.9	00.0-06.8	1	0.5	00.0-01.5	3	4.0	00.0-09.7	7	9.8	01.2-18.4	36	59.6	44.9-74.3	13	23.2	10.5-35.9
\$35,000- 49,999	59	10,940	3	2.5	00.0-05.8	1	0.1	00.0-00.3	4	4.8	00.0-10.1	8	10.8	02.0-19.6	37	74.2	61.3-87.1	6	7.6	00.2-15.0
\$50,000- 74,999	71	13,847	6	6.5	00.8-12.2	6	5.5	00.6-10.4	7	9.7	00.7-18.7	5	3.4	00.0-06.9	35	54.2	38.9-69.5	12	20.8	07.3-34.3
\$75,000+	130	23,949	6	3.5	00.2-06.8	18	11.5	03.9-19.1	15	15.0	06.4-23.6	25	16.6	08.6-24.6	51	36.6	25.2-48.0	15	16.9	04.9-28.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1269	258,172	587	49.3	45.4-53.2	105	7.8	05.6-10.0	368	28.0	24.5-31.5	15	2.0	00.6-03.4	3	0.3	00.0-00.7	191	12.6	10.1-15.1
Male	495	119,500	195	43.0	36.7-49.3	47	8.6	04.9-12.3	152	29.2	23.5-34.9	13	4.1	01.4-06.8	2	0.4	00.0-01.0	86	14.7	10.4-19.0
Female	774	138,672	392	54.8	50.1-59.5	58	7.1	04.7-09.5	216	27.0	22.9-31.1	2	0.3	00.0-00.7	1	0.1	00.0-00.3	105	10.7	08.2-13.2
White/Non-Hisp	693	140,528	321	50.5	45.6-55.4	62	6.7	04.5-08.9	187	25.8	21.3-30.3	8	1.9	00.1-03.7	1	0.1	00.0-00.3	114	15.1	12.0-18.2
Black or Afr. Am./Non-Hisp	311	82,771	151	49.3	41.5-57.1	25	8.4	03.7-13.1	93	28.9	22.0-35.8	5	3.0	00.3-05.7	1	0.2	00.0-00.6	36	10.1	04.8-15.4
MultiRacial/Non-Hisp.	104	3,531	47	47.5	35.3-59.7	5	2.8	00.1-05.5	27	22.3	12.3-32.3	1	1.0	00.0-03.0				24	26.4	15.2-37.6
Hispanic	102	20,219	42	44.3	32.1-56.5	7	6.1	01.2-11.0	44	42.8	31.0-54.6	1	0.6	00.0-01.8				8	6.2	01.3-11.1
18-24	60	29,300	32	48.1	33.0-63.2	2	3.3	00.0-07.8	16	26.3	12.6-40.0	2	5.2	00.0-12.6				8	17.2	04.5-29.9
25-34	202	62,313	105	55.4	47.0-63.8	11	4.9	01.4-08.4	67	29.7	22.1-37.3	4	1.7	00.0-03.7	1	0.3	00.0-00.9	14	8.0	02.7-13.3
35-44	244	63,134	129	50.8	43.0-58.6	20	10.5	04.6-16.4	59	27.2	19.8-34.6	3	1.4	00.0-03.6	1	0.5	00.0-01.5	32	9.5	05.8-13.2
45-54	321	52,965	151	49.5	41.9-57.1	24	8.2	04.1-12.3	93	26.9	20.6-33.2	4	2.0	00.0-04.4				49	13.4	09.1-17.7
55-64	259	31,783	99	37.4	29.6-45.2	28	10.6	06.1-15.1	76	29.8	22.0-37.6	2	2.3	00.0-05.8	1	0.4	00.0-01.2	53	19.5	13.6-25.4
65+	173	17,577	68	46.8	36.6-57.0	19	8.3	04.0-12.6	51	26.8	18.6-35.0							35	18.1	11.2-25.0
Less Than H.S.	118	32,508	46	40.2	28.8-51.6	8	6.0	01.1-10.9	45	38.2	26.4-50.0	6	8.0	00.4-15.6				13	7.5	03.0-12.0
H.S. or G.E.D.	347	79,402	153	42.5	35.4-49.6	25	7.1	03.8-10.4	121	35.9	28.8-43.0	5	2.4	00.0-04.8				43	12.1	06.8-17.4
Some Post-H.S.	333	79,321	164	56.3	48.9-63.7	29	9.0	04.1-13.9	79	20.5	15.2-25.8	3	0.9	00.0-02.1	1	0.1	00.0-00.3	57	13.2	08.5-17.9
College Graduate	466	66,276	223	53.8	47.9-59.7	42	7.6	04.9-10.3	121	22.9	18.2-27.6	1	0.1	00.0-00.3	2	0.8	00.0-02.0	77	14.8	10.9-18.7
Less than \$15,000	147	26,756	60	42.4	31.4-53.4	14	7.3	02.6-12.0	53	34.5	23.3-45.7	6	8.7	00.1-17.3				14	7.1	02.6-11.6
\$15,000- 24,999	210	41,775	97	49.2	40.4-58.0	18	8.1	03.4-12.8	70	29.2	21.8-36.6	4	2.9	00.0-06.0				21	10.7	03.8-17.6
\$25,000- 34,999	111	23,550	55	54.1	42.1-66.1	5	3.8	00.3-07.3	32	28.5	16.5-40.5	1	0.3	00.0-00.9				18	13.3	06.6-20.0
\$35,000- 49,999	155	33,387	74	52.7	41.1-64.3	13	8.6	00.0-17.6	44	27.3	17.3-37.3	2	2.6	00.0-06.3	1	0.3	00.0-01.1	21	8.5	03.4-13.6
\$50,000- 74,999	181	34,406	91	51.0	41.2-60.8	17	8.5	03.6-13.4	43	24.4	16.6-32.2	1	2.0	00.0-05.9	1	0.6	00.0-01.8	28	13.6	06.7-20.5
\$75,000+	337	71,338	162	53.3	45.5-61.1	27	8.3	04.2-12.4	76	21.9	15.2-28.6	1	0.1	00.0-00.3	1	0.5	00.0-01.5	70	15.9	11.0-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	495	119,500	195	43.0	36.7-49.3	47	8.6	04.9-12.3	152	29.2	23.5-34.9	13	4.1	01.4-06.8	2	0.4	00.0-01.0	86	14.7	10.4-19.0
White/Non-Hisp	288	66,551	123	46.8	39.2-54.4	29	6.2	03.3-09.1	82	29.4	22.0-36.8	6	3.3	00.0-06.8	1	0.2	00.0-00.6	47	14.2	09.7-18.7
Black or Afr. Am./Non-Hisp	106	39,386	39	41.6	28.3-54.9	12	11.3	02.5-20.1	31	23.7	13.5-33.9	5	6.4	00.9-11.9				19	17.0	06.6-27.4
25-34	63	27,729	30	54.5	39.8-69.2	4	5.6	00.0-12.1	21	27.3	14.6-40.0	3	2.7	00.0-06.4				5	9.9	00.0-20.1
35-44	98	29,296	41	40.5	28.3-52.7	11	15.8	04.4-27.2	28	30.1	17.6-42.6	2	2.8	00.0-07.5	1	1.1	00.0-03.3	15	9.7	04.2-15.2
45-54	122	23,877	45	45.3	31.4-59.2	9	6.1	01.4-10.8	40	28.6	17.8-39.4	4	4.3	00.0-09.6				24	15.7	08.4-23.0
55-64	102	16,465	39	39.0	26.7-51.3	9	6.1	01.6-10.6	31	31.8	19.1-44.5	2	4.5	00.0-11.2	1	0.7	00.0-02.1	20	17.9	09.3-26.5
65+	89	10,233	35	45.7	31.6-59.8	12	9.1	03.2-15.0	26	28.6	17.0-40.2							16	16.5	07.3-25.7
Less Than H.S.	52	16,839	19	33.9	17.2-50.6	2	3.6	00.0-10.3	20	41.1	22.3-59.9	6	15.4	01.3-29.5				5	6.0	00.3-11.7
H.S. or G.E.D.	141	40,277	53	35.4	24.8-46.0	11	7.3	01.8-12.8	52	37.8	26.6-49.0	4	4.0	00.0-08.3				21	15.5	06.5-24.5
Some Post-H.S.	121	31,892	45	48.0	34.7-61.3	14	11.8	01.8-21.8	31	20.0	11.8-28.2	3	2.1	00.0-04.8	1	0.4	00.0-01.2	27	17.8	08.4-27.2
College Graduate	179	30,008	77	52.8	43.2-62.4	19	8.9	04.2-13.6	49	21.5	14.4-28.6				1	1.1	00.0-03.3	33	15.6	09.5-21.7
\$15,000- 24,999	80	17,951	29	37.4	23.5-51.3	7	7.7	00.3-15.1	29	31.7	19.2-44.2	4	6.7	00.0-13.8				11	16.5	02.2-30.8
\$35,000- 49,999	76	20,094	28	43.2	26.7-59.7	7	12.4	00.0-26.9	27	31.9	17.2-46.6	2	4.3	00.0-10.4	1	0.6	00.0-01.8	11	7.6	01.7-13.5
\$50,000- 74,999	78	14,507	37	48.7	33.4-64.0	8	7.1	01.6-12.6	19	24.5	12.7-36.3	1	4.8	00.0-13.8				13	15.0	04.6-25.4
\$75,000+	146	38,105	62	48.7	36.7-60.7	13	8.2	02.3-14.1	41	26.6	15.6-37.6				1	0.9	00.0-02.7	29	15.6	08.2-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	774	138,672	392	54.8	50.1-59.5	58	7.1	04.7-09.5	216	27.0	22.9-31.1	2	0.3	00.0-00.7	1	0.1	00.0-00.3	105	10.7	08.2-13.2
White/Non-Hisp	405	73,977	198	53.8	47.7-59.9	33	7.2	04.1-10.3	105	22.5	17.6-27.4	2	0.5	00.0-01.3				67	15.9	11.4-20.4
Black or Afr. Am./Non-Hisp	205	43,385	112	56.3	47.3-65.3	13	5.7	02.0-09.4	62	33.6	24.8-42.4				1	0.5	00.0-01.5	17	3.9	01.7-06.1
MultiRacial/Non-Hisp.	62	2,095	31	54.7	38.8-70.6	4	4.3	00.0-09.0	14	15.8	06.2-25.4							13	25.3	10.0-40.6
Hispanic	71	13,849	33	51.2	36.5-65.9	6	8.0	01.1-14.9	28	36.7	22.8-50.6							4	4.1	00.0-09.0
25-34	139	34,584	75	56.2	46.4-66.0	7	4.4	00.5-08.3	46	31.6	22.6-40.6	1	0.9	00.0-02.7	1	0.6	00.0-01.8	9	6.4	01.7-11.1
35-44	146	33,838	88	59.8	50.6-69.0	9	5.9	01.8-10.0	31	24.7	16.3-33.1	1	0.2	00.0-00.8				17	9.3	04.4-14.2
45-54	199	29,089	106	52.9	44.3-61.5	15	9.9	03.4-16.4	53	25.5	17.9-33.1							25	11.6	06.7-16.5
55-64	157	15,318	60	35.7	26.5-44.9	19	15.3	07.9-22.7	45	27.8	19.2-36.4							33	21.3	13.7-28.9
65+	84	7,344	33	48.2	33.7-62.7	7	7.2	01.1-13.3	25	24.2	12.8-35.6							19	20.3	09.7-30.9
Less Than H.S.	66	15,669	27	47.0	32.3-61.7	6	8.6	01.3-15.9	25	35.2	21.5-48.9							8	9.2	01.9-16.5
H.S. or G.E.D.	206	39,125	100	49.7	40.9-58.5	14	6.9	02.8-11.0	69	33.9	25.3-42.5	1	0.8	00.0-02.4				22	8.7	03.6-13.8
Some Post-H.S.	212	47,429	119	61.9	53.5-70.3	15	7.1	02.4-11.8	48	20.8	13.9-27.7							30	10.2	05.7-14.7
College Graduate	287	36,268	146	54.6	47.2-62.0	23	6.5	03.4-09.6	72	24.1	17.6-30.6	1	0.2	00.0-00.6	1	0.6	00.0-01.8	44	14.1	09.2-19.0
Less than \$15,000	103	15,719	48	52.7	40.7-64.7	9	7.1	02.0-12.2	38	34.2	23.2-45.2	1	1.9	00.0-05.6				7	4.1	00.2-08.0
\$15,000- 24,999	130	23,824	68	58.0	47.4-68.6	11	8.3	02.2-14.4	41	27.3	18.1-36.5							10	6.3	01.8-10.8
\$25,000- 34,999	78	15,437	42	60.4	46.9-73.9	3	4.2	00.0-09.1	23	24.5	11.8-37.2							10	10.9	03.5-18.3
\$35,000- 49,999	79	13,293	46	67.0	53.1-80.9	6	2.8	00.0-05.7	17	20.4	08.2-32.6							10	9.8	01.0-18.6
\$50,000- 74,999	103	19,899	54	52.7	40.0-65.4	9	9.5	02.2-16.8	24	24.3	13.7-34.9				1	1.0	00.0-03.0	15	12.5	03.5-21.5
\$75,000+	191	33,233	100	58.6	49.2-68.0	14	8.4	02.7-14.1	35	16.6	10.1-23.1	1	0.3	00.0-00.9				41	16.3	10.4-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
DELAWARE CORE QUESTIONS DATA REPORT, 2014**

End of Core Data Report