

Cabinets – VARISTAR ServicePLUS RAL 7021

Ordering individual components

Example for ordering individual components

Qty	Description	Order no.
1	Side panel screw-fixed, height 2000 mm, depth 600 mm, PU 2 pieces	21130-010

- Order components from the table (see example on the left hand side)
- Delivery is in given packaging units
- For availability and delivery time please contact our sales office

ServicePLUS: The special assembly service



Order example (e. g. line no. 20)

Qty	Description	Order no.
1	Frame Slim-Line, height 2000 mm, width 600 mm, depth 800 mm, 1 piece	20130-019/05
1	Side panel with quick release fastener, 2 pieces	21130-051/05
2	Safety lock for side panel, PU 2 pieces	23130-132/05
1	Rear panel screw-fixed, 1 piece	21130-069/05
1	Glazed door with single point locking, 1 piece	21130-129/05
1	Adjustable feet, PU 4 pieces	23130-079/05
..

- Build your cabinet out of components (add /05 to each part no.)
- Using the line number you can easily find your way through several pages! (Order example see on the left hand side)
- Delivery completely assembled at no extra charge
- Please contact our sales office for delivery time




01006037



Cabinets – VARISTAR ServicePLUS RAL 7021

ServicePLUS: Contents RAL 7021




	Page
Frame, side-by-side mounting kit, adjustable feet, castors	1.40
Side panel, cover plate, lateral cable ducting	1.41
Decorative frame, glass doors	1.42
Steel doors	1.43
Double doors	1.44
Rear panels, connection plates	1.45
Top covers	1.46
Top cover with cut-out zones	1.47
Vented top cover	1.48
Base plate	1.49
Base/plinth	1.50
19" panel/slide mounts	1.51
Swing frame	1.52
Shelf	1.53
19" shelf	1.54
Slide rails	1.55
Cable ducting with C-profile, cable support rail	1.56
Accessories for cabling	1.57

01004077







Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Frame, side-by-side mounting kit, adjustable feet, castors



Completely in RAL 7021 (black grey)









				Frame		Side-by-side mounting kit IP 20	Adjustable feet	Castors		
				Slim-Line 400 kg	Heavy-Duty 800 kg			2 locking, 2 non locking	with adjustable feet	
										
				01004078	01004085	01004081	01004082	01004156		
				Static load-carrying capacity 400 kg, St, 1.5 mm, zinc-plated, with central GND/earthing point, please order adjustable feet or castors separately	Static load-carrying capacity 800 kg, St, 1.5 mm, zinc-plated, with central GND/earthing point, please order adjustable feet or castors separately	For frame, static load-carrying capacity: 500 kg, cannot be used with base/plinth	Static load-carrying capacity for frame: 500 kg, cannot be used with base/plinth	Static load-carrying capacity for frame: 400 kg, cannot be used with base/plinth		
				RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece supplied loose	PU 4 pieces assembled	PU 4 pieces assembled	PU 4 pieces assembled	
No.	Cabinet dimensions									
	Height U	Width mm	Depth mm							
1	24	1200	600	600	20130-001	20130-051				
2	24	1200	600	800	20130-002	20130-052				
3	24	1200	600	900	20130-035	20130-085				
4	24	1200	600	1000	20130-036	20130-086	23130-061	23130-079	23130-077	23130-078
5	24	1200	600	1100	20130-578	20130-588				
6	24	1200	600	1200	20130-579	20130-589				
7	24	1200	800	600	20130-003	20130-053				
8	24	1200	800	800	20130-004	20130-054	23130-061	23130-079	23130-077	23130-078
9	24	1200	800	900	20130-037	20130-087				
10	24	1200	800	1000	20130-038	20130-088				
11	29	1400	600	600	20130-005	20130-055	23130-061	23130-079	23130-077	23130-078
12	29	1400	600	800	20130-006	20130-056	23130-061	23130-079	23130-077	23130-078
13	29	1400	800	600	20130-007	20130-057	23130-061	23130-079	23130-077	23130-078
14	29	1400	800	800	20130-008	20130-058	23130-061	23130-079	23130-077	23130-078
15	38	1800	600	600	20130-013	20130-063	23130-061	23130-079	23130-077	23130-078
16	38	1800	600	800	20130-014	20130-064	23130-061	23130-079	23130-077	23130-078
17	38	1800	800	600	20130-015	20130-065	23130-061	23130-079	23130-077	23130-078
18	38	1800	800	800	20130-016	20130-066	23130-061	23130-079	23130-077	23130-078
19	42	2000	600	600	20130-018	20130-068				
20	42	2000	600	800	20130-019	20130-069				
21	42	2000	600	900	20130-020	20130-070				
22	42	2000	600	1000	20130-021	20130-071	23130-061	23130-079	23130-077	23130-078
23	42	2000	600	1100	20130-580	20130-590				
24	42	2000	600	1200	20130-581	20130-591				
25	42	2000	800	600	20130-022	20130-072				
26	42	2000	800	800	20130-023	20130-073				
27	42	2000	800	900	20130-024	20130-074				
28	42	2000	800	1000	20130-025	20130-075	23130-061	23130-079	23130-077	23130-078
29	42	2000	800	1100	20130-582	20130-592				
30	42	2000	800	1200	20130-583	20130-593				
31	47	2200	600	600	20130-027	20130-077				
32	47	2200	600	800	20130-028	20130-078				
33	47	2200	600	900	20130-029	20130-079				
34	47	2200	600	1000	20130-030	20130-080	23130-061	23130-079	23130-077	23130-078
35	47	2200	600	1100	20130-584	20130-594				
36	47	2200	600	1200	20130-585	20130-595				
37	47	2200	800	600	20130-031	20130-081				
38	47	2200	800	800	20130-032	20130-082				
39	47	2200	800	900	20130-033	20130-083	23130-061	23130-079	23130-077	23130-078
40	47	2200	800	1000	20130-034	20130-084				
41	47	2200	800	1100	20130-586	20130-596				
42	47	2200	800	1200	20130-587	20130-597				



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Side panel, cover plate, lateral cable ducting


					Side panel		Screw-fixed side panel		Cover plate hinged	Lateral cable ducting								
					With quick release fastener	Lock	Side panel	Internal locking		Cable panel	Cable ladder							
 <div style="border: 1px solid red; padding: 2px; display: inline-block; color: white; font-weight: bold; margin-top: 10px;">S</div> <div style="font-size: 8px; margin-top: 2px;">Service PLUS</div> <p style="margin-top: 20px;">Completely in RAL 7021 (black grey)</p>					 <p style="font-size: 8px; text-align: center;">01004084</p>		 <p style="font-size: 8px; text-align: center;">01004072</p>		 <p style="font-size: 8px; text-align: center;">01004083</p>		 <p style="font-size: 8px; text-align: center;">01006104</p>		 <p style="font-size: 8px; text-align: center;">01006056</p>		 <p style="font-size: 8px; text-align: center;">01006103</p>		 <p style="font-size: 8px; text-align: center;">01006075</p>	
					St, 1 mm, incl. GND/earthing, please order locking separately		For quick release fasteners on the side panel		St, 1 mm, incl. GND/earthing		Bracket, AlZn, and retention screws		St, 1 mm, to cover the cabling space next to the panel/slide mounts		St, 1 mm, with cut-outs for cable ties or velcro		Round steel, zinc-plated, for cable ties or velcro	
No.	Cabinet dimensions			RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021	RAL 7021					
	Height	Width	Depth	PU 2 pieces assembled	PU 4 pieces assembled	PU 2 pieces assembled	PU 2 pieces assembled	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose					
	U mm	mm	mm															
1	24	1200	600	21130-041		21130-001												
2	24	1200	600	21130-042		21130-002												
3	24	1200	600	21130-524		21130-516												
4	24	1200	600	21130-525	23130-132	21130-517	23130-373	–	–	–	–	–	–					
5	24	1200	600	–		21130-532												
6	24	1200	600	–		21130-533												
7	24	1200	800	21130-041		21130-001												
8	24	1200	800	21130-042		21130-002												
9	24	1200	800	21130-524	23130-132	21130-516	23130-373	–	–	–	–	–	–					
10	24	1200	800	21130-525		21130-517												
11	29	1400	600	21130-043		21130-003												
12	29	1400	600	21130-044	23130-132	21130-004	23130-373	–	–	–	–	–	–					
13	29	1400	800	21130-043	23130-132	21130-003	23130-373	–	–	–	–	–	–					
14	29	1400	800	21130-044		21130-004												
15	38	1800	600	21130-047	23130-132	21130-007	23130-373	–	–	–	–	–	–					
16	38	1800	600	21130-048		21130-008												
17	38	1800	800	21130-047	23130-132	21130-007	23130-373	–	–	–	–	–	–					
18	38	1800	800	21130-048		21130-008												
19	42	2000	600	21130-050		21130-010												
20	42	2000	600	21130-051		21130-011												
21	42	2000	600	21130-052		21130-012												
22	42	2000	600	21130-053	23130-132	21130-013	23130-373	–	23130-150	23130-335								
23	42	2000	600	–		21130-534												
24	42	2000	600	–		21130-535												
25	42	2000	800	21130-050		21130-010												
26	42	2000	800	21130-051		21130-011												
27	42	2000	800	21130-052		21130-012												
28	42	2000	800	21130-053	23130-132	21130-013	23130-373	23130-343	23130-150	23130-335								
29	42	2000	800	–		21130-534												
30	42	2000	800	–		21130-535												
31	47	2200	600	21130-055		21130-015												
32	47	2200	600	21130-056		21130-016												
33	47	2200	600	21130-057		21130-017												
34	47	2200	600	21130-058	23130-132	21130-018	23130-373	–	–	–		23130-335						
35	47	2200	600	–		21130-536												
36	47	2200	600	–		21130-537												
37	47	2200	800	21130-055		21130-015												
38	47	2200	800	21130-056		21130-016												
39	47	2200	800	21130-057		21130-017												
40	47	2200	800	21130-058	23130-132	21130-018	23130-373	–	–	–		23130-335						
41	47	2200	800	–		21130-536												
42	47	2200	800	–		21130-537												



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Decorative frame, glass doors



Completely in RAL 7021 (black grey)


No.	Cabinet dimensions				Deco frame		Glazed door		Glazed door	DIN semi-profile
	For Cabinet	Width	Depth		Deco frame	Adaptor bracket	Single point locking	Lever handle	4 point locking	cylinder
	U mm	mm	mm	mm						
1	24	1200	600	600						
2	24	1200	600	800						
3	24	1200	600	900						
4	24	1200	600	1000	21130-231	23130-220	21130-121	23130-067	21130-181	25127-995
5	24	1200	600	1100						
6	24	1200	600	1200						
7	24	1200	800	600						
8	24	1200	800	800	-	-	21130-122	23130-067	21130-182	25127-995
9	24	1200	800	900						
10	24	1200	800	1000						
11	29	1400	600	600	21130-232	23130-221	21130-123	23130-067	21130-183	25127-995
12	29	1400	600	800						
13	29	1400	800	600	-	-	21130-124	23130-067	21130-184	25127-995
14	29	1400	800	800						
15	38	1800	600	600	21130-234	23130-223	21130-127	23130-067	21130-187	25127-995
16	38	1800	600	800						
17	38	1800	800	600	-	-	21130-128	23130-067	21130-188	25127-995
18	38	1800	800	800						
19	42	2000	600	600						
20	42	2000	600	800						
21	42	2000	600	900	21130-235	23130-224	21130-129	23130-067	21130-189	25127-995
22	42	2000	600	1000						
23	42	2000	600	1100						
24	42	2000	600	1200						
25	42	2000	800	600						
26	42	2000	800	800						
27	42	2000	800	900	-	-	21130-130	23130-067	21130-190	25127-995
28	42	2000	800	1000						
29	42	2000	800	1100						
30	42	2000	800	1200						
31	47	2200	600	600						
32	47	2200	600	800						
33	47	2200	600	900	21130-236	23130-225	21130-131	23130-067	21130-191	25127-995
34	47	2200	600	1000						
35	47	2200	600	1100						
36	47	2200	600	1200						
37	47	2200	800	600						
38	47	2200	800	800						
39	47	2200	800	900	-	-	21130-132	23130-067	21130-192	25127-995
40	47	2200	800	1000						
41	47	2200	800	1100						
42	47	2200	800	1200						









Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Steel doors



**Completely in RAL 7021
(black grey)**


					Steel door, single point locking			Steel door, 4 point locking		DIN semi-profile cylinder	
					Plain	Perforated	Lever handle	Closed	Perforated		
					 <small>01004089</small>	 <small>01004090</small>	 <small>01004147</small>	 <small>01004090</small>	 <small>01004092</small>	 <small>01004148</small>	
					St, 1 mm, opening angle 180°, key lock, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, key lock, incl. GND/ earthing	With push button for doors with single point locking	St, 1.5 mm, opening angle 180°, lever handle with built-in push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with built-in push button, incl. GND/ earthing	For lever handle, common locking	
					RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece assembled	
No.	Cabinet dimensions										
	Height U	Width mm	Depth mm	Depth mm							
1	24	1200	600	600							
2	24	1200	600	800							
3	24	1200	600	900							
4	24	1200	600	1000	21130-106	21130-136	23130-067	21130-151	21130-554	25127-995	
5	24	1200	600	1100							
6	24	1200	600	1200							
7	24	1200	800	600							
8	24	1200	800	800	21130-107	21130-137	23130-067	21130-152	21130-555	25127-995	
9	24	1200	800	900							
10	24	1200	800	1000							
11	29	1400	600	600	21130-108	21130-138	23130-067	21130-153	21130-556	25127-995	
12	29	1400	600	800							
13	29	1400	800	600	21130-109	21130-139	23130-067	21130-154	21130-557	25127-995	
14	29	1400	800	800							
15	38	1800	600	600	21130-112	21130-142	23130-067	21130-157	21130-560	25127-995	
16	38	1800	600	800							
17	38	1800	800	600	21130-113	21130-143	23130-067	21130-158	21130-561	25127-995	
18	38	1800	800	800							
19	42	2000	600	600							
20	42	2000	600	800							
21	42	2000	600	900							
22	42	2000	600	1000	21130-114	21130-144	23130-067	21130-159	21130-562	25127-995	
23	42	2000	600	1100							
24	42	2000	600	1200							
25	42	2000	800	600							
26	42	2000	800	800							
27	42	2000	800	900							
28	42	2000	800	1000	21130-115	21130-145	23130-067	21130-160	21130-563	25127-995	
29	42	2000	800	1100							
30	42	2000	800	1200							
31	47	2200	600	600							
32	47	2200	600	800							
33	47	2200	600	900							
34	47	2200	600	1000	21130-116	21130-146	23130-067	21130-161	21130-564	25127-995	
35	47	2200	600	1100							
36	47	2200	600	1200							
37	47	2200	800	600							
38	47	2200	800	800							
39	47	2200	800	900							
40	47	2200	800	1000	21130-117	21130-147	23130-067	21130-162	21130-565	25127-995	
41	47	2200	800	1100							
42	47	2200	800	1200							






Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Double doors



**Completely in RAL 7021
(black grey)**








					Double door, 3 point locking			DIN semi-profile cylinder
					Glazed	Plain	Perforated	
					 <small>01005065</small>	 <small>01005064</small>	 <small>01005066</small>	 <small>01004148</small>
					Frame, St, 1.5 mm, Sekurit glass 6 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	For lever handle, common locking
					RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece assembled
No.	Cabinet dimensions							
	Height U	mm	Width mm	Depth mm				
1	24	1200	600	600				
2	24	1200	600	800				
3	24	1200	600	900				
4	24	1200	600	1000	21130-452	21130-484	21130-211	25127-995
5	24	1200	600	1100				
6	24	1200	600	1200				
7	24	1200	800	600				
8	24	1200	800	800	21130-453	21130-485	21130-212	25127-995
9	24	1200	800	900				
10	24	1200	800	1000				
11	29	1400	600	600	21130-454	21130-486	21130-213	25127-995
12	29	1400	600	800				
13	29	1400	800	600	21130-455	21130-487	21130-214	25127-995
14	29	1400	800	800				
15	38	1800	600	600	21130-458	21130-490	21130-217	25127-995
16	38	1800	600	800				
17	38	1800	800	600	21130-459	21130-491	21130-218	25127-995
18	38	1800	800	800				
19	42	2000	600	600				
20	42	2000	600	800				
21	42	2000	600	900	21130-460	21130-492	21130-219	25127-995
22	42	2000	600	1000				
23	42	2000	600	1100				
24	42	2000	600	1200				
25	42	2000	800	600				
26	42	2000	800	800				
27	42	2000	800	900	21130-461	21130-493	21130-220	25127-995
28	42	2000	800	1000				
29	42	2000	800	1100				
30	42	2000	800	1200				
31	47	2200	600	600				
32	47	2200	600	800				
33	47	2200	600	900	21130-462	21130-494	21130-221	25127-995
34	47	2200	600	1000				
35	47	2200	600	1100				
36	47	2200	600	1200				
37	47	2200	800	600				
38	47	2200	800	800				
39	47	2200	800	900	21130-463	21130-495	21130-222	25127-995
40	47	2200	800	1000				
41	47	2200	800	1100				
42	47	2200	800	1200				



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Rear panels, connection plates


					Rear panel		Rear panel, screw fixed	Dimensioning connecting plate rear panel	Connecting plate for door and rear panel			
					With quick release fastener	Lock			Plain	With brush strip	Assembly kit	
 <div style="border: 1px solid red; padding: 2px; display: inline-block; color: white; font-weight: bold; margin-top: 5px;">S</div> <div style="font-size: 8px; color: red; font-weight: bold; margin-top: 2px;">Service PLUS</div> <p style="margin-top: 10px;">Completely in RAL 7021 (black grey)</p>					 <p style="font-size: 8px; text-align: center;">01004087</p>		 <p style="font-size: 8px; text-align: center;">01004072</p>	 <p style="font-size: 8px; text-align: center;">01004085</p>	 <p style="font-size: 8px; text-align: center;">01005071</p>	 <p style="font-size: 8px; text-align: center;">01005063</p>	 <p style="font-size: 8px; text-align: center;">01005069</p>	
					St, 1 mm, incl. GND/earthing, please order lock separately	For quick release fasteners on the rear panel	St, 1 mm, incl. GND/earthing	Door, rear panel has to be chosen 400 mm smaller than the height of the cabinet, cannot be used with double door	St, 1 mm, assembly also possible at the top, height 400 mm, order assembly kit in connection with rear panel separately	St, 1 mm, assembly also possible at the top, height 400 mm, order assembly kit in connection with rear panel separately	Only necessary if rear panel with quick release fastener is assembled above connecting plate	
No.	Cabinet dimensions			RAL 7021 1 piece assembled	PU 2 pieces assembled	RAL 7021 1 piece assembled	Width mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	PU 1 kit assembled		
	Height U mm	Width mm	Depth mm									
1	24	1200	600	600								
2	24	1200	600	800								
3	24	1200	600	900								
4	24	1200	600	1000	21130-091	23130-133	21130-061	–	–	–		
5	24	1200	600	1100								
6	24	1200	600	1200								
7	24	1200	800	600								
8	24	1200	800	800	21130-092	23130-133	21130-062	–	–	–		
9	24	1200	800	900								
10	24	1200	800	1000								
11	29	1400	600	600	21130-093	23130-133	21130-063	–	–	–		
12	29	1400	600	800								
13	29	1400	800	600	21130-094	23130-133	21130-064	–	–	–		
14	29	1400	800	800								
15	38	1800	600	600	21130-097	23130-133	21130-067	600	21130-472	21130-478	23130-164	
16	38	1800	600	800								
17	38	1800	800	600	21130-098	23130-133	21130-068	800	21130-473	21130-479	23130-164	
18	38	1800	800	800								
19	42	2000	600	600								
20	42	2000	600	800								
21	42	2000	600	900								
22	42	2000	600	1000	21130-099	23130-133	21130-069	600	21130-472	21130-478	23130-164	
23	42	2000	600	1100								
24	42	2000	600	1200								
25	42	2000	800	600								
26	42	2000	800	800								
27	42	2000	800	900								
28	42	2000	800	1000	21130-100	23130-133	21130-070	800	21130-473	21130-479	23130-164	
29	42	2000	800	1100								
30	42	2000	800	1200								
31	47	2200	600	600								
32	47	2200	600	800								
33	47	2200	600	900								
34	47	2200	600	1000	21130-101	23130-133	21130-071	600	21130-472	21130-478	23130-164	
35	47	2200	600	1100								
36	47	2200	600	1200								
37	47	2200	800	600								
38	47	2200	800	800								
39	47	2200	800	900								
40	47	2200	800	1000	21130-102	23130-133	21130-072	800	21130-473	21130-479	23130-164	
41	47	2200	800	1100								
42	47	2200	800	1200								



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Top covers



Completely in RAL 7021 (black grey)


No.	Cabinet dimensions			Flat top cover		Raised top cover			
	Height	Width	Depth	Plain	Perforated	Lifting eye	Spacer	Lifting eye	
	U mm	mm	mm	St, 1.5 mm, incl. GND/earthing	St, 1.5 mm, fully perforated, incl. GND/earthing	For flat top cover, application and loading in accordance with DIN 582	Spacer to raise the flat top cover by 10 mm, St, zinc-plated	For raised flat top cover, application and loading in accordance with DIN 582	
			RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	PU 4 pieces assembled	RAL 7021 PU 4 pieces assembled	PU 4 pieces assembled	PU 4 pieces assembled	
1	24	1200	600	600	21130-242	21130-262			
2	24	1200	600	800	21130-243	21130-263			
3	24	1200	600	900	21130-244	21130-264			
4	24	1200	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
5	24	1200	600	1100	21130-538	21130-546			
6	24	1200	600	1200	21130-539	21130-547			
7	24	1200	800	600	21130-246	21130-266			
8	24	1200	800	800	21130-247	21130-267	23130-072	23130-068	23130-085
9	24	1200	800	900	21130-248	21130-268			
10	24	1200	800	1000	21130-249	21130-269			
11	29	1400	600	600	21130-242	21130-262	23130-072	23130-068	23130-085
12	29	1400	600	800	21130-243	21130-263			
13	29	1400	800	600	21130-246	21130-266	23130-072	23130-068	23130-085
14	29	1400	800	800	21130-247	21130-267			
15	38	1800	600	600	21130-242	21130-262	23130-072	23130-068	23130-085
16	38	1800	600	800	21130-243	21130-263			
17	38	1800	800	600	21130-246	21130-266	23130-072	23130-068	23130-085
18	38	1800	800	800	21130-247	21130-267			
19	42	2000	600	600	21130-242	21130-262			
20	42	2000	600	800	21130-243	21130-263			
21	42	2000	600	900	21130-244	21130-264			
22	42	2000	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
23	42	2000	600	1100	21130-538	21130-546			
24	42	2000	600	1200	21130-539	21130-547			
25	42	2000	800	600	21130-246	21130-266			
26	42	2000	800	800	21130-247	21130-267			
27	42	2000	800	900	21130-248	21130-268			
28	42	2000	800	1000	21130-249	21130-269	23130-072	23130-068	23130-085
29	42	2000	800	1100	21130-540	21130-548			
30	42	2000	800	1200	21130-541	21130-549			
31	47	2200	600	600	21130-242	21130-262			
32	47	2200	600	800	21130-243	21130-263			
33	47	2200	600	900	21130-244	21130-264			
34	47	2200	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
35	47	2200	600	1100	21130-538	21130-546			
36	47	2200	600	1200	21130-539	21130-547			
37	47	2200	800	600	21130-246	21130-266			
38	47	2200	800	800	21130-247	21130-267			
39	47	2200	800	900	21130-248	21130-268			
40	47	2200	800	1000	21130-249	21130-269	23130-072	23130-068	23130-085
41	47	2200	800	1100	21130-540	21130-548			
42	47	2200	800	1200	21130-541	21130-549			



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Top cover with cut-out zones



Completely in RAL 7021 (black grey)


No.	Cabinet dimensions			RAL 7021 1 piece assembled	Brush strip PU 2 pieces assembled	Fan insert RAL 7021 1 piece assembled	Spacer Cover perforated RAL 7021 1 piece assembled	Edge protection 1 piece supplied loose	Lifting eye PU 4 pieces assembled
	Height U	Width mm	Depth mm						
1	24	1200	600	21130-252					
2	24	1200	600	21130-253					
3	24	1200	600	21130-254					
4	24	1200	600	21130-255	23130-069	23130-070	23130-071	28127-281	23130-072
5	24	1200	600	21130-542					
6	24	1200	600	21130-543					
7	24	1200	800	21130-256					
8	24	1200	800	21130-257	23130-069	23130-070	23130-071	28127-281	23130-072
9	24	1200	800	21130-258					
10	24	1200	800	21130-259					
11	29	1400	600	21130-252	23130-069	23130-070	23130-071	28127-281	23130-072
12	29	1400	600	21130-253					
13	29	1400	600	21130-256	23130-069	23130-070	23130-071	28127-281	23130-072
14	29	1400	600	21130-257					
15	38	1800	600	21130-252	23130-069	23130-070	23130-071	28127-281	23130-072
16	38	1800	600	21130-253					
17	38	1800	600	21130-256	23130-069	23130-070	23130-071	28127-281	23130-072
18	38	1800	600	21130-257					
19	42	2000	600	21130-252					
20	42	2000	600	21130-253					
21	42	2000	600	21130-254					
22	42	2000	600	21130-255	23130-069	23130-070	23130-071	28127-281	23130-072
23	42	2000	600	21130-542					
24	42	2000	600	21130-543					
25	42	2000	800	21130-256					
26	42	2000	800	21130-257					
27	42	2000	800	21130-258					
28	42	2000	800	21130-259	23130-069	23130-070	23130-071	28127-281	23130-072
29	42	2000	800	21130-544					
30	42	2000	800	21130-545					
31	47	2200	600	21130-252					
32	47	2200	600	21130-253					
33	47	2200	600	21130-254					
34	47	2200	600	21130-255	23130-069	23130-070	23130-071	28127-281	23130-072
35	47	2200	600	21130-542					
36	47	2200	600	21130-543					
37	47	2200	800	21130-256					
38	47	2200	800	21130-257					
39	47	2200	800	21130-258					
40	47	2200	800	21130-259	23130-069	23130-070	23130-071	28127-281	23130-072
41	47	2200	800	21130-544					
42	47	2200	800	21130-545					



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021


Vented top cover



Completely in RAL 7021 (black grey)

Vented top cover

Top cover for 6 fans




01005060

St, 1,5 mm, raised cover, 3 axial fans 230 V_{AC}, incl. cabling and GND/earthing, equipment cable 2,5 m, SCHUKO/IEC connector

RAL 7021

1 piece assembled

Replacement fan for fan top




cta44844

Fan with grille for top assembly, 230 V_{AC}, 38x119x119 mm, 162 m3/h at 50 Hz

1 piece supplied loose

Thermostat




01005076

With equipment cable 230 V_{AC} (IEC connector/female connector), adjustment range 0 ... 60°C

1 piece assembled

Lifting eye



01005085

For fan top, application and loading in accordance with DIN 582

PU 4 pieces assembled


No.	Cabinet dimensions			RAL 7021 1 piece assembled	1 piece supplied loose	1 piece assembled	PU 4 pieces assembled	
	Height U	Width mm	Depth mm					
1	24	1200	600	600	21130-400			
2	24	1200	600	800	21130-401			
3	24	1200	600	900	–			
4	24	1200	600	1000	–	23130-165	23130-163	23130-090
5	24	1200	600	1100	–			
6	24	1200	600	1200	–			
7	24	1200	800	600	21130-402			
8	24	1200	800	800	21130-403	23130-165	23130-163	23130-090
9	24	1200	800	900	–			
10	24	1200	800	1000	–			
11	29	1400	600	600	21130-400	23130-165	23130-163	23130-090
12	29	1400	600	800	21130-401			
13	29	1400	800	600	21130-402	23130-165	23130-163	23130-090
14	29	1400	800	800	21130-403			
15	38	1800	600	600	21130-400	23130-165	23130-163	23130-090
16	38	1800	600	800	21130-401			
17	38	1800	800	600	21130-402	23130-165	23130-163	23130-090
18	38	1800	800	800	21130-403			
19	42	2000	600	600	21130-400			
20	42	2000	600	800	21130-401			
21	42	2000	600	900	–			
22	42	2000	600	1000	–	23130-165	23130-163	23130-090
23	42	2000	600	1100	–			
24	42	2000	600	1200	–			
25	42	2000	800	600	21130-402			
26	42	2000	800	800	21130-403			
27	42	2000	800	900	–			
28	42	2000	800	1000	–	23130-165	23130-163	23130-090
29	42	2000	800	1100	–			
30	42	2000	800	1200	–			
31	47	2200	600	600	21130-400			
32	47	2200	600	800	21130-401			
33	47	2200	600	900	–			
34	47	2200	600	1000	–	23130-165	23130-163	23130-090
35	47	2200	600	1100	–			
36	47	2200	600	1200	–			
37	47	2200	800	600	21130-402			
38	47	2200	800	800	21130-403			
39	47	2200	800	900	–			
40	47	2200	800	1000	–	23130-165	23130-163	23130-090
41	47	2200	800	1100	–			
42	47	2200	800	1200	–			










Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Base plate



Completely in RAL 7021 (black grey)

Base plate multi-piece	Base plate			Base plate for lateral cable ducting		
	Brush strip	Dust filter set	Cover plate	For cabinet width 600 mm	For cabinet width 800 mm	Brush strip
 <small>01004050</small> St, 1.5 mm, multi-piece, rear opening 200 mm deep (no rear opening at 300 mm cabinet depth), incl. GND/earthing, dimensions, see page 1.79	 <small>01004105</small> Nylon, black	 <small>01004059</small> Filter mat white, class M1 in accordance with EN 799-G3	 <small>01004106</small> St, 1.5 mm	 <small>01006072</small> St, 1.5 mm, brush strip opening on one side, please order brush strip separately	 <small>01006094</small> St, 1.5 mm, brush strip opening on both sides, please order brush strip separately	 <small>01006072</small> Nylon, black, is assembled laterally, please order one brush strip at cabinet width of 600 mm, but two brush strips at cabinet width of 800 mm


No.	Cabinet dimensions				RAL 7021 1 piece assembled	1 piece assembled	1 piece assembled	1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece assembled
	Height U	Width mm	Depth mm	Depth mm							
1	24	1200	600	600	23130-001				23130-378		23130-074
2	24	1200	600	800	23130-002				23130-353		23130-134
3	24	1200	600	900	23130-003				23130-354		23130-374
4	24	1200	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355	–	23130-375
5	24	1200	600	1100	23130-358				23130-356		23130-376
6	24	1200	600	1200	23130-359				23130-357		23130-377
7	24	1200	800	600	23130-005					23130-378	23130-074
8	24	1200	800	800	23130-006	23130-134	23130-135	23130-136	–	23130-353	23130-134
9	24	1200	800	900	23130-007					23130-354	23130-374
10	24	1200	800	1000	23130-008					23130-355	23130-375
11	29	1400	600	600	23130-001	23130-074	23130-075	23130-076	23130-378		23130-074
12	29	1400	600	800	23130-002	23130-074	23130-075	23130-076	23130-353	–	23130-134
13	29	1400	800	600	23130-005	23130-134	23130-135	23130-136	–	23130-378	23130-074
14	29	1400	800	800	23130-006	23130-134	23130-135	23130-136	–	23130-353	23130-134
15	38	1800	600	600	23130-001	23130-074	23130-075	23130-076	23130-378		23130-074
16	38	1800	600	800	23130-002	23130-074	23130-075	23130-076	23130-353	–	23130-134
17	38	1800	800	600	23130-005	23130-134	23130-135	23130-136	–	23130-378	23130-074
18	38	1800	800	800	23130-006	23130-134	23130-135	23130-136	–	23130-353	23130-134
19	42	2000	600	600	23130-001				23130-378		23130-074
20	42	2000	600	800	23130-002				23130-353		23130-134
21	42	2000	600	900	23130-003				23130-354		23130-374
22	42	2000	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355	–	23130-375
23	42	2000	600	1100	23130-358				23130-356		23130-376
24	42	2000	600	1200	23130-359				23130-357		23130-377
25	42	2000	800	600	23130-005					23130-378	23130-074
26	42	2000	800	800	23130-006					23130-353	23130-134
27	42	2000	800	900	23130-007					23130-354	23130-374
28	42	2000	800	1000	23130-008	23130-134	23130-135	23130-136	–	23130-355	23130-375
29	42	2000	800	1100	23130-360					23130-356	23130-376
30	42	2000	800	1200	23130-361					23130-357	23130-377
31	47	2200	600	600	23130-001				23130-378		23130-074
32	47	2200	600	800	23130-002				23130-353		23130-134
33	47	2200	600	900	23130-003				23130-354		23130-374
34	47	2200	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355	–	23130-375
35	47	2200	600	1100	23130-358				23130-356		23130-376
36	47	2200	600	1200	23130-359				23130-357		23130-377
37	47	2200	800	600	23130-005					23130-378	23130-074
38	47	2200	800	800	23130-006					23130-353	23130-134
39	47	2200	800	900	23130-007					23130-354	23130-374
40	47	2200	800	1000	23130-008	23130-134	23130-135	23130-136	–	23130-355	23130-375
41	47	2200	800	1100	23130-360					23130-356	23130-376
42	47	2200	800	1200	23130-361					23130-357	23130-377








Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Base/plinth



Completely in RAL 7021 (black grey)








No.	Cabinet dimensions			Base/plinth			Mobile base/plinth	
	Height U	Width mm	Depth mm	Ventilated base/plinth	Side covers	Telescopic tip-over protection	Mobile base/plinth	Telescopic tip-over protection
				 01004053 Support with adjustable feet and 2 perforated trims, static load-carrying capacity 1000 kg, please order side trims separately	 01004053 St, 1.5 mm	 01006055 St, 2 mm, for retrofitting of base/plinth incl. bezel	 01006055 Support, St, 3 mm, covers, St, 1.5 mm, load-carrying capacity on castors 400 kg, on adjustable feet 1000 kg	 01006055 St, 2 mm, for retrofitting of base/plinth incl. bezel
				RAL 7021 PU 1 kit assembled	RAL 7021 PU 1 pair assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled
1	24	1200	600	23130-187	23130-169	–	23130-208	–
2	24	1200	800		23130-170	–	23130-209	–
3	24	1200	900		23130-171	23130-345	23130-210	23130-345
4	24	1200	1000		23130-172	23130-346	23130-211	23130-346
5	24	1200	1100		23130-362	23130-347	23130-368	23130-347
6	24	1200	1200		23130-363	23130-348	23130-369	23130-348
7	24	1200	800	23130-194	23130-169	–	23130-212	–
8	24	1200	800		23130-170	–	23130-213	–
9	24	1200	900		23130-171	23130-349	23130-214	23130-349
10	24	1200	1000		23130-172	23130-350	23130-215	23130-350
11	29	1400	600	23130-187	23130-169	–	23130-208	–
12	29	1400	800		23130-170	–	23130-209	–
13	29	1400	800	23130-194	23130-169	–	23130-212	–
14	29	1400	800		23130-170	–	23130-213	–
15	38	1800	600	23130-187	23130-169	–	23130-208	–
16	38	1800	800		23130-170	–	23130-209	–
17	38	1800	800	23130-194	23130-169	–	23130-212	–
18	38	1800	800		23130-170	–	23130-213	–
19	42	2000	600	23130-187	23130-169	–	23130-208	–
20	42	2000	800		23130-170	–	23130-209	–
21	42	2000	900		23130-171	23130-345	23130-210	23130-345
22	42	2000	1000		23130-172	23130-346	23130-211	23130-346
23	42	2000	1100		23130-362	23130-347	23130-368	23130-347
24	42	2000	1200		23130-363	23130-348	23130-369	23130-348
25	42	2000	800	23130-194	23130-169	–	23130-212	–
26	42	2000	800		23130-170	–	23130-213	–
27	42	2000	900		23130-171	23130-349	23130-214	23130-349
28	42	2000	1000		23130-172	23130-350	23130-215	23130-350
29	42	2000	1100		23130-362	23130-351	23130-370	23130-351
30	42	2000	1200		23130-363	23130-352	23130-371	23130-352
31	47	2200	600	23130-187	23130-169	–	23130-208	–
32	47	2200	800		23130-170	–	23130-209	–
33	47	2200	900		23130-171	23130-345	23130-210	23130-345
34	47	2200	1000		23130-172	23130-346	23130-211	23130-346
35	47	2200	1100		23130-362	23130-347	23130-368	23130-347
36	47	2200	1200		23130-363	23130-348	23130-369	23130-348
37	47	2200	800	23130-194	23130-169	–	23130-212	–
38	47	2200	800		23130-170	–	23130-213	–
39	47	2200	900		23130-171	23130-349	23130-214	23130-349
40	47	2200	1000		23130-172	23130-350	23130-215	23130-350
41	47	2200	1100		23130-362	23130-351	23130-370	23130-351
42	47	2200	800		23130-363	23130-352	23130-371	23130-352



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

19" panel/slide mounts


 <p style="text-align: center;">S Service PLUS</p> <p style="text-align: center;">Completely in RAL 7021 (black grey)</p>	 <p style="text-align: center; font-size: 8px;">01004146</p> <p style="text-align: center; font-size: 8px;">x_f = distance from the front c = pitch of 19" panel/slide mounts D = cabinet depth W = cabinet width</p>	<p>19" panel/slide mounts EIA</p> <p>Painted RAL 7021 AlZn</p>  <p style="text-align: center; font-size: 8px;">01004112</p> <p style="text-align: center; font-size: 8px;">St, 2 mm, at 800 mm width adaptor bracket for reduced width is necessary, for partial-height mounting depth members are necessary</p>		<p>U height identification strip for 19" panels/slide mounts</p>  <p style="text-align: center; font-size: 8px;">00505050</p> <p style="text-align: center; font-size: 8px;">Paper, white, serial numbered from 1 ... 47 U</p>	<p>19" assembly kit M6</p>  <p style="text-align: center; font-size: 8px;">sc128</p> <p style="text-align: center; font-size: 8px;">Assembly kit: Item 1: screws Item 2: cage nuts Item 3: washers</p>	<p>Adaptor bracket for reduced width</p>  <p style="text-align: center; font-size: 8px;">01004128</p> <p style="text-align: center; font-size: 8px;">St, 2 mm, AlZn, for assembly of the 19" panels/slide mounts at 800 mm wide cabinets</p>	<p>Depth member 3 rows</p>  <p style="text-align: center; font-size: 8px;">01004056</p> <p style="text-align: center; font-size: 8px;">St, 1.5 mm, necessary for partial-height mounting (not full cabinet height)</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		<p>Cabinet dimensions</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th>No.</th> <th>Height U</th> <th>Width mm</th> <th>Depth mm</th> <th>x_f mm</th> <th>c mm</th> </tr> </thead> <tbody> <tr><td>1</td><td>24</td><td>1200</td><td>600</td><td>50</td><td>500</td></tr> <tr><td>2</td><td>24</td><td>1200</td><td>600</td><td>150</td><td>700</td></tr> <tr><td>3</td><td>24</td><td>1200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>4</td><td>24</td><td>1200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>5</td><td>24</td><td>1200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>6</td><td>24</td><td>1200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>7</td><td>24</td><td>1200</td><td>800</td><td>50</td><td>500</td></tr> <tr><td>8</td><td>24</td><td>1200</td><td>800</td><td>150</td><td>700</td></tr> <tr><td>9</td><td>24</td><td>1200</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>10</td><td>24</td><td>1200</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>11</td><td>29</td><td>1400</td><td>600</td><td>50</td><td>500</td></tr> <tr><td>12</td><td>29</td><td>1400</td><td>600</td><td>150</td><td>700</td></tr> <tr><td>13</td><td>29</td><td>1400</td><td>800</td><td>50</td><td>500</td></tr> <tr><td>14</td><td>29</td><td>1400</td><td>800</td><td>150</td><td>700</td></tr> <tr><td>15</td><td>38</td><td>1800</td><td>600</td><td>50</td><td>500</td></tr> <tr><td>16</td><td>38</td><td>1800</td><td>600</td><td>150</td><td>700</td></tr> <tr><td>17</td><td>38</td><td>1800</td><td>800</td><td>50</td><td>500</td></tr> <tr><td>18</td><td>38</td><td>1800</td><td>800</td><td>150</td><td>700</td></tr> <tr><td>19</td><td>42</td><td>2000</td><td>600</td><td>50</td><td>500</td></tr> <tr><td>20</td><td>42</td><td>2000</td><td>600</td><td>150</td><td>700</td></tr> <tr><td>21</td><td>42</td><td>2000</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>22</td><td>42</td><td>2000</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>23</td><td>42</td><td>2000</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>24</td><td>42</td><td>2000</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>25</td><td>42</td><td>2000</td><td>800</td><td>50</td><td>500</td></tr> <tr><td>26</td><td>42</td><td>2000</td><td>800</td><td>150</td><td>700</td></tr> <tr><td>27</td><td>42</td><td>2000</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>28</td><td>42</td><td>2000</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>29</td><td>42</td><td>2000</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>30</td><td>42</td><td>2000</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>31</td><td>47</td><td>2200</td><td>600</td><td>50</td><td>500</td></tr> <tr><td>32</td><td>47</td><td>2200</td><td>600</td><td>150</td><td>700</td></tr> <tr><td>33</td><td>47</td><td>2200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>34</td><td>47</td><td>2200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>35</td><td>47</td><td>2200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>36</td><td>47</td><td>2200</td><td>600</td><td>70</td><td>740</td></tr> <tr><td>37</td><td>47</td><td>2200</td><td>800</td><td>50</td><td>500</td></tr> <tr><td>38</td><td>47</td><td>2200</td><td>800</td><td>150</td><td>700</td></tr> <tr><td>39</td><td>47</td><td>2200</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>40</td><td>47</td><td>2200</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>41</td><td>47</td><td>2200</td><td>800</td><td>70</td><td>740</td></tr> <tr><td>42</td><td>47</td><td>2200</td><td>800</td><td>70</td><td>740</td></tr> </tbody> </table>	No.	Height U	Width mm	Depth mm	x_f mm	c mm	1	24	1200	600	50	500	2	24	1200	600	150	700	3	24	1200	600	70	740	4	24	1200	600	70	740	5	24	1200	600	70	740	6	24	1200	600	70	740	7	24	1200	800	50	500	8	24	1200	800	150	700	9	24	1200	800	70	740	10	24	1200	800	70	740	11	29	1400	600	50	500	12	29	1400	600	150	700	13	29	1400	800	50	500	14	29	1400	800	150	700	15	38	1800	600	50	500	16	38	1800	600	150	700	17	38	1800	800	50	500	18	38	1800	800	150	700	19	42	2000	600	50	500	20	42	2000	600	150	700	21	42	2000	600	70	740	22	42	2000	600	70	740	23	42	2000	600	70	740	24	42	2000	600	70	740	25	42	2000	800	50	500	26	42	2000	800	150	700	27	42	2000	800	70	740	28	42	2000	800	70	740	29	42	2000	800	70	740	30	42	2000	800	70	740	31	47	2200	600	50	500	32	47	2200	600	150	700	33	47	2200	600	70	740	34	47	2200	600	70	740	35	47	2200	600	70	740	36	47	2200	600	70	740	37	47	2200	800	50	500	38	47	2200	800	150	700	39	47	2200	800	70	740	40	47	2200	800	70	740	41	47	2200	800	70	740	42	47	2200	800	70	740	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th>RAL 7021 PU 1 pair assembled</th> <th>PU 1 pair assembled</th> <th>PU 4 pieces assembled</th> <th>PU 50 pieces supplied loose</th> <th>PU 4 pieces assembled</th> <th>PU 1 pair assembled</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td>23130-011</td><td>23130-031</td><td>25127-997</td><td>21101-809</td><td>–</td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-364</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-365</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-081</td></tr> <tr><td>23130-011</td><td>23130-031</td><td>25127-997</td><td>21101-809</td><td>23130-091</td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-084</td></tr> <tr><td>23130-012</td><td>23130-032</td><td>25127-997</td><td>21101-809</td><td>–</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td>23130-012</td><td>23130-032</td><td>25127-997</td><td>21101-809</td><td>23130-091</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td>23130-014</td><td>23130-034</td><td>25127-997</td><td>21101-809</td><td>–</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td>23130-014</td><td>23130-034</td><td>25127-997</td><td>21101-809</td><td>23130-091</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td>23130-015</td><td>23130-035</td><td>25127-997</td><td>21101-809</td><td>–</td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-364</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-365</td></tr> <tr><td>23130-015</td><td>23130-035</td><td>25127-997</td><td>21101-809</td><td>23130-091</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-364</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-365</td></tr> <tr><td>23130-016</td><td>23130-036</td><td>25127-997</td><td>21101-809</td><td>–</td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td>23130-016</td><td>23130-036</td><td>25127-997</td><td>21101-809</td><td>23130-091</td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-364</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-365</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-081</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-082</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-083</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-084</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-364</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>23130-365</td></tr> </tbody> </table>	RAL 7021 PU 1 pair assembled	PU 1 pair assembled	PU 4 pieces assembled	PU 50 pieces supplied loose	PU 4 pieces assembled	PU 1 pair assembled						23130-081						23130-082						23130-083	23130-011	23130-031	25127-997	21101-809	–	23130-084						23130-364						23130-365						23130-081	23130-011	23130-031	25127-997	21101-809	23130-091	23130-082						23130-083						23130-084	23130-012	23130-032	25127-997	21101-809	–	23130-081						23130-082	23130-012	23130-032	25127-997	21101-809	23130-091	23130-081						23130-082	23130-014	23130-034	25127-997	21101-809	–	23130-081						23130-082	23130-014	23130-034	25127-997	21101-809	23130-091	23130-081						23130-082						23130-081						23130-082						23130-083	23130-015	23130-035	25127-997	21101-809	–	23130-084						23130-364						23130-365	23130-015	23130-035	25127-997	21101-809	23130-091	23130-081						23130-082						23130-083						23130-084						23130-364						23130-365	23130-016	23130-036	25127-997	21101-809	–	23130-081						23130-082						23130-083	23130-016	23130-036	25127-997	21101-809	23130-091	23130-084						23130-084						23130-364						23130-365						23130-081						23130-082						23130-083						23130-084						23130-364				
No.	Height U	Width mm	Depth mm	x_f mm	c mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
1	24	1200	600	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
2	24	1200	600	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
3	24	1200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
4	24	1200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
5	24	1200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
6	24	1200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
7	24	1200	800	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
8	24	1200	800	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
9	24	1200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
10	24	1200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
11	29	1400	600	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
12	29	1400	600	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
13	29	1400	800	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
14	29	1400	800	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
15	38	1800	600	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16	38	1800	600	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
17	38	1800	800	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
18	38	1800	800	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
19	42	2000	600	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20	42	2000	600	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
21	42	2000	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
22	42	2000	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23	42	2000	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
24	42	2000	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25	42	2000	800	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
26	42	2000	800	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
27	42	2000	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
28	42	2000	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
29	42	2000	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
30	42	2000	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
31	47	2200	600	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
32	47	2200	600	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
33	47	2200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
34	47	2200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
35	47	2200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
36	47	2200	600	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
37	47	2200	800	50	500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
38	47	2200	800	150	700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
39	47	2200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
40	47	2200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
41	47	2200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
42	47	2200	800	70	740																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
RAL 7021 PU 1 pair assembled	PU 1 pair assembled	PU 4 pieces assembled	PU 50 pieces supplied loose	PU 4 pieces assembled	PU 1 pair assembled																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-011	23130-031	25127-997	21101-809	–	23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-364																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-365																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-011	23130-031	25127-997	21101-809	23130-091	23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-012	23130-032	25127-997	21101-809	–	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-012	23130-032	25127-997	21101-809	23130-091	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-014	23130-034	25127-997	21101-809	–	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-014	23130-034	25127-997	21101-809	23130-091	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-015	23130-035	25127-997	21101-809	–	23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-364																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-365																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-015	23130-035	25127-997	21101-809	23130-091	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-364																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-365																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-016	23130-036	25127-997	21101-809	–	23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
23130-016	23130-036	25127-997	21101-809	23130-091	23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-364																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-365																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-081																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-082																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-083																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-084																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-364																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					23130-365																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Swing frame



Completely in RAL 7021 (black grey)


No.	Cabinet dimensions			Swing frame	Stop 120°	Swing frame covers		Door opening 160°		Safety lock
	Height	Width	Depth			Asymmetrical assembly	Symmetrical assembly	Hinge 160°	Stop 160°	
	U mm	mm	mm	RAL 7021 1 piece assembled	RAL 7021 PU 1 kit assembled	RAL 7021 1 piece assembled	RAL 7021 PU 2 pieces assembled	PU 2 pieces assembled	RAL 7021 PU 1 kit assembled	1 piece assembled
1	24	1200	600							
2	24	1200	600							
3	24	1200	600							
4	24	1200	600	21130-413	23130-158	–	–	23130-160	23130-159	60113-267
5	24	1200	600							
6	24	1200	600							
7	24	1200	800							
8	24	1200	800	21130-423	23130-158	21130-432	21130-442	23130-160	23130-159	60113-267
9	24	1200	800							
10	24	1200	800							
11	29	1400	600	21130-414	23130-158	–	–	23130-160	23130-159	60113-267
12	29	1400	600							
13	29	1400	800	21130-424	23130-158	21130-433	21130-443	23130-160	23130-159	60113-267
14	29	1400	800							
15	38	1800	600	21130-416	23130-158	–	–	23130-160	23130-159	60113-267
16	38	1800	600							
17	38	1800	800	21130-426	23130-158	21130-435	21130-445	23130-160	23130-159	60113-267
18	38	1800	800							
19	42	2000	600							
20	42	2000	600							
21	42	2000	600							
22	42	2000	600	21130-417	23130-158	–	–	23130-160	23130-159	60113-267
23	42	2000	600							
24	42	2000	600							
25	42	2000	800							
26	42	2000	800							
27	42	2000	800	21130-427	23130-158	21130-436	21130-446	23130-160	23130-159	60113-267
28	42	2000	800							
29	42	2000	800							
30	42	2000	800							
31	47	2200	600							
32	47	2200	600							
33	47	2200	600	21130-418	23130-158	–	–	23130-160	23130-159	60113-267
34	47	2200	600							
35	47	2200	600							
36	47	2200	600							
37	47	2200	800							
38	47	2200	800							
39	47	2200	800	21130-428	23130-158	21130-437	21130-447	23130-160	23130-159	60113-267
40	47	2200	800							
41	47	2200	800							
42	47	2200	800							



Cabinets – VARISTAR ServicePLUS RAL 7021




RAL 7021

Stationary shelf




Completely in RAL 7021 (black grey)

S
Service PLUS

Stationary shelf				
		Full depth	Shortened, 100 mm	Depth member 3 rows
		 <small>01004142</small>	 <small>01004143</small>	 <small>01004056</small>
		St, 1.5 mm, static load-carrying capacity 75 kg, 1 U, incl. GND/earthing	St, 1.5 mm, static load-carrying capacity 75 kg, 1 U, incl. GND/earthing, please order depth member separately	St, 1.5 mm, necessary for reduced shelf
Width mm	Depth mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	AlZn PU 1 pair assembled
600	600	21130-323	21130-322	23130-081
600	800	21130-325	21130-324	23130-082
600	900	21130-326	–	–
600	1000	21130-327	–	–
600	1100	21130-550	–	–
600	1200	21130-551	–	–
800	600	21130-333	21130-332	23130-081
800	800	21130-335	21130-334	23130-082
800	900	21130-336	–	–
800	1000	21130-337	–	–
800	1100	21130-552	–	–
800	1200	21130-553	–	–






RAL 7021

Telescopic shelf




Completely in RAL 7021 (black grey)

S
Service PLUS

Telescopic shelf, 2 U						
		Full depth	Recessed by 100 mm	Mounting bracket	T-bar lock	GND/earthing
		 <small>01004144</small>	 <small>01004145</small>	 <small>01005054</small>	 <small>01004125</small>	 <small>05904052</small>
		St, 1.5 mm, static load-carrying capacity 70/50 kg (width 600/800 mm), incl. telescopic slide, please order mounting brackets separately		St, AlZn	For locking of telescopic shelf	For telescopic shelf
Width mm	Depth mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	PU 4 pieces assembled	1 piece assembled	1 piece assembled
600	600	21130-353	21130-352			
600	800	21130-355	21130-354			
600	900	–	–	23130-274	23130-092	23130-140
600	1000	–	–			
600	1100	–	–			
600	1200	–	–			
800	600	21130-373	21130-372			
800	800	21130-375	21130-374			
800	900	–	–	23130-274	23130-092	23130-140
800	1000	–	–			
800	1100	–	–			
800	1200	–	–			

Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021 19" shelf, stationary or telescopic, 1 U




Completely in RAL 7021 (black grey)





S

Service
PLUS


Dimension standard assembly



01004146
 x_f = distance from the front
 c = pitch of 19" panel/slide mounts
 D = cabinet depth
 W = cabinet width

		19" stationary shelf, 1 U		19" telescopic shelf, 1 U, 30 kg	
		Full depth	Recessed, c - 100 mm	Full depth	Recessed by 100 mm
					
		01004118	01004119	01004123	01004122
		St, 1.5 mm, static load-carrying capacity 75 kg, incl. GND/earthing	St, 1.5 mm, static load-carrying capacity 75 kg, incl. GND/earthing	St, 1.5 mm, static load-carrying capacity 30 kg, incl. telescopic slide, please order GND/earthing kit separately	
		RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled
Width mm	Depth mm	x_f mm	c mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled
600	600	50	500	21130-303	21130-342
600	800	150	500	21130-303	21130-342
600	900	70	740	21130-309	–
600	1000	70	740	21130-309	–
600	1100	70	740	21130-309	–
600	1200	70	740	21130-309	–
800	600	50	500	21130-303	21130-342
800	800	150	500	21130-303	21130-342
800	900	70	740	21130-309	–
800	1000	70	740	21130-309	–
800	1100	70	740	21130-309	–
800	1200	70	740	21130-309	–

RAL 7021 19" telescopic shelf, 2 U




Completely in RAL 7021 (black grey)






S

Service
PLUS

Dimension standard assembly



01004146
 x_f = distance from the front
 c = pitch of 19" panel/slide mounts
 D = cabinet depth
 W = cabinet width


		19" telescopic shelf, 2 U, 70 kg		T-bar lock	19" telescopic shelf, 2 U, 150 kg	GND/earthing
		Full depth	Recessed by 100 mm			
						
		01004123	01004122	01004125	41004064	05904052
		St, 1.5 mm, static load-carrying capacity 70 kg, incl. telescopic slide, please order T-bar lock and GND/earthing kit separately		For locking of telescopic shelf	St, 1.5 mm, static load-carrying capacity 150 kg, incl. telescopic slide and T-bar lock, please order GND/earthing kit separately	For telescopic shelf
		RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece assembled	RAL 7021 1 piece assembled	PU 1 kit assembled
Width mm	Depth mm	x_f mm	c mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	PU 1 kit assembled
600	600	50	500	21130-353	–	–
600	800	150	500	21130-353	–	–
600	900	70	740	–	–	23130-140
600	1000	70	740	–	–	23130-140
600	1100	70	740	–	–	23130-140
600	1200	70	740	–	–	23130-140
800	600	50	500	21130-353	–	–
800	800	150	500	21130-353	–	–
800	900	70	740	–	–	23130-140
800	1000	70	740	–	–	23130-140
800	1100	70	740	–	–	23130-140
800	1200	70	740	–	–	23130-140




Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Slide rails



Dimension standard assembly



01004146
 x_f = distance from the front
 c = pitch of 19" panel/slide mounts
 D = cabinet depth
 W = cabinet width

Completely in RAL 7021 (black grey)









		Slide rail				Short slide rail			
		25 kg		100 kg					
		 St, 1.5 mm, AlZn, static load-carrying capacity 25 kg/pair				 St, 2.5 mm, zinc-plated, static load-carrying capacity 100 kg/pair			
		St, 1.5 mm, AlZn, static load-carrying capacity 25 kg/pair		St, 2.5 mm, zinc-plated, static load-carrying capacity 100 kg/pair		St, 1.5 mm, AlZn, static load-carrying capacity 15 kg/pair			
		AlZn		zinc-plated		AlZn			
Width mm	Depth mm	x_f mm	c mm	PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose
600	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095
600	800	150	500	23130-096	23130-101	23130-118	23130-123		
600	900	70	740	23130-098	23130-103	23130-120	23130-125		
600	1000	70	740	23130-098	23130-103	23130-120	23130-125		
600	1100	70	740	23130-098	23130-103	23130-120	23130-125		
600	1200	70	740	23130-098	23130-103	23130-120	23130-125		
800	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095
800	800	150	500	23130-096	23130-101	23130-118	23130-123		
800	900	70	740	23130-098	23130-103	23130-120	23130-125		
800	1000	70	740	23130-098	23130-103	23130-120	23130-125		
800	1100	70	740	23130-098	23130-103	23130-120	23130-125		
800	1200	70	740	23130-098	23130-103	23130-120	23130-125		



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Cable ducting with C-profile, cable support rail









		Cable ducting with C-profile					Cable support rail	
		C-rail for cabinet depth	C-rail for cabinet width	Slide nut	Cable shell	Cable support rail for C-rail	For cabinet depth	For cabinet width
 <p>S Service PLUS</p> <p>Completely in RAL 7021 (black grey)</p>		 <p>01006109 St, 1.5 mm, AlZn</p>	 <p>01006107 St, 1.5 mm, ALZn</p>	 <p>01504054 For C-rail</p>	 <p>vnt009 For C-rail or for cable support rail, for cable bundles of 42 ... 46 mm</p>	 <p>01006110 PA, UL 94 V-0, black, assembly by clipping onto the C-rail</p>	 <p>01006108 St, 1.5 mm</p>	 <p>01006106 St, 1.5 mm</p>
		<p>AlZn PU 2 pieces supplied loose</p>	<p>AlZn PU 2 pieces supplied loose</p>	<p>PU 10 pieces supplied loose</p>	<p>PU 10 pieces supplied loose</p>	<p>PU 5 pieces supplied loose</p>	<p>RAL 7021 PU 2 pieces supplied loose</p>	<p>RAL 7021 PU 2 pieces supplied loose</p>
Width mm	Depth mm							
600	600	23130-086				23130-326		
600	800	23130-087				23130-328		
600	900	23130-088				23130-329		
600	1000	23130-089	23130-333	21120-140	20114-731	60118-472	21236-093	
600	1100	23130-366						
600	1200	23130-367						
800	600	23130-086				23130-326		
800	800	23130-087				23130-328		
800	900	23130-088				23130-329		
800	1000	23130-089	23130-334	21120-140	20114-731	60118-472	23130-312	
800	1100	23130-366						
800	1200	23130-367						



Cabinets – VARISTAR ServicePLUS RAL 7021

RAL 7021

Accessories for cabling

		Cable bracket			Fibre optic cable bracket	Tray for excess cable lengths	Cable tie	Velcro
		Plastic 100 x 100 mm	Steel 100 x 100 mm	Steel 100 x 180 mm				
 <p style="text-align: center;">S Service PLUS</p> <p style="text-align: center;">Completely in RAL 7021 (black grey)</p>		 <p style="text-align: center;">01006079</p> <p>Plastic, PA6, black, to click onto the frame</p>	 <p style="text-align: center;">01006081</p> <p>St, zinc-plated, to screw onto frame or 19" panel/slide mount</p>	 <p style="text-align: center;">01006098</p> <p>St, zinc-plated, to screw onto frame or 19" panel/slide mount</p>	 <p style="text-align: center;">01006074</p> <p>Plastic, PA6, black, with support brackets, AlZn</p>	 <p style="text-align: center;">01006113</p> <p>For assembly on shelf or depth member</p>	 <p style="text-align: center;">01005078</p> <p>Plastic, 93 mm x 2,5 mm</p>	 <p style="text-align: center;">01005079</p> <p>Black, length 300 mm</p>
		PU 4 pieces supplied loose	PU 4 pieces supplied loose	PU 4 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 25 pieces supplied loose	PU 10 pieces supplied loose
Width mm	Depth mm							
600	600							
600	800							
600	900	-	-	-	-	23130-050	20118-351	20118-624
600	1000							
600	1100							
600	1200							
800	600							
800	800							
800	900	23130-336	23130-341	23130-342	23130-372	23130-050	20118-351	20118-624
800	1000							
800	1100							
800	1200							

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

Ordering individual components

Example for ordering individual components

Qty	Description	Order no.
1	Side panel screw-fixed, height 2000 mm, depth 600 mm, PU 2 pieces	22130-010

- Order components from the table (see example on the left hand side)
- Delivery is in given packaging units
- For availability and delivery time please contact our sales office

ServicePLUS: The special assembly service



Order example (e. g. line no. 20)

Qty	Description	Order no.
1	Frame Slim-Line, height 2000 mm, width 600 mm, depth 800 mm, 1 piece	20130-019/05
1	Side panel with quick release fastener, 2 pieces	22130-051/05
2	Safety lock for side panel, PU 2 pieces	23130-132/05
1	Rear panel screw-fixed, 1 piece	22130-069/05
1	Glazed door with single point locking, 1 piece	22130-129/05
1	Adjustable feet, PU 4 pieces	23130-079/05
..


- Build your cabinet out of components (add /05 to each part no.)
- Using the line number you can easily find your way through several pages! (Order example see on the left hand side)
- Delivery completely assembled at no extra charge
- Please contact our sales office for delivery time



01006036

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

ServicePLUS: Contents RAL 7021/RAL 7035




	Page
Frame, side-by-side mounting kit, adjustable feet, castors	1.60
Side panel, cover plate, lateral cable ducting	1.61
Decorative frame, glass doors	1.62
Steel doors	1.63
Double doors	1.64
Rear panels, connection plates	1.65
Top covers	1.66
Top cover with cut-out zones	1.67
Vented top cover	1.68
Base plate	1.69
Base/plinth	1.70
19" panel/slide mounts	1.71
Swing frame	1.72
Shelf	1.73
19" shelf	1.74
Slide rails	1.75
Cable ducting with C-profile, cable support rail	1.76
Accessories for cabling	1.77

01006114

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Frame, side-by-side mounting kit, adjustable feet, castors








Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)

No.	Cabinet dimensions			Frame		Side-by-side mounting kit IP 20	Adjustable feet	Castors	
	Height U	Width mm	Depth mm	Slim-Line 400 kg	Heavy-Duty 800 kg			2 locking, 2 non locking	with adjustable feet
				Static load-carrying capacity 400 kg, St, 1.5 mm, zinc-plated, with central GND/earthing point, please order adjustable feet or castors separately	Static load-carrying capacity 800 kg, St, 1.5 mm, zinc-plated, with central GND/earthing point, please order adjustable feet or castors separately		For frame, static load-carrying capacity: 500 kg, cannot be used with base/plinth	For frame, static load-carrying capacity: 500 kg, cannot be used with base/plinth	For frame, static load-carrying capacity: 400 kg, cannot be used with base/plinth
				RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	1 piece supplied loose	PU 4 pieces assembled	PU 4 pieces assembled	PU 4 pieces assembled
1	24	1200	600	20130-001	20130-051				
2	24	1200	600	20130-002	20130-052				
3	24	1200	600	20130-035	20130-085				
4	24	1200	600	20130-036	20130-086	23130-061	23130-079	23130-077	23130-078
5	24	1200	600	20130-578	20130-588				
6	24	1200	600	20130-579	20130-589				
7	24	1200	800	20130-003	20130-053				
8	24	1200	800	20130-004	20130-054	23130-061	23130-079	23130-077	23130-078
9	24	1200	800	20130-037	20130-087				
10	24	1200	800	20130-038	20130-088				
11	29	1400	600	20130-005	20130-055	23130-061	23130-079	23130-077	23130-078
12	29	1400	600	20130-006	20130-056				
13	29	1400	800	20130-007	20130-057	23130-061	23130-079	23130-077	23130-078
14	29	1400	800	20130-008	20130-058				
15	38	1800	600	20130-013	20130-063	23130-061	23130-079	23130-077	23130-078
16	38	1800	600	20130-014	20130-064				
17	38	1800	800	20130-015	20130-065	23130-061	23130-079	23130-077	23130-078
18	38	1800	800	20130-016	20130-066				
19	42	2000	600	20130-018	20130-068				
20	42	2000	600	20130-019	20130-069				
21	42	2000	600	20130-020	20130-070	23130-061	23130-079	23130-077	23130-078
22	42	2000	600	20130-021	20130-071				
23	42	2000	600	20130-580	20130-590				
24	42	2000	600	20130-581	20130-591				
25	42	2000	800	20130-022	20130-072				
26	42	2000	800	20130-023	20130-073				
27	42	2000	800	20130-024	20130-074	23130-061	23130-079	23130-077	23130-078
28	42	2000	800	20130-025	20130-075				
29	42	2000	800	20130-582	20130-592				
30	42	2000	800	20130-583	20130-593				
31	47	2200	600	20130-027	20130-077				
32	47	2200	600	20130-028	20130-078				
33	47	2200	600	20130-029	20130-079	23130-061	23130-079	23130-077	23130-078
34	47	2200	600	20130-030	20130-080				
35	47	2200	600	20130-584	20130-594				
36	47	2200	600	20130-585	20130-595				
37	47	2200	800	20130-031	20130-081				
38	47	2200	800	20130-032	20130-082				
39	47	2200	800	20130-033	20130-083	23130-061	23130-079	23130-077	23130-078
40	47	2200	800	20130-034	20130-084				
41	47	2200	800	20130-586	20130-596				
42	47	2200	800	20130-587	20130-597				




Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Side panel, cover plate, lateral cable ducting

					Side panels		Screw-fixed side panel		Cover panel	Lateral cable ducting	
					With quick release fastener	Lock	Side panel	Internal locking	hinged	Cable panel	Cable ladder
 <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>											
					<p>St, 1 mm, incl. GND/earthing, please order locking separately</p>	<p>For quick release fasteners on the side panel</p>	<p>St, 1 mm, incl. GND/earthing</p>	<p>Bracket, AlZn, and retention screws</p>	<p>St, 1 mm, to cover the cabling space next to the panel/slide mounts</p>	<p>St, 1 mm, with cut-outs for cable ties or velcro</p>	<p>Round steel, zinc-plated, for cable ties or velcro</p>
No.	Cabinet dimensions			RAL 7035 light	PU 4 pieces	RAL 7035	PU 2 pieces	RAL 7021	RAL 7021	PU 2 pieces	
	Height	Width	Depth	PU 2 pieces	assembled	PU 2 pieces	assembled	PU 2 pieces	PU 2 pieces	assembled	
	U	mm	mm	mm				supplied loose	supplied loose		
1	24	1200	600	600	22130-041	23130-132	22130-001	-	-	-	
2	24	1200	600	800	22130-042		22130-002				
3	24	1200	600	900	22130-524		22130-516				
4	24	1200	600	1000	22130-524		22130-517				
5	24	1200	600	1100	-		22130-532				
6	24	1200	600	1200	-		22130-533				
7	24	1200	800	600	22130-041	23130-132	22130-001	-	-	-	
8	24	1200	800	800	22130-042		22130-002				
9	24	1200	800	900	22130-524		22130-516				
10	24	1200	800	1000	22130-524		22130-517				
11	29	1400	600	600	22130-043	23130-132	22130-003	-	-	-	
12	29	1400	600	800	22130-044		22130-004				
13	29	1400	800	600	22130-043		22130-003				
14	29	1400	800	800	22130-044		22130-004				
15	38	1800	600	600	22130-047	23130-132	22130-007	-	-	-	
16	38	1800	600	800	22130-048		22130-008				
17	38	1800	800	600	22130-047		22130-007				
18	38	1800	800	800	22130-048		22130-008				
19	42	2000	600	600	22130-050	23130-132	22130-010	-	-	-	
20	42	2000	600	800	22130-051		22130-011				
21	42	2000	600	900	22130-052		22130-012				
22	42	2000	600	1000	22130-053		22130-013				
23	42	2000	600	1100	-		22130-534		23130-150	23130-335	
24	42	2000	600	1200	-		22130-535				
25	42	2000	800	600	22130-050	23130-132	22130-010	-	-	-	
26	42	2000	800	800	22130-051		22130-011				
27	42	2000	800	900	22130-052		22130-012				
28	42	2000	800	1000	22130-053		22130-013				
29	42	2000	800	1100	-		22130-534		23130-343	23130-150	
30	42	2000	800	1200	-		22130-535			23130-335	
31	47	2200	600	600	22130-055	23130-132	22130-015	-	-	-	
32	47	2200	600	800	22130-056		22130-016				
33	47	2200	600	900	22130-057		22130-017				
34	47	2200	600	1000	22130-058		22130-018				
35	47	2200	600	1100	-		22130-536			23130-335	
36	47	2200	600	1200	-		22130-537				
37	47	2200	800	600	22130-055	23130-132	22130-015	-	-	-	
38	47	2200	800	800	22130-056		22130-016				
39	47	2200	800	900	22130-057		22130-017				
40	47	2200	800	1000	22130-058		22130-018				
41	47	2200	800	1100	-		22130-536			23130-335	
42	47	2200	800	1200	-		22130-537				

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Decorative frame, glass doors



**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**










No.	Cabinet dimensions			Deco frame		Glazed door,		Glazed door,	DIN semi-profile
	Height U mm	Width mm	Depth mm	Deco frame	Adaptor bracket	Single point locking	Lever handle	4 point locking	cylinder
				Al, 19" plane integrated, open in front, incl. GND/earthing, door cannot be mounted	St, 2 mm, for deco frame, for the assembly of slide rails and shelves	St, 1.5 mm, Sekurit glass, 6 mm opening angle 180°, key lock, incl. GND/earthing	With push button for doors with single point locking	St, 1.5 mm, opening angle 180°, lever handle with built-in push button, incl. GND/earthing	For lever handle, common locking
				RAL 7035 1 piece assembled	RAL 7035 PU 1 pair assembled	RAL 7035 1 piece assembled	1 piece assembled	RAL 7035 1 piece assembled	1 piece assembled
1	24	1200	600						
2	24	1200	600						
3	24	1200	600						
4	24	1200	600	22130-231	23130-230	22130-121	23130-067	22130-181	25127-995
5	24	1200	600						
6	24	1200	600						
7	24	1200	800						
8	24	1200	800	-	-	22130-122	23130-067	22130-182	25127-995
9	24	1200	800						
10	24	1200	800						
11	29	1400	600	22130-232	23130-231	22130-123	23130-067	22130-183	25127-995
12	29	1400	600						
13	29	1400	800	-	-	22130-124	23130-067	22130-184	25127-995
14	29	1400	800						
15	38	1800	600	22130-234	23130-233	22130-127	23130-067	22130-187	25127-995
16	38	1800	600						
17	38	1800	800	-	-	22130-128	23130-067	22130-188	25127-995
18	38	1800	800						
19	42	2000	600						
20	42	2000	600						
21	42	2000	600	22130-235	23130-234	22130-129	23130-067	22130-189	25127-995
22	42	2000	600						
23	42	2000	600						
24	42	2000	600						
25	42	2000	800						
26	42	2000	800						
27	42	2000	800	-	-	22130-130	23130-067	22130-190	25127-995
28	42	2000	800						
29	42	2000	800						
30	42	2000	800						
31	47	2200	600						
32	47	2200	600						
33	47	2200	600	22130-236	23130-235	22130-131	23130-067	22130-191	25127-995
34	47	2200	600						
35	47	2200	600						
36	47	2200	600						
37	47	2200	800						
38	47	2200	800						
39	47	2200	800	-	-	22130-132	23130-067	22130-192	25127-995
40	47	2200	800						
41	47	2200	800						
42	47	2200	800						




Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Steel doors

 <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>					<div style="border: 1px solid red; padding: 2px; color: white; font-weight: bold; font-size: 1.2em;">S</div> <div style="font-size: 0.8em; color: red; font-weight: bold;">Service PLUS</div>	Steel door, single point locking			Steel door, 4 point locking		 <p>For lever handle, common locking</p>
						Plain	Perforated	Lever handle	Plain	Perforated	
					 <small>01004089</small>	 <small>01004090</small>	 <small>01004147</small>	 <small>01004090</small>	 <small>01004092</small>	<small>01004148</small>	
					St, 1 mm, opening angle 180°, key lock cover, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, key lock cover, incl. GND/ earthing	With push button for doors with single point locking	St, 1.5 mm, opening angle 180°, lever handle with built-in push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with built-in push button, incl. GND/ earthing		
					RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	1 piece assembled	
No.	Cabinet dimensions										
	Height	Width	Depth								
	U	mm	mm	mm							
1	24	1200	600	600							
2	24	1200	600	800							
3	24	1200	600	900							
4	24	1200	600	1000	22130-106	22130-136	23130-067	22130-151	22130-554	25127-995	
5	24	1200	600	1100							
6	24	1200	600	1200							
7	24	1200	800	600							
8	24	1200	800	800	22130-107	22130-137	23130-067	22130-152	22130-555	25127-995	
9	24	1200	800	900							
10	24	1200	800	1000							
11	29	1400	600	600	22130-108	22130-138	23130-067	22130-153	22130-556	25127-995	
12	29	1400	600	800							
13	29	1400	800	600	22130-109	22130-139	23130-067	22130-154	22130-557	25127-995	
14	29	1400	800	800							
15	38	1800	600	600	22130-112	22130-142	23130-067	22130-157	22130-560	25127-995	
16	38	1800	600	800							
17	38	1800	800	600	22130-113	22130-143	23130-067	22130-158	22130-561	25127-995	
18	38	1800	800	800							
19	42	2000	600	600							
20	42	2000	600	800							
21	42	2000	600	900							
22	42	2000	600	1000	22130-114	22130-144	23130-067	22130-159	22130-562	25127-995	
23	42	2000	600	1100							
24	42	2000	600	1200							
25	42	2000	800	600							
26	42	2000	800	800							
27	42	2000	800	900							
28	42	2000	800	1000	22130-115	22130-145	23130-067	22130-160	22130-563	25127-995	
29	42	2000	800	1100							
30	42	2000	800	1200							
31	47	2200	600	600							
32	47	2200	600	800							
33	47	2200	600	900							
34	47	2200	600	1000	22130-116	22130-146	23130-067	22130-161	22130-564	25127-995	
35	47	2200	600	1100							
36	47	2200	600	1200							
37	47	2200	800	600							
38	47	2200	800	800							
39	47	2200	800	900							
40	47	2200	800	1000	22130-117	22130-147	23130-067	22130-162	22130-565	25127-995	
41	47	2200	800	1100							
42	47	2200	800	1200							

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Double doors



Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)










				Double door, 3 point locking			DIN semi-profile cylinder	
				Glazed	Plain	Perforated		
				 01005065	 01005064	 01005066	 01004148	
				Frame, St, 1.5 mm, Sekurit glass, 6 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	St, 1.5 mm, opening angle 180°, lever handle with push button, incl. GND/ earthing	For lever handle, common locking	
				RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	1 piece assembled	
No.	Cabinet dimensions	Height	Width	Depth				
	U	mm	mm	mm				
1	24	1200	600	600				
2	24	1200	600	800				
3	24	1200	600	900				
4	24	1200	600	1000	22130-452	22130-484	22130-211	25127-995
5	24	1200	600	1100				
6	24	1200	600	1200				
7	24	1200	800	600				
8	24	1200	800	800	22130-453	22130-485	22130-212	25127-995
9	24	1200	800	900				
10	24	1200	800	1000				
11	29	1400	600	600	22130-454	22130-486	22130-213	25127-995
12	29	1400	600	800				
13	29	1400	800	600	22130-455	22130-487	22130-214	25127-995
14	29	1400	800	800				
15	38	1800	600	600	22130-458	22130-490	22130-217	25127-995
16	38	1800	600	800				
17	38	1800	800	600	22130-459	22130-491	22130-218	25127-995
18	38	1800	800	800				
19	42	2000	600	600				
20	42	2000	600	800	22130-460	22130-492	22130-219	25127-995
21	42	2000	600	900				
22	42	2000	600	1000				
23	42	2000	600	1100				
24	42	2000	600	1200				
25	42	2000	800	600				
26	42	2000	800	800	22130-461	22130-493	22130-220	25127-995
27	42	2000	800	900				
28	42	2000	800	1000				
29	42	2000	800	1100				
30	42	2000	800	1200				
31	47	2200	600	600				
32	47	2200	600	800	22130-462	22130-494	22130-221	25127-995
33	47	2200	600	900				
34	47	2200	600	1000				
35	47	2200	600	1100				
36	47	2200	600	1200				
37	47	2200	800	600				
38	47	2200	800	800	22130-463	22130-495	22130-222	25127-995
39	47	2200	800	900				
40	47	2200	800	1000				
41	47	2200	800	1100				
42	47	2200	800	1200				



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035


RAL 7021 / RAL 7035 Rear panels, connection plates

					Rear panel		Rear panel, screw fixed	Dimensioning connecting plate rear panel	Connecting plate for door and rear panel			
					With quick release fastener	Lock			Plain	With brush strip	Assembly kit	
 <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>					 <p style="font-size: 8px;">01004087</p>		 <p style="font-size: 8px;">01004072</p>	 <p style="font-size: 8px;">01004085</p>	 <p style="font-size: 8px;">01005071</p>	 <p style="font-size: 8px;">01005063</p>	 <p style="font-size: 8px;">01005069</p>	
No.	Cabinet dimensions			RAL 7035 1 piece assembled	PU 2 pieces assembled	RAL 7035 1 piece assembled	Width mm	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	PU 1 kit assembled		
	Height U	Width mm	Depth mm									
1	24	1200	600									
2	24	1200	600									
3	24	1200	600									
4	24	1200	600	22130-091	23130-133	22130-061	-	-	-	-		
5	24	1200	600									
6	24	1200	600									
7	24	1200	800									
8	24	1200	800	22130-092	23130-133	22130-062	-	-	-	-		
9	24	1200	800									
10	24	1200	800									
11	29	1400	600	22130-093	23130-133	22130-063	-	-	-	-		
12	29	1400	600									
13	29	1400	800	22130-094	23130-133	22130-064	-	-	-	-		
14	29	1400	800									
15	38	1800	600	22130-097	23130-133	22130-067	600	22130-472	22130-478	23130-164		
16	38	1800	600									
17	38	1800	800	22130-098	23130-133	22130-068	800	22130-473	22130-479	23130-164		
18	38	1800	800									
19	42	2000	600									
20	42	2000	600									
21	42	2000	600									
22	42	2000	600	22130-099	23130-133	22130-069	600	22130-472	22130-478	23130-164		
23	42	2000	600									
24	42	2000	600									
25	42	2000	800									
26	42	2000	800									
27	42	2000	800	22130-100	23130-133	22130-070	800	22130-473	22130-479	23130-164		
28	42	2000	800									
29	42	2000	800									
30	42	2000	800									
31	47	2200	600									
32	47	2200	600									
33	47	2200	600	22130-101	23130-133	22130-071	600	22130-472	22130-478	23130-164		
34	47	2200	600									
35	47	2200	600									
36	47	2200	600									
37	47	2200	800									
38	47	2200	800									
39	47	2200	800	22130-102	23130-133	22130-072	800	22130-473	22130-479	23130-164		
40	47	2200	800									
41	47	2200	800									
42	47	2200	800									



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035


RAL 7021 / RAL 7035 Top covers



**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**



Flat top cover



Plain
St, 1.5 mm, incl. GND/earthing
01004096

Perforated
St, 1.5 mm, fully perforated, incl. GND/earthing
01004097

Lifting eye
For flat top cover, application and loading in accordance with DIN 582
01005064

Spacer
Spacer to raise the flat top cover by 10 mm, St, zinc-plated
01004099

Lifting eye
For raised flat top cover, application and loading in accordance with DIN 582
01005064


Raised top cover

No.	Cabinet dimensions				Flat top cover		Raised top cover		
	Height U	Width mm	Depth mm	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	PU 4 pieces assembled	RAL 7021 PU 4 pieces assembled	PU 4 pieces assembled	
1	24	1200	600	600	21130-242	21130-262			
2	24	1200	600	800	21130-243	21130-263			
3	24	1200	600	900	21130-244	21130-264			
4	24	1200	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
5	24	1200	600	1100	21130-538	21130-546			
6	24	1200	600	1200	21130-539	21130-547			
7	24	1200	800	600	21130-246	21130-266			
8	24	1200	800	800	21130-247	21130-267	23130-072	23130-068	23130-085
9	24	1200	800	900	21130-248	21130-268			
10	24	1200	800	1000	21130-249	21130-269			
11	29	1400	600	600	21130-242	21130-262			
12	29	1400	600	800	21130-243	21130-263	23130-072	23130-068	23130-085
13	29	1400	800	600	21130-246	21130-266			
14	29	1400	800	800	21130-247	21130-267	23130-072	23130-068	23130-085
15	38	1800	600	600	21130-242	21130-262			
16	38	1800	600	800	21130-243	21130-263	23130-072	23130-068	23130-085
17	38	1800	800	600	21130-246	21130-266			
18	38	1800	800	800	21130-247	21130-267	23130-072	23130-068	23130-085
19	42	2000	600	600	21130-242	21130-262			
20	42	2000	600	800	21130-243	21130-263			
21	42	2000	600	900	21130-244	21130-264			
22	42	2000	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
23	42	2000	600	1100	21130-538	21130-546			
24	42	2000	600	1200	21130-539	21130-547			
25	42	2000	800	600	21130-246	21130-266			
26	42	2000	800	800	21130-247	21130-267			
27	42	2000	800	900	21130-248	21130-268			
28	42	2000	800	1000	21130-249	21130-269	23130-072	23130-068	23130-085
29	42	2000	800	1100	21130-540	21130-548			
30	42	2000	800	1200	21130-541	21130-549			
31	47	2200	600	600	21130-242	21130-262			
32	47	2200	600	800	21130-243	21130-263			
33	47	2200	600	900	21130-244	21130-264			
34	47	2200	600	1000	21130-245	21130-265	23130-072	23130-068	23130-085
35	47	2200	600	1100	21130-538	21130-546			
36	47	2200	600	1200	21130-539	21130-547			
37	47	2200	800	600	21130-246	21130-266			
38	47	2200	800	800	21130-247	21130-267			
39	47	2200	800	900	21130-248	21130-268			
40	47	2200	800	1000	21130-249	21130-269	23130-072	23130-068	23130-085
41	47	2200	800	1100	21130-540	21130-548			
42	47	2200	800	1200	21130-541	21130-549			



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Vented top cover




**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**



Vented top cover

Top cover for 6 fans




01005060

St, 1,5 mm, raised cover, 3 axial fans 230 V_{AC}, incl. cabling and GND/earthing, equipment cable 2.5 m, SCHUKO/IEC connector

RAL 7021
1 piece assembled


Replacement fan for fan top



cta44844

Fan with grille for top assembly, 230 V_{AC}, 38x119x119 mm, 162 m³/h at 50 Hz

1 piece supplied loose




01005076

With equipment cable 230 V_{AC} (IEC connector/ female connector), adjustment range 0 ... 60°C

1 piece assembled

Lifting eye



01005085

For fan top, application and loading in accordance with DIN 582


PU 4 pieces assembled

No.	Cabinet dimensions				RAL 7021 1 piece assembled	1 piece supplied loose	1 piece assembled	PU 4 pieces assembled
	Height U	Width mm	Depth mm	mm				
1	24	1200	600	600	21130-400			
2	24	1200	600	800	21130-401			
3	24	1200	600	900	–			
4	24	1200	600	1000	–	23130-165	23130-163	23130-090
5	24	1200	600	1100	–			
6	24	1200	600	1200	–			
7	24	1200	800	600	21130-402			
8	24	1200	800	800	21130-403	23130-165	23130-163	23130-090
9	24	1200	800	900	–			
10	24	1200	800	1000	–			
11	29	1400	600	600	21130-400	23130-165	23130-163	23130-090
12	29	1400	600	800	21130-401			
13	29	1400	800	600	21130-402	23130-165	23130-163	23130-090
14	29	1400	800	800	21130-403			
15	38	1800	600	600	21130-400	23130-165	23130-163	23130-090
16	38	1800	600	800	21130-401			
17	38	1800	800	600	21130-402	23130-165	23130-163	23130-090
18	38	1800	800	800	21130-403			
19	42	2000	600	600	21130-400			
20	42	2000	600	800	21130-401			
21	42	2000	600	900	–			
22	42	2000	600	1000	–	23130-165	23130-163	23130-090
23	42	2000	600	1100	–			
24	42	2000	600	1200	–			
25	42	2000	800	600	21130-402			
26	42	2000	800	800	21130-403			
27	42	2000	800	900	–			
28	42	2000	800	1000	–	23130-165	23130-163	23130-090
29	42	2000	800	1100	–			
30	42	2000	800	1200	–			
31	47	2200	600	600	21130-400			
32	47	2200	600	800	21130-401			
33	47	2200	600	900	–			
34	47	2200	600	1000	–	23130-165	23130-163	23130-090
35	47	2200	600	1100	–			
36	47	2200	600	1200	–			
37	47	2200	800	600	21130-402			
38	47	2200	800	800	21130-403			
39	47	2200	800	900	–			
40	47	2200	800	1000	–	23130-165	23130-163	23130-090
41	47	2200	800	1100	–			
42	47	2200	800	1200	–			



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Base plate



**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**




					Base plate multi-piece	Base plate			Base plate for lateral cable ducting			
						Brush strip	Dust filter set	Cover	For cabinet width 600 mm	For cabinet width 800 mm	Brush strip	
					01004050	01004105	01004059	01004106	01006072	01006094	01006072	
					St, 1.5 mm, multi-piece, rear opening 200 mm deep (no rear opening at 300 mm cabinet depth), incl. GND/earthing, dimensions, see page 1.79	Nylon, black	Filter mat white, class M1 in accordance with EN 799-G3	St, 1.5 mm	St, 1.5 mm, one brush strip opening on one side, please order brush strip separately	St, 1.5 mm, two brush strip openings on both sides, please order brush strip separately	Nylon, black, is assembled laterally, please order one brush strip for cabinet width of 600 mm, but two brush strips for cabinet width of 800 mm	
Cabinet dimensions					RAL 7021				RAL 7021	RAL 7021		
No.	Height U	Width mm	Depth mm	Depth mm	1 piece assembled	1 piece assembled	1 piece assembled	1 piece assembled	1 piece assembled	1 piece assembled	1 piece assembled	
1	24	1200	600	600	23130-001				23130-378		23130-074	
2	24	1200	600	800	23130-002				23130-353		23130-134	
3	24	1200	600	900	23130-003				23130-354		23130-374	
4	24	1200	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355		23130-375	
5	24	1200	600	1100	23130-358				23130-356		23130-376	
6	24	1200	600	1200	23130-359				23130-357		23130-377	
7	24	1200	800	600	23130-005					23130-378	23130-074	
8	24	1200	800	800	23130-006	23130-134	23130-135	23130-136		23130-353	23130-134	
9	24	1200	800	900	23130-007					23130-354	23130-374	
10	24	1200	800	1000	23130-008					23130-355	23130-375	
11	29	1400	600	600	23130-001	23130-074	23130-075	23130-076	23130-378		23130-074	
12	29	1400	600	800	23130-002				23130-353		23130-134	
13	29	1400	800	600	23130-005	23130-134	23130-135	23130-136		23130-378	23130-074	
14	29	1400	800	800	23130-006					23130-353	23130-134	
15	38	1800	600	600	23130-001	23130-074	23130-075	23130-076	23130-378		23130-074	
16	38	1800	600	800	23130-002				23130-353		23130-134	
17	38	1800	800	600	23130-005	23130-134	23130-135	23130-136		23130-378	23130-074	
18	38	1800	800	800	23130-006					23130-353	23130-134	
19	42	2000	600	600	23130-001				23130-378		23130-074	
20	42	2000	600	800	23130-002				23130-353		23130-134	
21	42	2000	600	900	23130-003				23130-354		23130-374	
22	42	2000	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355		23130-375	
23	42	2000	600	1100	23130-358				23130-356		23130-376	
24	42	2000	600	1200	23130-359				23130-357		23130-377	
25	42	2000	800	600	23130-005					23130-378	23130-074	
26	42	2000	800	800	23130-006					23130-353	23130-134	
27	42	2000	800	900	23130-007					23130-354	23130-374	
28	42	2000	800	1000	23130-008	23130-134	23130-135	23130-136		23130-355	23130-375	
29	42	2000	800	1100	23130-360					23130-356	23130-376	
30	42	2000	800	1200	23130-361					23130-357	23130-377	
31	47	2200	600	600	23130-001				23130-378		23130-074	
32	47	2200	600	800	23130-002				23130-353		23130-134	
33	47	2200	600	900	23130-003				23130-354		23130-374	
34	47	2200	600	1000	23130-004	23130-074	23130-075	23130-076	23130-355		23130-375	
35	47	2200	600	1100	23130-358				23130-356		23130-376	
36	47	2200	600	1200	23130-359				23130-357		23130-377	
37	47	2200	800	600	23130-005					23130-378	23130-074	
38	47	2200	800	800	23130-006					23130-353	23130-134	
39	47	2200	800	900	23130-007					23130-354	23130-374	
40	47	2200	800	1000	23130-008	23130-134	23130-135	23130-136		23130-355	23130-375	
41	47	2200	800	1100	23130-360					23130-356	23130-376	
42	47	2200	800	1200	23130-361					23130-357	23130-377	



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Base/plinth



**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**

No.	Cabinet dimensions			Base/plinth			Mobile base/plinth	
	Height U	Width mm	Depth mm	Ventilated base/ plinth	Side covers	Telescopic tip- over protection	Mobile base/ plinth	Telescopic tip- over protection
				Support with adjustable feet and 2 perforated trims, static load-carrying capacity 1000 kg, please order side trims separately 01004053	St, 1.5 mm 01004053	St, 2 mm, for retrofitting of base/plinth incl. bezel 01006055	Support, St, 3 mm, covers, St, 1.5 mm, load-carrying capacity on castors 400 kg, on adjustable feet 1000 kg 01006055	St, 2 mm, for retrofitting of base/plinth incl. bezel 01006055
				RAL 7021 PU 1 kit assembled	RAL 7021 PU 1 pair assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled	RAL 7021 1 piece assembled
1	24	1200	600	23130-187	23130-169	–	23130-208	–
2	24	1200	800		23130-170	–	23130-209	–
3	24	1200	900		23130-171	23130-345	23130-210	23130-345
4	24	1200	1000		23130-172	23130-346	23130-211	23130-346
5	24	1200	1100		23130-362	23130-347	23130-368	23130-347
6	24	1200	1200		23130-363	23130-348	23130-369	23130-348
7	24	1200	800	23130-194	23130-169	–	23130-212	–
8	24	1200	800		23130-170	–	23130-213	–
9	24	1200	900		23130-171	23130-349	23130-214	23130-349
10	24	1200	1000		23130-172	23130-350	23130-215	23130-350
11	29	1400	600	23130-187	23130-169	–	23130-208	–
12	29	1400	800	23130-194	23130-170	–	23130-209	–
13	29	1400	800		23130-169	–	23130-212	–
14	29	1400	800	23130-170	–	23130-213	–	
15	38	1800	600	23130-187	23130-169	–	23130-208	–
16	38	1800	800		23130-170	–	23130-209	–
17	38	1800	800	23130-194	23130-169	–	23130-212	–
18	38	1800	800		23130-170	–	23130-213	–
19	42	2000	600	23130-187	23130-169	–	23130-208	–
20	42	2000	800		23130-170	–	23130-209	–
21	42	2000	900		23130-171	23130-345	23130-210	23130-345
22	42	2000	1000		23130-172	23130-346	23130-211	23130-346
23	42	2000	1100		23130-362	23130-347	23130-368	23130-347
24	42	2000	1200		23130-363	23130-348	23130-369	23130-348
25	42	2000	800	23130-194	23130-169	–	23130-212	–
26	42	2000	800		23130-170	–	23130-213	–
27	42	2000	900		23130-171	23130-349	23130-214	23130-349
28	42	2000	1000		23130-172	23130-350	23130-215	23130-350
29	42	2000	1100		23130-362	23130-351	23130-370	23130-351
30	42	2000	1200		23130-363	23130-352	23130-371	23130-352
31	47	2200	600	23130-187	23130-169	–	23130-208	–
32	47	2200	800		23130-170	–	23130-209	–
33	47	2200	900		23130-171	23130-345	23130-210	23130-345
34	47	2200	1000		23130-172	23130-346	23130-211	23130-346
35	47	2200	1100		23130-362	23130-347	23130-368	23130-347
36	47	2200	1200		23130-363	23130-348	23130-369	23130-348
37	47	2200	800	23130-194	23130-169	–	23130-212	–
38	47	2200	800		23130-170	–	23130-213	–
39	47	2200	900		23130-171	23130-349	23130-214	23130-349
40	47	2200	1000		23130-172	23130-350	23130-215	23130-350
41	47	2200	1100		23130-362	23130-351	23130-370	23130-351
42	47	2200	1200		23130-363	23130-352	23130-371	23130-352



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035


RAL 7021 / RAL 7035 19" panel/slide mounts

Cabinet dimensions				Dimension standard assembly		19" panel/slide mounts EIA		U height identification strip for 19" panels/slide mounts	19" assembly kit M6	Adaptor bracket for reduced width	Depth member 3 rows	
						Painted RAL 7035	AlZn					
No.	Height U	Width mm	Depth mm	x _f mm	c mm	RAL 7035 PU 1 pair assembled	PU 1 pair assembled	PU 4 pieces assembled	PU 50 pieces supplied loose	PU 4 pieces assembled	PU 1 pair assembled	
1	24	1200	600	600	50	500					23130-081	
2	24	1200	600	800	150	700					23130-082	
3	24	1200	600	900	70	740					23130-083	
4	24	1200	600	1000	70	740	23130-021	23130-031	25127-997	21101-809	23130-084	
5	24	1200	600	1100	70	740					23130-364	
6	24	1200	600	1200	70	740					23130-365	
7	24	1200	800	600	50	500					23130-081	
8	24	1200	800	800	150	700	23130-021	23130-031	25127-997	21101-809	23130-091	23130-082
9	24	1200	800	900	70	740						23130-083
10	24	1200	800	1000	70	740						23130-084
11	29	1400	600	600	50	500	23130-022	23130-032	25127-997	21101-809		23130-081
12	29	1400	600	800	150	700						23130-082
13	29	1400	800	600	50	500	23130-022	23130-032	25127-997	21101-809	23130-091	23130-081
14	29	1400	800	800	150	700						23130-082
15	38	1800	600	600	50	500	23130-024	23130-034	25127-997	21101-809		23130-081
16	38	1800	600	800	150	700						23130-082
17	38	1800	800	600	50	500	23130-024	23130-034	25127-997	21101-809	23130-091	23130-081
18	38	1800	800	800	150	700						23130-082
19	42	2000	600	600	50	500						23130-081
20	42	2000	600	800	150	700						23130-082
21	42	2000	600	900	70	740						23130-083
22	42	2000	600	1000	70	740	23130-025	23130-035	25127-997	21101-809		23130-084
23	42	2000	600	1100	70	740						23130-364
24	42	2000	600	1200	70	740						23130-365
25	42	2000	800	600	50	500						23130-081
26	42	2000	800	800	150	700						23130-082
27	42	2000	800	900	70	740						23130-083
28	42	2000	800	1000	70	740	23130-025	23130-035	25127-997	21101-809	23130-091	23130-084
29	42	2000	800	1100	70	740						23130-364
30	42	2000	800	1200	70	740						23130-365
31	47	2200	600	600	50	500						23130-081
32	47	2200	600	800	150	700						23130-082
33	47	2200	600	900	70	740						23130-083
34	47	2200	600	1000	70	740	23130-026	23130-036	25127-997	21101-809		23130-084
35	47	2200	600	1100	70	740						23130-364
36	47	2200	600	1200	70	740						23130-365
37	47	2200	800	600	50	500						23130-081
38	47	2200	800	800	150	700						23130-082
39	47	2200	800	900	70	740						23130-083
40	47	2200	800	1000	70	740	23130-026	23130-036	25127-997	21101-809	23130-091	23130-084
41	47	2200	800	1100	70	740						23130-364
42	47	2200	800	1200	70	740						23130-365



Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Swing frame




**Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)**

No.	Cabinet dimensions			Swing frame	Stop 120°	Swing frame panel		Door opening 160°		Safety lock
	Height U mm	Width mm	Depth mm	RAL 7021 1 piece assembled	RAL 7021 PU 1 kit assembled	Asymmetrical assembly RAL 7021 1 piece assembled	Symmetrical assembly RAL 7021 PU 2 pieces assembled	Hinge 160° PU 2 pieces assembled	Stop 160° RAL 7021 PU 1 kit assembled	1 piece assembled
1	24	1200	600							
2	24	1200	600							
3	24	1200	600							
4	24	1200	600							
5	24	1200	600							
6	24	1200	600							
7	24	1200	800							
8	24	1200	800							
9	24	1200	800							
10	24	1200	800							
11	29	1400	600							
12	29	1400	600							
13	29	1400	800							
14	29	1400	800							
15	38	1800	600							
16	38	1800	600							
17	38	1800	800							
18	38	1800	800							
19	42	2000	600							
20	42	2000	600							
21	42	2000	600							
22	42	2000	600							
23	42	2000	600							
24	42	2000	600							
25	42	2000	800							
26	42	2000	800							
27	42	2000	800							
28	42	2000	800							
29	42	2000	800							
30	42	2000	800							
31	47	2200	600							
32	47	2200	600							
33	47	2200	600							
34	47	2200	600							
35	47	2200	600							
36	47	2200	600							
37	47	2200	800							
38	47	2200	800							
39	47	2200	800							
40	47	2200	800							
41	47	2200	800							
42	47	2200	800							







Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Stationary shelf




Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)









Stationary shelf				
		Full depth	Shortened by 100 mm	Depth member 3 rows
		 01004142	 01004143	 01004056
		St, 1.5 mm, static load-carrying capacity 75 kg, 1 U, incl. GND/earthing,	St, 1.5 mm, static load-carrying capacity 75 kg, 1 U, incl. GND/earthing, please order depth member separately	St, 1.5 mm, necessary for reduced shelf
Width mm	Depth mm	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	AlZn PU 1 pair assembled
600	600	22130-323	22130-322	23130-081
600	800	22130-325	22130-324	23130-082
600	900	22130-326	–	–
600	1000	22130-327	–	–
600	1100	22130-550	–	–
600	1200	22130-551	–	–
800	600	22130-333	22130-332	23130-081
800	800	22130-335	22130-334	23130-082
800	900	22130-336	–	–
800	1000	22130-337	–	–
800	1100	22130-552	–	–
800	1200	22130-553	–	–

RAL 7021 / RAL 7035 Telescopic shelf









Colour combination
RAL 7035 (light grey)/
RAL 7021 (black grey)










Telescopic shelf, 2 U						
		Full depth	Shortened by 100 mm	Mounting bracket	T-bar lock	GND/earthing
		 01004144	 01004145	 01005054	 01004125	 05904052
		St, 1.5 mm, static load-carrying capacity 70/50 kg (width of 600/800 mm), incl. telescopic slide, please order mounting bracket separately		St, AlZn	For locking of telescopic shelf	For telescopic shelf
Width mm	Depth mm	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	PU 4 pieces assembled	1 piece assembled	1 piece assembled
600	600	22130-353	22130-352			
600	800	22130-355	22130-354			
600	900	–	–	23130-274	23130-092	23130-140
600	1000	–	–			
600	1100	–	–			
600	1200	–	–			
800	600	22130-373	22130-372			
800	800	22130-375	22130-374			
800	900	–	–	23130-274	23130-092	23130-140
800	1000	–	–			
800	1100	–	–			
800	1200	–	–			

Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 19" shelf, stationary or telescopic, 1 U

 <p style="text-align: center;">Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">S</div> Service PLUS	<p>Dimension standard assembly</p>  <p>x_f = distance from the front c = pitch of 19" panel/ slide mounts D = cabinet depth W = cabinet width</p>	19" stationary shelf, 1 U		19" telescopic shelf, 1 U, 30 kg			
			Full depth	Shortened, by 100 mm	Full depth	Shortened by 100 mm		
			 01004118 St, 1.5 mm, static load-carrying capacity 75 kg, incl. GND/earthing	 01004119 St, 1.5 mm, static load-carrying capacity 75 kg, incl. GND/earthing	 01004123 St, 1.5 mm, static load-carrying capacity 30 kg, incl. telescopic slide, please order GND/earthing kit separately	 01004122		
RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled					
Width mm	Depth mm	x_f mm	c mm	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	
600	600	50	500	22130-303	22130-302	22130-343	22130-342	
600	800	150	500	22130-303	22130-302	22130-343	22130-342	
600	900	70	740	22130-309	–	–	–	
600	1000	70	740	22130-309	–	–	–	
600	1100	70	740	22130-309	–	–	–	
600	1200	70	740	22130-309	–	–	–	
800	600	50	500	22130-303	22130-302	22130-343	22130-342	
800	800	150	500	22130-303	22130-302	22130-343	22130-342	
800	900	70	740	22130-309	–	–	–	
800	1000	70	740	22130-309	–	–	–	
800	1100	70	740	22130-309	–	–	–	
800	1200	70	740	22130-309	–	–	–	






RAL 7021 / RAL 7035 19" telescopic shelf, 2 U

 <p style="text-align: center;">on RAL 7035 (light grey)/ RAL 7021 (black grey)</p>	<div style="border: 1px solid black; padding: 2px; display: inline-block;">S</div> Service PLUS	<p>Dimension standard assembly</p>  <p>x_f = distance from the front c = pitch of 19" panel/ slide mounts D = cabinet depth W = cabinet width</p>	19" telescopic shelf, 2 U, 70 kg			19" telescopic shelf, 2 U, 150 kg	GND/earthing	
			Full depth	Shortened by 100 mm	T-bar lock			
			 01004123 St, 1.5 mm, static load-carrying capacity 70 kg, incl. telescopic slide, please order T-bar lock and GND/earthing kit separately	 01004122 St, 1.5 mm, static load-carrying capacity 70 kg, incl. telescopic slide, please order T-bar lock and GND/earthing kit separately	 01004125 For locking of telescopic shelf	 41004064 St, 1.5 mm, static load-carrying capacity 150 kg, width: 400 mm, depth: 477/677 mm, incl. telescopic slide and T-bar lock	 05904052 For telescopic shelf	
RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	1 piece assembled	RAL 7035 1 piece assembled	PU 1 kit assembled				
Width mm	Depth mm	x_f mm	c mm	RAL 7035 1 piece assembled	RAL 7035 1 piece assembled	PU 1 kit assembled		
600	600	50	500	22130-353	22130-352	–		
600	800	150	500	22130-353	22130-352	–		
600	900	70	740	–	–	23130-092		
600	1000	70	740	–	–	28127-240		
600	1100	70	740	–	–	28127-240		
600	1200	70	740	–	–	28127-240		
800	600	50	500	22130-353	22130-352	–		
800	800	150	500	22130-353	22130-352	–		
800	900	70	740	–	–	23130-092		
800	1000	70	740	–	–	28127-240		
800	1100	70	740	–	–	28127-240		
800	1200	70	740	–	–	28127-240		











Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Slide rails

 <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>	<div style="border: 2px solid red; padding: 5px; color: white; font-weight: bold; font-size: 24px;">S</div> <div style="font-weight: bold; font-size: 10px; color: red;">Service PLUS</div>	<p>Dimension standard assembly</p>  <p style="font-size: 8px;">01004148</p> <p>x_f = distance from the front c = pitch of 19" panel/ slide mounts D = cabinet depth W = cabinet width</p>	<p>Slide rail</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>25 kg</p>  </div> <div style="text-align: center;"> <p>100 kg</p>  </div> </div> <p style="font-size: 8px;">01004056</p> <p>St, 1.5 mm, AlZn, static load-carrying capacity 25 kg/pair</p> <p>St, 2.5 mm, zinc-plated, static load-carrying capacity 100 kg/pair</p>				<p>Short slide rail</p>  <p style="font-size: 8px;">SC96xxxx</p> <p>St, 1.5 mm, AlZn, static load-carrying capacity 15 kg/pair</p>																																																																																																																																																																																																																																					
			<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Width mm</th> <th rowspan="2">Depth mm</th> <th rowspan="2">x_f mm</th> <th rowspan="2">c mm</th> <th colspan="2">AlZn</th> <th colspan="2">zinc-plated</th> <th colspan="2">AlZn</th> </tr> <tr> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> </tr> </thead> <tbody> <tr><td>600</td><td>600</td><td>50</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td><td rowspan="6" style="background-color: #cccccc;">23130-094</td><td rowspan="6" style="background-color: #cccccc;">23130-095</td></tr> <tr><td>600</td><td>800</td><td>150</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td></tr> <tr><td>600</td><td>900</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1000</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1100</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1200</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>600</td><td>50</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td><td rowspan="6" style="background-color: #cccccc;">23130-094</td><td rowspan="6" style="background-color: #cccccc;">23130-095</td></tr> <tr><td>800</td><td>800</td><td>150</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td></tr> <tr><td>800</td><td>900</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1000</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1100</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1200</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> </tbody> </table>	Width mm	Depth mm	x_f mm	c mm	AlZn		zinc-plated		AlZn		PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	600	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095	600	800	150	500	23130-096	23130-101	23130-118	23130-123	600	900	70	740	23130-098	23130-103	23130-120	23130-125	600	1000	70	740	23130-098	23130-103	23130-120	23130-125	600	1100	70	740	23130-098	23130-103	23130-120	23130-125	600	1200	70	740	23130-098	23130-103	23130-120	23130-125	800	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095	800	800	150	500	23130-096	23130-101	23130-118	23130-123	800	900	70	740	23130-098	23130-103	23130-120	23130-125	800	1000	70	740	23130-098	23130-103	23130-120	23130-125	800	1100	70	740	23130-098	23130-103	23130-120	23130-125	800	1200	70	740	23130-098	23130-103	23130-120	23130-125	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Width mm</th> <th rowspan="2">Depth mm</th> <th rowspan="2">x_f mm</th> <th rowspan="2">c mm</th> <th colspan="2">AlZn</th> <th colspan="2">zinc-plated</th> <th colspan="2">AlZn</th> </tr> <tr> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> <th>PU 2 pieces supplied loose</th> <th>PU 10 pieces supplied loose</th> </tr> </thead> <tbody> <tr><td>600</td><td>600</td><td>50</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td><td rowspan="6" style="background-color: #cccccc;">23130-094</td><td rowspan="6" style="background-color: #cccccc;">23130-095</td></tr> <tr><td>600</td><td>800</td><td>150</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td></tr> <tr><td>600</td><td>900</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1000</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1100</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>600</td><td>1200</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>600</td><td>50</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td><td rowspan="6" style="background-color: #cccccc;">23130-094</td><td rowspan="6" style="background-color: #cccccc;">23130-095</td></tr> <tr><td>800</td><td>800</td><td>150</td><td>500</td><td>23130-096</td><td>23130-101</td><td>23130-118</td><td>23130-123</td></tr> <tr><td>800</td><td>900</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1000</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1100</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> <tr><td>800</td><td>1200</td><td>70</td><td>740</td><td>23130-098</td><td>23130-103</td><td>23130-120</td><td>23130-125</td></tr> </tbody> </table>	Width mm	Depth mm	x_f mm	c mm	AlZn		zinc-plated		AlZn		PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	600	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095	600	800	150	500	23130-096	23130-101	23130-118	23130-123	600	900	70	740	23130-098	23130-103	23130-120	23130-125	600	1000	70	740	23130-098	23130-103	23130-120	23130-125	600	1100	70	740	23130-098	23130-103	23130-120	23130-125	600	1200	70	740	23130-098	23130-103	23130-120	23130-125	800	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095	800	800	150	500	23130-096	23130-101	23130-118	23130-123	800	900	70	740	23130-098	23130-103	23130-120	23130-125	800	1000	70	740	23130-098	23130-103	23130-120	23130-125	800	1100	70	740	23130-098	23130-103	23130-120	23130-125	800	1200	70	740	23130-098	23130-103	23130-120	23130-125
			Width mm					Depth mm	x_f mm	c mm	AlZn		zinc-plated		AlZn																																																																																																																																																																																																																													
PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose		PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose																																																																																																																																																																																																																																						
600	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095																																																																																																																																																																																																																																			
600	800	150	500	23130-096	23130-101	23130-118	23130-123																																																																																																																																																																																																																																					
600	900	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1000	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1100	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1200	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095																																																																																																																																																																																																																																			
800	800	150	500	23130-096	23130-101	23130-118	23130-123																																																																																																																																																																																																																																					
800	900	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1000	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1100	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1200	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
Width mm	Depth mm	x_f mm	c mm	AlZn		zinc-plated		AlZn																																																																																																																																																																																																																																				
				PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose	PU 2 pieces supplied loose	PU 10 pieces supplied loose																																																																																																																																																																																																																																			
600	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095																																																																																																																																																																																																																																			
600	800	150	500	23130-096	23130-101	23130-118	23130-123																																																																																																																																																																																																																																					
600	900	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1000	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1100	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
600	1200	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	600	50	500	23130-096	23130-101	23130-118	23130-123	23130-094	23130-095																																																																																																																																																																																																																																			
800	800	150	500	23130-096	23130-101	23130-118	23130-123																																																																																																																																																																																																																																					
800	900	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1000	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1100	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					
800	1200	70	740	23130-098	23130-103	23130-120	23130-125																																																																																																																																																																																																																																					









Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Cable ducting with C-profile, cable support rail

		Cable ducting with C-profile					Cable support rail	
		C-rail for cabinet depth	C-rail for cabinet width	Slide nut	Cable shell	Cable retention rail for C-rail	for cabinet depth	for cabinet width
 <p>S Service PLUS</p> <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>		 <p>01006109 St, 1.5 mm, AlZn</p>	 <p>01006107 St, 1.5 mm, AlZn</p>	 <p>01504054 For C-rail</p>	 <p>vn1009 For C-rail or for cable support rail, for cable bundles of 42 ... 46 mm</p>	 <p>01006110 PA, UL 94 V-0, black, assembly by clipping onto the C-rail</p>	 <p>01006108 St, 1.5 mm</p>	 <p>01006106 St, 1.5 mm</p>
		<p>AlZn PU 2 pieces supplied loose</p>	<p>AlZn PU 2 pieces supplied loose</p>	<p>PU 10 pieces supplied loose</p>	<p>PU 10 pieces supplied loose</p>	<p>PU 5 pieces supplied loose</p>	<p>RAL 7021 PU 2 pieces supplied loose</p>	<p>RAL 7021 PU 2 pieces supplied loose</p>
Width mm	Depth mm							
600	600	23130-086						
600	800	23130-087						
600	900	23130-088						
600	1000	23130-089	23130-333	21120-140	20114-731	60118-472	21236-093	
600	1100	23130-366						
600	1200	23130-367						
800	600	23130-086						
800	800	23130-087						
800	900	23130-088						
800	1000	23130-089	23130-334	21120-140	20114-731	60118-472	23130-312	
800	1100	23130-366						
800	1200	23130-367						


Cabinets – VARISTAR - ServicePLUS RAL 7021/RAL 7035

RAL 7021 / RAL 7035 Accessories for cabling

		Cable bracket			Fibre optic cable bracket	Tray for excess cable lengths	Cable tie	Velcro
		Plastic 100 x 100 mm	Steel 100 x 100 mm	Steel 100 x 180 mm				
 <p>S Service PLUS</p> <p>Colour combination RAL 7035 (light grey)/ RAL 7021 (black grey)</p>		 <p>01006079</p> <p>Plastic, PA6, black, to click onto the frame</p>	 <p>01006081</p> <p>St, zinc-plated, to screw onto frame or 19" panel/slide mount</p>	 <p>01006098</p> <p>St, zinc-plated, to screw onto frame or 19" panel/ slide mount</p>	 <p>01006074</p> <p>Plastic, PA6, black, with support brackets, AlZn</p>	 <p>01006113</p> <p>For assembly on shelf or depth member</p>	 <p>01005078</p> <p>Plastic, 92 mm x 2,5 mm</p>	 <p>01005079</p> <p>Black, length 300 mm</p>
Width mm	Depth mm	PU 4 pieces supplied loose	PU 4 pieces supplied loose	PU 4 pieces supplied loose	PU 2 pieces supplied loose	PU 2 pieces supplied loose	PU 25 pieces supplied loose	PU 10 pieces supplied loose
600	600							
600	800							
600	900							
600	1000	–	–	–	–	23130-050	20118-351	20118-624
600	1100							
600	1200							
800	600							
800	800							
800	900	23130-336	23130-341	23130-342	23130-372	23130-050	20118-351	20118-624
800	1000							
800	1100							
800	1200							

Cabinets – VARISTAR

Frame dimensions



Height

Cabinet height		Frame	
mm	U	H mm	H mm
1200	24	1192	1102
1400	29	1392	1302
1600	33	1592	1502
1800	38	1792	1702
2000	42	1992	1902
2200	47	2192	2102


Width

Cabinet width	Frame W	Slim-Line w	Heavy-Duty w
mm	mm	mm	mm
600	592	535	502
800	792	735	702

Depth


Cabinet depth	Frame			
mm	D mm	d mm	d ₁ mm	d ₂ mm
300	292	128,8	150	175
600	592	428,8	450	475
800	792	628,8	650	675
900	892	728,8	750	775
1000	992	828,8	850	875
1100	1092	928,8	950	975
1200	1192	1028,8	1050	1075

Adjustable feet




01005087

Castors with adjustable feet



Locking castors




01004081


Height of adjustable feet, castors, base/plinth

Adjustable feet	20 ... 40 mm
Locking castors	85 mm
Castors with adjustable feet	85 ... 95 mm
Base/plinth (feet)	112 ... 132 mm
Mobile base/plinth	126,5 ... 134,5 mm

Base/plinth



Mobile base/plinth




0100408201004156

0100411001004111

Cabinets – VARISTAR


Top cover with cut-out zones



01006097

D	W = 600 mm					W = 800 mm				
	A	B	c	d	E	A	B	c	d	E
600	-	✓	✓	-	-	-	✓	✓	-	-
800	-	✓	✓	✓	-	✓	✓	✓	-	-
900	-	✓	✓	✓	-	✓	✓	✓	✓	-
1000	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
1100	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
1200	-	✓	✓	✓	✓	✓	✓	✓	✓	✓

Base plate, multi-piece



01006096


D	Depth in mm		
	a	b	c
600	300	-	-
800	300	200	-
900	300	300	-
1000	300	200	200
1100	300	300	200
1200	300	300	200

Cabinet width	Opening width
W	w
mm	mm
600	426
800	626

Cabinets - *comrack*



05996001



05904071

Mounting in U-grid with 19" threaded inserts or individually with slide nuts



01598026

Open frame with cost-efficient structure



01598021


High stability for acceptance of large volumes of data cables

Standards

- Outer and inner dimensions in accordance with:
IEC 60297, part 1 and 2
IEC 60917-2-1
- Protection to IP 30, IEC 60529
- Protective GND/earth connections in accordance with:
EN 50178

Modification

- Special painting
- Special dimensions
- Customized solutions



01502502

Mounting - Cabling - Cladding



Further important information can be found on the internet under www.schroff.biz

