

Archer

A U S T R A L I A



SPROCKET CATALOGUE



AUSTRALIA

Paul M Duggan

380 Foleys Road, Derrimut
(Melbourne) VICTORIA 3030
AUSTRALIA

Phone +613 8390 3900 **Fax** +613 8390 3999

Mobile +61 414 317 316

Email paul@pmdinternational.com.au

Skype paulduggan10

AMERICA

Chris J Fehn

PO Box 291209
605 South Brick Road
COLUMBIA, SC 29229
USA

Phone +1 803 736 0758 **Fax** +1 803 865 8269

Mobile +1 803 309 0822

Email chris@pmdintusa.com

Skype CJFEHN

CHINA

Cindy Zhang

399 Jinyuan Street,
Dongmei Industrial Park
JINHUA, ZHEJIANG
CHINA

Phone +86 579 8223 9812 **Fax** +86 579 8223 9821

Mobile +86 138 6899 9730

Email cindy@pmdchina.com.cn

Skype cindypmd

WORLDWIDE OFFICES:

AUSTRALIA - Melbourne **USA** - Columbia

CHINA - JinHua



SPROCKETS



SPROCKET FEATURES	4
MANUFACTURING SYSTEMS	5
RIMS	6-8
SPROCKET TIPS	7
SPROCKET APPLICATION	10-30
SPROCKET APPLICATION BY PART NUMBER	31-49

**STEELNOO
COOLANTS**

WWW.PMDINTERNATIONAL.COM.AU

SPROCKETS



ARCHER SPROCKETS ARE MADE FROM ONE PIECE (YES ONE PIECE)

CHECK OUT THESE FEATURES

- One piece cold forged sprockets
- No welding or press fitting together
- Archer sprockets are much stronger and will last longer
- Pro Spur (SP type) and Spline & Rim (PD power drive) available
- Sprockets fitted with bearings
- PD spline sprockets fitted with rims
- Private label available (minimum quantity)
- Widest range available



**WE WILL
MANUFACTURE
ALL NEW
SPROCKETS OR
SPECIFIC SPROCKETS
YOU REQUIRE**

THE ARCHER SYSTEM IS TECHNOLOGICALLY ADVANCED WHICH INSURES HIGH QUALITY



ALLOY STEEL



HEAT & PRESSED BILLET



HOT FORGED FROM SEPARATE DIES



FINISHED SPROCKET SPECIAL HEAT TREATMENT, PRECISION GROUND & MACHINED

PART NUMBER SYSTEMS

R ST 375 7

RIM TYPE	SPLINE SIZE	PITCH	TEETH
	MI = MINI	375 = 3/8"	
	SM = SMALL	325 = .325"	
	ST = STANDARD	404 = .404"	
		250 = 1/4"	



Archer replacement high quality investment cast rims provide long wear life, whilst maintaining excellent levels of performance.

- The rim floats on the splined hub, allowing chain and sprocket to self align with the bar groove.
- Chain pitch can be changed without having to replace the entire system.
- The rim absorbs a majority of the sprocket wear and by being replaceable, extends the life and value of the sprocket system.

NOTE: The standard pack quantity for purchasing Archer rims is in multiples of ten.



SPROCKETS



RIM REFERENCE CHART

PITCH	TOOTH	SPLINE SIZE	ARCHER PART NO.	OREGON PART NO.
3/8"	7	STANDARD	RST-375-7	68210
3/8"	8	STANDARD	RST-375-8	22273
3/8"	7	SMALL	RSM-375-7	18720
.404"	7	STANDARD	RST-404-7	22270
.325"	8	SMALL	RSM-325-8	11891
.325"	7	SMALL	RSM-325-7	11892
.325"	7	MINI	RMI-325-7	N/A
3/8"	7	MINI	RMI-375-7	N/A
.404"	8	STANDARD	RST-404-8	13313
.325"	9	STANDARD	RST-325-9	N/A
1/4"	9	SMALL	RSM-250-9	N/A



ALL ARCHER RIMS ARE RADIAL PORTED

MINI



RMI-325-7
.325" - 7 tooth



RMI-375-7
3/8" - 7 tooth

SMALL



RSM-250-9
1/4" - 9 tooth



RSM-325-7
.325" - 7 tooth




REFERENCE CHART



SMALL



RSM-375-7
3/8" - 7 tooth



RSM-325-8
.325" - 8 tooth



STANDARD



RST-375-7
3/8" - 7 tooth



RST-325-9
.325" - 9 tooth



RST-404-7
.404" - 7 tooth



RST-375-8
3/8" - 8 tooth



RST-404-8
.404" - 8 tooth

PMD TECHNICAL TIP


Worn sprocket rims are more difficult to detect than worn spur sprockets. PMD strongly recommends a new sprocket with every new saw chain. In the process, you can eradicate many of your customers' concerns regarding chain stretch and extends the life of a new chain.

Most sprocket problems are caused by loose chain tension and failure to replace the sprocket or clutch drum when necessary. Sprockets are inexpensive. One worn inexpensive sprocket can quickly damage an expensive chain and bar. Do not try to save money by running new chains on old sprockets. Look for the conditions below and change sprockets and clutch drums promptly.



RIM SPROCKET WEAR

Concave marks worn into rim sprocket teeth



Chain cannot mesh cleanly with sprocket



Wear on front and back of drive links





SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

ALPINA

330, 380, 35, 40, 432, 438, 482

3/8" LP	6	A	SP5001	PD5001	RSM-375-7	101310	10	28005		4121200		13.0	11.2	57.2	14.0
---------	---	---	--------	--------	-----------	--------	----	-------	--	---------	--	------	------	------	------

400, P402, P420, P422, P442, P450, P460, P462, P472, P482, P500, P510, P522

.325"	7	B	SP5002	PD5002	RSM-325-7	101412	10	111185X		4121960		14.0	13.1	68.7	9.4
-------	---	---	--------	--------	-----------	--------	----	---------	--	---------	--	------	------	------	-----

P34, P350, P360, P361, P370, P371, P390, P391, P411

3/8" LP	6	A	SP5003			101410	10	104102X		4121208		14.0	11.0	57.2	13.7
.325"	7	B	SP5006			101410	10			4122070		14.0	11.0	57.2	13.7

PR270, PR280

3/8" LP	6	B	SP5005							6995176					
---------	---	---	--------	--	--	--	--	--	--	---------	--	--	--	--	--

P760, 700, 800

3/8"	7	C	SP5008			121612	12			4121460		16.0	12.1	78.8	16.0
------	---	---	--------	--	--	--------	----	--	--	---------	--	------	------	------	------

P680, 40, 41, 45

3/8"	7	C	SP5007	PD5007	RSM-375-7	101412	10			4120800	6995094	14.0	13.0	77.4	13.1
.325"	7						10					14.0	13.0	77.4	13.1

DOLMAR

112, 113, 114, 116, 117, 119, 120, 120 SUPER

3/8"	8	D	SP5016	PD5016	RST-375-8	141815	14			119 223 100	120 223 101	18.0	14.3	76.0	15.0
3/8"	7	D	SP5017	PD5017	RST-375-7	141815	14	38075X	27189X		119-223-100	18.0	14.3	76.0	15.0
.325"	8					141815	14					18.0	14.3	76.0	15.0

CA, 122, 122SL, 123, 133, 143, CA113


3/8"	8	C	SP5018	PD5018	RST-375-8	151815	15		16372X		123-223-000	18.0	14.1	69.5	20.4
.404"	7	C	SP5019	PD5019	RST-404-7	151815	15					18.0	14.1	69.5	20.4
3/8"	7						15					18.0	14.1	69.5	20.4

CC, SUPER CC, CX, 144CC, 116

3/8"	8	D	SP5020	PD5020	RST-375-8	141815	14					18.0	16.6	83.0	21.0
.404"	8	D	SP5021	PD5021	RST-404-8	141815	14		27193X	112 223 062		18.0	16.6	83.0	21.0

PS33, 39, 100, 102, PS400, 330, 340, 341, 342, 344, 400, 401, 410, PS411

3/8" LP	6	A	SP5024			101412	10	112135		205 223 101		14.0	12.0	70.0	13.6
.325"	7	B	SP5025			101412	10			206 223 100		14.0	12.0	70.0	13.6



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

DOLMAR continued

6000, 6800

3/8"	7	C		PD5026	RST-375-7	141815	14		111450X		030-223-100	18.0	14.3	75.5	15.0
.404"	7	C		PD5027	RST-404-7	141815	14					18.0			

109, 110, 111, 115, PS43, PS52, PS540

3/8" LP	6	B	SP5028	PD5028	RSM-375-7	121513	12				020 223 210	15.0	13.0	75.2	14.2
.325"	7	B	SP5031	PD5031	RSM-325-7	121513	12					15.0	13.0	75.2	14.2
.325"	8	B	SP5029	PD5029	RSM-325-8	121513	12		32162X		020-223-100	15.0	13.0	75.2	14.2
3/8"	7	B		PD5036	RSM-375-7	121513	12		38824X			15.0	13.0	75.2	14.2

103, 105, 108

3/8" LP	7	A	SP5030			81210	8					12.0	12.7	70.2	14.6
3/8"	7					81210	8				389 223 162	12.0	12.7	70.2	14.6
.325"	8	B	SP5035			81210	8				389 223 082	12.0	12.7	70.2	14.6

104, 106

3/8" LP	6	A	SP5380			C1418-1	7/16"	28006				14.3	14.3	68.3	14.4
---------	---	---	--------	--	--	---------	-------	-------	--	--	--	------	------	------	------

290E

3/8" LP	6	A	SP5100			101310	10	28001				13.0	12.2	58.7	13.8
---------	---	---	--------	--	--	--------	----	-------	--	--	--	------	------	------	------

101

3/8" LP	6	A	SP5378			58000	0.407	28004				13.5	13.2	63.5	14.1
---------	---	---	--------	--	--	-------	-------	-------	--	--	--	------	------	------	------

PS34

3/8" LP	6	B	SP5034			81210	8	112130		036.223.111		10.0			
---------	---	---	--------	--	--	-------	---	--------	--	-------------	--	------	--	--	--

ECHO

CS270, CS280, CS280E, CS290, CS300, CS328, CS2800, CS2900


3/8" LP	6	A	SP5054	PD5054	RSM-375-7	81110	8	27999	38032	175005-13931		11.0	12.0	59.8	13.6
1/4"	8	B	SP5055	PD5055	RSM-250-9	81110	8	544555				11.0	12.0	59.8	13.6

CS301

3/8" LP	6	A	SP5056	PD5056	RSM-375-7	101310	10			175005-11530		13.0	11.0	69.7	13.0
1/4"	8	B		PD5057	RSM-250-9	101310	10					13.0	11.0	69.7	13.0

CS310ES

3/8" LP	6	B	SP5087			81110	8			A556-000541		11.0	13.5	60.0	17.5
---------	---	---	--------	--	--	-------	---	--	--	-------------	--	------	------	------	------



please refer to price list for price code value



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

ECHO continued

CS302, CS315, CS351

3/8" LP	6	A	SP5058	PD5058	RSM-375-7	81110	8	28000	38033	175005-11530		11.0	10.9	70.0	13.3
.325"	7	B		PD5059	RSM-325-7	81110	8					11.0	10.9	70.0	13.3
1/4"	8	B		PD5060	RSM-250-9	81110	8	544554				11.0	10.9	70.0	13.3

CS3600, CS3700, CS3900, CS400, CS4100, CS4200, CS440, CS4400, CS4510, CS4600, CS510, CS5100, CS4000, CS4500, CS5000, CS5500

.325"	7	A	SP5061	PD5061	RSM-325-7	101410	10	513444	513442	A556-000171	175105-35430	14.0	10.5	70.0	13.2
3/8"	7	C	SP5062	PD5062	RSM-375-7	101410	10		513443			14.0	10.5	70.0	13.2

CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510

3/8"	7	D	SP5063	PD5063	RSM-375-7	101413	10	32794X	21358X	175005-14330	A556-000550	14.0	12.8	77.5	13.8
.404"	7	D	SP5064			101413	10					14.0	12.8	77.5	13.8
.325"	7	D	SP5065	PD5065	RSM-325-7	101413	10					14.0	12.8	77.5	13.8

CS60, CS60S

3/8"	7	B	SP5068	PD5068	RST-375-7	141713	14	32782X	16208X		175005-00230	17.0	13.6	70.0	17.6
------	---	---	--------	--------	-----------	--------	----	--------	--------	--	--------------	------	------	------	------

CS602VL, CS702VL, CS750VL

3/8"	7	D	SP5069	PD5069	RST-375-7	101413	10	32798X	26098X		175005-12130	14.0	12.7	77.7	17.0
.404"	7	D	SP5070	PD5070	RST-404-7	101413	10					14.0	12.7	77.7	17.0

CS900, CS1001

.404"	7	D				141713	14		23136X			17.0			
-------	---	---	--	--	--	--------	----	--	--------	--	--	------	--	--	--

CS4000, CS4010, CS4500, CS4600, CS4601, CS5000, CS5200, CS5500

.325"	7	C	SP5074			121510	12		34474X			15.0	12.8	69.8	12.8
-------	---	---	--------	--	--	--------	----	--	--------	--	--	------	------	------	------

CS6700, CS6701, CS6702, CS6703


3/8"	7	C	SP5075		RST-375-7	121812	12					18.0	12.9	77.7	14.6
------	---	---	--------	--	-----------	--------	----	--	--	--	--	------	------	------	------

CS8000, CS8001, CS8002

3/8"	7	C			RST-375-7										
------	---	---	--	--	-----------	--	--	--	--	--	--	--	--	--	--

CS3000, CS3050, CS3350, CS3400, CS340, CS341, CS3450, CS346, CS3500, CS320T, CS350T, CS360T, CS3450, CS355T, CS360T, CS330T, CS345, CS305, CS306

3/8" LP	6	A	SP5077	PD5077	RSM375-7	101313	10	106906X		175005-39133		13.0	13.5	60.0	13.0
1/4"	8	B	SP5078	PD5078	RSM-250-9	101313	10	544675X	544679X	175007-39232		13.0	13.5	60.0	13.0



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

ECHO continued

CS801, CS802, CS901, CS8021

.404"	7	D	SP5079			141713	14					17.0	13.3	78.0	17.1
-------	---	---	--------	--	--	--------	----	--	--	--	--	------	------	------	------

CS2600, CS2600ES, CS260T, CS2700, CS270

3/8" LP	6	A	SP5080	PD5080	RSM-375-7	101313	10			A556-000091		13.0	13.4	54.0	14.0
1/4"	8	B	SP5084	PD5084		101313	10			A556-000101		13.0	13.4	54.0	14.0

CS330, CS360, CS370, CS400, CS420

3/8" LP	6	B	SP5083			101313	10	523524X		A556-000400		13.0	13.4	70.0	12.8
.325"	7	B	SP5089			101313	10			A556-000480		13.0	13.4	70.0	12.8

CS600

3/8"	7	B		PD5086	RST-375-7	101413						14.0			
------	---	---	--	--------	-----------	--------	--	--	--	--	--	------	--	--	--

FRONTIER

MARK1, MARK11, FB35, F3335, F35VIP, VIP

3/8" LP	6	A	SP5100			101310	10	28001				13.0	12.2	58.7	13.8
.325"	7	B	SP5101			101310	10					13.0	12.2	58.7	13.8

HOMELITE

180, 190, 192, XL MINI, SLX MINI AO, 5240, 200, XL-100, XL-101, XL, XL2, SUPER 2, VI SUPER 2

3/8" LP	6	A	SP5111			B68	3/8"	27958		A95653B		14.1	12.8	61.8	16.4
---------	---	---	--------	--	--	-----	------	-------	--	---------	--	------	------	------	------

150AO, EZ-250AO, XL-101, VI-123, EZ, EZAO, SEZ-AO, *350, *350HG, *350SL, CS5501, CS5100 *UNITS WITH S CLUTCH SUITS 2-5/8" CLUTCH

3/8"	7	C	SP5113	PD5113	RST-375-7	101208	5/8"	30432X	30672X	A12294	A65987A	19.0	13.0	68.3	16.5
------	---	---	--------	--------	-----------	--------	------	--------	--------	--------	---------	------	------	------	------

35SL, 330, 350, 360, 410, XL76, XL100, XL102, XL103, XL104, XL112, XL114, XL122, XL123, VI123, VI125, *350HG *UNITS WITH 5/8" SHAFT


3/8"	7	D	SP5114	PD5114	RST-375-7	101208	5/8"	30688X	30685X	A94302		19.0	13.0	76.0	17.0
.404"	7														

EZ, 101, 150 AUTO, 240, 245, XL1, MINI EZ, SUPER EZ, SUPER EZ 200

.325"	8	B		PD5115	RSM-325-8	B68	3/8"					14.3	12.7	68.2	16.6
3/8" LP	6	A	SP5116	PD5116	RSM-375-7	B68	3/8"					14.3	12.7	68.2	16.6

750

.404"	7	D				101208	5/8"								
-------	---	---	--	--	--	--------	------	--	--	--	--	--	--	--	--



please refer to price list for price code value



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

HOMELITE continued

XL-12 (BEFORE S/N 1735838), XL-15, XL-400, XL-500, XL-600, C52

3/8"	7	D	SP5118	PD5118	RST-375-7	B88	0.5		37990			17.4	11.6	79.0	18.9
.404"	7	D	SP5119	PD5119	RST-404-7	B88	0.5					17.4	11.6	79.0	18.9

450, 550, XL-12 (AFTER S/N 1735838), SUPER XL, XLAUTO, XL400, XL500, XL800, SLX925, SXL952, VI944, VI955, 923, 8800

3/8"	7	D	SP5120	PD5120	RST-375-7	101208	5/8"	30681X	30666X	A95620	A65990	19.0	13.3	79.0	18.5
3/8"	8	D													
.404"	7	D		PD5121	RST-404-7	101208	5/8"					19.0	13.3	79.0	18.5

2100, 1050, XP1020, XP2000

.404"	8	D			RST-404-8	131110	0.6693		14026X						
-------	---	---	--	--	-----------	--------	--------	--	--------	--	--	--	--	--	--

20, 23, 25, 27, 3300, 3350, 3800, 3850, 3314, 3316, 4100, D4150B, D4550B, 4500 RANGER, TIMBERMAN

3/8" LP	6	A	SP5126	PD5126	RSM-375-7	81210	8	108567		A09024		12.0	12.0	61.8	16.6
.325"	7	B		PD5132	RSM-325-7	81210	8					12.0	12.0	61.8	16.6

HUSQVARNA

40, 45, 49

1/4"	8	D		PD5151	RSM-250-9	81008	0.5					15.9	13.1	63.7	15.6
.325"	7	B	SP5152	PD5152	RSM-325-7	81008	0.5	106658X	35641X		504-5230-04	15.9	13.1	63.7	15.6

39, 44, 140, 235, 240S, 444, 238, 340SE, 340SG


.325"	7	C	SP5154	PD5154	RSM-325-7	B78	7/16"		19117X		501 4541 01	15.9	12.9	69.0	16.2
.325"	8	C	SP5155	PD5155	RSM-325-8	B78	7/16"					15.9	12.9	69.0	16.2

61, 66, 162, 222, 266, 268, 272, RANCHER 61

3/8"	7	D	SP5156	PD5156	RST-375-7	81008	0.5	32057	26831	501-5140-01	501-8316-01	15.9	12.7	78.6	16.7
3/8"	8	D	SP5157	PD5157	RST-375-8	81008	0.5	32071		501-65 09-01	501 83 15-03	15.9	12.7	78.6	16.7
.325"	7	D								501 67 41-01					
.404"	7	D	SP5158	PD5158	RST-404-7	81008	0.5					15.9	12.7	78.6	16.7

65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65

3/8"	7	D	SP5159	PD5159	RST-375-7	810	0.5	32058	22209		501-2559-01	17.4	15.0	78.8	17.7
3/8"	8	D	SP5160	PD5160	RST-375-8	810	0.5	32125		501-6747-01		17.4	15.0	78.8	17.7
.404"	7	D		PD5161	RST-404-7	810	0.5		24256		501-2037-01	17.4	15.0	78.8	17.7



SPECIFICATIONS

A = Bore Diameter C = Drum Diameter
B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

HUSQVARNA continued

181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP

3/8"	7	D	SP5162	PD5162	RST-375-7	91110	9/16"	32059X	28094X	501-5977-02	503 62 59-03	17.4	15.7	78.6	17.6
3/8"	8	D		PD5163	RST-375-8	91110	9/16"					17.4	15.7	78.6	17.6
.404"	7	D	SP5164	PD5164	RST-404-7	91110	9/16"	39245	22132X	501-2930-01	501-5978-01	17.4	15.7	78.6	17.6

162, 268, 272, 288

3/8"	7	D		PD5186	RST-375-7	81008	0.5		26831		503-7014-01	15.9	13.0	79.0	17.0
------	---	---	--	--------	-----------	-------	-----	--	-------	--	-------------	------	------	------	------

246, 335

3/8" LP	6	B				101412	10								
1/4"	8	D			RSM-250-9	101412	10								

133, 234, 238, 242 (BEFORE S/N 3441001)

.325"	7	B	SP5167	PD5167	RSM-325-7	B78	7/16"		29105		501-6366-02	15.9	12.9	63.6	14.7
-------	---	---	--------	--------	-----------	-----	-------	--	-------	--	-------------	------	------	------	------

42, 242 (AFTER S/N 3441001), 246

.325"	7	B	SP5168	PD5168	RSM-325-7	81008	7/16"		40068			15.9	15.9	63.6	14.5
-------	---	---	--------	--------	-----------	-------	-------	--	-------	--	--	------	------	------	------

254 (AFTER S/N 3450001), 257 (AFTER S/N 3140001), 262 (AFTER S/N 3450001)

.325"	7	B		PD5169	RSM-325-7	81008	0.5		100758X		503-7261-01	15.9	12.9	69.0	15.8
.325"	8	B		PD5170	RSM-325-8	81008	0.5		24139X			15.9	12.9	69.0	15.8
3/8"	7	B		PD5171	RSM-375-7	81008	0.5		40070X		503-7009-01	15.9	12.9	69.0	15.8
3/8"	7								100757						

340, 345, 346XP, 350, 351, 353 (SMALL SPLINE), 445, 450, 357


3/8"	7	B		PD5177	RSM-375-7	81008	0.5		108565X		503 93 48-71	15.9	13.4	69.0	14.3
.325"	7	B	SP5172	PD5172	RSM-325-7	81008	0.5	108308X	108215X	503 87 30-72	503 98 00-71	15.9	13.4	69.0	14.3

355, 357XP, 359, 359EP, (STANDARD SPLINE)

3/8"	7	B		PD5173	RST-375-7	81008	0.5		108565X		503 93 48-71	15.9	14.4	69.0	14.6
.325"	9	B		PD5178	RST-325-9	81008	0.5				503 98 00-71	15.9	14.4	69.0	14.6

50, 51, 55, 154, 254, 262

.325"	7	B	SP5174	PD5174	RSM-325-7	81008	0.5		29175X		505-3036-52	15.9	12.8	69.0	15.7
.325"	8	B		PD5175	RSM-325-8	81008	0.5	38071X	24139X			15.9	12.8	69.0	15.7



please refer to price list for price code value



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

HUSQVARNA continued

33, 34, 35, 37, 38

3/8" LP	6	A	SP5100			101310	10	28001		507-1005-51		13.0	12.2	58.7	13.8
1/4"	8						10	544531	544680X			13.0	12.2	58.7	13.8
.325"	7	B	SP5101			101310	10					13.0	12.2	58.7	13.8

36, 41, 136, 137, 141, 142, 230, 235, 236, 240

3/8" LP	6	B	SP5331	PD5331	RSM-375-7	101412	10	41569X		530 06 93-15		14.0	12.6	63.5	16.4
.325"	7	B		PD5332		101412	10	106656X				14.0	12.6	63.5	16.4
.325"	7	B	SP5330	PD5330		101412	10	41725X	41726X	530 04 70 61	530 06 93-16	14.0	12.6	63.5	16.4

362, 365, 371, 372XP, 385, 570, 575XP, 576

3/8"	7	C	SP5242	PD5242	RST-375-7	121613	0.5		106593X		503-7955-01	16.0	13.8	78.6	17.9
.325"	7	C		PD5245	RST-325-9	121613	0.5				503 93 95-71	16.0	13.8	78.6	17.9

385

3/8"	7	B				121613			111590X		537-1379-71	16.0	13.8	78.6	18.9
------	---	---	--	--	--	--------	--	--	---------	--	-------------	------	------	------	------

334T, 335, 336, 338XPT, 339

3/8" LP	6	B	SP5179	PD5179	RSM-375-7	101412	10	522963X		503 82 22 71		14.0	15.5	63.5	14.6
1/4"	8							544678X							

455, 460

.325"	7	B	SP5180	PD5180	RSM-325-7	81008	0.5	513471X	513472X	537 29 17 02		15.9	11.5	69.3	14.2
3/8"	7	B	SP5181	PD5181	RSM-375-7	81008	0.5		513470X	537 29 16 04		15.9	11.5	69.3	14.2

435, 440, 445


.325"	7	B	SP5182			121513	12	542126		#53065504 7124 02		15.0	12.5	63.2	12.8
-------	---	---	--------	--	--	--------	----	--------	--	----------------------	--	------	------	------	------

425

3/8" LP	6	C	SP5658			101313	10	553995				13.0	14.5	54.0	13.0
1/4"	8	C	SP5085			101313	10					13.0	14.5	54.0	13.0

550, 555, 562, 545, 560

.325"	7	C		PD5653	RSM-325-7	81008					5040578-01				
-------	---	---	--	--------	-----------	-------	--	--	--	--	------------	--	--	--	--



please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

JONSERED

45, 49, 50, 51, 52, 451, 452, 521															
.325"	7	B	SP5226	PD5226	RSM-325-7	81008	0.5					15.9	14.1	74.4	16.3
.325"	8	B		PD5227	RSM-325-8	81008	0.5		21238X		50452-3000	15.9	14.1	74.4	16.3
3/8"	7	B	SP5228	PD5228	RSM-375-7	81008	0.5		18242X			15.9	14.1	74.4	16.3

410, 420, 425, 435, 2041, 2045, 2050															
.325"	7	B			RSM-325-7	81008	0.5	106658X	35641X		50452-3004				
.325"	8	B			RSM-325-8	81008	0.5		32943X						

450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055															
.325"	8	B	SP5231	PD5231	RSM-325-8	121613	12		26950X		50452-3007	16.0	14.0	63.5	16.0
3/8"	7	B	SP5232	PD5232	RSM-375-7	121613	12		29496X		50317-4001	16.0	14.0	63.5	16.0
.325"	7	B	SP5233	PD5233	RSM-325-7	121613	12		33807X			16.0	14.0	63.5	16.0

60, 62, 66, 70, 601, 621															
3/8"	8	C	SP5234				151917	15				19.0	16.9	74.0	17.0


75, 80, 81, 90, 751, 801															
3/8"	8	C	SP5235	PD5235	RST-375-8	151917	15		26580X			19.0	16.8	79.1	16.0
3/8"	7	C		PD5236	RST-375-7	151917	15		31071X			19.0	16.8	79.1	16.0
.404"	7	C	SP5237	PD5237	RST-404-8	151917	15					19.0	16.8	79.1	16.0

820, 830, 920, 930, 910															
.325"	7	D	SP5238	PD5238	RST-325-9	141913	14					19.0	14.7	88.0	17.3
3/8"	8	D	SP5239	PD5239	RST-375-8	141913	14		28563X			19.0	14.7	88.0	17.3
.404"	8	D	SP5240	PD5240	RST-404-7	141913	14					19.0	14.7	88.0	17.3

2063, 2065, 2165, 2071, 2171															
3/8"	7	C	SP5242	PD5242	RST-375-7	121613	0.5		106593X	503-861703	503 932471	16.0	13.8	78.6	17.9
.325"	7	C	SP5245	PD5245	RST-325-9	121613	0.5				503-939571	16.0	13.8	78.6	17.9

2083, 2077															
3/8"	7	C	SP5243	PD5243	RST-375-7	121613	12		102383X		503-438401	16.0	13.2	78.7	17.6

2094, 2095															
3/8"	7	C		PD5244	RST-375-7	91110			39668X		503-624903	17.5			
3/8"	8														



please refer to price list for price code value



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

JONSERED continued

36, 361, 365, 370, 380															
3/8" LP	6	A	SP5100			101310	10	28001		507-1005-51		13.0	12.2	58.7	13.8
1/4"	8						10					13.0	12.2	58.7	13.8
.325"	7	B	SP5101			101310	10					13.0	12.2	58.7	13.8

625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)															
3/8"	7	D	SP5156	PD5156	RST-375-7	81008	0.5	32057	26831	501-5140-01	501-8316-01	15.9	12.7	78.6	16.7
3/8"	8	D	SP5157	PD5157	RST-375-8	81008	0.5	32071		501-6741-01		15.9	12.7	78.6	16.7
.404"	7	D	SP5158	PD5158	RST-404-7	81008	0.5					15.9	12.7	78.6	16.7

2035, 2036, 2040, 2041, 2137, 2234, 2238															
3/8" LP	6	B	SP5331	PD5331	RSM-375-7	101412	10	41569X		530 06 93-15		14.0	12.6	63.5	16.4
.325"	7	B		PD5332		101412	10	106656X				14.0	12.6	63.5	16.4
.325"	7	B	SP5330	PD5330		101412	10	41725X	41726X	530 06 93-42	530 06 93-16	14.0	12.6	63.5	16.4
1/4"	8							552665	552412						


490, 590															
.325"	7	B	SP5174	PD5174	RSM-325-7	81008	0.5		29175X		50530-3652	15.9	12.8	69.0	15.7
.325"	8	B		PD5175	RSM-325-8	81008	0.5	38071X	24139X			15.9	12.8	69.0	15.7
3/8"	7	B	SP5176	PD5176	RSM-375-7	81008	0.5		36868X			15.9	12.8	69.0	15.7

2141, 2145, 2149, 2150, 2151, 2152, 2153, 2156, 2159, 2245 (SMALL SPLINE), 2250															
3/8"	7	B		PD5177	RSM-375-7	81008	0.5		108565X		503 93 48-71	15.9	13.4	69.0	14.3
.325"	7	B	SP5172	PD5172	RSM-325-7	81008	0.5	108308X	108215X	503 87 30-72	503 98 00-02	15.9	13.4	69.0	14.3

2041, 2045, 2050															
1/4"	8	D		PD5151	RSM-250-9	81008	0.5					15.9	13.1	63.3	15.6
.325"	7	B	SP5152	PD5152	RSM-325-7	81008	0.5	106658X	35641X		504-5230-04	15.9	13.1	63.7	15.6

CS2188, CS2186															
3/8"	7	C	SP5242	PD5242	RST-375-7	121613	0.5		105772X		537-137971	16.0	13.8	78.6	17.9
.325"	7	C		PD5245	RST-325-9	121613	0.5					16.0	13.8	78.6	17.9

CS2255															
3/8"	7	C	SP5252			81008	0.5			537-291602		15.9	11.5	69.3	14.2
.325"	7	C	SP5253												



please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

JONSERED continued

CS2240															
.325"	7	B	SP5182			121513	12	542126		505-441501		15.0	12.5	63.2	12.8

CS2138															
3/8" LP	6	B	SP5395	PD5395	RSM-375-7	BA59	7.93	514678		530-057905		12.7	14.0	63.3	16.7

CS2135T															
3/8" LP	6	B	SP5179			101412	10	522963X		503 82 22 71		14.0	15.5	63.5	14.6

CS2245, CS2250, CS2150, CS2152, CS2153															
.325"	7	C		PD5172	RSM-325-7	81008	0.5	108308X	108215X			15.9	13.4	69.0	14.3

MCCULLOCH

D44, 1.70-1.76, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, S797, CP125, SP125															
.404"	8	D	SP5265	PD5265	RST-404-7	B910	9/16"		10624	51774-B					
3/8"	8						9/16"								

365, 2000, 2010, 2012, MM-3AS, MAC6, PM6A, SUPER PRO 40, 3200, ALL MINI MAC MODELS, TITAN 35-40, PROMAC 3025, 200-2016, 2316, 2318, 3000, 3210-3216, MAC 110-140, POWER MAC 310-340, PM 480, 120, EAGER BEAVER, 2014, 2016, 3000, 3200, 3505, 3516, 3805, 3818															
3/8" LP	6	A	SP5269			101412	10	29888		215252		14.0	12.1	70.0	15.0


60, 155, 165, 355, 365, 375, PROMAC-55, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, TIMBERBEAR, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E, 515, 605, 610, 650															
3/8"	7	D	SP5270	PD5270	RST-375-7	81008	0.5	32786X	68209X	65370		15.9	12.9	84.8	21.2
.404"	7	D	SP5271	PD5271	RST-404-7	81008	0.5		21426X			15.9	12.9	84.8	21.2

PM350, PM4000															
.325"	7	C	SP5272			101412	10					14.0	12.2	70.3	16.0

MAKITA

DCS33, DCS341, DC340, DCS400, DCS401															
3/8" LP	6	A	SP5024			101412	10	112135				14.0	12.0	70.0	13.6
.325"	7	B	SP5025			101412	10					14.0	12.1	70.0	13.6

DCS6000, DCS6800															
3/8"	7	C		PD5026	RST-375-7	141815	14	38075X	27189X			18.0			



please refer to price list for price code value



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

MAKITA continued

DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52																
3/8" LP	6	B	SP5028	PD5028	RSM-375-7	121513	12		38824X		020 223 210	15.0	13.0	75.2	14.2	
.325"	7	B		PD5031	RSM-372-7	121513	12					15.0	13.0	75.2	14.2	
.325"	8	B	SP5029	PD5029	RSM-325-8	121513	12		32162X		020-223-100	15.0	13.0	75.2	14.2	
3/8"	7	C							38824X							

DCS34																
3/8" LP	6	B	SP5034				8	112130				10.0				

CARVER																
1/4"	8	C	SP5085			101313	10					13.0	14.5	54.0	13.0	

OLEO MAC

233, 234, 240, 241, 244, 340																
.325"	7	B	SP5296			101412	10					14.0	12.2	58.6	16.2	
3/8" LP	6	A	SP5297			101412	10					14.0	12.2	58.6	16.2	


250, 251, 254, 264, 50A, 350 (NEW), 355, SUPER 250, BLITZ, 350 AGRISTAR, 264 DELUXE, 252																
.325"	8	C	SP5298	PD5298	RSM-325-8	101413	10					14.0	14.2	68.2	17.4	
3/8"	7	C	SP5300	PD5300	RSM-375-7	101413	10	32060X	13916X			14.0	14.2	68.2	17.4	

350 OLD																
3/8"	7	C	SP5308			131513	10					15.0	14.2	68.2		

930, 935 HANDY, 30, 35																
3/8" LP	6	B	SP5303			81110	8	103217X				11.0	11.5	58.7	15.5	

937, 938, 941, 942, 944, 945, 946, 950, 951																
.325"	7	B	SP5304	PD5304	RSM-325-7	121513	12	106068X	111177X			15.0	14.1	63.4	14.9	
3/8"	7	B	SP5305	PD5305	RSM-375-7	121513	12					15.0	14.1	63.4	14.9	

936, 940																
3/8" LP	6	B	SP5306			101313	10			50050136		13.0	13.8	63.6	17.5	
3/8" LP	7	B	SP5307	PD5307	RSM-375-7	101313	10					13.0	13.8	63.6	17.5	
.325"	7	B		PD5308	RSM-325-7	101313	10									



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

OLEO MAC continued

260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482, 484															
3/8"	8	C	SP5235	PD5235	RST-375-8	151917	15		26580X			19.0	16.8	79.1	16.0
.404"	7	C	SP5237	PD5237	RST-404-7	151917	15					19.0	16.8	79.1	16.0

999															
.404"	7	D	SP5529			141815	14								

931, 932															
3/8" LP	6	A	SP5412			101313	10	104440X				13.0	13.2	68.2	17.2

OREGON

CS250, CS300															
3/8" LP	6	A	SP5440					546622							

PARTNER


R16, R17, R18, R19, R20, R65, P70, R50, R21, R22, R429, 421, F55, R55, S65, R240, R420, R421, 417, 7000															
3/8"	7	B	SP5327	PD5327	RST-375-7	141815	14	32778X	12667X			18.0	16.2	74.0	17.8
.404"	7	B	SP5328	PD5328	RST-404-7	141815	14					18.0	16.2	74.0	17.8

P100, P85, R30, R35, R40, R435, R440, P18															
.404"	7	D					14		25842X						

350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60															
3/8" LP	6	B	SP5331	PD5331	RSM-375-7	101412	10	41569X		530 06 93-15		14.0	12.6	63.5	16.4
.325"	7	B		PD5332		101412	10	106656X				14.0	12.6	63.5	16.4
.325"	7	B	SP5330	PD5330	RSM-325-7	101412	10	41725X	41726X	530 06 93-42	530 06 93-16	14.0	12.6	63.5	16.4
1/4"	8							552665	552412						

R14															
.404"	7	D													

P500, P5000, 400, 48, 49															
.325"	7	B	SP5174	PD5174	RSM-325-7	81008	0.5	38071X	29175X		505-3036-52	15.9	12.8	69.0	15.7
.325"	8	B		PD5175	RSM-325-8	81008	0.5		24139X			15.9	12.8	69.0	15.7
3/8"	7	B	SP5176	PD5176	RSM-375-7	81008	0.5		36868X			15.9	12.8	69.0	15.7



please refer to price list for price code value



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

PARTNER continued

MINI P3, P3, PA, 22, 330, 350, 1613, 1614, 1616, 1618

3/8" LP	6	A	SP5100			101310	10	28001		507-1005-51		13.0	12.2	58.7	13.8
.325"	7	B	SP5101			101310	10					13.0	12.2	58.7	13.8

P48, P499, P49, P500, P545, P5000, P5100

.325"	7	B		PD5174	RSM-325-7	81008	0.5	38071X	29175X						
.325"	8	B		PD5175	RSM-325-8	81008	0.5		24139X						
3/8"	7	B		PD5176	RSM-375-7	81008	0.5		36868X						
3/8"	7					81008	0.5		34425X						

400, 410, 450, 460, 490, 510

.325"	7	B		PD5152	RST-325-7	81008	0.5		35641X			15.9	13.1	63.7	
-------	---	---	--	--------	-----------	-------	-----	--	--------	--	--	------	------	------	--

351

3/8" LP	6	B	SP5391	PD5391	RSM-375-7	101310	10	106114		952-048124		13.0	12.4	63.3	16.7
.325"	7														

CONCRETE SAW RIM ONLY 506 33 42

3/8"	9							RXT-375-9							
------	---	--	--	--	--	--	--	-----------	--	--	--	--	--	--	--

PIONEER

P-38, P-41, P-42, P-51, 68210, P-52, P-60, P-61, P-62, FARMSAW, 700, 750, 11-50, 11-60, 14-10, 1420, 1200, 1750, 1850, 2270, S2400, 3200

3/8"	7	D	SP5354		RST-375-7	B810	0.5	28611X	27440X			17.5	19.7	71.9	27.4
.404"	7	D				B810	0.5					17.5	19.7	71.9	27.4

P12

3/8" LP	6	A	SP5100			101310	10	28001		507-1005-51		13.0	12.2	58.7	13.8
.325"	7	B	SP5101			101310	10					13.0	12.2	58.7	13.8


POULAN & POULAN PRO

180, 205, MICRO 25, 1800, 2000, MICRO S25, 180, 225, 235, 2100, 2300, 2400

3/8" LP	6	A	SP5378			58000	0.407	28004		952-048078		13.5	13.2	63.5	14.1
---------	---	---	--------	--	--	-------	-------	-------	--	------------	--	------	------	------	------

25 SERIES, 25DA, S25DA

3/8" LP	6	A	SP5380		RSM-375-7	C1418-1	7/16"	28006		952-048102		14.3	14.3	68.3	14.4
.325"	7	B	SP5382		RSM-325-7	C1418-1	7/16"					14.3	14.3	68.3	14.4



SPECIFICATIONS

A = Bore Diameter C = Drum Diameter
B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

POULAN & POULAN PRO continued

285, 305, 330, 335, 336, 2700, 2800, 3000, 3300, 3350, 3450, 3500

.325"	7	C	SP5383	PD5383	RSM-325-7	81008	0.5	107504X	34254X	48083		15.9	13.2	68.1	17.6
-------	---	---	--------	--------	-----------	-------	-----	---------	--------	-------	--	------	------	------	------

360, 361, 400, 401, 450, 451

3/8"	7	B	SP5384	PD5384	RST-375-7	B88	0.5		10617			17.5	13.1	81.3	18.6
------	---	---	--------	--------	-----------	-----	-----	--	-------	--	--	------	------	------	------

375, 395, 3400, 3700, 3800, 4000

3/8"	7	C	SP5385	PD5385	RST-375-7	81008	0.5	32790X	28187X	48062	48063	15.9	13.7	76.0	16.0
.404"	7	C		PD5386	RST-404-7	81008	0.5					15.9	13.7	76.0	16.0

245, 306, 345, 4200, 4400, 4900, 5200, 5400

3/8"	7	C			RST-375-7	111413	0.5625	32062X	23706X	48023					
.404"	7	C			RST-404-7	111413	0.5625								

210, 221, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 237, 524, 502, 550, 2375, 2450, 2550

3/8" LP	6	B	SP5391	PD5391	RSM-375-7	101310	10	106114		952-048124		13.0	12.4	63.3	16.7
.325"	7														

WILD THING, PATRIOT 1900

3/8" LP	6	B	SP5395	PD5395	RSM-375-7	BA59	7.93					12.7	14.0	63.3	16.7
---------	---	---	--------	--------	-----------	------	------	--	--	--	--	------	------	------	------

5500, 6000

3/8"	8	D	SP5020	PD5020	RST-375-8	141815	14					18.0	16.6	83.0	21.0
.404"	8	D	SP5021	PD5021	RST-404-8	141815	14		27193X			18.0	16.6	83.0	21.0

325

.325"	7	B	SP5174			81008	0.5		29175X						
-------	---	---	--------	--	--	-------	-----	--	--------	--	--	--	--	--	--

255, 295, 2500, P600, 2275, 2600, 2700, 2750, 2775, 2900, 3050, PP210, P600, WOODSHARK, 4620

3/8" LP	6	B	SP5331	PD5331	RSM-375-7	101412	10	41569X		530 06 93-15		14.0	12.6	63.5	16.4
.325"	7	B	SP5330	PD5330	RSM-325-7	101412	10	41725X	41726X	530 06 93-42	530 06 93-16	14.0	12.6	63.5	16.4


3416, 3816, 4018, 4218, 3314, 3316

3/8" LP	6	B	SP5395	PD5395	RSM-375-7	BA59	7.93	514678		530-057905		12.7	14.0	63.3	16.7
---------	---	---	--------	--------	-----------	------	------	--------	--	------------	--	------	------	------	------

REDMAX / KOMATSU / ZENOAH

G300, G3000, G3100, G320AVS, G3200, G3300, G250, G280

3/8" LP	6	A	SP5412			101313	10	104440X				13.0	13.2	68.2	17.2
---------	---	---	--------	--	--	--------	----	---------	--	--	--	------	------	------	------



please refer to price list for price code value



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

REDMAX / KOMATSU / ZENOAH continued

G380, G3800, G400AVS, G4000, G410AVS, G4100, G415, G4200, G455, G450, G4500															
.325"	7	B	SP5413		121513							15.0	15.2	68.2	13.7

G561AVS, G620AVS, G621AVS, GT556															
.325"	7	D		SP5065	RSM-325-7	101413	10					14.0	12.8	77.5	13.8
3/8"	7	D	SP5063	PD5063	RSM-375-7	101412	10	32794X	21358X			14.0	12.8	77.5	13.8

G2500															
3/8" LP	6	C	SP5658				10					13.0	14.0	54.0	13.0

CARVER 2500															
3/8" LP	6	C	SP5658			101313	10					13.0	14.0	54.0	13.0
1/4"	8	C	SP5085			101313	10					13.0	14.5	54.0	13.0

RYOBI

3/8"	6	A	SP5450			B57	7.93								
.325"	7	B	SP5451												

SHINDAIWA


305, 345, 340, 350, 352, 377, 355, 415, 450, 500															
.325"	7	B	SP5424			101316	10			A055-000050		13.0	16.5	68.2	17.3
1/4"	8	D	SP5425			101316	10					13.0	16.5	68.2	17.3
3/8"	7	B	SP5426			101316	10					13.0	16.5	68.2	17.3
3/8" LP	6	A	SP5427			101316	10			72320-51110		13.0	16.5	68.2	17.3

405, 406, 407, 410, 416, 440, 450, 451, 480, 485															
.325"	7	B	SP5428			101316	10				39311-51110	13.0	17.8	67.7	16.7
3/8"	7	B	SP5429			101316	10					13.0	17.8	67.7	16.7

488, 575, 580, 680, 685, 695															
3/8"	7	C	SP5430	PD5430	RST-375-7	131714	13				22155-51500	17.0			

577															
3/8"	7	D		PD5431	RST-375-7	131714	13				22150-51510	17.0	14.7	77.8	15.8

757, EC7500, EC7600															
3/8"	7	D		PD5432	RST-375-7	131714	13				22169-51110	17.0	14.1	78.0	16.7



please refer to price list for price code value

SPROCKETS



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

SHINDAIWA continued

488, 400, 490															
.325"	7	B		PD5433	RSM-325-7	101313	10				22160-51511	13.0	12.8	71.9	16.0

285, 300S, 360, 300, 357, 394															
3/8" LP	6	B	SP5434	PD5434	RSM-375-7	101316	10			22163-51110		13.0	17.0	68.2	16.9
.325"	7	B	SP5435	PD5435	RSM-325-7	101316	10				72326-51100	13.0	17.0	68.2	16.9
3/8"	7	B	SP5436	PD5436	RSM-375-7	101316	10					13.0	17.0	68.2	16.9

269TS															
3/8" LP	6	A	SP5080			101313	10					13.0	13.4	54.0	14.0
1/4"	8	B	SP5084			101313	10					13.0	13.4	54.0	14.0

446															
3/8"	7	C		PD5437	RSM-375-7	101313	10				39311-51110	13.0			
.325"	7	c		PD5438	RSM-325-7	101313	10					13.0			

SOLO

647, 654, 616															
.325"	8	B	SP5468		RSM-325-8	121513	12					15.0	15.5	70.0	16.7
3/8"	7	B	SP5469		RSM-375-7	121513	12					15.0	15.5	70.0	16.7


620, 650, 655, 660															
3/8"	7	C	SP5470			141815	14					18.0	14.9	70.0	17.0

603, 670, 680, 690, 681, 694															
3/8"	7	D	SP5471			141815	14					18.0	17.5	89.0	20.7
.404"	7	D				141815	14					18.0	17.5	89.0	20.7

600, 605, 606 (WITH 60MM DRUM), 631															
3/8" LP	6	A	SP5473			101412	10					14.0	13.5	65.8	18.4

639, 644, 645, 650, 651, 651S															
.325"	7	B	SP5474	PD5474	RSM-325-7	101313	10	111435X				13.0	13.6	70.0	18.4

662, 667															
3/8"	7	B	SP5475			141815	14					18.0	15.1	70.0	15.9
.404"	7	C				141815	14					18.0	15.1	70.0	15.9



please refer to price list for price code value



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

SOLO continued

605, 606 (WITH 58MM CLUTCH), 632, 634, 638, 641

3/8" LP	6	A	SP5477			101412	10					14.0	14.2	58.6	16.7
.325"	7	B	SP5478			101412	10					14.0	14.2	58.6	16.7

610, 615

.325"	7	B	SP5480			101310	10					13.0	12.1	50.0	18.6
-------	---	---	--------	--	--	--------	----	--	--	--	--	------	------	------	------

STIHL

ELECTRIC RIM ONLY

3/8" LP	7	A			REL D7										
1/4"	8	A			REL 9K					1208 642 1301					

E140, E180, MSE140, MSE180

3/8" LP	7									1206 642 1301					
---------	---	--	--	--	--	--	--	--	--	---------------	--	--	--	--	--

009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012

3/8" LP	6	A	SP5505			101313	10	28016X		1120-640-2000		13.0	13.2	66.0	16.0
3/8" LP	7	B	SP5508	PD5505	RSM-375-7	101313	10			1120-640-2005		13.0	13.2	66.0	16.0
.325"	7	B	SP5507	PD5507	RSM-325-7	101313	10			1120-640-2006		13.0	13.2	66.0	16.0
1/4"	8	D		PD5506	RSM-250-9	101313	10	544677X	544689X	1120-640-2010		13.0	13.2	66.0	16.0

012 (SEE ABOVE GROUP)


.325"	7	B	SP5507			101313	10			1120-640-2006					
3/8" LP	7	B	SP5508			101313	10			1120 640 2005		13.0	13.2	66.0	16.0
1/4"	8									1120 640 2010					

015, 015AV, 105EL

3/8" LP	6	A	SP5509	PD5509	RSM-375-7	101313	10			1116-640-2001		13.0	15.4	66.2	16.9
1/4"	8	D		PD5510	RSM-250-9	101313	10			1116-640-2005		13.0	15.4	66.2	16.9

017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251

3/8" LP	6	A	SP5535			101310	10	100962X		1123-640-2073	1123-007-1001	13.0	11.5	66.0	17.8
3/8" LP	7			PD5535	RSM-375-7	101310	10		523046X	1123-640 2072	1123 007 1025	13.0	11.5	66.0	17.8
.325"	7	B	SP5536	PD5536	RSM-325-7	101310	10	106657X	100961X	1123-640-2074	1123-007-1032	13.0	11.5	66.0	17.8
.325"	8					101310	10			1123-640-2020	1123-007-1002	13.0	11.5	66.0	17.8
1/4"	9	D		PD5537	RSM-250-9	101310	10	544676X	544658X	1123 640 2010		13.0	11.5	66.0	17.8



SPECIFICATIONS

A = Bore Diameter C = Drum Diameter
B = Bore Length D = Drum Depth

please refer to price list for price code value

SPROCKETS



SP APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

STIHL continued

020, 020AV														
3/8" LP	6	A	SP5009			101316	10			1114 640 2001				
1/4"	8							554045X		1114 640 2000				

MS192T, MS200T, 020T, 200T, MS200, SPUR APPLICATION ONLY															
3/8" LP	6	A	SP5511			101313	10			1129-640-2000		13.0	13.0	66.4	12.8
3/8" LP	7					101313	10			1129-640-2050		13.0	13.0	66.4	12.8
1/4"	8	D	SP5512			101313	10			1129 640 2051		13.0	13.0	66.4	12.8
.325"	7									1129 640 2004					


024, 026 (PRIOR TO X25809074)															
.325"	7	B	SP5513	PD5513	RSM-325-7	101310	10	38076X	32457X	1121-640-2003	1121-007-1001	13.0	11.2	69.0	13.7
.325"	8					101310	10			1121-640-2001	1121-007-1002	13.0	11.2	69.0	13.7
3/8"	7	B	SP5514	PD5514	RSM-375-7	101310	10				1121-007-1035	13.0	11.2	69.0	13.7

024, 026 (ADJUSTABLE OILER), MS260, MS261, MS240, MS270, MS271, MS290, MS291															
.325"	7	B	SP5515	PD5515	RSM-325-7	101310	10	100876X	100791X	1141-640-2001	1121 007 1037	13.0	11.2	69.0	17.7
.325"	8					101310	10			1121-640-2005	1121-007-1038	13.0	11.2	69.0	17.7
3/8"	7	B	SP5516	PD5516	RSM-375-7	101310	10				1121 007 1041	13.0	11.2	69.0	17.7
3/8" LP	7						10				1121 007 1039	13.0	11.2	69.0	17.7
3/8" LP	8						10				1121 007 1040	13.0	11.2	69.0	17.7

028															
.325"	7	C	SP5517	PD5517	RSM-325-7	101323	10		30384X	1118-640-2001	1118-007-1004	13.0	24.2	69.0	16.2
3/8"	7					101323	10		29917		1118-007-1007	13.0	24.2	69.0	16.2

038															
3/8"	7	D	SP5518	PD5518		121624	12	32061X	509640X	1119-640-2000	1119-007-1003	16.0	24.5	71.7	18.8

034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391															
3/8"	7	B	SP5519	PD5519	RSM-375-7	101310	10	38145X	34162X	1125 640 2000	1125 007 1002	13.0	11.7	75.9	20.3
3/8"	8	B		PD5521	RSM-375-8	101310	10					13.0	11.7	75.9	20.3
.325"	8					101310	10			1125 640 2008	1125 007 1000	13.0	11.7	75.9	20.3
.325"	7	B	SP5520	PD5520	RSM-325-7	101310	10	111188X		1125-640-2005	1125-007-1001	13.0	11.7	75.9	20.3



please refer to price list for price code value



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

STIHL continued

MS360, 036QS, MS340, 034, 036, MS390

3/8"	7	C	SP5545	PD5545	RST-375-7	101612	10			1125 640 2006	1125 007 1041	16.0	11.7	75.9	20.3
.325"	9	C		PD5546	RST-325-9	101612	10				1125 007 1003	16.0	11.7	75.9	20.3
							10					16.0	11.7	75.9	20.3

045AV, 045AVE, 045AVEQ, 056

3/8"	7	D	SP5521		RST-375-7	141717	14	32063X		1115-640-2001		17.0	17.5	77.5	23.1
3/8"	8	D			RST-375-8	141717	14		20879		1115-007-1048	17.0	17.5	77.5	23.1
.404"	7	D	SP5523		RST-404-7	141717	14		29972X	1115-640-2005	1115-007-1045	17.0	17.5	77.5	23.1

030, 031, 032, 040, 041, FARM BOSS, MS310 (SPACER PROVIDED)

3/8"	7	B	SP5524	PD5524	RST-375-7	121513	12	32060	18200X	1113-640-2000	1113 007 1040	15.0	16.4	69.0	18.9
.325"	8					121513	12			1113-640-2005	1113 007 1041	15.0	16.4	69.0	18.9
.404"	7	D	SP5525	PD5525	RST-404-7	121513	12		13916X	1110-007-1017		15.0	16.4	69.0	18.9

042, 048

3/8"	7	D	SP5526	PD5526		121624	12	32064X		1117-640-2001	1117-007-1006	16.0	23.9	75.8	20.7
------	---	---	--------	--------	--	--------	----	--------	--	---------------	---------------	------	------	------	------

050, 051, 075, 076

3/8"	7	D		PD5527	RST-375-7	141814	14					18.0	17.6	85.9	22.0
3/8"	8	D		PD5528	RST-375-8	141814	14		22271X	1111-640-2007	1111-640-2026	18.0	17.6	85.9	22.0
.404"	7	D	SP5529	PD5529	RST-404-7	141814	14	32072X	22262X	1111-640-2002	1111-640-2025	18.0	17.6	85.9	22.0

08, 08S, S10


3/8"	7	B		PD5530	RST-375-7	151817	15			1108-640-2010	1108-640-2026	18.0	18.0	67.0	21.3
.404"	7	B	SP5531	PD5531	RST-404-7	151817	15	35992X	10625	1108-640-2000	1108-640-2025	18.0	18.0	67.0	21.3

070

.404"	7	B	SP5532	PD5532	RST-404-7	151822	15	107794X	108818X	1106-640-2011	1106 640 2025	18.0	22.0	78.0	24.4
-------	---	---	--------	--------	-----------	--------	----	---------	---------	---------------	---------------	------	------	------	------

090

.404"	7	D	SP5533	PD5533	RST-404-7	151822	15			1106-640-2015		18.0	21.9	95.8	27.8
3/8"	7	D	SP5534	PD5534	RST-375-7	151822	15					18.0	21.9	95.8	27.8



please refer to price list for price code value

SPROCKETS

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

STIHL continued

044, 046, MS440, MS441, MS460															
3/8"	7	C	SP5538	PD5538	RST-375-7	101612	10	38471X	38470X	1128 640 2000	1128-007-1000	16.0	11.7	76.0	18.1
3/8"	8					101612	10			1128 640 2005	1128 007 1001	16.0	11.7	76.0	18.1
.325"	7	C	SP5539	PD5539	RST-325-9	101612	10				1128 007 1011	16.0	11.7	76.0	18.1

064, 066, MS660, MS650															
3/8"	7	D	SP5540	PD5540	RST-375-7	101612	10		35464X	1122-640-2002	1122 007 1000	16.0	13.4	81.2	21.5
3/8" LP	8					101612	10			1122-640-2000	1122-007-1001	16.0	13.4	81.2	21.5
.404"	7	D	SP5541	PD5541	RST-404-7	101612	10		35460X	1122-640-2001	1122-007-1002	16.0	13.4	81.2	21.5

084, 088, MS880															
.404"	7	D	SP5542	PD5542	RST-404-7	121713	12			1124-640-2005	1124-007-1024	17.0	13.5	85.0	23.6
3/8"	8	D		PD5544	RST-375-7	121713	12			1124-640-2004	1124 007 1025	17.0	13.5	85.0	23.6

07 (OLD MODEL)															
.404"	7	D	SP5543				151817	15				18.0	17.9	67.0	21.8

TANAKA

ECS35, ECS355, ECS351, ECS405, 356, 350, 351, 370															
3/8" LP	6	A	SP5594				101310	10				13.0	10.6	66.0	16.7

ECS415, ECS4000															
.325"	7	B	SP5595				101310	10	111434			13.0	10.6	66.0	16.2


ECS505, ECS650, ECS655, ECV5601															
3/8"	7	B	SP5596									15.0	14.9	71.9	18.9

TCS2801, EC290, 300, 320, 330, TCS3301, TCS3401															
3/8" LP	6	A	SP5597				101310	10				13.0	10.9	59.9	17.2

ECV3801, ECV4501															
3/8" LP	6	A	SP5598				111410	11				14.0	12.3	66.2	16.5
.325"	7	B	SP5599				111410	11				14.0	12.3	66.2	16.5

CARVER															
1/4"	8	C	SP5085				131013	10				13.0	14.5	54.0	13.0

SP APPLICATION



please refer to price list for price code value



SPR APPLICATION

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS			
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D

TANAKA continued

CARVER															
3/8" LP	6	C	SP5658			101313	10					13.0	14.5	54.0	13.0

CHINESE CHAINSAW

CARVER 2500															
3/8" LP	6	C	SP5658			101313	10					13.0	14.5	54.0	13.0

CARVER 2500															
1/4"	8	C	SP5085			101313	10					13.0	14.5	54.0	13.0

3900															
3/8" LP	6	A	SP5651			101313	10					13.0	14.0	68.0	12.7
3/8"	6	B	SP5658			101313	10					13.0	14.0	54.0	13.0

4500, 5200															
.325"	7	B	SP5652	PD5652		121513	12					15.0	14.6	68.0	11.8

6200															
.325"	7	B		PD5654		111413	11					14.0	14.0	77.3	13.3

6200															
3/8"	7	B		PD5655		111413	11					14.0	14.0	77.3	13.3

3800															
3/8" LP	6	A	SP5657			101313	10					13.0	14.0	68.0	12.7

CRAFTSMEN


55/18, 55/20															
3/8	7	D	SP5700			101313									
.325"	8	D	SP5701			101313									

PELENC

RIM ONLY															
1/4"	9		RPE 9K												

MARUYAMA

MCV3100															
1/4"	8	C	SP5688			101310									




please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

CHAIN PITCH	TEETH NO.	PRICE CODE	ARCH SPUR NO.	ARCH SPLINE & RIM	ARCH RIM NO.	BEARING NO.	CRANK DIA.	OREGON SPUR NO.	OREGON SPLINE	OEM SPUR	OEM SPLINE	SPECIFICATIONS					
												BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D		
PD5001				ALPINA	330, 380, 35, 40, 432, 438, 482			RSM-375-7	3/8" LP	6	A	101310	10	13	11.2	57.2	14
PD5002				ALPINA	400, P402, P420, P422, P442, P450, P460, P462, P472, P482, P500, P510, P522			RSM-325-7	.325"	7	B	101412	10	14	13.1	68.7	9.4
PD5007			6995094	ALPINA	P680, 40, 41, 45			RSM-375-7	3/8"	7	C	101412	10	14	13	77.4	13.1
PD5016			120 223 101	DOLMAR	112, 113, 114, 116, 117, 119, 120, 120 SUPER			RST-375-8	3/8"	8	D	141815	14	18	14.3	76	15
PD5017	27189X		119-223-100	DOLMAR	112, 113, 114, 116, 117, 119, 120, 120 SUPER			RST-375-7	3/8"	7	D	141815	14	18	14.3	76	15
PD5018	16372X		123-223-000	DOLMAR	CA, 122, 122SL, 123, 133, 143, CA113			RST-375-8	3/8"	8	C	151815	15	18	14.1	69.5	20.4
PD5019				DOLMAR	CA, 122, 122SL, 123, 133, 143, CA113			RST-404-7	.404"	7	C	151815	15	18	14.1	69.5	20.4
PD5020				DOLMAR	CC, SUPER CC, CX, 144CC, 116; POULAN & POULAN PRO 5500, 6000			RST-375-8	3/8"	8	D	141815	14	18	16.6	83	21
PD5021	27193X			DOLMAR	CC, SUPER CC, CX, 144CC, 116; POULAN & POULAN PRO 5500, 6000			RST-404-8	.404"	8	D	141815	14	18	16.6	83	21
PD5026	111450X		030-223-100	DOLMAR	6000, 6800; MAKITA DCS6000, DCS6800			RST-375-7	3/8"	7	C	141815	14	18	14.3	75.5	15
PD5027				DOLMAR	6000, 6800			RST-404-7	.404"	7	C	141815	14	18			
PD5028	38824X		020 223 210	DOLMAR	109, 110, 111, 115, PS43, PS52, PS540; MAKITA DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52			RSM-375-7	3/8" LP	7	B	121513	12	15	13	75.2	14.2
PD5029	32162X		020-223-100	DOLMAR	109, 110, 111, 115, PS43, PS52, PS540; MAKITA DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52			RSM-325-8	.325"	8	B	121513	12	15	13	75.2	14.2
PD5031				DOLMAR	109, 110, 111, 115, PS43, PS52, PS540; MAKITA DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52			RSM-325-7	.325"	7	B	121513	12	15	13	75.2	14.2
PD5036	38824X			DOLMAR	109, 110, 111, 115, PS43, PS52, PS540			RSM-375-7	3/8"	7	B	121513	12	15	13	75.2	14.2
PD5054	38032			ECHO	CS270, CS280, CS280E, CS290, CS300, CS328, CS2800, CS2900			RSM-375-7	3/8" LP	6	A	81110	8	11	12	59.8	13.6
PD5055				ECHO	CS270, CS280, CS280E, CS290, CS300, CS328, CS2800, CS2900			RSM-250-9	1/4"	8	B	81110	8	11	12	59.8	13.6
PD5056				ECHO	CS301			RSM-375-7	3/8" LP	6	A	101310	10	13	11	69.7	13
PD5057				ECHO	CS301			RSM-250-9	1/4"	8	B	101310	10	13	11	69.7	13
PD5058	38033			ECHO	CS302, CS315, CS351			RSM-375-7	3/8" LP	6	A	81110	8	11	10.9	70	13.3
PD5059				ECHO	CS302, CS315, CS351			RSM-325-7	.325"	7	B	81110	8	11	10.9	70	13.3
PD5060	544554			ECHO	CS302, CS315, CS351			RSM-250-9	1/4"	8	B	81110	8	11	10.9	70	13.3
PD5061	513442		175105-35430	ECHO	CS3600, CS3700, CS3900, CS400, CS4100, CS4200, CS440, CS4400, CS4510, CS4600, CS510, CS5100, CS4000, CS4500, CS5000, CS5500			RSM-325-7	.325"	7	A	101410	10	14	10.5	70	13.2

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	SPECIFICATIONS				
									CRANK DIA.	BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5062	513443		ECHO CS3600, CS3700, CS3900, CS400, CS4100, CS4200, CS440, CS4400, CS4510, CS4600, CS510, CS5100, CS4000, CS4500, CS5000, CS5500	RSM-375-7	3/8"	7	C	101410	10	14	10.5	70	13.2
PD5063	21358X	A556-000550	ECHO CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510; REDMAX / KOMATSU / ZENOAH G561AVS, G620AVS, G621AVS, GT556	RSM-375-7	3/8"	7	D	101413	10	14	12.8	77.5	13.8
PD5065			ECHO CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510	RSM-325-7	.325"	7	D	101413	10	14	12.8	77.5	13.8
PD5068	16208X	175005-00230	ECHO CS60, CS60S	RST-375-7	3/8"	7	B	141713	14	17	13.6	70	17.6
PD5069	26098X	175005-12130	ECHO CS602VL, CS702VL, CS750VL	RST-375-7	3/8"	7	D	101413	10	14	12.7	77.7	17
PD5070			ECHO CS602VL, CS702VL, CS750VL	RST-404-7	.404"	7	D	101413	10	14	12.7	77.7	17
PD5077			ECHO CS3000, CS3050, CS3350, CS3400, CS340, CS341, CS3450, CS346, CS3500, CS320T, CS350T, CS360T, CS3450, CS355T, CS360T, CS330T, CS345, CS305, CS306	RSM375-7	3/8" LP	6	A	101313	10	13	13.5	60	13
PD5078	544679X		ECHO CS3000, CS3050, CS3350, CS3400, CS340, CS341, CS3450, CS346, CS3500, CS320T, CS350T, CS360T, CS3450, CS355T, CS360T, CS330T, CS345, CS305, CS306	RSM-250-9	1/4"	8	B	101313	10	13	13.5	60	13
PD5080			ECHO CS2600, CS2600ES, CS260T, CS2700, CS270	RSM-375-7	3/8" LP	6	A	101313	10	13	13.4	54	14
PD5084			ECHO CS2600, CS2600ES, CS260T, CS2700, CS270		1/4"	8	B	101313	10	13	13.4	54	14
PD5086			ECHO CS600	RST-375-7	3/8"	7	B	101413		14			
PD5113	30672X	A65987A	HOMELITE 150AO, EZ-250AO, XL-101, VI-123, EZ, EZAO, SEZ-AO, *350, *350HG, *350SL, CS5501, CS5100 *UNITS WITH S CLUTCH SUITS 2-5/8" CLUTCH	RST-375-7	3/8"	7	C	101208	5/8"	19	13	68.3	16.5
PD5114	30685X		HOMELITE 35SL, 330, 350, 360, 410, XL76, XL100, XL102, XL103, XL104, XL112, XL114, XL122, XL123, VI123, VI125, *350HG *UNITS WITH 5/8" SHAFT	RST-375-7	3/8"	7	D	101208	5/8"	19	13	76	17
PD5115			HOMELITE EZ, 101, 150 AUTO, 240, 245, XL1, MINI EZ, SUPER EZ, SUPER EZ 200	RSM-325-8	.325"	8	B	B68	3/8"	14.3	12.7	68.2	16.6
PD5116			HOMELITE EZ, 101, 150 AUTO, 240, 245, XL1, MINI EZ, SUPER EZ, SUPER EZ 200	RSM-375-7	3/8" LP	6	A	B68	3/8"	14.3	12.7	68.2	16.6
PD5118	37990		HOMELITE XL-12 (BEFORE S/N 1735838), XL-15, XL-400, XL-500, XL-600, C52	RST-375-7	3/8"	7	D	B88	0.5	17.4	11.6	79	18.9
PD5119			HOMELITE XL-12 (BEFORE S/N 1735838), XL-15, XL-400, XL-500, XL-600, C52	RST-404-7	.404"	7	D	B88	0.5	17.4	11.6	79	18.9



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth


please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5120	30666X	A65990	HOMELITE 450, 550, XL-12 (AFTER S/N 1735838), SUPER XL, XLAUTO, XL400, XL500, XL800, SLX925, SXL952, VI944, VI955, 923, 8800	RST-375-7	3/8"	7	D	101208	5/8"	19	13.3	79	18.5
PD5121			HOMELITE 450, 550, XL-12 (AFTER S/N 1735838), SUPER XL, XLAUTO, XL400, XL500, XL800, SLX925, SXL952, VI944, VI955, 923, 8800	RST-404-7	.404"	7	D	101208	5/8"	19	13.3	79	18.5
PD5126			HOMELITE 20, 23, 25, 27, 3300, 3350, 3800, 3850, 3314, 3316, 4100, D4150B, D4550B, 4500 RANGER, TIMBERMAN	RSM-375-7	3/8" LP	6	A	81210	8	12	12	61.8	16.6
PD5132			HOMELITE 20, 23, 25, 27, 3300, 3350, 3800, 3850, 3314, 3316, 4100, D4150B, D4550B, 4500 RANGER, TIMBERMAN	RSM-325-7	.325"	7	B	81210	8	12	12	61.8	16.6
PD5151			HUSQVARNA 40, 45, 49; JONSERED 2041, 2045, 2050	RSM-250-9	1/4"	8	D	81008	0.5	15.9	13.1	63.7	15.6
PD5152	35641X	504-5230-04	HUSQVARNA 40, 45, 49; JONSERED 2041, 2045, 2050; PARTNER 400, 410, 450, 460, 490, 510	RSM-325-7	.325"	7	B	81008	0.5	15.9	13.1	63.7	15.6
PD5154	19117X	501 4541 01	HUSQVARNA 39, 44, 140, 235, 240S, 444, 238, 340SE, 340SG	RSM-325-7	.325"	7	C	B78	7/16"	15.9	12.9	69	16.2
PD5155			HUSQVARNA 39, 44, 140, 235, 240S, 444, 238, 340SE, 340SG	RSM-325-8	.325"	8	C	B78	7/16"	15.9	12.9	69	16.2
PD5156	26831	501-8316-01	HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)	RST-375-7	3/8"	7	D	81008	0.5	15.9	12.7	78.6	16.7
PD5157		501 83 15-03	HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)	RST-375-8	3/8"	8	D	81008	0.5	15.9	12.7	78.6	16.7
PD5158			HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)	RST-404-7	.404"	7	D	81008	0.5	15.9	12.7	78.6	16.7
PD5159	22209	501-2559-01	HUSQVARNA 65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65	RST-375-7	3/8"	7	D	810	0.5	17.4	15	78.8	17.7
PD5160			HUSQVARNA 65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65	RST-375-8	3/8"	8	D	810	0.5	17.4	15	78.8	17.7
PD5161	24256	501-2037-01	HUSQVARNA 65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65	RST-404-7	.404"	7	D	810	0.5	17.4	15	78.8	17.7
PD5162	28094X	503 62 59-03	HUSQVARNA 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP	RST-375-7	3/8"	7	D	91110	9/16"	17.4	15.7	78.6	17.6
PD5163			HUSQVARNA 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP	RST-375-8	3/8"	8	D	91110	9/16"	17.4	15.7	78.6	17.6

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	SPECIFICATIONS				
									CRANK DIA.	BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5164	22132X	501-5978-01	HUSQVARNA 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP	RST-404-7	.404"	7	D	91110	9/16"	17.4	15.7	78.6	17.6
PD5167	29105	501-6366-02	HUSQVARNA 133, 234, 238, 242 (BEFORE S/N 3441001)	RSM-325-7	.325"	7	B	B78	7/16"	15.9	12.9	63.6	14.7
PD5168	40068		HUSQVARNA 42, 242 (AFTER S/N 3441001), 246	RSM-325-7	.325"	7	B	81008	7/16"	15.9	15.9	63.6	14.5
PD5169	100758X	503-7261-01	HUSQVARNA 254 (AFTER S/N 3450001), 257 (AFTER S/N 3140001), 262 (AFTER S/N 3450001)	RSM-325-7	.325"	7	B	81008	0.5	15.9	12.9	69	15.8
PD5170	24139X		HUSQVARNA 254 (AFTER S/N 3450001), 257 (AFTER S/N 3140001), 262 (AFTER S/N 3450001)	RSM-325-8	.325"	8	B	81008	0.5	15.9	12.9	69	15.8
PD5171	40070X	503-7009-01	HUSQVARNA 254 (AFTER S/N 3450001), 257 (AFTER S/N 3140001), 262 (AFTER S/N 3450001)	RSM-375-7	3/8"	7	B	81008	0.5	15.9	12.9	69	15.8
PD5172	108308X		JONSERED CS2245, CS2250, CS2150, CS2152, CS2153		.325"	7	C	81008X	0.5	15.9	13.4	69	14.3
PD5172	108215X	503 98 00-71, 503 98 00-02	HUSQVARNA 340, 345, 346XP, 350, 351, 353 (SMALL SPLINE), 445, 450, 357; JONSERED 2141, 2145, 2149, 2150, 2151, 2152, 2153, 2156, 2159, 2245 (SMALL SPLINE), 2250	RSM-325-7	.325"	7	B	81008	0.5	15.9	13.4	69	14.3
PD5173	108565X	503 93 48-71	HUSQVARNA 355, 357XP, 359, 359EP, (STANDARD SPLINE)	RST-375-7	3/8"	7	B	81008	0.5	15.9	14.4	69	14.6
PD5174	29175X	505-3036-52	HUSQVARNA 50, 51, 55, 154, 254, 262; JONSERED 490, 590; PARTNER P500, P5000, 400, 48, 49, P48, P499, P49, P500, P545, P5000, P5100	RSM-325-7	.325"	7	B	81008	0.5	15.9	12.8	69	15.7
PD5175	24139X		HUSQVARNA 50, 51, 55, 154, 254, 262; JONSERED 490, 590; JONSERED 490, 590; PARTNER P500, P5000, 400, 48, 49, P500, P5000, 400, 48, 49	RSM-325-8	.325"	8	B	81008	0.5	15.9	12.8	69	15.7
PD5176			JONSERED 490, 590; PARTNER P500, P5000, 400, 48, 49; JONSERED 490, 590; PARTNER P500, P5000, 400, 48, 49, P48, P499, P49, P500, P545, P5000, P5100	RSM-375-7	3/8"	7	B	81008	0.5	15.9	12.8	69	15.7
PD5177	108565X	503 93 48-71	HUSQVARNA 340, 345, 346XP, 350, 351, 353 (SMALL SPLINE), 445, 450, 357; JONSERED 2141, 2145, 2149, 2150, 2151, 2152, 2153, 2156, 2159, 2245 (SMALL SPLINE), 2250	RSM-375-7	3/8"	7	B	81008	0.5	15.9	13.4	69	14.3
PD5178		503 98 00-71	HUSQVARNA 355, 357XP, 359, 359EP, (STANDARD SPLINE)	RST-325-9	.325"	9	B	81008	0.5	15.9	14.4	69	14.6
PD5179			HUSQVARNA 334T, 335, 336, 338XPT, 339	RSM-375-7	3/8" LP	6	B	101412	10	14	15.5	63.5	14.6
PD5180	513472X		HUSQVARNA 455, 460	RSM-325-7	.325"	7	B	81008	0.5	15.9	11.5	69.3	14.2



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth


please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5181	513470X		HUSQVARNA 455, 460	RSM-375-7	3/8"	7	B	81008	0.5	15.9	11.5	69.3	14.2
PD5186	26831	503-7014-01	HUSQVARNA 162, 268, 272, 288	RST-375-7	3/8"	7	D	81008	0.5	15.9	13	79	17
PD5226			JONSERED 45, 49, 50, 51, 52, 451, 452, 521	RSM-325-7	.325"	7	B	81008	0.5	15.9	14.1	74.4	16.3
PD5227	21238X	50452-3000	JONSERED 45, 49, 50, 51, 52, 451, 452, 521	RSM-325-8	.325"	8	B	81008	0.5	15.9	14.1	74.4	16.3
PD5228	18242X		JONSERED 45, 49, 50, 51, 52, 451, 452, 521	RSM-375-7	3/8"	7	B	81008	0.5	15.9	14.1	74.4	16.3
PD5231	26950X	50452-3007	JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055	RSM-325-8	.325"	8	B	121613	12	16	14	63.5	16
PD5232	29496X	50317-4001	JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055	RSM-375-7	3/8"	7	B	121613	12	16	14	63.5	16
PD5233	33807X		JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055	RSM-325-7	.325"	7	B	121613	12	16	14	63.5	16
PD5235	26580X		JONSERED 75, 80, 81, 90, 751, 801; OLEO MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482, 484	RST-375-8	3/8"	8	C	151917	15	19	16.8	79.1	16
PD5236	31071X		JONSERED 75, 80, 81, 90, 751, 801	RST-375-7	3/8"	7	C	151917	15	19	16.8	79.1	16
PD5237			JONSERED 75, 80, 81, 90, 751, 801; OLEO MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482, 484	RST-404-8, RST-404-7	.404"	7	C	151917	15	19	16.8	79.1	16
PD5238			JONSERED 820, 830, 920, 930, 910	RST-325-9	.325"	7	D	141913	14	19	14.7	88	17.3
PD5239	28563X		JONSERED 820, 830, 920, 930, 910	RST-375-8	3/8"	8	D	141913	14	19	14.7	88	17.3
PD5240			JONSERED 820, 830, 920, 930, 910	RST-404-7	.404"	8	D	141913	14	19	14.7	88	17.3
PD5242	106593X	503-7955-01	HUSQVARNA 362, 365, 371, 372XP, 385, 570, 575XP, 576; JONSERED 2063, 2065, 2165, 2071, 2171, CS2188, CS2186	RST-375-7	3/8"	7	C	121613	0.5	16	13.8	78.6	17.9
PD5242	106593X	503-9324-71	JONSERED 2063, 2065, 2165, 2071, 2171	RST-375-7	3/8"	7	C	121613	0.5	16	13.8	78.6	17.9
PD5242	105772X	537-1379-71	JONSERED CS2188, CS2186	RST-375-7	3/8"	7	C	121613	0.5	16	13.8	78.6	17.9
PD5243	102383X	503-438401	JONSERED 2083, 2077	RST-375-7	3/8"	7	C	121613	12	16	13.2	78.7	17.6
PD5244	39668X	503-624903	JONSERED 2094, 2095	RST-375-7	3/8"	7	C	91110		17.5			
PD5245		503 93 95-71	HUSQVARNA 362, 365, 371, 372XP, 385, 570, 575XP, 576; JONSERED 2063, 2065, 2165, 2071, 2171, CS2188, CS2186	RST-325-9	.325"	7	C	121613	0.5	16	13.8	78.6	17.9
PD5265	10624		MCCULLOCH D44, 1.70-1.76, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, S797, CP125, SP125	RST-404-7	.404"	8	D	B910	9/16"				

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5270	68209X		MCCULLOCH 60, 155, 165, 355, 365, 375, PROMAC-55, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, TIMBERBEAR, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E, 515, 605, 610, 650	RST-375-7	3/8"	7	D	81008	0.5	15.9	12.9	84.8	21.2
PD5271	21426X		MCCULLOCH 60, 155, 165, 355, 365, 375, PROMAC-55, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, TIMBERBEAR, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E, 515, 605, 610, 650	RST-404-7	.404"	7	D	81008	0.5	15.9	12.9	84.8	21.2
PD5298			OLEO MAC 250, 251, 254, 264, 50A, 350 (NEW), 355, SUPER 250, BLITZ, 350 AGRISTAR, 264 DELUXE, 252	RSM-325-8	.325"	8	C	101413	10	14	14.2	68.2	17.4
PD5300	13916X		OLEO MAC 250, 251, 254, 264, 50A, 350 (NEW), 355, SUPER 250, BLITZ, 350 AGRISTAR, 264 DELUXE, 252	RSM-375-7	3/8"	7	C	101413	10	14	14.2	68.2	17.4
PD5304	111177X		OLEO MAC 937, 938, 941, 942, 944, 945, 946, 950, 951	RSM-325-7	.325"	7	B	121513	12	15	14.1	63.4	14.9
PD5305			OLEO MAC 937, 938, 941, 942, 944, 945, 946, 950, 951	RSM-375-7	3/8"	7	B	121513	12	15	14.1	63.4	14.9
PD5307			OLEO MAC 936, 940	RSM-375-7	3/8" LP	7	B	101313	10	13	13.8	63.6	17.5
PD5308			OLEO MAC 936, 940	RSM-325-7	.325"	7	B	101313	10				
PD5327	12667X		PARTNER R16, R17, R18, R19, R20, R65, P70, R50, R21, R22, R429, 421, R50, F55, R55, S65, R240, R420, R421, 417, 7000	RST-375-7	3/8"	7	B	141815	14	18	16.2	74	17.8
PD5328			PARTNER R16, R17, R18, R19, R20, R65, P70, R50, R21, R22, R429, 421, R50, F55, R55, S65, R240, R420, R421, 417, 7000	RST-404-7	.404"	7	B	141815	14	18	16.2	74	17.8
PD5330	41726X	530 06 93-16	HUSQVARNA 36, 41, 136, 137, 141, 142, 230, 235, 236, 240; JONSERED 2035, 2036, 2040, 2041, 2137, 2234, 2238; PARTNER 350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60; POULAN & POULAN PRO 255, 295, 2500, P600, 2275, 2600, 2700, 2750, 2775, 2900, 3050, PP210, P600, WOODSHARK, 4620	RSM-325-7	.325"	7	B	101412	10	14	12.6	63.5	16.4
PD5331			HUSQVARNA 36, 41, 136, 137, 141, 142, 230, 235, 236, 240; JONSERED 2035, 2036, 2040, 2041, 2137, 2234, 2238; PARTNER 350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60; POULAN & POULAN PRO 255, 295, 2500, P600, 2275, 2600, 2700, 2750, 2775, 2900, 3050, PP210, P600, WOODSHARK, 4620	RSM-375-7	3/8" LP	6	B	101412	10	14	12.6	63.5	16.4



SPECIFICATIONS
A = Bore Diameter C = Drum Diameter
B = Bore Length D = Drum Depth


please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5332			HUSQVARNA 36, 41, 136, 137, 141, 142, 230, 235, 236, 240; JONSERED 2035, 2036, 2040, 2041, 2137, 2234, 2238; PARTNER 350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60		.325"	7	B	101412	10	14	12.6	63.5	16.4
PD5383	34254X		POULAN & POULAN PRO 285, 305, 330, 335, 336, 2700, 2800, 3000, 3300, 3350, 3450, 3500	RSM-325-7	.325"	7	C	81008	0.5	15.9	13.2	68.1	17.6
PD5384	10617		POULAN & POULAN PRO 360, 361, 400, 401, 450, 451	RST-375-7	3/8"	7	B	B88	0.5	17.5	13.1	81.3	18.6
PD5385	28187X	48063	POULAN & POULAN PRO 375, 395, 3400, 3700, 3800, 4000	RST-375-7	3/8"	7	C	81008	0.5	15.9	13.7	76	16
PD5386			POULAN & POULAN PRO 375, 395, 3400, 3700, 3800, 4000	RST-404-7	.404"	7	C	81008	0.5	15.9	13.7	76	16
PD5391			PARTNER 351; POULAN & POULAN PRO 210, 221, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 237, 524, 502, 550, 2375, 2450, 2550	RSM-375-7	3/8" LP	6	B	101310	10	13	12.4	63.3	16.7
PD5395			JONSERED CS2138; POULAN & POULAN PRO WILD THING PATRIOT 1900, 3416, 3816, 4018, 4218, 3314, 3316	RSM-375-7	3/8" LP	6	B	BA59	7.93	12.7	14	63.3	16.7
PD5430		22155-51500	SHINDAIWA 488, 575, 580, 680, 685, 695	RST-375-7	3/8"	7	C	131714	13	17			
PD5431		22150-51510	SHINDAIWA 577	RST-375-7	3/8"	7	D	131714	13	17	14.7	77.8	15.8
PD5432		22169-51110	SHINDAIWA 757, EC7500, EC7600	RST-375-7	3/8"	7	D	131714	13	17	14.1	78	16.7
PD5433		22160-51511	SHINDAIWA 488, 400, 490	RSM-325-7	.325"	7	B	101313	10	13	12.8	71.9	16
PD5434			SHINDAIWA 285, 300S, 360, 300, 357, 394	RSM-375-7	3/8" LP	6	B	101316	10	13	17	68.2	16.9
PD5435		72326-51100	SHINDAIWA 285, 300S, 360, 300, 357, 394	RSM-325-7	.325"	7	B	101316	10	13	17	68.2	16.9
PD5436			SHINDAIWA 285, 300S, 360, 300, 357, 394	RSM-375-7	3/8"	7	B	101316	10	13	17	68.2	16.9
PD5437		39311-51110	SHINDAIWA 446	RSM-375-7	3/8"	7	C	101313	10	13			
PD5438			SHINDAIWA 446	RSM-325-7	.325"	7	c	101313	10	13			
PD5474			SOLO 639, 644, 645, 650, 651, 651S	RSM-325-7	.325"	7	B	101313	10	13	13.6	70	18.4
PD5505			STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012	RSM-375-7	3/8" LP	7	B	101313	10	13	13.2	66	16
PD5506	544689X		STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012	RSM-250-9	1/4"	8	D	101313	10	13	13.2	66	16
PD5507			STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012	RSM-325-7	.325"	7	B	101313	10	13	13.2	66	16
PD5509			STIHL 015, 015AV, 105EL	RSM-375-7	3/8" LP	6	A	101313	10	13	15.4	66.2	16.9
PD5510			STIHL 015, 015AV, 105EL	RSM-250-9	1/4"	8	D	101313	10	13	15.4	66.2	16.9
PD5513	32457X	1121-007-1001	STIHL 024, 026 (PRIOR TO X25809074)	RSM-325-7	.325"	7	B	101310	10	13	11.2	69	13.7

APPLICATION BY PART NUMBER



please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
PD5514		1121-007-1035	STIHL 024, 026 (PRIOR TO X25809074)	RSM-375-7	3/8"	7	B	101310	10	13	11.2	69	13.7
PD5515	100791X	1121 007 1037	STIHL 024, 026 (ADJUSTABLE OILER), MS260, MS261, MS240, MS270, MS271, MS290, MS291	RSM-325-7	.325"	7	B	101310	10	13	11.2	69	17.7
PD5516		1121 007 1041	STIHL 024, 026 (ADJUSTABLE OILER), MS260, MS261, MS240, MS270, MS271, MS290, MS291	RSM-375-7	3/8"	7	B	101310	10	13	11.2	69	17.7
PD5517	30384X	1118-007-1004	STIHL 028	RSM-325-7	.325"	7	C	101323	10	13	24.2	69	16.2
PD5518	509640X	1119-007-1003	STIHL 038		3/8"	7	D	121624	12	16	24.5	71.7	18.8
PD5519	34162X	1125 007 1002	STIHL 034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391	RSM-375-7	3/8"	7	B	101310	10	13	11.7	75.9	20.3
PD5520		1125-007-1001	STIHL 034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391	RSM-325-7	.325"	7	B	101310	10	13	11.7	75.9	20.3
PD5521			STIHL 034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391	RSM-375-8	3/8"	8	B	101310	10	13	11.7	75.9	20.3
PD5524	18200X	1113 007 1040	STIHL 030, 031, 032, 040, 041, FARM BOSS, MS310 (SPACER PROVIDED)	RST-375-7	3/8"	7	B	121513	12	15	16.4	69	18.9
PD5525	13916X		STIHL 030, 031, 032, 040, 041, FARM BOSS, MS310 (SPACER PROVIDED)	RST-404-7	.404"	7	D	121513	12	15	16.4	69	18.9
PD5526		1117-007-1006	STIHL 042, 048		3/8"	7	D	121624	12	16	23.9	75.8	20.7
PD5527			STIHL 050, 051, 075, 076	RST-375-7	3/8"	7	D	141814	14	18	17.6	85.9	22
PD5528	22271X	1111-640-2026	STIHL 050, 051, 075, 076	RST-375-8	3/8"	8	D	141814	14	18	17.6	85.9	22
PD5529	22262X	1111-640-2025	STIHL 050, 051, 075, 076	RST-404-7	.404"	7	D	141814	14	18	17.6	85.9	22
PD5530		1108-640-2026	STIHL 08, 08S, S10	RST-375-7	3/8"	7	B	151817	15	18	18	67	21.3
PD5531	10625	1108-640-2025	STIHL 08, 08S, S10	RST-404-7	.404"	7	B	151817	15	18	18	67	21.3
PD5532	108818X	1106 640 2025	STIHL 070	RST-404-7	.404"	7	B	151822	15	18	22	78	24.4
PD5533			STIHL 090	RST-404-7	.404"	7	D	151822	15	18	21.9	95.8	27.8
PD5534			STIHL 090	RST-375-7	3/8"	7	D	151822	15	18	21.9	95.8	27.8
PD5535	523046X	1123 007 1025	STIHL 017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251	RSM-375-7	3/8" LP	7		101310	10	13	11.5	66	17.8




please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS				
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D	
PD5536	100961X	1123-007-1032	STIHL 017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251	RSM-325-7	.325"	7	B	101310	10	13	11.5	66	17.8	
PD5537	544658X		STIHL 017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251	RSM-250-9	1/4"	9	D	101310	10	13	11.5	66	17.8	
PD5538	38470X	1128-007-1000	STIHL 044, 046, MS440, MS441, MS460	RST-375-7	3/8"	7	C	101612	10	16	11.7	76	18.1	
PD5539		1128 007 1011	STIHL 044, 046, MS440, MS441, MS460	RST-325-9	.325"	7	C	101612	10	16	11.7	76	18.1	
PD5540	35464X	1122 007 1000	STIHL 064, 066, MS660, MS650	RST-375-7	3/8"	7	D	101612	10	16	13.4	81.2	21.5	
PD5541	35460X	1122-007-1002	STIHL 064, 066, MS660, MS650	RST-404-7	.404"	7	D	101612	10	16	13.4	81.2	21.5	
PD5542		1124-007-1024	STIHL 084, 088, MS880	RST-404-7	.404"	7	D	121713	12	17	13.5	85	23.6	
PD5544		1124 007 1025	STIHL 084, 088, MS880	RST-375-7	3/8"	8	D	121713	12	17	13.5	85	23.6	
PD5545		1125 007 1041	STIHL MS360, 036QS, MS340, 034, 036, MS390	RST-375-7	3/8"	7	C	101612	10	16	11.7	75.9	20.3	
PD5546		1125 007 1003	STIHL MS360, 036QS, MS340, 034, 036, MS390	RST-325-9	.325"	9	C	101612	10	16	11.7	75.9	20.3	
PD5652			CHINESE CHAINSAW 4500, 5200		.325"	7	B	121513	12	15.0	14.6	68.0	11.8	
PD5653		5040578-01	HUSQVARNA 550, 555, 562, 545, 560	RSM-325-7	.325"	7	C	81008						
PD5654			CHINESE CHAINSAW 6200		.325"	7	B	111413	11	14.0	14.0	77.3	13.3	
PD5655			CHINESE CHAINSAW 6200		3/8"	7	B	111413	11	14.0	14.0	77.3	13.3	
RPE 9K			PELLENC RIM ONLY		1/4"	9								
SP5001	28005	4121200	ALPINA 330, 380, 35, 40, 432, 438, 482		3/8" LP	6	A	101310	10	13	11.2	57.2	14	
SP5002	111185X	4121960	ALPINA 400, P402, P420, P422, P442, P450, P460, P462, P472, P482, P500, P510, P522		.325"	7	B	101412	10	14	13.1	68.7	9.4	
SP5003	104102X	4121208	ALPINA P34, P350, P360, P361, P370, P371, P390, P391, P411		3/8" LP	6	A	101410	10	14	11	57.2	13.7	
SP5005		6995176	ALPINA PR270, PR280		3/8" LP	6	B							
SP5006		4122070	ALPINA P34, P350, P360, P361, P370, P371, P390, P391, P411		.325"	7	B	101410	10	14	11	57.2	13.7	
SP5007		4120800	ALPINA P680, 40, 41, 45		3/8"	7	C	101412	10	14	13	77.4	13.1	
SP5008		4121460	ALPINA P760, 700, 800		3/8"	7	C	121612	12	16	12.1	78.8	16	
SP5009		1114 640 2001	STIHL 020, 020AV		3/8" LP	6	A	101316	10					
SP5016		119 223 100	DOLMAR 112, 113, 114, 116, 117, 119, 120, 120 SUPER		3/8"	8	D	141815	14	18	14.3	76	15	
SP5017	38075X		DOLMAR 112, 113, 114, 116, 117, 119, 120, 120 SUPER		3/8"	7	D	141815	14	18	14.3	76	15	

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5018			DOLMAR CA, 122, 122SL, 123, 133, 143, CA113		3/8"	8	C	151815	15	18	14.1	69.5	20.4
SP5019			DOLMAR CA, 122, 122SL, 123, 133, 143, CA113		.404"	7	C	151815	15	18	14.1	69.5	20.4
SP5020			DOLMAR CC, SUPER CC, CX, 144CC, 116; POULAN & POULAN PRO 5500, 6000		3/8"	8	D	141815	14	18	16.6	83	21
SP5021		112 223 062	DOLMAR CC, SUPER CC, CX, 144CC, 116; POULAN & POULAN PRO 5500, 6000		.404"	8	D	141815	14	18	16.6	83	21
SP5024	112135	205 223 101	DOLMAR PS33, 39, 100, 102, PS400, 330, 340, 341, 342, 344, 400, 401, 410, PS411; MAKITA DCS33, DCS341, DC340, DCS400, DCS401		3/8" LP	6	A	101412	10	14	12	70	13.6
SP5025		206 223 100	DOLMAR PS33, 39, 100, 102, PS400, 330, 340, 341, 342, 344, 400, 401, 410, PS411; MAKITA DCS33, DCS341, DC340, DCS400, DCS401		.325"	7	B	101412	10	14	12	70	13.6
SP5028			DOLMAR 109, 110, 111, 115, PS43, PS52, PS540; MAKITA DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52		3/8" LP	6	B	121513	12	15	13	75.2	14.2
SP5029			DOLMAR 109, 110, 111, 115, PS43, PS52, PS540; MAKITA DCS430, DCS4300, DCS43, DCS520i, DCS5200i, DCS52		.325"	8	B	121513	12	15	13	75.2	14.2
SP5030			DOLMAR 103, 105, 108		3/8" LP	7	A	81210	8	12	12.7	70.2	14.6
SP5031			DOLMAR 109, 110, 111, 115, PS43, PS52, PS540		.325"	7	B	121513	12	15	13	75.2	14.2
SP5034	112130	036.223.111	DOLMAR PS34; MAKITA DCS34		3/8" LP	6	B	81210	8	10			
SP5035			DOLMAR 103, 105, 108		.325"	8	B	81210	8	12	12.7	70.2	14.6
SP5054	27999	175005-13931	ECHO CS270, CS280, CS280E, CS290, CS300, CS328, CS2800, CS2900		3/8" LP	6	A	81110	8	11	12	59.8	13.6
SP5055	544555		ECHO CS270, CS280, CS280E, CS290, CS300, CS328, CS2800, CS2900		1/4"	8	B	81110	8	11	12	59.8	13.6
SP5056		175005-11530	ECHO CS301		3/8" LP	6	A	101310	10	13	11	69.7	13
SP5058	28000	175005-11530	ECHO CS302, CS315, CS351		3/8" LP	6	A	81110	8	11	10.9	70	13.3
SP5061	513444	A556-000171	ECHO CS3600, CS3700, CS3900, CS400, CS4100, CS4200, CS440, CS4400, CS4510, CS4600, CS510, CS5100, CS4000, CS4500, CS5000, CS5500		.325"	7	A	101410	10	14	10.5	70	13.2
SP5062			ECHO CS3600, CS3700, CS3900, CS400, CS4100, CS4200, CS440, CS4400, CS4510, CS4600, CS510, CS5100, CS4000, CS4500, CS5000, CS5500		3/8"	7	C	101410	10	14	10.5	70	13.2



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth


please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5063	32794X	175005-14330	ECHO CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510; REDMAX / KOMATSU / ZENOAH G561AVS, G620AVS, G621AVS, GT556		3/8"	7	D	101413	10	14	12.8	77.5	13.8
SP5064			ECHO CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510		.404"	7	D	101413	10	14	12.8	77.5	13.8
SP5065			ECHO CS450, CS451, CS451VL, CS452, CS550, CS500, FARMA, CS610, CS680, CS5510; REDMAX / KOMATSU / ZENOAH G561AVS, G620AVS, G621AVS, GT556		.325"	7	D	101413	10	14	12.8	77.5	13.8
SP5068	32782X		ECHO CS60, CS60S		3/8"	7	B	141713	14	17	13.6	70	17.6
SP5069	32798X		ECHO CS602VL, CS702VL, CS750VL		3/8"	7	D	101413	10	14	12.7	77.7	17
SP5070			ECHO CS602VL, CS702VL, CS750VL		.404"	7	D	101413	10	14	12.7	77.7	17
SP5074			ECHO CS4000, CS4010, CS4500, CS4600, CS4601, CS5000, CS5200, CS5500		.325"	7	C	121510	12	15	12.8	69.8	12.8
SP5075			ECHO CS6700, CS6701, CS6702, CS6703		3/8"	7	C	121812	12	18	12.9	77.7	14.6
SP5077	106906X	175005-39133	ECHO CS3000, CS3050, CS3350, CS3400, CS340, CS341, CS3450, CS346, CS3500, CS320T, CS350T, CS360T, CS3450, CS355T, CS360T, CS330T, CS345, CS305, CS306		3/8" LP	6	A	101313	10	13	13.5	60	13
SP5078	544675X	175007-39232	ECHO CS3000, CS3050, CS3350, CS3400, CS340, CS341, CS3450, CS346, CS3500, CS320T, CS350T, CS360T, CS3450, CS355T, CS360T, CS330T, CS345, CS305, CS306		1/4"	8	B	101313	10	13	13.5	60	13
SP5079			ECHO CS801, CS802, CS901, CS8021		.404"	7	D	141713	14	17	13.3	78	17.1
SP5080		A556-000091	ECHO CS2600, CS2600ES, CS260T, CS2700, CS270; SHINDAIWA 269TS		3/8" LP	6	A	101313	10	13	13.4	54	14
SP5083	523524X	A556-000400	ECHO CS330, CS360, CS370, CS400, CS420		3/8" LP	6	B	101313	10	13	13.4	70	12.8
SP5084		A556-000101	ECHO CS2600, CS2600ES, CS260T, CS2700, CS270; SHINDAIWA 269TS		1/4"	8	B	101313	10	13	13.4	54	14
SP5085			HUSQVARNA 425; MAKITA CARVER; REDMAX / KOMATSU / ZENOAH CARVER 2500; TANAKA CARVER; CHINESE CHAINSAW CARVER 2500		1/4"	8	C	101313	10	13	14.5	54	13
SP5087		A556-000541	ECHO CS310ES		3/8" LP	6	B	81110	8	11	13.5	60	17.5
SP5089		A556-000480	ECHO CS330, CS360, CS370, CS400, CS420		.325"	7	B	101313	10	13	13.4	70	12.8
SP5100	28001		DOLMAR 290E		3/8" LP	6	A	101310	10	13	12.2	58.7	13.8

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5101			FRONTIER MARK1, MARK11, FB35, F3335, F35VIP, VIP; HUSQVARNA 33, 34, 35, 37, 38; JONSERED 36, 361, 365, 370, 380; PARTNER MINI P3, P3, PA, 22, 330, 350, 1613, 1614, 1616, 1618; PIONEER P12		.325"	7	B	101310	10	13	12.2	58.7	13.8
SP5111	27958	A95653B	HOMELITE 180, 190, 192, XL MINI, SLX MINI AO, 5240, 200, XL-100, XL-101, XL, XL2, SUPER 2, VI SUPER 2		3/8" LP	6	A	B68	3/8"	14.1	12.8	61.8	16.4
SP5113	30432X	A12294	HOMELITE 150AO, EZ-250AO, XL-101, VI-123, EZ, EZA0, SEZ-AO, *350, *350HG, *350SL, CS5501, CS5100 *UNITS WITH S CLUTCH SUITS 2-5/8" CLUTCH		3/8"	7	C	101208	5/8"	19	13	68.3	16.5
SP5114	30688X	A94302	HOMELITE 35SL, 330, 350, 360, 410, XL76, XL100, XL102, XL103, XL104, XL112, XL114, XL122, XL123, VI123, VI125, *350HG *UNITS WITH 5/8" SHAFT		3/8"	7	D	101208	5/8"	19	13	76	17
SP5116			HOMELITE EZ, 101, 150 AUTO, 240, 245, XL1, MINI EZ, SUPER EZ, SUPER EZ 200		3/8" LP	6	A	B68	3/8"	14.3	12.7	68.2	16.6
SP5118			HOMELITE XL-12 (BEFORE S/N 1735838), XL-15, XL-400, XL-500, XL-600, C52		3/8"	7	D	B88	0.5	17.4	11.6	79	18.9
SP5119			HOMELITE XL-12 (BEFORE S/N 1735838), XL-15, XL-400, XL-500, XL-600, C52		.404"	7	D	B88	0.5	17.4	11.6	79	18.9
SP5120	30681X	A95620	HOMELITE 450, 550, XL-12 (AFTER S/N 1735838), SUPER XL, XLAUTO, XL400, XL500, XL800, SLX925, SXL952, VI944, VI955, 923, 8800		3/8"	7	D	101208	5/8"	19	13.3	79	18.5
SP5126	108567	A09024	HOMELITE 20, 23, 25, 27, 3300, 3350, 3800, 3850, 3314, 3316, 4100, D4150B, D4550B, 4500 RANGER, TIMBERMAN		3/8" LP	6	A	81210	8	12	12	61.8	16.6
SP5152	106658X		HUSQVARNA 40, 45, 49; JONSERED 2041, 2045, 2050		.325"	7	B	81008	0.5	15.9	13.1	63.7	15.6
SP5154			HUSQVARNA 39, 44, 140, 235, 240S, 444, 238, 340SE, 340SG		.325"	7	C	B78	7/16"	15.9	12.9	69	16.2
SP5155			HUSQVARNA 39, 44, 140, 235, 240S, 444, 238, 340SE, 340SG		.325"	8	C	B78	7/16"	15.9	12.9	69	16.2
SP5156	32057	501-5140-01	HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)		3/8"	7	D	81008	0.5	15.9	12.7	78.6	16.7
SP5157	32071	501-65 09-01, 501-67 41-01	HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)		3/8"	8	D	81008	0.5	15.9	12.7	78.6	16.7




please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5158			HUSQVARNA 61, 66, 162, 222, 266, 268, 272, RANCHER 61; JONSERED 625 (AFTER S/N 0510123), 630 (AFTER S/N 0510000), 670 (AFTER S/N 0510153)		.404"	7	D	81008	0.5	15.9	12.7	78.6	16.7
SP5159	32058		HUSQVARNA 65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65		3/8"	7	D	810	0.5	17.4	15	78.8	17.7
SP5160	32125	501-6747-01	HUSQVARNA 65, 77, 160, 163, 180, 263, 260, 280, 380, 480, L-65		3/8"	8	D	810	0.5	17.4	15	78.8	17.7
SP5162	32059X	501-5977-02	HUSQVARNA 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP		3/8"	7	D	91110	9/16"	17.4	15.7	78.6	17.6
SP5164	39245	501-2930-01	HUSQVARNA 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP		.404"	7	D	91110	9/16"	17.4	15.7	78.6	17.6
SP5167			HUSQVARNA 133, 234, 238, 242 (BEFORE S/N 3441001)		.325"	7	B	878	7/16"	15.9	12.9	63.6	14.7
SP5168			HUSQVARNA 42, 242 (AFTER S/N 3441001), 246		.325"	7	B	81008	7/16"	15.9	15.9	63.6	14.5
SP5172	108308X	503 87 30-72	HUSQVARNA 340, 345, 346XP, 350, 351, 353 (SMALL SPLINE), 445, 450, 357; JONSERED 2141, 2145, 2149, 2150, 2151, 2152, 2153, 2156, 2159, 2245 (SMALL SPLINE), 2250		.325"	7	B	81008	0.5	15.9	13.4	69	14.3
SP5174	38071X		HUSQVARNA 50, 51, 55, 154, 254, 262; JONSERED 490, 590; PARTNER P500, P5000, 400, 48, 49; POULAN & POULAN PRO 325		.325"	7	B	81008	0.5	15.9	12.8	69	15.7
SP5179	522963X	503 82 22 71	HUSQVARNA 334T, 335, 336, 338XPT, 339; JONSERED CS2135T		3/8" LP	6	B	101412	10	14	15.5	63.5	14.6
SP5180	513471X	537 29 17 02	HUSQVARNA 455, 460		.325"	7	B	81008	0.5	15.9	11.5	69.3	14.2
SP5181		537 29 16 04	HUSQVARNA 455, 460		3/8"	7	B	81008	0.5	15.9	11.5	69.3	14.2
SP5182	542126	#53065504 7124 02, 505-441501	HUSQVARNA 435, 440, 445; JONSERED CS2240		.325"	7	B	121513	12	15	12.5	63.2	12.8
SP5226			JONSERED 45, 49, 50, 51, 52, 451, 452, 521		.325"	7	B	81008	0.5	15.9	14.1	74.4	16.3
SP5228			JONSERED 45, 49, 50, 51, 52, 451, 452, 521		3/8"	7	B	81008	0.5	15.9	14.1	74.4	16.3
SP5231			JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055		.325"	8	B	121613	12	16	14	63.5	16
SP5232			JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055		3/8"	7	B	121613	12	16	14	63.5	16
SP5233			JONSERED 450, 455, 510, 520, 525, 535, 540, 2044, 2051, 2052, 2054, 2055		.325"	7	B	121613	12	16	14	63.5	16
SP5234			JONSERED 60, 62, 66, 70, 601, 621		3/8"	8	C	151917	15	19	16.9	74	17

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5235			JONSERED 75, 80, 81, 90, 751, 801; OLEO MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482, 484		3/8"	8	C	151917	15	19	16.8	79.1	16
SP5237			JONSERED 75, 80, 81, 90, 751, 801; OLEO MAC 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482, 484		.404"	7	C	151917	15	19	16.8	79.1	16
SP5238			JONSERED 820, 830, 920, 930, 910		.325"	7	D	141913	14	19	14.7	88	17.3
SP5239			JONSERED 820, 830, 920, 930, 910		3/8"	8	D	141913	14	19	14.7	88	17.3
SP5240			JONSERED 820, 830, 920, 930, 910		.404"	8	D	141913	14	19	14.7	88	17.3
SP5242		503-861703	HUSQVARNA 362, 365, 371, 372XP, 385, 570, 575XP, 576; JONSERED 2063, 2065, 2165, 2071, 2171; JONSERED CS2188, CS2186		3/8"	7	C	121613	0.5	16	13.8	78.6	17.9
SP5243			JONSERED 2083, 2077		3/8"	7	C	121613	12	16	13.2	78.7	17.6
SP5245			JONSERED 2063, 2065, 2165, 2071, 2171		.325"	7	C	121613	0.5	16	13.8	78.6	17.9
SP5252		537-291602	JONSERED CS2255		3/8"	7	C	81008	0.5	15.9	11.5	69.3	14.2
SP5253			JONSERED CS2255		.325"	7	C						
SP5265		51774-B	MCCULLOCH D44, 1.70-1.76, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, S797, CP125, SP125		.404"	8	D	B910	9/16"				
SP5269	29888	215252	MCCULLOCH 365, 2000, 2010, 2012, MM-3AS, MAC6, PM6A, SUPER PRO 40, 3200, ALL MINI MAC MODELS, TITAN 35-40, PROMAC 3025, 200-2016, 2316, 2318, 3000, 3210-3216, MAC 110-140, POWER MAC 310-340, PM 480, 120, EAGER BEAVER, 2014, 2016, 3000, 3200, 3505, 3516, 3805, 3818		3/8" LP	6	A	101412	10	14	12.1	70	15
SP5270	32786X	65370	MCCULLOCH 60, 155, 165, 355, 365, 375, PROMAC-55, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, TIMBERBEAR, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E, 515, 605, 610, 650		3/8"	7	D	81008	0.5	15.9	12.9	84.8	21.2
SP5271			MCCULLOCH 60, 155, 165, 355, 365, 375, PROMAC-55, CP-70, 1-10, 2-10, MAC3-10, MAC4-10, MAC5-10, MAC6-10, MAC7-10, 10-10, 610, 650, TIMBERBEAR, PM750, PM655, PM700, PM800, 850, CP-80, SP-81, SP-81E, 515, 605, 610, 650		.404"	7	D	81008	0.5	15.9	12.9	84.8	21.2
SP5272			MCCULLOCH PM350, PM4000		.325"	7	C	101412	10	14	12.2	70.3	16
SP5296			OLEO MAC 233, 234, 240, 241, 244, 340		.325"	7	B	101412	10	14	12.2	58.6	16.2




please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS				
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D	
SP5297			OLEO MAC 233, 234, 240, 241, 244, 340		3/8" LP	6	A	101412	10	14	12.2	58.6	16.2	
SP5298			OLEO MAC 250, 251, 254, 264, 50A, 350 (NEW), 355, SUPER 250, BLITZ, 350 AGRISTAR, 264 DELUXE, 252		.325"	8	C	101413	10	14	14.2	68.2	17.4	
SP5300	32060X		OLEO MAC 250, 251, 254, 264, 50A, 350 (NEW), 355, SUPER 250, BLITZ, 350 AGRISTAR, 264 DELUXE, 252		3/8"	7	C	101413	10	14	14.2	68.2	17.4	
SP5303	103217X		OLEO MAC 930, 935 HANDY, 30, 35		3/8" LP	6	B	81110	8	11	11.5	58.7	15.5	
SP5304	106068X		OLEO MAC 937, 938, 941, 942, 944, 945, 946, 950, 951		.325"	7	B	121513	12	15	14.1	63.4	14.9	
SP5305			OLEO MAC 937, 938, 941, 942, 944, 945, 946, 950, 951		3/8"	7	B	121513	12	15	14.1	63.4	14.9	
SP5306		50050136	OLEO MAC 936, 940		3/8" LP	6	B	101313	10	13	13.8	63.6	17.5	
SP5307			OLEO MAC 936, 940		3/8" LP	7	B	101313	10	13	13.8	63.6	17.5	
SP5308			OLEO MAC 350 OLD		3/8"	7	C	131513	10	15	14.2	68.2		
SP5327	32778X		PARTNER R16, R17, R18, R19, R20, R65, P70, R50, R21, R22, R429, 421, R50, F55, R55, S65, R240, R420, R421, 417, 7000		3/8"	7	B	141815	14	18	16.2	74	17.8	
SP5328			PARTNER R16, R17, R18, R19, R20, R65, P70, R50, R21, R22, R429, 421, R50, F55, R55, S65, R240, R420, R421, 417, 7000		.404"	7	B	141815	14	18	16.2	74	17.8	
SP5330	41725X	530 04 70 61	HUSQVARNA 36, 41, 136, 137, 141, 142, 230, 235, 236, 240; JONSERED 2035, 2036, 2040, 2041, 2137, 2234, 2238; PARTNER 350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60; POULAN & POULAN PRO 255, 295, 2500, P600, 2275, 2600, 2700, 2750, 2775, 2900, 3050, PP210, P600, WOODSHARK, 4620		.325"	7	B	101412	10	14	12.6	63.5	16.4	
SP5331	41569X	530 06 93-15	HUSQVARNA 36, 41, 136, 137, 141, 142, 230, 235, 236, 240; JONSERED 2035, 2036, 2040, 2041, 2137, 2234, 2238; PARTNER 350, 365, 405, P33XT, P4-18XT, P4-20XT, FORMULA 60; POULAN & POULAN PRO 255, 295, 2500, P600, 2275, 2600, 2700, 2750, 2775, 2900, 3050, PP210, P600, WOODSHARK, 4620		3/8" LP	6	B	101412	10	14	12.6	63.5	16.4	
SP5354	28611X		PIONEER P-38, P-41, P-42, P-51, 68210, P-52, P-60, P-61, P-62, FARMSAW, 700, 750, 11-50, 11-60, 14-10, 1420, 1200, 1750, 1850, 2270, S2400, 3200		3/8"	7	D	B810	0.5	17.5	19.7	71.9	27.4	
SP5378	28004	952-048078	DOLMAR 101; POULAN & POULAN PRO 180, 205, MICRO 25, 1800, 2000, MICRO S25, 180, 225, 235, 2100, 2300, 2400		3/8" LP	6	A	58000	0.407	13.5	13.2	63.5	14.1	

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5380	28006	952-048102	DOLMAR 104, 106; POULAN & POULAN PRO 25 SERIES, 25DA, S25DA		3/8" LP	6	A	C1418-1	7/16"	14.3	14.3	68.3	14.4
SP5382			POULAN & POULAN PRO 25 SERIES, 25DA, S25DA		.325"	7	B	C1418-1	7/16"	14.3	14.3	68.3	14.4
SP5383	107504X	48083	POULAN & POULAN PRO 285, 305, 330, 335, 336, 2700, 2800, 3000, 3300, 3350, 3450, 3500		.325"	7	C	81008	0.5	15.9	13.2	68.1	17.6
SP5384			POULAN & POULAN PRO 360, 361, 400, 401, 450, 451		3/8"	7	B	B88	0.5	17.5	13.1	81.3	18.6
SP5385	32790X	48062	POULAN & POULAN PRO 375, 395, 3400, 3700, 3800, 4000		3/8"	7	C	81008	0.5	15.9	13.7	76	16
SP5391	106114	952-048124	PARTNER 351; POULAN & POULAN PRO 210, 221, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 237, 524, 502, 550, 2375, 2450, 2550		3/8" LP	6	B	101310	10	13	12.4	63.3	16.7
SP5395	514678	530-057905	JONSERED CS2138; POULAN & POULAN PRO WILD THING PATRIOT 1900, 3416, 3816, 4018, 4218, 3314, 3316		3/8" LP	6	B	BA59	7.93	12.7	14	63.3	16.7
SP5412	104440X		OLEO MAC 931, 932; REDMAX / KOMATSU / ZENOAH G300, G3000, G3100, G320AVS, G3200, G3300, G250, G280		3/8" LP	6	A	101313	10	13	13.2	68.2	17.2
SP5413			REDMAX / KOMATSU / ZENOAH G380, G3800, G400AVS, G4000, G410AVS, G4100, G415, G4200, G455, G450, G4500		.325"	7	B		15	15.2	68.2	13.7	
SP5424		A055-000050	SHINDAIWA 305, 345, 340, 350, 352, 377, 355, 415, 450, 500		.325"	7	B	101316	10	13	16.5	68.2	17.3
SP5425			SHINDAIWA 305, 345, 340, 350, 352, 377, 355, 415, 450, 500		1/4"	8	D	101316	10	13	16.5	68.2	17.3
SP5426			SHINDAIWA 305, 345, 340, 350, 352, 377, 355, 415, 450, 500		3/8"	7	B	101316	10	13	16.5	68.2	17.3
SP5427		72320-51110	SHINDAIWA 305, 345, 340, 350, 352, 377, 355, 415, 450, 500		3/8" LP	6	A	101316	10	13	16.5	68.2	17.3
SP5428			SHINDAIWA 405, 406, 407, 410, 416, 440, 450, 451, 480, 485		.325"	7	B	101316	10	13	17.8	67.7	16.7
SP5429			SHINDAIWA 405, 406, 407, 410, 416, 440, 450, 451, 480, 485		3/8"	7	B	101316	10	13	17.8	67.7	16.7
SP5430			SHINDAIWA 488, 575, 580, 680, 685, 695		3/8"	7	C	131714	13	17			
SP5434		22163-51110	SHINDAIWA 285, 300S, 360, 300, 357, 394		3/8" LP	6	B	101316	10	13	17	68.2	16.9
SP5435			SHINDAIWA 285, 300S, 360, 300, 357, 394		.325"	7	B	101316	10	13	17	68.2	16.9
SP5436			SHINDAIWA 285, 300S, 360, 300, 357, 394		3/8"	7	B	101316	10	13	17	68.2	16.9
SP5440	546622		OREGON CS250, CS300		3/8" LP	6	A	101313	10				
SP5450			RYOBI		3/8"	6	A	B57	7.93				
SP5451			RYOBI		.325"	7	B						
SP5468			SOLO 647, 654, 616		.325"	8	B	121513	12	15	15.5	70	16.7



SPECIFICATIONS
 A = Bore Diameter C = Drum Diameter
 B = Bore Length D = Drum Depth


please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5469			SOLO 647, 654, 616		3/8"	7	B	121513	12	15	15.5	70	16.7
SP5470			SOLO 620, 650, 655, 660		3/8"	7	C	141815	14	18	14.9	70	17
SP5471			SOLO 603, 670, 680, 690, 681, 694		3/8"	7	D	141815	14	18	17.5	89	20.7
SP5473			SOLO 600, 605, 606 (WITH 60MM DRUM), 631		3/8" LP	6	A	101412	10	14	13.5	65.8	18.4
SP5474	111435X		SOLO 639, 644, 645, 650, 651, 651S		.325"	7	B	101313	10	13	13.6	70	18.4
SP5475			SOLO 662, 667		3/8"	7	B	141815	14	18	15.1	70	15.9
SP5477			SOLO 605, 606 (WITH 58MM CLUTCH), 632, 634, 638, 641		3/8" LP	6	A	101412	10	14	14.2	58.6	16.7
SP5478			SOLO 605, 606 (WITH 58MM CLUTCH), 632, 634, 638, 641		.325"	7	B	101412	10	14	14.2	58.6	16.7
SP5480			SOLO 610, 615		.325"	7	B	101310	10	13	12.1	50	18.6
SP5505	28016X	1120-640-2000	STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012		3/8" LP	6	A	101313	10	13	13.2	66	16
SP5507		1120-640-2006	STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012		.325"	7	B	101313	10	13	13.2	66	16
SP5508		1120-640-2005	STIHL 009, 009Q, 010, 010AVEQ, 010AVQ, 110AV, 011AVEQ, 012		3/8" LP	7	B	101313	10	13	13.2	66	16
SP5509		1116-640-2001	STIHL 015, 015AV, 105EL		3/8" LP	6	A	101313	10	13	15.4	66.2	16.9
SP5511		1129-640-2000	STIHL MS192T, MS200T, 020T, 200T, MS200, SPUR APPLICATION ONLY		3/8" LP	6	A	101313	10	13	13	66.4	12.8
SP5512		1129 640 2051	STIHL MS192T, MS200T, 020T, 200T, MS200, SPUR APPLICATION ONLY		1/4"	8	D	101313	10	13	13	66.4	12.8
SP5513	38076X	1121-640-2003	STIHL 024, 026 (PRIOR TO X25809074)		.325"	7	B	101310	10	13	11.2	69	13.7
SP5514			STIHL 024, 026 (PRIOR TO X25809074)		3/8"	7	B	101310	10	13	11.2	69	13.7
SP5515	100876X	1141-640-2001	STIHL 024, 026 (ADJUSTABLE OILER), MS260, MS261, MS240, MS270, MS271, MS290, MS291		.325"	7	B	101310	10	13	11.2	69	17.7
SP5516			STIHL 024, 026 (ADJUSTABLE OILER), MS260, MS261, MS240, MS270, MS271, MS290, MS291		3/8"	7	B	101310	10	13	11.2	69	17.7
SP5517		1118-640-2001	STIHL 028		.325"	7	C	101323	10	13	24.2	69	16.2
SP5518	32061X	1119-640-2000	STIHL 038		3/8"	7	D	121624	12	16	24.5	71.7	18.8
SP5519	38145X	1125 640 2000	STIHL 034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391		3/8"	7	B	101310	10	13	11.7	75.9	20.3
SP5520	111188X	1125-640-2005	STIHL 034, 036, 029, 039, MS290, MS310, MS311, MS340, MS360, MS361, MS362, MS390, MS391		.325"	7	B	101310	10	13	11.7	75.9	20.3
SP5521	32063X	1115-640-2001	STIHL 045AV, 045AVE, 045AVEQ, 056		3/8"	7	D	141717	14	17	17.5	77.5	23.1

APPLICATION BY PART NUMBER




please refer to price list for price code value



APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5523		1115-640-2005	STIHL 045AV, 045AVE, 045AVEQ, 056		.404"	7	D	141717	14	17	17.5	77.5	23.1
SP5524	32060	1113-640-2000	STIHL 030, 031, 032, 040, 041, FARM BOSS, MS310 (SPACER PROVIDED)		3/8"	7	B	121513	12	15	16.4	69	18.9
SP5525		1110-007-1017	STIHL 030, 031, 032, 040, 041, FARM BOSS, MS310 (SPACER PROVIDED)		.404"	7	D	121513	12	15	16.4	69	18.9
SP5526	32064X	1117-640-2001	STIHL 042, 048		3/8"	7	D	121624	12	16	23.9	75.8	20.7
SP5529	32072X	1111-640-2002	OLEO MAC 999; STIHL 050, 051, 075, 076		.404"	7	D	141815	14	18	17.6	85.9	22
SP5531	35992X	1108-640-2000	STIHL 08, 08S, S10		.404"	7	B	151817	15	18	18	67	21.3
SP5532	107794X	1106-640-2011	STIHL 070		.404"	7	B	151822	15	18	22	78	24.4
SP5533		1106-640-2015	STIHL 090		.404"	7	D	151822	15	18	21.9	95.8	27.8
SP5534			STIHL 090		3/8"	7	D	151822	15	18	21.9	95.8	27.8
SP5535	100962X	1123-640-2073	STIHL 017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251		3/8" LP	6	A	101310	10	13	11.5	66	17.8
SP5536	106657X	1123-640-2074	STIHL 017, 018, 019, 019T, 021, 023, 025, MS170, MS180, MS181, MS190, MS192CE, MS210, MS211, MS211C, MS230 DURO, MS250, MS251		.325"	7	B	101310	10	13	11.5	66	17.8
SP5538	38471X	1128 640 2000	STIHL 044, 046, MS440, MS441, MS460		3/8"	7	C	101612	10	16	11.7	76	18.1
SP5539			STIHL 044, 046, MS440, MS441, MS460		.325"	7	C	101612	10	16	11.7	76	18.1
SP5540		1122-640-2002	STIHL 064, 066, MS660, MS650		3/8"	7	D	101612	10	16	13.4	81.2	21.5
SP5541		1122-640-2001	STIHL 064, 066, MS660, MS650		.404"	7	D	101612	10	16	13.4	81.2	21.5
SP5542		1124-640-2005	STIHL 084, 088, MS880		.404"	7	D	121713	12	17	13.5	85	23.6
SP5543			STIHL 07 (OLD MODEL)		.404"	7	D	151817	15	18	17.9	67	21.8
SP5545		1125 640 2006	STIHL MS360, 036QS, MS340, 034, 036, MS390		3/8"	7	C	101612	10	16	11.7	75.9	20.3
SP5594			TANAKA ECS35, ECS355, ECS351, ECS405, 356, 350, 351, 370		3/8" LP	6	A	101310	10	13	10.6	66	16.7
SP5595	111434		TANAKA ECS415, ECS4000		.325"	7	B	101310	10	13	10.6	66	16.2
SP5596			TANAKA ECS505, ECS650, ECS655, ECV5601		3/8"	7	B			15	14.9	71.9	18.9
SP5597			TANAKA TCS2801, EC290, 300, 320, 330, TCS3301, TCS3401		3/8" LP	6	A	101310	10	13	10.9	59.9	17.2
SP5598			TANAKA ECV3801, ECV4501		3/8" LP	6	A	111410	11	14	12.3	66.2	16.5
SP5599			TANAKA ECV3801, ECV4501		.325"	7	B	111410	11	14	12.3	66.2	16.5
SP5651			CHINESE CHAINSAW 3900		3/8" LP	6	A	101313	10	13.0	14.0	68.0	12.7




please refer to price list for price code value

SPROCKETS

APPLICATION BY PART NUMBER

ARCHER PART NO.	OREGON NO.	OEM NO.	FITS MODELS	ARCHER RIM NO.	CHAIN PITCH	TEETH NO.	PRICE CODE	BEARING NO.	CRANK DIA.	SPECIFICATIONS			
										BORE DIA. A	BORE LENGTH B	DIA. C	DRUM DEPTH D
SP5652			CHINESE CHAINSAW 4500, 5200		.325"	7	B	121513	12	15.0	14.6	68.0	11.8
SP5657			CHINESE CHAINSAW 3800		3/8" LP	6	A	101313	10	13.0	14.0	68.0	12.7
SP5658	553995		HUSQVARNA 425; REDMAX / KOMATSU / ZENOAH CARVER 2500; TANAKA CARVER; CHINESE CHAINSAW CARVER 2500		3/8" LP	6	C	101313	10	13	14.5	54	13
SP5658			REDMAX / KOMATSU / ZENOAH G2500; CHINESE CHAINSAW 3900		3/8" LP; 3/8"	6	C	101313	10	13.0	14.0	54	13
SP5688			MARUYAMA MCV3100		1/4"	8	C	101310	10	13.0			
SP5700			CRAFTSMEN 55/18, 55/20		3/8	7	D	101313	10	13.0	14		
SP5701			CRAFTSMEN 55/18, 55/20		.325"	8	D	101313	10	13.0	14		

APPLICATION BY PART NUMBER



please refer to price list for price code value

**WWW
.PMD
INTER
NATIONAL
.COM
.AU**



ARCHSPRO0016