Favi Kids Video Game Projector (RioHD-LED-K1)

reen opees	
Model:	RioHD-LED-K1
LCD:	RGB display
Native Resolution:	480 x 320
Supported Resolutions:	up to 1080p
Projected Image Size:	15 - 60 inch
Lumens:	60
Contrast Ratio:	1000:1
Throw Ratio:	1.3
Vertical Image Flip:	Yes
Horizontal Image Flip:	Yes
LED Lamp Life:	30,000 hours
Operating Voltage:	100-240 V / 50-60 Hz
Power Consumption:	12V / 2A
Operating Temperature:	14°F - 95°F
Storage Temperature:	-14°F - 140°F
Size:	6.7 x 4.5 x 2.6 inches
Weight:	0.60 lbs
Inputs	
Composite Video:	1
VGA:	1
HDMI:	1
USB (media playback):	1
SD card (media playback):	1
Audio Inputs:	Stereo 2.0W speaker
Audio Output:	Stereo Headphone jack
In the Box	
RioHD-LED-K1 projector	
Remote control	
Power Adapter (100-240V) cable	
AV cable	
User guide	

Favi Video Game Projector (RioHD-LED-G3)

Teen Spees	
Model:	RioHD-LED-G3
LCD:	3.5 inch TFT Matrix RGB
Native Resolution:	SVGA (800 x 600)
Supported Resolutions:	up to 1080p
Projected Image Size:	50 - 120 inch
Lumens:	350
Contrast Ratio:	1800:1
Throw Ratio:	1.3
Keystone:	Manual
Vertical Image Flip:	Yes
Horizontal Image Flip:	Yes
LED Lamp Life:	20,000 hours
LED Lamp Power:	70W
Operating Voltage:	AC 110-240 V / 50-60 Hz
Power Consumption:	19V / 70W
Operating Temperature:	4°F - 95°F
Storage Temperature:	-14°F - 140°F
Size:	9.0 x 5.0 x 3.7 inches
Weight:	2.75 lbs
Inputs	
Composite Video:	1
Component Video:	1
S-Video:	1
VGA:	1
HDMI:	1
USB (media playback):	1
Audio Inputs:	Stereo (1.5W x 2)
Audio Output:	Stereo
In the Box	
RioHD-LED-G3 projector	
Remote control	
Power Adapter (100-240V) / cable	
AV cable	
User guide	

Favi Portable LED Movie Projector (RioHD-LED-3)

Model:	RioHD-LED-3
LCD:	3.5 inch TFT Matrix RGB
Native Resolution:	SVGA (800 x 600)
Supported Resolutions:	up to 1080p
Projected Image Size:	50 - 120 inch
Lumens:	150
Contrast Ratio:	1500:1
Throw Ratio:	1.4
Keystone:	Manual
Vertical Image Flip:	Yes
Horizontal Image Flip:	Yes
LED Lamp Life:	20,000 hours
LED Lamp Power:	70W
Operating Voltage:	AC 110-240 V / 50-60 Hz
Power Consumption:	19V / 70W
Operating Temperature:	4°F - 95°F
Storage Temperature:	-14°F - 140°F
Size:	8.0 x 6.0 x 3.8 inches
Weight:	2.75 lbs
Inputs	
Composite Video:	1
Component Video:	1
S-Video:	1
VGA:	1
HDMI:	1
USB (media playback):	1
Audio Inputs:	Stereo (1.5W x 2)
Audio Output:	Stereo
In the Box	
RioHD-LED-3 projector	
Remote control	
Power Adapter (100-240V) / cable	
AV cable	
User guide	

Favi LED Video Projector (RioHD-LED-3T)

leen opees	
Model:	RioHD-LED-3T
LCD:	5 inch TFT Matrix RGB
Native Resolution:	WVGA (854 x 540)
Supported Resolutions:	up to 1080p
Projected Image Size:	60 - 200 inch
Lumens:	1000
Contrast Ratio:	2000:1
Throw Ratio:	1.3
Keystone:	Manual
Vertical Image Flip:	Yes
Horizontal Image Flip:	Yes
LED Lamp Life:	30,000 hours
LED Lamp Power:	100W
Operating Voltage:	AC 110-240 V / 50-60 Hz
Power Consumption:	120W
Operating Temperature:	4°F - 95°F
Storage Temperature:	-14°F - 140°F
Size:	13.0 x 9.7 x 4.6 inches
Weight:	7.0 lbs
Inputs	
Composite Video:	1
Component Video:	1
S-Video:	1
VGA:	1
HDMI:	2
USB (media playback):	1
Audio Inputs:	Stereo (3W x 2)
Audio Output:	Stereo
In the Box	
RioHD-LED-3T projector	
Remote control	
Power cable	
AV cable	
User guide	

Favi HD LED Projector (RioHD-LED-4T)

lean opees	
Model:	RioHD-LED-4T
LCD:	5.8 inch TFT Matrix RGB
Native Resolution:	720p (1280 x 768)
Supported Resolutions:	up to 1080p
Projected Image Size:	60 - 200 inch
Lumens:	1000
Contrast Ratio:	2500:1
Throw Ratio:	1.6
Keystone:	Manual
Vertical Image Flip:	Yes
Horizontal Image Flip:	Yes
LED Lamp Life:	30,000 hours
LED Lamp Power:	140W
Operating Voltage:	AC 110-240 V / 50-60 Hz
Power Consumption:	170W
Operating Temperature:	4°F - 95°F
Storage Temperature:	-14°F - 140°F
Size:	13.7 x 10.6 x 5.7 inches
Weight:	7.0 lbs
Inputs	
Composite Video:	1
Component Video:	1
S-Video:	1
VGA:	1
HDMI:	2
USB (media playback):	1
Audio Inputs:	Stereo (3W x 2)
Audio Output:	Stereo
In the Box	
RioHD-LED-4T projector	
Remote control	
Power cable	
AV cable	
User guide	