

FRIGIDAIRE®

APPLIANCE SPECIFICATIONS




FRIGIDAIRE Professional®
FRIGIDAIRE Gallery Premier Collection®
FRIGIDAIRE Gallery®
FRIGIDAIRE Affinity®

24'8"

21'8"

2 W/ Solid Ply Spac
8' Overhead Door

Garage



FRIGIDAIRE

Frigidaire Professional®

Count on our professional-style appliances to ensure better results. Featuring Pro-Select™ Controls and the signature PowerPlus™ collection of high-performance features.

Frigidaire Gallery®

The Frigidaire Gallery® collection offers easy-to-use, time-saving features — including Express-Select™ Controls and the Effortless™ features collection, which help you get more done with less effort.

Frigidaire Affinity®

Whatever your design style, living space or family size, our Frigidaire Affinity® washers and dryers are designed to help. From the stylishly efficient front load washers to the gas or electric dryers, find the one that's right for you.



30" DOUBLE WALL OVEN
FPET3085K F

PowerPlus™ Preheat
Pro-Select™ Controls
PowerPlus™ Convection
Keep Warm Setting

Overall Exterior Dimensions
Height 50-7/16"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 48-7/8" min./49-7/8" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.
27" model also available
FPET2785K F



30" SINGLE WALL OVEN
FPEW3085K F

PowerPlus™ Preheat
Pro-Select™ Controls
PowerPlus™ Convection
Keep Warm Setting

Overall Exterior Dimensions
Height 29"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 27-1/4" min./28-5/8" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.
27" model also available
FPEW2785K F



30" WARMER DRAWER
FPWD3085K F

Real Stainless Steel
Large Capacity
Pro-Select™ Controls
Adjustable Humidity Control

Overall Exterior Dimensions
Height 11-1/4"
Width 30"
Depth 23-3/8"

Cutout Dimensions
Height 9-7/8" min./10-1/4" max.
Width 28-1/2" min./28-3/4" max.
Depth 23-5/8" min./24" max.
27" model also available
FPWD2785K F



30" MICROWAVE COMBINATION OVEN
FPMC3085K F

Real Stainless Steel
PowerPlus™ Preheat
Fits-More™ Microwave
PowerPlus™ Convection

Overall Exterior Dimensions
Height 42-3/4"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 41-1/8" min./42-3/16" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.
27" model also available
FPMC2785K F



24" BUILT-IN* MICROWAVE
FPMO209K F

Fits-More™ Microwave
Over 30 Options
Effortless™ Reheat
One-Touch Options

Overall Exterior Dimensions
Height 13-3/8"
Width 24"
Depth 19-1/8"

Cutout Dimensions
Height 16-3/4" min./17" max.
Width 24-3/4" min./25" max.
Depth 20" min.



30" OVER-THE-RANGE MICROWAVE
FPBM189K F

Effortless™ Reheat
Over 40 Options
SpaceWise™ Rack
One-Touch Options

Overall Exterior Dimensions
Height 17-1/16"
Width 29-15/16"
Depth 16-3/8"

Cutout Dimensions
Height 15-1/2" min.
Width 30" min.
Depth 12" min./14" max.



30" OVER-THE-RANGE MICROWAVE
FPMV189K F

Effortless™ Reheat
Over 40 Options
SpaceWise™ Rack
One-Touch Options

Overall Exterior Dimensions
Height 17-1/16"
Width 29-15/16"
Depth 16-3/8"

Cutout Dimensions
Height 15-1/2" min.
Width 30" min.
Depth 12" min./14" max.

* 30- and 27-inch built-in trim kits available.



36" INDUCTION HYBRID COOKTOP

FPEC3685K S

Cooking Versatility
More Energy Efficient
More Responsive
10" and 6" Induction Elements

Overall Exterior Dimensions

Height 4-3/8"
Width 36-3/4"
Depth 21-1/2"

Cutout Dimensions

Height 4-1/2" min.
Width 35-7/8" min./36" max.
Depth 20-3/8" min./20-1/2" max.

30" model also available

FPEC3085K S



36" ELECTRIC COOKTOP

FPGC3685K S

PowerPlus™ Boil
SpaceWise™ Bridge Element
Pro-Select™ Controls
SpaceWise™ Expandable Elements

Overall Exterior Dimensions

Height 5"
Width 36-1/2"
Depth 21-1/2"

Cutout Dimensions

Height 6" min.
Width 35-1/2" min./35-7/8" max.
Depth 20-3/8" min./20-3/4" max.

30" model also available

FPEC3085K S



36" GAS COOKTOP

FPGC3685K S

PowerPlus™ Boil
PowerPlus™ FullRange Burner
Pro-Select™ Controls
Continuous Grates

Overall Exterior Dimensions

Height 4-1/4"
Width 36"
Depth 21-3/4"

Cutout Dimensions

Height 8" min.
Width 33-7/8" min./34-1/4" max.
Depth 19-1/8" min./19-3/4" max.

30" model also available

FPGC3085K S



30" DUAL-FUEL SLIDE-IN RANGE

FPDS3085K F

- PowerPlus™ Preheat
- PowerPlus™ Convection
- PowerPlus™ Boil
- PowerPlus™ FullRange Burner

Overall Exterior Dimensions
Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions
Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



30" ELECTRIC SLIDE-IN RANGE

FPES3085K F

- PowerPlus™ Preheat
- PowerPlus™ Convection
- PowerPlus™ Boil
- Pro-Select™ Controls

Overall Exterior Dimensions
Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions
Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



30" GAS SLIDE-IN RANGE

FPGS3085K F

- PowerPlus™ Preheat
- True Convection
- PowerPlus™ Boil
- PowerPlus™ FullRange Burner

Overall Exterior Dimensions
Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions
Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



40" DUAL-FUEL FREESTANDING RANGE

FPDF4085K F

- True Convection
- Keep Warm Setting
- Pro-Select™ Controls
- Real Stainless Steel

Overall Exterior Dimensions
Height 48-1/8"
Width 40-1/8"
Depth 28-1/2"

Cutout Dimensions
Height 35-7/8" min./36" stand.
Width 40-1/4" min.
Depth 24" min./24-1/2" max.



40" ELECTRIC FREESTANDING RANGE

FPEF4085K F

- Largest Total Cooktop Capacity
- Keep Warm Zone
- True Convection
- Real Stainless Steel

Overall Exterior Dimensions
Height 48-1/8"
Width 40-1/8"
Depth 28-1/2"

Cutout Dimensions
Height 35-7/8" min./36" stand.
Width 40-1/4" min.
Depth 24" min./24-1/2" max.



30" ELECTRIC FREESTANDING RANGE

FPEF3081K F

- Fits-More™ Oven
- PowerPlus™ Boil
- PowerPlus™ Preheat
- PowerPlus™ Convection

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"



30" GAS FREESTANDING RANGE

FPGF3081K F

- PowerPlus™ Preheat
- True Convection
- PowerPlus™ Boil
- PowerPlus™ FullRange Burner

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"



42" STAINLESS STEEL GLASS CANOPY ISLAND HOOD

RH42PC60G S

Glass Canopy Design
Quad Halogen Lights
600 CFMs/ 4-Speed Fan
Electronic Controls with LCD Display

Overall Exterior Dimensions

Height (w/ One Cover)	28" min.
Height (w/ Flue Extension)	35" min. 57" max.
Width	41-7/8"
Depth	25-3/16"

36" model also available
RH36PC60G S



36" STAINLESS STEEL GLASS CANOPY WALL-MOUNT HOOD

RH36WC60G S

Glass Canopy Design
Dual Halogen Lights
600 CFMs/ 4-Speed Fan
Electronic Controls with LCD Display

Overall Exterior Dimensions

Height (w/ One Cover)	29-7/16" min.
Height (w/ Flue Extension)	30-1/8" min. 54-9/16" max.
Width	35-7/8"
Depth	19-11/16"

30" model also available
RH30WC60G S



36" STAINLESS STEEL GLASS CANOPY WALL-MOUNT HOOD

RH36WCT6G S

Wave-Touch™ Control Panel Technology
Dual Halogen Lights
600 CFMs/ 4-Speed Fan
Washable Stainless Steel Filters

Overall Exterior Dimensions

Height (w/ One Cover)	16-1/2" min.
Height (w/ Flue Extension)	27-3/16" min. 36" max.
Width	35-7/16"
Depth	19-11/16"



36" STAINLESS STEEL CHIMNEY WALL-MOUNT HOOD

RH36WC55G S

High-Quality Premium Stainless Steel
Dual Halogen Lights
600 CFMs/ 4-Speed Fan
Electronic Controls with LCD Display

Overall Exterior Dimensions

Height (w/ One Cover)	24" min.
Height (w/ Flue Extension)	24-5/8" min. 42-9/16" max.
Width	35-7/8"
Depth	19-11/16"

30" model also available
RH30WC55G S



36" STAINLESS STEEL UNDER-CABINET HOOD

RH36WC40G S

High-Quality Premium Stainless Steel
Dual Halogen Lights
400 CFMs/ 4-Speed Fan
Electronic Controls with LCD Display

Overall Exterior Dimensions

Height	4-3/4"
Width	35-7/8"
Depth	20"

30" model also available
RH30WC40G S



36" STAINLESS STEEL DOWNDRAFT VENT

E36DD75ESS

Slim Style
10"-High Intake
Infinite-Speed Blower Control
Cleans Your Air Quietly

Overall Exterior Dimensions

Height (Including 10" Rise)	40"
Width	36"
Depth	3-27/32"

30" model also available
E30DD75ESS



36" STAINLESS STEEL DOWNDRAFT VENT

PL36DD50E C

Infinite-Speed Blower Control
Dishwasher-Safe Filters
Push-Button Auto Raise/Lower
Top Trim Kit

Overall Exterior Dimensions

Height (Including 7" Rise)	29-1/2"
Width	36"
Depth	7"

30" model also available
PL30DD50E C



**24" BUILT-IN
DISHWASHER**
FPHD2491K F

SpaceWise™ Organization System
Largest Sliverware Basket¹
Stainless Steel Interior
DishSense™ Technology

Overall Exterior Dimensions
Height 33-3/4"-35"
Width 23-3/4"
Depth 25-3/8"

Cutout Dimensions
Height 34-1/4" min.
Width 24"
Depth 24" min.

¹Among leading brands.



24" BUILT-IN DISHWASHER
FPHD2481K F

Best Drying Performance¹
SpaceWise™ Organization System
Quietest Dishwasher in Its Class²
Real Stainless Steel

Overall Exterior Dimensions
Height 33-1/2"-35"
Width 24"
Depth 25"

Cutout Dimensions
Height 34-1/4" min.
Width 24"
Depth 24" min.

¹Based on industry standard dryability testing using PowerPlus™ Dry.

²Based on published manufacturer specifications for plastic interior dishwashers.



23 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE REFRIGERATOR

FPHC2399K F

Most Usable Shelf Space¹
Real Stainless Steel
SpaceWise™ Organization System
Best-in-Class Ice & Water Filtration²

Overall Exterior Dimensions

Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 26-7/8"

Cutout Dimensions

Height 70-1/4"
Width 36"
Depth 25"

¹As compared to other counter-depth side-by-side models.

²As compared to other consumer refrigeration water filtration systems.



26 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FPHS2699K F

Largest Adjustable Crisper Drawers¹
Real Stainless Steel
SpaceWise™ Organization System
Best-in-Class Ice & Water Filtration²

Overall Exterior Dimensions

Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 31-3/4"

Cutout Dimensions

Height 70-1/4"
Width 36"
Depth 28-7/8"

¹As compared to other side-by-side models.

²As compared to other consumer refrigeration water filtration systems.



26 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FPHS2687K F

Largest Crisper Drawers¹
Real Stainless Steel
SpaceWise™ Organization System
Best-in-Class Ice & Water Filtration²

Overall Exterior Dimensions

Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 31-3/4"

Cutout Dimensions

Height 70-1/4"
Width 36"
Depth 28-7/8"

¹As compared to other side-by-side models.

²As compared to other consumer refrigeration water filtration systems.



23 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FPHS2399K F

SpaceWise™ Organization System
Best-in-Class Ice & Water Filtration¹
Real Stainless Steel
PowerPlus™ Ice²

Overall Exterior Dimensions

Height 69-3/8" (Incl. Hinges & Rollers)
Width 32-5/8"
Depth 31-3/4"

Cutout Dimensions

Height 70-1/4"
Width 33"
Depth 28-7/8"

¹As compared to other consumer refrigeration water filtration systems.

²In a 24-hour period.



23 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FPHS2387K F

SpaceWise™ Organization System
Best-in-Class Ice & Water Filtration¹
Real Stainless Steel
PowerPlus™ Ice²

Overall Exterior Dimensions

Height 69-3/8" (Incl. Hinges & Rollers)
Width 32-5/8"
Depth 31-3/4"

Cutout Dimensions

Height 70-1/4"
Width 33"
Depth 28-7/8"

¹As compared to other consumer refrigeration water filtration systems.

²In a 24-hour period.



21 CU. FT. TOP MOUNT REFRIGERATORS

FPHI2187K F/R*

SpaceWise™ Organization System
SpillSafe® Shelves
Real Stainless Steel
Bright Lighting

Overall Exterior Dimensions

Height 69" (Incl. Hinges & Rollers)
Width 29-5/8"
Depth 31-3/4"

18 Cu. Ft. Top Mount also available

FPHI1887K F/R*

*Left-Swing Door



BUILT-IN ALL REFRIGERATOR / ALL FREEZER*

FPRH17D7K F / FPUH17D7K F

SpaceWise™ Organization System
Humidity Controlled Crisper Drawer (Refrigerator)
Real Stainless Steel
SpaceWise™ Sliding Shelf (Freezer)

Overall Exterior Dimensions

Height 65-3/4" (Incl. Hinges)
Width 32"
Depth 26-1/2"

Cutout Dimensions

Height 66"
Width 33"
Depth 25-1/4"

*Shown with optional Double Trim Kit.



30" DOUBLE WALL OVEN
FGET3065K F/W/B

Quick Preheat
True Convection
Express-Select™ Controls
Keep Warm Setting

Overall Exterior Dimensions
Height 50-7/16"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 48-7/8" min./49-7/8" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.

Also available
FGET3045K F/W/B



27" DOUBLE WALL OVEN
FGET2765K F/W/B

Quick Preheat
True Convection
Express-Select™ Controls
Keep Warm Setting

Overall Exterior Dimensions
Height 50-7/16"
Width 27"
Depth 24-1/2"

Cutout Dimensions
Height 48-7/8" min./49-7/8" max.
Width 24-7/8" min./25-1/4" max.
Depth 23-1/2" min.

Also available
FGET2745K F/W/B



30" SINGLE WALL OVEN
FGEW3065K F/W/B

Quick Preheat
True Convection
Express-Select™ Controls
Keep Warm Setting

Overall Exterior Dimensions
Height 29"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 27-1/4" min./28-5/8" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.

Also available
FGEW3045K F/W/B



27" SINGLE WALL OVEN
FGEW2765K F/W/B

Quick Preheat
True Convection
Express-Select™ Controls
Keep Warm Setting

Overall Exterior Dimensions
Height 29"
Width 27"
Depth 24-1/2"

Cutout Dimensions
Height 27-1/4" min./28-5/8" max.
Width 24-7/8" min./25-1/4" max.
Depth 23-1/2" min.

Also available
FGEW2745K F/W/B



30" MICROWAVE COMBINATION OVEN
FGMC3065K W/B

Fits-More™ Microwave
Effortless™ Reheat
Quick Preheat
True Convection

Overall Exterior Dimensions
Height 42-3/4"
Width 30"
Depth 24-1/2"

Cutout Dimensions
Height 41-1/8" min./42-3/16" max.
Width 28-1/2" min./29" max.
Depth 23-1/2" min.



27" MICROWAVE COMBINATION OVEN
FGMC2765K W/B

Fits-More™ Microwave
Effortless™ Reheat
Quick Preheat
True Convection

Overall Exterior Dimensions
Height 42-3/4"
Width 27"
Depth 24-1/2"

Cutout Dimensions
Height 41-1/8" min./41-1/4" max.
Width 24-7/8" min./25-1/4" max.
Depth 23-1/2" min.

FRIGIDAIRE GALLERY PREMIER COLLECTION® AND FRIGIDAIRE GALLERY® COOKING



36" ELECTRIC COOKTOP

FGEC3665K S/W/B

Largest Total Cooktop Capacity
Quick Boil
Express-Select™ Controls
SpaceWise™ Expandable Elements

Overall Exterior Dimensions

Height 2-5/8"
Width 36-3/4"
Depth 21-3/8"

Cutout Dimensions

Height 5" min.
Width 35-5/8" min./36-1/8" max.
Depth 20-1/4" min./20-1/2" max.

Also available

FGEC3645K S/W/B



30" ELECTRIC COOKTOP

FGEC3065K S/W/B

Largest Total Cooktop Capacity
Quick Boil
Express-Select™ Controls
SpaceWise™ Expandable Elements

Overall Exterior Dimensions

Height 2-5/8"
Width 30-3/8"
Depth 21-3/8"

Cutout Dimensions

Height 5" min.
Width 29-5/8" min./29-7/8" max.
Depth 20-1/4" min./20-1/2" max.

Also available

FGEC3045K S/W/B



36" GAS COOKTOP

FGGC3665K S/W/B

Quick Boil
Express-Select™ Controls
Continuous Grates
Fits-More™ Cooktop

Overall Exterior Dimensions

Height 4-1/4"
Width 36"
Depth 21-3/4"

Cutout Dimensions

Height 8" min.
Width 33-7/8" min./34-1/4" max.
Depth 19-1/8" min./19-3/4" max.

Also available

FGGC3645K S/W/B



30" GAS COOKTOP

FGGC3065K S/W/B

Quick Boil
Express-Select™ Controls
Continuous Grates
Low-Simmer Burner

Overall Exterior Dimensions

Height 4-1/4"
Width 30"
Depth 21-3/4"

Cutout Dimensions

Height 8" min.
Width 27-1/4" min./28-1/2" max.
Depth 19-1/8" min./19-3/4" max.

Also available

FGGC3045K S/W/B



24" BUILT-IN* MICROWAVE

FGMO205K F/W/B

Fits-More™ Microwave
Effortless™ Reheat
Over 30 Options
One-Touch Options

Overall Exterior Dimensions

Height 13-3/8"
Width 24"
Depth 19-1/8"

Cutout Dimensions

Height 16-3/4" min./17" max.
Width 23-3/4" min./25" max.
Depth 20" min.

*30- and 27-inch built-in trim kits available.



30" OVER-THE-RANGE MICROWAVE

FGBM185K F/W/B

Effortless™ Reheat
SpaceWise™ Rack
Over 40 Options
One-Touch Options

Overall Exterior Dimensions

Height 17-1/16"
Width 29-15/16"
Depth 16-3/8"

Cutout Dimensions

Height 15-1/2" min.
Width 30" min.
Depth 12" min./14" max.

Also available

FGBM187K W/B



30" OVER-THE-RANGE MICROWAVE

FGMV185K F/W/B

Effortless™ Reheat
SpaceWise™ Rack
Over 40 Options
One-Touch Options

Overall Exterior Dimensions

Height 17-1/16"
Width 29-15/16"
Depth 16-3/8"

Cutout Dimensions

Height 15-1/2" min.
Width 30" min.
Depth 12" min./14" max.



30" OVER-THE-RANGE MICROWAVE

FGMV174K F/M

Effortless™ Reheat
SpaceWise™ Rack
Over 30 Options
One-Touch Options

Overall Exterior Dimensions

Height 16-13/16"
Width 29-15/16"
Depth 16-1/4"

Cutout Dimensions

Height 15-1/2" min.
Width 30" min.
Depth 12" min./14" max.

Also available

FGMV173K W/B/Q



**30" DUAL-FUEL
SLIDE-IN RANGE**

FGDS3075K W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



**30" DUAL-FUEL
SLIDE-IN RANGE**

FGDS3065K F/W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



**30" ELECTRIC
SLIDE-IN RANGE**

FGES3075K W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



**30" ELECTRIC
SLIDE-IN RANGE**

FGES3065K F/W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.

Also available
FGES3045K F/W/B



**30" GAS
SLIDE-IN RANGE**

FGGS3075K W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.



**30" GAS
SLIDE-IN RANGE**

FGGS3065K F/W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions

Height 36-5/8"
Width 30"
Depth 28-5/16"

Cutout Dimensions

Height 35-7/8" min./36-5/8" max.
Width 30-1/16"
Depth 21-3/4" min./22-1/8" max.

Also available
FGGS3045K F/W/B

FRIGIDAIRE GALLERY PREMIER COLLECTION® AND FRIGIDAIRE GALLERY® COOKING



30" ELECTRIC FREESTANDING RANGE

FGFE304DK F/W/B

Double Oven Range
Quick Preheat
True Convection (Main Oven)
Quick Boil

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGEC3645K S/W/B



30" ELECTRIC FREESTANDING RANGE

FGFE3057K F

Fits-More™ Oven
Quick Preheat
True Convection
Quick Boil

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGFE3056K F, FGFE3044K F
FGFE3042K F, FGFE3041K F



30" ELECTRIC FREESTANDING RANGE

FGFE3055K F/W/B

Fits-More™ Oven
Quick Preheat
True Convection
Quick Boil

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"



30" ELECTRIC FREESTANDING RANGE

FGFE3077K W/B

Fits-More™ Oven
Quick Preheat
True Convection
Quick Boil

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGFE3034K W/B
FGFE3032K W/B
FGFE3031K W/B/Q



30" GAS FREESTANDING RANGE

FGGF305MK F

Quick Preheat
Quick Boil
Express-Select™ Controls
Effortless™ Oven Rack

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"



30" GAS FREESTANDING RANGE

FGGF3056K F

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGGF3054K F/W/B



30" GAS FREESTANDING RANGE

FGGF3042K F

Quick Boil
Express-Select™ Controls
Effortless™ Oven Rack
Real Stainless Steel

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGGF3041K F



30" GAS FREESTANDING RANGE

FGGF3076K W/B

Quick Preheat
True Convection
Quick Boil
Express-Select™ Controls

Overall Exterior Dimensions
Height 47"
Width 29-7/8"
Depth 28-1/4"

Cutout Dimensions
Height 36" stand.
Width 30"
Depth 24"

Also available
FGGF3032K W/B
FGGF3031K W/B/Q



**24" BUILT-IN
DISHWASHER**

FGHD2471K W/B

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

SpaceWise™

Organization System

Largest Silverware Basket²

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.

Also available

FGHD2461K W/B



**24" BUILT-IN
DISHWASHER**

FGBD2451K F/W/B

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

SpaceWise™

Organization System

Largest Silverware Basket²

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.



**24" BUILT-IN
DISHWASHER**

FGBD2441K F

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

Real Stainless Steel

DishSense™ Technology

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.



**24" BUILT-IN
DISHWASHER**

FGHD2433K F/W/B

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

SpaceWise™

Organization System

Largest Silverware Basket²

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.



**24" BUILT-IN
DISHWASHER**

FGBD2432K F/W/B/Q

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

Real Stainless Steel

DishSense™ Technology

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.



**24" BUILT-IN
DISHWASHER**

FGBD2431K F/W/B/Q

Quietest Dishwasher
in Its Class¹

Effortless™ Dry

Real Stainless Steel

Express-Select™ Controls

Overall Exterior Dimensions

Height 33-1/2" -35"

Width 24"

Depth 25"

Cutout Dimensions

Height 34-1/4" min.

Width 24"

Depth 24" min.

¹Based on published manufacturer specifications for plastic interior dishwashers.

²Among leading brands.

FRIGIDAIRE GALLERY PREMIER COLLECTION® AND FRIGIDAIRE GALLERY® REFRIGERATION



23 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHC2344K F

Most Usable Shelf Space¹
SpaceWise™
Organization System
Real Stainless Steel
Best-in-Class Ice &
Water Filtration²

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 26-7/8"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 25"

26 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHS2669K P/E

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 31-3/4"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 28-7/8"

Also available

FGHS2667K P/E/W/B
FGHS2665K F
FGHS2655K P/E
FGHS2644K F
FGHS2634K P/E/W/B/Q



23 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHC2369K P/E

Most Usable Shelf Space¹
SpaceWise™
Organization System
Best-in-Class Ice &
Water Filtration²
Quick Ice³

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 26-7/8"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 25"

Also available

FGHC2334K P/E

23 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHS2369K P/E

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 32-5/8"
Depth 31-3/4"

Cutout Dimensions
Height 70-1/4"
Width 33"
Depth 28-7/8"

Also available

FGHS2367K P/E/W/B
FGHS2365K F
FGHS2355K P/E
FGHS2344K F
FGHS2334K P/E/W/B



23 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHC2379K P/E

Most Usable Shelf Space¹
SpaceWise™
Organization System
Best-in-Class Ice &
Water Filtration²
Quick Ice³

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 26-7/8"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 25"

26 CU. FT. STANDARD-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGHS2679K P/E

Largest Crisper Drawers⁴
SpaceWise™
Organization System
Best-in-Class Ice &
Water Filtration²
Quick Ice³

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 31-3/4"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 28-7/8"



23 CU. FT. COUNTER-DEPTH SIDE-BY-SIDE REFRIGERATOR

FGTC2349K S

Panel Kit-Ready
Most Usable Shelf Space¹
SpaceWise™
Organization System
Quick Ice³

Overall Exterior Dimensions
Height 69-3/8" (Incl. Hinges & Rollers)
Width 35-5/8"
Depth 26-7/8"

Cutout Dimensions
Height 70-1/4"
Width 36"
Depth 25"

Designed with removable door trim which requires installation of either optional Door Panel Kit (PN # PK23CDS) or custom-built door panels.

Collar Kit (PN # CK23CDS) is designed to complete "Built-In Look."



Also available:

21 Cu. Ft.
Top Mount Refrigerators
FGHT2146K F / R* / P / E
FGHT2144K F / R*
FGHT2134K W / B

18 Cu. Ft.
Top Mount Refrigerators
FGHT1844K F / R*
FGHT1834K W / B
FGHT1846K F / R* / P / E

*Left-Swing Door

¹As compared to other side-by-side models.

²As compared to other consumer refrigeration water filtration systems.

³In a 24-hour period.

⁴As compared to other side-by-side models.



**Frigidaire Affinity®
Washer/Dryer
Classic Red**

27" W x 36" H x 29" D



**Frigidaire Affinity®
Washer/Dryer
Classic Blue**

27" W x 36" H x 29" D



**Frigidaire Affinity®
Washer/Dryer
Classic Silver**

27" W x 36" H x 29" D



**Frigidaire Affinity®
Washer/Dryer
Classic Black**

27" W x 36" H x 29" D



**Frigidaire Affinity®
Washer/Dryer
Classic White**

27" W x 36" H x 29" D

Front Load Washers

FAFW3577K W/B/R/N/A

FAFW3574K W/B/R

FAFW3517K W/B/R

FAFW3511K W/B/R

Electric Front Load Dryers

FAQE7077K W/B/R/N/A

FAQE7073K W/B/R

FAQE7017K W/B/R

FAQE7011K W/B/R

Gas Front Load Dryers

FAQG7077K W/B/R/N/A

FAQG7073K W/B/R

FAQG7017K W/B/R

FAQG7011K W/B/R

Signature Features

FRONT LOAD WASHER

WashSense™ Technology

Our WashSense™ technology ensures clothes get clean with care.

Advanced Rinse Technology

Final rinse uses fresh water to ensure whiter whites and reduce allergens.

Balance Control System

Vibration control technology keeps even oversized loads balanced for smooth, quiet operation. Ideal for use on second floors.

Quick Wash Cycle

A fast, 25-minute wash cycle¹.

Signature Features

FRONT LOAD DRYERS

Fits-More™ Dryer

Our largest capacity dryer² lets you dry more, so you can do your laundry faster.

Quick Dry Cycle

A fast, 25-minute dry cycle¹.

DrySense™ Technology

Dries your clothes more precisely, reducing wrinkles.


TimeWise™ Technology

With TimeWise™ technology, wash time equals dry time — so you don't have to wait for clothes to dry.

Select models only.

¹Based on 8 lb. load/quick cycle selected for various load compositions.

²Based on dryers 36" or less in height and 27" or less in depth.



FRIGIDAIRE

USA

250 Bobby Jones Expressway • Martinez, GA 30907

1-800-FRIGIDAIRE • frigidaire.com

CANADA

5855 Terry Fox Way • Mississauga, ON L5V 3E4

1-800-265-8352 • frigidaire.ca

© 2009 Electrolux Home Products, Inc.

F09SCMH 10/09



Additional products available at frigidaire.com

Specifications subject to change.

This guide is for planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.