

Live connected. Drive connected.

KENWOOD



Kenwood U.S.A. Corporation

www.kenwoodusa.com Main Office
www.kenwoodusa.com/inquiry 2201 E. Dominguez St. P.O. Box 22745
1-800-KENWOOD Long Beach, CA 90810-1009 Long Beach, CA 90801-5745

© 2014 Kenwood USA Corporation. All Rights Reserved.

For Support and Technical Information, please visit http://www.kenwood.com/cs/ce/

JVCKENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason information contained in this catalogue and specifications may be changed without notice.

All screen pictures in the catalogue are simulated. iPods, iPhones, Android smartphones or any other accessories shown in this catalogue are not supplied, and must be purchased separately. The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries, including the U.S. ecoRoute™, trafficTrends™ and myTrends™ are trademarks of Garmin Ltd. or its subsidiaries. INRIX™ and the INRIX logo are registered trademarks and the INRIX TRAFFIC logo is a trademark of INRIX, Inc. HERE maps is trademark of HERE © 2014 HERE. All rights reserved. The Wi-Fi Logo is a certification mark of the Wi-Fi Alliance. Pandora is a registered trademark of Pandora Media, Inc. Aha, Aha Radio and the Aha and Aha Radio logos are either the trademarks or the registered trademarks of Harman International Industries, Incorporated. iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries. Made for iPod and Made for iPhone mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. Sirius and related marks are trademarks of Sirius Satellite Radio Inc. HD Radio™ and the HD Radio logos are proprietary trademarks of iBiquity Digital Corporation. microSDHC Logo is a trademark of SD-3C, LLC. Android, the Android logo, Google Play™, and the Google Play™ logo are registered trademarks or trademarks of Google, Inc. Dolby Digital, double-D symbol are trademarks of Dolby Laboratories. DTS, the DTS logo and symbol are trademarks or registered trademarks of Digital Theater Systems, Inc. All other brands, product names, logos, or trademarks are the property of their respective holders.



Powered by CEA



A Network Connected Entertainment System!

Connected Entertainment System



DNN770HD



2-Din AV Navigation System with Built-in Bluetooth & HD Radio

| | | |
|-------------------------|--------------------------|--------------------|
| 6.1" WVGA Monitor | 3 Preouts 2.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |
| Dual Zone AV Control | Car Portal for iDataLink | Wi-Fi Enabled |



AV Navigation System



DNX771HD

2-Din AV Navigation System with Bluetooth & HD Radio

| | | |
|-------------------------|--------------------------|--------------------|
| 6.95" WVGA Monitor | 3 Preouts 2.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |
| Dual Zone AV Control | Car Portal for iDataLink | |



DNX571HD

2-Din AV Navigation System with Bluetooth & HD Radio

| | | |
|-------------------------|--------------------------|--------------------|
| 6.1" WVGA Monitor | 3 Preouts 2.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |
| Dual Zone AV Control | Car Portal for iDataLink | |



DVD Entertainment System



DDX7701HD

In-Dash 2-Din Monitor Receiver with Bluetooth & HD Radio

| | | |
|--------------------------|---------------------|--------------------|
| 6.95" WVGA Monitor | 3 Preouts 4.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |
| Car Portal for iDataLink | | |



DDX771

In-Dash 2-Din Monitor Receiver with Built-in Bluetooth

| | | |
|-------------------------|---------------------|--------------------|
| 6.95" WVGA Monitor | 3 Preouts 4.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |



External Bluetooth Mic



DDX471HD

In-Dash 2-Din Monitor Receiver with Bluetooth & HD Radio

| | | |
|-------------------------|---------------------|--------------------|
| 6.1" WVGA Monitor | 3 Preouts 4.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |



DDX371

In-Dash 2-Din Monitor Receiver with Built-in Bluetooth

| | | |
|-------------------------|---------------------|--------------------|
| 6.1" WVGA Monitor | 3 Preouts 4.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |



External Bluetooth Mic



DDX271

In-Dash 2-Din Monitor Receiver

| | | |
|-------------------------|---------------------|--------------------|
| 6.1" WVGA Monitor | 3 Preouts 4.0V | USB x 1 |
| AV-In x 1 AV-Out x 1 | Rear View Camera-In | Steering Remote-In |



The Connected Entertainer

Kenwood multimedia receivers provide an ideal in-car experience by being compatible with a wide range of media file formats, enhanced sound quality control, and advanced connections to many media devices.



The Perfect Entertainment Package

HDMI & MHL comport

Use an optional cable(s) to connect HDMI or MHL devices to the receiver, and play movie files from an iPhone 5, a Galaxy, or an Android smartphone.
* Applicable for DNX771HD / DNX571HD / DDX7701HD



Pre-installed APPs

In addition to Facebook and Twitter, E-mail app, many more applications are pre-installed. The receiver is not only an information device, it also includes a wide variety of entertainment functions.

* For DNN770HD only



Wireless Link


You can share video and music content between the Connected Entertainment receiver and other capable wireless devices. Enjoy seamless entertainment while you are driving. * For DNN770HD only



Route Collector

Plan a trip before getting in the Car!

You can plan a route before leaving home using the Route Collector website at <http://www.route-collector.com>. There is also the Route Collector App available for iPhone, and a mobile optimized website is available for other smartphones. You can import your routes to a Connected Entertainment receiver and the imported routes can be saved and used when needed. * For DNN770HD only



Tablet



Bluetooth Technology



Play music via Audio Streaming (A2DP / AVRCP)

Easily stream music from your phone or other Bluetooth devices directly to the receiver. Functions such as track name display and track search are also available from the receiver. * Excluding DDX271

Voice Dialing / Siri Eyes Free

The receiver will allow the voice dialing feature found on most smartphones to work through Bluetooth. * Excluding DDX271



Hands Free, Phonebook Transfer

Access Phonebook, Last Calls, and Missed Calls from the receiver and make hands-free calls. * Excluding DDX271

iPhone Automatic Pairing


Automatic Bluetooth pairing function for iPhone via USB is available on all built-in Bluetooth receivers.



Advanced Navigation


Improved Smart POI Search

Display the details of a POI just by touching it on the map. Several other functions are also included, such as predictive text input and a custom "Where To" menu.




Accurate turn by turn directions with Lane Assist

Take the guess work out of which lane you need to be in to make your next transition or turn while routing to your destination.



Garmin Smartphone Link for Android smartphone

Smartphone Link makes your smartphone the next best thing to DNX navigation. It creates a seamless navigation experience between your DNX navigation and smartphone, letting them share information and Garmin Live Services. * For DNX only




Smartphone Link is a free download in Google Play.



INRIX Traffic


Digital Traffic (INRIX by TPEG)

Get the best real-time information to help you navigate both on and off the freeway around traffic. Digital Traffic is updated every 2 minutes and receives more than 1,000 messages every update cycle. * For DNN only




Fuel Prices

Find the best prices for any grade of fuel in your area or on your route. Just tap the screen and go to your chosen station.




photoLive

Look up real-time photos from traffic cameras to see traffic and weather conditions.




Dynamic Parking

Find parking close to your destination. See the number of spots available and parking prices.



Movie Times (West World Media)


You can find a theater by Movie Title or Theater Name.



Sound Quality

Drive EQ

Road noise is the enemy of all audio systems found in vehicles. The inherent frequencies of road noise masks a wide range of the audio signal found in music, and this is the reason Kenwood engineers developed Drive EQ. Drive EQ boosts specific frequencies in the audio signal to compensate the negative impact of road noise. * Excluding DDX771 / DDX471HD / DDX371 / DDX271



Graphic EQ / Time Alignment

Use the graphic equalizer to tailor the sound quality to your unique tastes. Additional sound contouring is available with the Time Alignment feature, designed to provide optimal and balanced sound performance. * Excluding DNN770HD / DDX771 / DDX471HD / DDX371 / DDX271 DNN, DNX: 13Band DDX: 7Band



Advanced Vehicle Integration



DNN770HD / DNX771HD / DNX571HD / DDX7701HD / DDX271

When an iDataLink Maestro Rr is connected to a compatible Kenwood receiver, it provides a seamless interface with factory infotainment features such as Satellite Radio, USB Media Player, Bluetooth hands-free and music streaming. The Kenwood receiver will then communicate and display the on-board features of the vehicle, including gauges, climate control, parking and other vehicle information.

*The DNN770HD, DNX771HD, DNX571HD, and DDX7701HD also support the Gauges, ClimateControl, Parking Assist, and Vehicle Information features.
*Available features may vary depending on the vehicle.



Satellite Radio

Media Player

*The iDataLink Maestro Rr is sold separately by Automotive Data Solutions. To find an authorized dealer please visit <http://maestro.idatalink.com/>

Accessories

CMOS-220

Rearview Camera



Night View

CMOS-320

Rearview Camera



Advanced Rearview Camera

The CMOS-320 multi-view camera is equipped with an advanced image processor that is capable of altering viewing angles and increasing the number of viewing options including corner views and adding graphic guidelines to the camera image. Easily switch between the many viewing options using the touch screen from a compatible DNN or DNX receiver.




Normal View



Wide View



Corner View



Overhead View

CA-C3AV

Mini Headphone Jack to RCA AV Cable



KNA-RCDV331

Optional remote control for multimedia and navigation receivers



KCA-iP103

Lightning to USB cable



KCA-HD100

HDMI cable



KCA-MH100

MHL cable



Loaded with built-in features and advanced connectivity for Smartphones

and many other entertainment devices.



KDC-BT958HD

CD Receiver with Built-in Bluetooth & HD Radio

| | | |
|--------------------------|-----------------------------|-----------------|
| 3-Line Full Dot LCD | Variable Color Illumination | 3 Preouts 4.0V |
| Dual USB (F/R) Front AUX | Steering Remote-In | CD Door / Cover |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone, Bluetooth, SIRIUSXM READY, oha

KDC-BT758HD

CD Receiver with Built-in Bluetooth & HD Radio

| | | |
|---------------------|-----------------------------|-----------------|
| 13-Dig 1.5-Line LCD | Variable Color Illumination | 3 Preouts 2.5V |
| Front USB + AUX | Steering Remote-In | CD Door / Cover |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone, Bluetooth, SIRIUSXM READY, oha

KDC-BT858U

CD Receiver with Built-in Bluetooth



KDC-BT558U

CD Receiver with Built-in Bluetooth

| | | |
|---------------------|-----------------------------|-----------------|
| 13-Dig 1.5-Line LCD | Variable Color Illumination | 3 Preouts 2.5V |
| Front USB + AUX | Steering Remote-In | CD Door / Cover |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone

Bluetooth, SIRIUSXM READY



KDC-HD458U

CD Receiver with Built-in HD Radio

| | | |
|---------------------|-----------------------------|-----------------|
| 13-Dig 1.5-Line LCD | Variable Color Illumination | 3 Preouts 2.5V |
| Front USB + AUX | Steering Remote-In | CD Door / Cover |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone



KDC-BT318U

CD Receiver with Built-in Bluetooth

| | | |
|--------------------|----------------|-----------------|
| 13-Seg 13-Dig LCD | 2 Preouts 2.5V | Front USB + AUX |
| Steering Remote-In | | |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone

Bluetooth



KDC-258U

CD Receiver with Front USB & AUX Input

| | | |
|-------------------|-----------------------------|---------------|
| 13-Seg 13-Dig LCD | Variable Color Illumination | 1 Preout 2.5V |
| Front USB + AUX | | |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone



KDC-158U

CD Receiver with Front USB & AUX Input

| | | |
|-------------------|---------------|-----------------|
| 13-Seg 13-Dig LCD | 1 Preout 2.5V | Front USB + AUX |
|-------------------|---------------|-----------------|

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone



KDC-118U

CD Receiver with Front USB & AUX Input

| | | |
|-------------------|---------------|-----------------|
| 13-Seg 13-Dig LCD | 1 Preout 2.5V | Front USB + AUX |
|-------------------|---------------|-----------------|

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone



DPX500BT

2-DIN CD Receiver with Built-in Bluetooth

| | | |
|-----------------------------------|-----------------------------|-----------------------------|
| 14-Seg 13-Dig LCD + Clock Display | Variable Color Illumination | 3 Preouts 2.5V |
| Front USB + AUX | Steering Remote-In | 200mm Trim Panel for TOYOTA |

WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone, Bluetooth, SIRIUSXM READY, oha



DPX300U

2-DIN CD Receiver with Front USB & AUX Inputs


| | | |
|-----------------------------------|-----------------------------|-----------------------------|
| 14-Seg 13-Dig LCD + Clock Display | Variable Color Illumination | 3 Preouts 2.5V |
| Front USB + AUX | Steering Remote-In | 200mm Trim Panel for TOYOTA |

WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone, SIRIUSXM READY

Feature Highlights

Drive EQ

Road noise is the enemy of all audio systems found in vehicles. The inherent frequencies of road noise masks a wide range of the audio signal found in music, and this is the reason Kenwood engineers developed Drive EQ. Drive EQ boosts specific frequencies in the audio signal to compensate the negative impact of road noise.



Drive EQ Equalizer

Dual USB Ports

USB devices can be connected not only to the front panel, but also to a cable on the rear.



CD Door / Cover

For dust prevention, a CD Door / Cover has also been adopted.

The Perfect Entertainment Package

Works with Pandora Internet Radio for iPhone and Android

Customized internet radio that plays music based on your favorite artists. Kenwood receivers provide a rich Pandora experience.



iHeartRadio for iPhone and Android

iHeart Radio is an Internet radio platform that delivers content from over 800 local Clear Channel radio stations from all over the United States. iHeart also functions as a music recommendation system, making it easy and fun to discover new music.



Kenwood "Music Control" for Android smartphone

Download this free application from Google Play and use the search function to easily find a track you would like to listen by using the artist name or the like.



*Compatible only with Android smartphones supporting mass storage devices.

SiriusXM Ready

SiriusXM is channels and channels of anything you want to listen to. Commercial-free music, sports, talk radio and entertainment. If that's not enough there is comedy, news, traffic, weather and more. It can all be found on SiriusXM.



HD Radio

HD Radio has improved FM and AM sound quality, more content with the additional broadcast channels.



Variable Color illumination

You can select a preset color or create your own to match the dashboard lighting or your mood of the day.



Bluetooth Technology



Play music via Audio Streaming (A2DP / AVRCP)

Easily stream music from your phone or other Bluetooth devices directly to the receiver. Functions such as track name display and track search are also available from the receiver.



Voice Dialing / Siri Eyes Free

The receiver will allow the voice dialing feature found on most smartphones to work through Bluetooth.



New External Bluetooth Microphone

For easy installation, a new microphone with angle and swivel adjustment is included.



Hands Free, Phonebook Transfer

Access Phonebook, Last Calls, and Missed Calls from the receiver and make hands-free calls.

iPhone Automatic Pairing

Automatic Bluetooth pairing function for iPhone via USB is available on all built-in Bluetooth receivers.



Digital Media Receiver



KMM-BT308U

Digital Media Receiver with Built-in Bluetooth

| | | |
|--------------------|-----------------|------------------------------|
| 13-Seg 13-Dig LCD | 1 Preout 2.5V | Front USB + AUX |
| Steering Remote-In | Supporting FLAC | Drive EQ, WORKS WITH PANDORA |



WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone, Bluetooth



KMM-108U

Digital Media Receiver with Front USB & AUX Input

| | | |
|--------------------|-----------------|-----------------|
| 13-Seg 13-Dig LCD | 1 Preout 2.5V | Front USB + AUX |
| Steering Remote-In | Supporting FLAC | |

Drive EQ, WORKS WITH PANDORA, iHeartRADIO, Made for iPod iPhone

Marine

Hit the waves and stay connected with new Kenwood marine receivers that support the most popular music apps.



KMR-D558BT

Marine CD Receiver with Built-in Bluetooth

- 13-Dig 1.5-Line LCD
- Variable Color Illumination
- 3 Preouts 2.5V
- Front USB + AUX
- Remote-In
- Drive EQ
- WMA with PANDORA
- iHeart RADIO
- Made for iPod iPhone
- SiriusXM READY
- Bluetooth



KMR-555U

Marine CD Receiver with Dual USB

- 3-Line Full Dot LCD
- 3 Preouts 2.5V
- Dual USB (F/R) Front AUX
- Remote-In
- Music Control for Android
- WMA with PANDORA
- iHeart RADIO
- Made for iPod iPhone
- SiriusXM READY



KMR-700U

Marine Digital Media Receiver with IPX5 Protection

- 4-Line Full Dot LCD
- 3 Preouts 4.0V
- USB x 2
- Music Control for Android
- Made for iPod iPhone



KMR-D358

Marine CD Receiver with Front USB & AUX Inputs

- 13-Dig 1.5-Line LCD
- Variable Color Illumination
- 3 Preouts 2.5V
- Front USB + AUX
- Remote-In
- Drive EQ
- WMA with PANDORA
- iHeart RADIO
- Made for iPod iPhone
- SiriusXM READY



KMR-M308BT

Marine CD Receiver with Built-in Bluetooth

- 13-Seg 13-Dig LCD
- 1 Preout 2.5V
- Front USB + AUX
- Remote-In
- Drive EQ
- WMA with PANDORA
- iHeart RADIO
- Made for iPod iPhone
- SiriusXM READY
- Bluetooth

Store iPods Safely Away in a Compartment

The KMR-700U features a dedicated 30pin iPod cable and a USB port in a compartment behind the front panel where valuable music devices can be stored and operated without getting wet.



Remote Controllers

KCA-RC55MR
Wired Marine Remote Control with Display for KMR-700U/KMR-555U

KCA-RC35MR
Wired Marine Remote Control for KMR-700U/555U/355U/D558BT/D358

Accessories

CA-Y107MR
Marine Remote Branch Cable

CA-EX7MR
Extension Cable (7m)

CA-EX3MR
Extension Cable (3m)

Water-resistant Marine Speakers

KFC-1633MRW

6-1/2" 2-way Round Speaker

PEAK POWER 100W
RMS POWER 20W

Impedance 4 ohms
Frequency Response 65Hz - 20kHz
Mounting Depth 2-3/16"
Water-resistant PP Cone

KFC-1652MRW

6-1/2" 2-way Round Speaker

PEAK POWER 150W
RMS POWER 30W

Impedance 4 ohms
Frequency Response 60Hz - 20kHz
Mounting Depth 2-7/16"
Water-resistant PP Cone

KFC-1653MRG

6-1/2" 2-way Round Speaker

PEAK POWER 150W
RMS POWER 30W

Impedance 4 ohms
Frequency Response 60Hz - 20kHz
Mounting Depth 2-7/16"
Water-resistant PP Cone

KFC-P1603MRS

6-1/2" Component Speaker Package

PEAK POWER 300W
RMS POWER 50W

Impedance 4 ohms
Frequency Response 55Hz - 20kHz
Mounting Depth 2-7/16"
Water-resistant PP Cone

P-WD250MRW

10" Subwoofer with Class-D Amplifier Package

RMS POWER 100W

Impedance 1.5ohms + 1.5ohms
Frequency Response 28Hz - 800Hz
Mounting Depth 5-3/8"

Compact and Tough Multi-Application Amplifier



KAC-M1804

Compact 4-Channel Digital Amplifier

MAX POWER 400W
Class D
Conformal Coating
Speaker Level Input

Multi-Application



For Car



For Marine



For ATV

PERFORMANCE SERIES

Amplifiers



KAC-5001PS

Class D Mono Power Amplifier

MAX POWER 1000W
Class D Low-pass Filter Bass Boost



KAC-7005PS

5-Channel Power Amplifier

MAX POWER 1200W
Low & High-pass Filter Cooling Fan Bass Boost



KAC-9106D

Class D Mono Power Amplifier

MAX POWER 2000W
Class D Speaker Level Input Low-pass Filter
Infrasonic Filter Bass Boost Signal Sensing Turn-on



KAC-8406

4/3/2-Channel Power Amplifier

MAX POWER 900W
Speaker Level Input Low & High-pass Filter Bass Boost
Signal Sensing Turn-on Cooling Fan



KAC-6406

4/3/2 Channel Power Amplifier

MAX POWER 500W
Speaker Level Input Low & High-pass Filter Signal Sensing Turn-on



KAC-5206

Stereo / Bridgeable Power Amplifier

MAX POWER 400W
Speaker Level Input Low-pass Filter Signal Sensing Turn-on

| Specifications | KAC-5001PS | KAC-7005PS | KAC-9106D | KAC-8406 | KAC-6406 | KAC-5206 |
|-------------------------------------|-----------------------------|-------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| RMS Power Output (4 Ohms<=1% THD+N) | 300 Watts x 1 | 40 Watts x 4 300 Watts x 1 | 500 Watts x 1 | 70 Watts x 4 | 40 Watts x 4 | 60 Watts x 2 |
| RMS Power Output (2 Ohms<=1% THD+N) | 500 Watts x 1 | 50 Watts x 4 500 Watts x 1 | 1000 Watts x 1 | 100 Watts x 4 | 60 Watts x 4 | 75 Watts x 2 |
| RMS Power Output (Bridged) | - | - | - | 200 Watts x 2 | 130 Watts x 2 | 150 Watts x 1 |
| Dimensions (W x H x D) | 9-7/16" x 2-3/16" x 7-9/16" | 13-3/16" x 2-3/16" x 7-9/16" | 13-3/16" x 2-3/16" x 7-9/16" | 13-3/16" x 2-3/16" x 7-9/16" | 12-3/8" x 2-3/16" x 7-7/8" | 8-7/8" x 2-3/16" x 7-1/16" |

Subwoofers



KFC-W3013PS

12" Subwoofer

PEAK POWER 1200W
RMS POWER 400W
Impedance 4 ohms
Frequency Response 34Hz - 300Hz
Mounting Depth 6"
PP Cone with Diamond Array Pattern
Dual-ventilation System
Rubber Surround



KFC-W12DVC

12" Subwoofer

PEAK POWER 1000W
RMS POWER 250W
Impedance 4 ohms+4 ohms
Frequency Response 36Hz - 300Hz
Mounting Depth 6-13/16"
PP Cone with Diamond Array Pattern

KFC-W2513PS

10" Subwoofer

PEAK POWER 1000W
RMS POWER 300W
Impedance 4 ohms
Frequency Response 39Hz - 300Hz
Mounting Depth 5"
PP Cone with Diamond Array Pattern
Dual-ventilation System
Rubber Surround

KFC-W12PS

12" Subwoofer

PEAK POWER 1000W
RMS POWER 250W
Impedance 4 ohms
Frequency Response 36Hz - 300Hz
Mounting Depth 6"
PP Cone with Diamond Array Pattern

Party Packs



P-W1220

12" Bass Party Pack (KAC-5206 & KFC-W112S x 2)

Frequency Response 28Hz - 800Hz
Mounting Depth 5-9/16"

P-W130TB

12" Tube Subwoofer Party Pack (KAC-5206 & KSC-W1200T)

Frequency Response 40Hz - 800Hz

P-W1020

10" Bass Party Pack (KAC-5206 & KFC-W110S x 2)

Frequency Response 35Hz - 1kHz
Mounting Depth 4-7/8"

Component & Coaxial Speakers



KFC-P709PS
6-1/2" Component Speaker

PEAK POWER **280W**
RMS POWER **80W**

| | | |
|------------------------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 63Hz - 24kHz | Mounting Depth 2-3/16" |
| PP Cone with Diamond Array Pattern | 1" Soft Dome Swivel Tweeter | |



KFC-1795PS
6-3/4" 3-way 3 Speaker

PEAK POWER **330W**
RMS POWER **80W**

| | | |
|---------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 70Hz - 20kHz | Mounting Depth 2-3/8" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |



KFC-6995PS
6x9" 5-way 5 Speaker

PEAK POWER **650W**
RMS POWER **125W**

| | | |
|-----------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 60Hz - 20kHz | Mounting Depth 3-1/16" |
| Ceramic Super Tweeter | Acoustic Sound Harmonizer | |



KFC-C6895PS
6x8" Custom Fit 3-way 3 Speaker

PEAK POWER **360W**
RMS POWER **85W**

| | | |
|---------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 63Hz - 20kHz | Mounting Depth 2-3/8" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |

KFC-P509PS
5-1/4" Component Speaker

PEAK POWER **240W**
RMS POWER **45W**

| | | |
|------------------------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 63Hz - 24kHz | Mounting Depth 2-3/8" |
| PP Cone with Diamond Array Pattern | 1" Soft Dome Swivel Tweeter | |

KFC-1695PS
6-1/2" 3-way Speaker

PEAK POWER **320W**
RMS POWER **75W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 75Hz - 20kHz | Mounting Depth 1-13/16" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |

KFC-6985PS
6x8" 4-way 4 Speaker

PEAK POWER **600W**
RMS POWER **115W**

| | | |
|-----------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 63Hz - 20kHz | Mounting Depth 3-1/16" |
| Ceramic Super Tweeter | Acoustic Sound Harmonizer | |

KFC-C5795PS
5x7" Custom Fit 3-way 3 Speaker

PEAK POWER **320W**
RMS POWER **80W**

| | | |
|---------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 60Hz - 20kHz | Mounting Depth 2-1/16" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |

KFC-1395PS
5-1/4" 3-way Speaker

PEAK POWER **320W**
RMS POWER **40W**

| | | |
|---------------------|-------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 110Hz - 20kHz | Mounting Depth 1-13/16" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |

KFC-1095PS
4" 3-way Speaker

PEAK POWER **220W**
RMS POWER **40W**

| | | |
|---------------------|-------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 110Hz - 20kHz | Mounting Depth 1-11/16" |
| Ceramic Tweeter | Acoustic Sound Harmonizer | |

Coaxial Speakers



KFC-1665S
6-1/2" 2-way 2 Speaker

PEAK POWER **300W**
RMS POWER **30W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 35Hz - 22kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |



KFC-C1655S
6-1/2" Dual Cone Speaker

PEAK POWER **300W**
RMS POWER **30W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 35Hz - 20kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |



KFC-6965S
6x9" 3-way 3 Speaker

PEAK POWER **400W**
RMS POWER **45W**

| | | |
|---------------------|------------------------------------|-----------------------|
| Impedance 4 ohms | Frequency Response 30Hz - 22kHz | Mounting Depth 3" |
| PP Cone Woofer | PEI Balanced Dome Tweeter | Ceramic Super Tweeter |



KSC-SW11
Powered Subwoofer

MAX POWER **150W**

| | | |
|------------------------------------|-----------------------------------|----------------------|
| Frequency Response 35Hz - 150Hz | 1 RCA Input & Speaker Level Input | Wired Remote Control |
|------------------------------------|-----------------------------------|----------------------|

KFC-1365S
5-1/4" 2-way 2 Speaker

PEAK POWER **250W**
RMS POWER **30W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 40Hz - 22kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |

KFC-C1355S
5-1/4" Dual Cone Speaker

PEAK POWER **250W**
RMS POWER **30W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 40Hz - 20kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |

KFC-C6865S
6x8" 2-way 2 Speaker

PEAK POWER **250W**
RMS POWER **30W**

| | | |
|---------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 35Hz - 22kHz | Mounting Depth 2-5/16" |
| PP Cone Woofer | PEI Balanced Dome Tweeter | |



KFC-835C
3-1/2" Custom Fit Speaker

PEAK POWER **40W**
RMS POWER **10W**

| | | |
|----------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 35Hz - 20kHz | Mounting Depth 1-1/2" |
| Water-resistant Cone | | |

KFC-1065S
4" 2-way 2 Speaker

PEAK POWER **210W**
RMS POWER **21W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 45Hz - 22kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |

KFC-C1055S
4" Dual Cone Speaker

PEAK POWER **210W**
RMS POWER **21W**

| | | |
|---------------------|------------------------------------|----------------------------|
| Impedance 4 ohms | Frequency Response 45Hz - 20kHz | Mounting Depth 1-11/16" |
| PP Cone Woofer | | |



KFC-4675C
4x6" Custom Fit Speaker

PEAK POWER **60W**
RMS POWER **15W**

| | | |
|---------------------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 50Hz - 25kHz | Mounting Depth 1-5/8" |
| Injection-Molded PP Cone Woofer | | |



KFC-415C
4x10" Custom Fit Speaker

PEAK POWER **160W**
RMS POWER **40W**

| | | |
|---------------------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 40Hz - 25kHz | Mounting Depth 2-7/16" |
| Injection-Molded PP Cone Woofer | | |



KFC-P680C
6x8" Custom Fit Speaker

PEAK POWER **200W**
RMS POWER **40W**

| | | |
|---------------------------------|------------------------------------|--------------------------|
| Impedance 4 ohms | Frequency Response 30Hz - 25kHz | Mounting Depth 2-1/4" |
| Injection-Molded PP Cone Woofer | | |



KFC-ST01
13/16" Component Tweeter

PEAK POWER **160W**
RMS POWER **40W**

| | | |
|---------------------|------------------------------------|---------------------------|
| Impedance 4 ohms | Frequency Response 5kHz - 25kHz | PEI Balanced Dome Tweeter |
|---------------------|------------------------------------|---------------------------|

Compatibility Chart

| Feature Comparison | WiFi CERTIFIED | HDMI Radio | SiriusXM | Bluetooth | PANDORA for iPhone | PANDORA for Android | iHeartRADIO for iPhone | iHeartRADIO for Android | aha for iPhone | aha for Android | USB | HDMI MHL | Optional cable for smartphone | | | | |
|-------------------------------|----------------|------------|----------|-----------|--------------------|---------------------|------------------------|-------------------------|----------------|-----------------|--------------------|----------|-------------------------------|---------------------------|----------------|----------------------|-----------|
| | | | | | | | | | | | | | iPhone 4 / 4S Music | iPhone 4 / 4S Music&Video | iPhone 5 Music | iPhone 5 Music&Video | Android |
| AV Navigation System | | | | | | | | | | | | | | | | | |
| DNN770HD | • | • | • | • | • | • | Pre-installed | Pre-installed | | | x 1 (Rear) | | KCA-IP102 | KCA-IP202 | KCA-IP103 | | |
| DNX771HD | | • | • | • | • | • | • | • | | | x 1 (Rear) | • | KCA-IP102 | KCA-IP202 | KCA-IP103 | KCA-HD100* | KCA-MH100 |
| DNX571HD | | • | • | • | • | • | • | • | | | x 1 (Rear) | • | KCA-IP102 | KCA-IP202 | KCA-IP103 | KCA-HD100* | KCA-MH100 |
| Monitor Receiver | | | | | | | | | | | | | | | | | |
| DDX7701HD | | • | • | • | • | • | • | • | | | x 1 (Rear) | • | KCA-IP102 | KCA-IP202 | KCA-IP103 | KCA-HD100* | KCA-MH100 |
| DDX771 | | | • | • | • | • | • | • | | | x 1 (Rear) | | KCA-IP102 | KCA-IP202 | KCA-IP103 | | |
| DDX471HD | | | • | • | • | • | • | • | | | x 1 (Rear) | | KCA-IP102 | KCA-IP202 | KCA-IP103 | | |
| DDX371 | | | • | • | • | • | • | • | | | x 1 (Rear) | | KCA-IP102 | KCA-IP202 | KCA-IP103 | | |
| DDX271 | | | • | • | • | • | • | • | | | x 1 (Rear) | | KCA-IP102 | KCA-IP202 | KCA-IP103 | | |
| CD Receiver | | | | | | | | | | | | | | | | | |
| KDC-BT958HD | | • | • | • | • | • | • | • | • | • | x 2 (Front / Rear) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-BT858U | | | • | • | • | • | • | • | • | • | x 2 (Front / Rear) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-BT758HD | | • | • | • | • | • | • | • | • | • | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-BT558U | | | • | • | • | • | • | • | • | • | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-HD458U | | • | | | | | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-BT318U | | | | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-258U | | | | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-158U | | | | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KDC-118U | | | | | | | | | | | x 1 (Front) | | | | | | |
| DPX500BT | | | • | • | • | • | • | • | • | • | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| DPX300U | | | • | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| Digital Media Receiver | | | | | | | | | | | | | | | | | |
| KMM-BT308U | | | | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KMM-108U | | | | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| Marine | | | | | | | | | | | | | | | | | |
| KMR-D558BT | | | • | • | • | • | • | • | • | • | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KMR-D358 | | | • | • | • | • | • | • | | | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KMR-M308BT | | | • | • | • | • | • | • | • | • | x 1 (Front) | | KCA-IP102 | | KCA-IP103 | | |
| KMR-700U | | | | | | | | | | | x 2 (Compartment) | | | | | | |
| KMR-555U | | | • | • | • | • | • | • | | | x 2 | | KCA-IP102 | | KCA-IP103 | | |

* Requires Apple Lightning Digital AV Adapter and Apple Lightning to USB Cable.