



*Professional for Professionals*

Ikegami Electronics (U.S.A.), Inc.  
 37 Brook Avenue, Maywood, N. J. 07607-1195  
 ph: (800) 368-9171 fax (201) 569-1626  
 [URL: [www.ikegami.com](http://www.ikegami.com)]  
 email: [CCTV@ikegami.com](mailto:CCTV@ikegami.com)

# CCTV MSRP Price Sheet

 <p><b>ATM, Board, Cube, &amp; Pinhole Cameras</b></p>	 <p><b>IP: Internet Protocol &amp; IP Ready Cameras</b></p>	 <p><b>Hyper Wide Light Dynamic Domes</b></p>	 <p><b>WiDy1 Compact Cube Color Camera</b></p>
 <p><b>Elevator Cam &amp; Economy Dome</b></p>	 <p><b>Bullet &amp; Mini Bullet Cameras</b></p>	 <p><b>High Resolution Wide Dynamic Range &amp; True Day/Night Color Cameras</b></p>	 <p><b>High Definition Cameras</b></p>
 <p><b>DVR / NVR Digital &amp; Network Video Recorders</b></p>	 <p><b>Monitors</b></p>	 <p><b>Closeout Items</b></p>	 <p><b>Housings, Mounts, Lens, Power Supplies, Switchers, VDAs</b></p>

**To Place a PO, email : [CCTV@ikegami.com](mailto:CCTV@ikegami.com)**

Ikegami Electronics (U.S.A.), Inc.  
 37 Brook Avenue, Maywood, N. J. 07607-1195  
 ph: (800) 368-9171 fax (201) 569-1626  
 [URL: [www.ikegami.com](http://www.ikegami.com)] email: [CCTV@ikegami.com](mailto:CCTV@ikegami.com)

**IKEGAMI CONTACTS** **WARRANTY INFO**

**MSRP PRICE LIST Version 2016-1 : Effective September 1, 2016**

## Your Ikegami CCTV Support Team

To Place a PO, email : [CCTV@ikegami.com](mailto:CCTV@ikegami.com)

**Ruben Furcayg**

**Ikegami**

*National CCTV Sales Manager  
for the Americas*

ph: (800) 368-9171 x 211

cell: (914) 260-9011

fax: (201)-569-1626

[ruben@ikegami.com](mailto:ruben@ikegami.com)

**Guillermo (Bill) Munoz**

**Ikegami**

*Southern States and Latin American  
Regional Sales Manager*

ph: (800) 368-9171 x 212

fax: (201)-569-1626

[gmunoz@ikegami.com](mailto:gmunoz@ikegami.com)

**Yoshi Hirabayashi**

**Ikegami**

*Sales & Marketing Manager  
CCTV & Medical*

ph: (800) 368-9171 x 228

fax: (201)-569-1626

[yhirabayashi@ikegami.com](mailto:yhirabayashi@ikegami.com)

## For Engineering / Repair Support :

**Hiroaki Miyazaki**

**Ikegami**

*Manager of CCTV Engineering*

ph: (800) 368-9171 x 218

fax: (201)-569-1626

[hmiyazaki@ikegami.com](mailto:hmiyazaki@ikegami.com)

**Teri Fernandes**

**Ikegami**

*Assistant Service Manager*

ph: (800) 368-9171 x 274

fax: (201)-569-1626

[tfernandes@ikegami.com](mailto:tfernandes@ikegami.com)

## For Price & Availability : [CCTV@ikegami.com](mailto:CCTV@ikegami.com)

**Dina Antonutti**

**Ikegami**

*Control Manager*

ph: (800) 368-9171 x 286

fax: (201)-569-1626

[dantonutti@ikegami.com](mailto:dantonutti@ikegami.com)

**Joseph Ponzo**

**Ikegami**

*Inside Sales Coordinator  
CCTV*

ph: (800) 368-9171 x 254

fax: (201)-569-1626

[jponzo@ikegami.com](mailto:jponzo@ikegami.com)

## WiDy1 Hyper Wide Light Dynamic Domes

### Hyper Wide Light Dynamic

#### ISD-A33

WiDy1 Dome Color Camera



1/3-inch DPS CMOS sensor. Approx. 410,000 pixels, 768 (H) x 540 (V) NTSC: 525 TV lines/59.94 Hz, 2 : 1 interlaced PAL: 625 TV lines/50 Hz, 2 : 1 interlaced Internal Sync (Crystal Lock), External Sync (AC Line Lock) VBS 1.0 Vp-p/75 ohms Horizontal: 480 TV lines (690 HTVL-Effective) 50 dB (p-p/rms) or better. Made in Korea . Net Wt: 340g (Approx. 0.75 lbs)

MSRP

Model	Description	SPEC	\$	MSRP
<b>ISD-A33-31WH</b>	ISD-A33 Camera, 2.9-10mm Lens, White Housing	SPEC	\$	350.00
<b>ISD-A33-31BL</b>	ISD-A33 Camera, 2.9-10mm Lens, Black Housing	SPEC	\$	350.00
<b>ISD-A33-92WH</b>	ISD-A33 Camera, 9-22mm Lens, White Housing	SPEC	\$	368.00
<b>ISD-A33-92BL</b>	ISD-A33 Camera, 9-22mm Lens, Black Housing	SPEC	\$	368.00

### Recommended Accessories

MSRP

<b>XHG-6229N2</b>	WHITE In Ceiling Mount Adaptor FOR ISD-A33, ISD-A35, IPD-DM11, IPD-VR11. Made in Korea, LxWxH 215mm X 215mm X 76.7mm = 1.85 lbs.	SPEC	\$	120.00
<b>IK-WM100-I-W</b>	Wall Mount for ISD-A33. Made in Korea. Net Wt 1000 g (Approx.2.20 lbs)	SPEC	\$	12.00
<b>IK-WB100-I-W</b>	Pendant Mount for ISD-A33. Made in Korea. F65	SPEC	\$	60.00
<b>IK-CB100-I-W</b>	Ceiling Mount for ISD-A33. Made in Korea. Net Wt:Approx. 650g (Approx 1.43 lbs.)	SPEC	\$	60.00
<b>7-4CTCD-3M</b>	3 Meter External Cable for ISD-A33 / ISD-A35		\$	10.00
<b>RC-ISD2012</b>	Remote Control for ISD-A33, ISD-A35, ISD-A14, ISD-A15	SPEC	\$	92.00

### WiDy1 Vandal Resistant Day/Night Dome Camera

#### ISD-A35

WiDy1 Dome Color Camera



1/3-inch DPS CMOS sensor. Approx. 410,000 pixels, 768 (H) x 540 (V) NTSC: 525 TV lines/59.94 Hz, 2 : 1 interlaced PAL: 625 TV lines/50 Hz, 2 : 1 interlaced Internal Sync (Crystal Lock), External Sync (AC Line Lock) VBS 1.0 Vp-p/75 ohms Horizontal: 480 TV lines (690 HTVL-Effective) 50 dB (p-p/rms) or better. Made in Korea . Net Wt: 340g (Approx. 0.75 lbs)

<b>ISD-A35-31WH</b>	ISD-A35 Camera, 2.9-10mm Lens, White Housing	SPEC	\$	432.00
<b>ISD-A35-31BL</b>	ISD-A35 Camera, 2.9-10mm Lens, Black Housing	SPEC	\$	432.00
<b>ISD-A35-92WH</b>	ISD-A35 Camera, 9-22mm Lens, White Housing	SPEC	\$	450.00
<b>ISD-A35-92BL</b>	ISD-A35 Camera, 9-22mm Lens, Black Housing	SPEC	\$	450.00
<b>ISD-A35-31BL-HEAT</b>	ISD-A35 Camera w/ Heater , 2.9-10mm Lens, White Housing	SPEC	\$	484.00
<b>ISD-A35-31WH-HEAT</b>	ISD-A35 Camera w/ Heater , 2.9-10mm Lens, Black Housing	SPEC	\$	484.00
<b>ISD-A35-92BL-HEAT</b>	ISD-A35 Camera w/ Heater , 9-22mm Lens, White Housing	SPEC	\$	502.00
<b>ISD-A35-92WH-HEAT</b>	ISD-A35 Camera w/ Heater , 9-22mm Lens, Black Housing	SPEC	\$	502.00

### Recommended Accessories

MSRP

<b>IK-DSB-PWMVCN-CG-W</b>	Wall Mount 170 x 155 x 250 mm Aluminum Construction. Made in Korea (WHITE) . Approx 900g (Approx 1.98 lbs)	SPEC	\$	84.00
<b>IK-DSB-PWMVCN-CG-B</b>	Wall Mount 170 x 155 x 250 mm Aluminum Construction. Made in Korea (BLACK) . Approx 900g (Approx 1.98 lbs)	SPEC	\$	84.00
<b>IK-VCNB-320CB</b>	Pendant Mount 150 x 500 mm (W x H) Aluminum Construction. Made in USA. Net Wt Approx. 2100g (Approx. 4.62 lbs)	SPEC	\$	108.00
<b>7-4CTCD-3M</b>	3 Meter External Cable for ISD-A33 / ISD-A35		\$	10.00
<b>XHG-6229N2</b>	WHITE In Ceiling Mount Adaptor FOR ISD-A33, ISD-A35, IPD-DM11, IPD-VR11. Made in Korea, LxWxH 215mm X 215mm X 76.7mm = 1.85 lbs.	SPEC	\$	120.00
<b>RC-ISD2012</b>	Remote Control for ISD-A33, ISD-A35, ISD-A14, ISD-A15	SPEC	\$	92.00

## WiDy1 Hyper Wide Light Dynamic ATM Camera

WiDy1 Mini Cube Color Camera			MSRP
<b>ISD-A14-NL</b>	 1/3-inch DPS CMOS sensor. (no lens) Approx. 410,000 pixels, 768 (H) x 540 (V). NTSC: 525 TV lines/59.94 Hz, 2 : 1 interlaced. Horizontal: 480 TV lines (690 HTVL-Effective) . 50 dB (p-p/rms) or better. Made in Korea Net Wt 80g (Approx. 0.18 lbs) *Includes SUT-A14 Control Board.	SPEC	\$ 280.00
<b>ISD-A14-25</b>	ISD-A14 Camera, 2.5mm F2.0 Lens & SUT-A14. Net Wt 80g	SPEC	\$ 286.00
<b>ISD-A14-29</b>	ISD-A14 Camera, 2.9mm F2.0 Lens & SUT-A14. Net Wt 80g	SPEC	\$ 274.00
<b>ISD-A14-36</b>	ISD-A14 Camera, 3.6mm F2.0 Lens & SUT-A14. Net Wt 80g	SPEC	\$ 270.00
<b>ISD-A14-80</b>	ISD-A14 Camera, 8mm F2.5 Lens & SUT-A14. Net Wt 80g	SPEC	\$ 310.00
Mini Cube Color Camera + ATM Bracket			MSRP
<b>ISD-A14-25_ATM</b>	<b>CONSIST OF:</b>	SPEC	\$ 308.00
<b>ISD-A14-25</b>	ISD-A14 Camera, 2.5mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	286.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
<b>ISD-A14-29_ATM</b>	<b>CONSIST OF:</b>	SPEC	\$ 296.00
<b>ISD-A14-29</b>	ISD-A14 Camera, 2.9mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	274.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
<b>ISD-A14-36_ATM</b>	<b>CONSIST OF:</b>	SPEC	\$ 292.00
<b>ISD-A14-36</b>	ISD-A14 Camera, 3.6mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	270.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
Mini Cube Color Camera + AC/DC Converter			MSRP
<b>ISD-A14-25_ACDC</b>	<b>CONSIST OF:</b>	SPEC	\$ 298.00
<b>ISD-A14-25</b>	ISD-A14 Camera, 2.5mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	286.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00
<b>ISD-A14-29_ACDC</b>	<b>CONSIST OF:</b>	SPEC	\$ 286.00
<b>ISD-A14-29</b>	ISD-A14 Camera, 2.9mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	274.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00
<b>ISD-A14-36_ACDC</b>	<b>CONSIST OF:</b>	SPEC	\$ 282.00
<b>ISD-A14-36</b>	ISD-A14 Camera, 3.6mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	270.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00
Mini Cube Color Camera + ATM Bracket + ACDC Converter			MSRP
<b>ISD-A14-25_AA</b>	<b>CONSIST OF:</b>	SPEC	\$ 320.00
<b>ISD-A14-25</b>	ISD-A14 Camera, 2.5mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	286.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00
<b>ISD-A14-29_AA</b>	<b>CONSIST OF:</b>	SPEC	\$ 308.00
<b>ISD-A14-29</b>	ISD-A14 Camera, 2.9mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	274.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00
<b>ISD-A14-36_AA</b>	<b>CONSIST OF:</b>	SPEC	\$ 304.00
<b>ISD-A14-36</b>	ISD-A14 Camera, 3.6mm F2.0 Lens & SUT-A14. Net Wt 80g	\$	270.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	\$	22.00
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	\$	12.00

Other Recommended Accessories, next page

## WiDy1 Hyper Wide Light Dynamic ATM Camera Continued


**Recommended Accessories, ISD-A14**

				<u>MSRP</u>
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China	SPEC	\$	12.00
<b>CBK-A14</b>	ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea	SPEC	\$	22.00
<b>IK-12500</b>	12V DC 500MA Switching Power Supply. Primary: 120/240VAC 50/60Hz . Secondary:12VDC 500MA , 2.1mm Coax plug . 56x23x65mm. UL Listed. Made in China	SPEC	\$	12.00
<b>SUT-A14</b>	Spare Control Board for ISD-A14. 35x25x0.5mm . Nt Wt 0.5 oz. Made in Korea	SPEC	\$	16.00
<b>RC-ISD2012</b>	Remote Control for ISD-A33, ISD-A35, ISD-A14, ISD-A15	SPEC	\$	92.00


**BOARD, PINHOLE & MINI CUBE CAMERAS****ECO Series, 1.3MP ANALOG COLOR WDR BOARD CAMERA**

				<u>MSRP</u>
<b>ECO-HD13</b>	 2.8mm-12mm, 1.3MP, F1.2, Varifocal Lens. 12V DC, OSD, Easy Icon Style OSD, Remote Control Communication: RS485 / UTC, Wide Voltage Input Operation (7V - 16V), NTSC Video Output, Wide Dynamic Range (30fps) Enhanced LED Sync. Made in Korea. dimensions: LxWxH (w/Lens) 42.4mm x 55mm x 42.4mm. Weight 0.15 lbs	SPEC	\$	208.00

**ECO Series, High Resolution Conical Pinhole Lens Camera**

				<u>MSRP</u>
<b>ECO-CPH37</b>	 High Resolution Conical 3.7mm Pinhole Lens Camera. 700TVL, Image Sensor 1/3" 960H CCD, NTSC. Weight 70g (2.47 oz.), Dimensions 48x42x19mm (1.89"x1.65"x0.75") Made in Korea	SPEC	\$	146.00


**ECO Series, HD IP Mini Cube Color Camera**


				<u>MSRP</u>
<b>ECO-HD47IP</b>	 ONVIF Compliant, 2.43 Megapixel, 1/2.8" CMOS Sensor , Board: 3.7 mm (3 MP) Lens, Digital Day & Night, Min. Illumination of 0.1 Lux 3D DNR / BLC / HLC / AGC / AWB , DC 12V Power. 1/2.8" format CMOS sensor provides H.264 at 1920x1080 (1080p@30fps) and MJPEG at 1280x720 (720p@30fps). Size: 51.5 x 47.5 x 35 mm. Made in Korea	SPEC	\$	558.00

**Ask us about our ULL Ultra Low Light Camera, Rated the best ULL Camera**

**1.47 Mega-pixel newly developed 1CMOS sensor, CMOS: 1408(H) x 1042(V) pixels , HDTV: 1280(H) x 720(V). Lens mount: CS (with BF adjustment). 1080i/720p Day/Night (IR cut filter) switchable. Dimensions (WHD): 78x58x140mm (3.1x2.3x5.5"). Weight Approx. 650g or less. Made in Japan**

**PTZ CAMERAS****ECO Series, 2 MP PTZ IP CAMERAS**

				<u>MSRP</u>
<b>EE-IPD20</b>	 2 MP HD IP 20X PTZ Speed Dome. 1/3" 2MP CMOS Sensor, Zoom: 20X Optical, f=4.7-94mm, 0.5Lux / 0.1Lux (Day / Night), 30fps@2MP BLC, WDR, AGC, 4 / 1CH Alarm In/Out, 2 Way Audio, microSD, AC 24V IP66 & Lightning proof. Made in China. Dimension 5.4" (R) x 5" (H) (137 x 127mm) Weight ± 6.61lbs (3kg)	SPEC	\$	1,558.00

<b>EE-IPD20IR</b>	 1/3" 2MP CMOS Sensor, 1920 x 1080@25 / 30fps, H.264 image compression format, SD card local storage, network remote storage Zoom: 20X Optical, f=4.7-94mm, 10 Super IRs, 0Lux, up to 100m 30fps @ 2MP, 4 / 1CH Alarm In/Out, 2 Way Audio, microSD, AC 24V AWB, Day/Night, Auto Focus, Lens Wiper, IP66 & Lightning proof. Made in China. Dim 8.1" (R) x 14.2" (H) (205 x 360 mm). Weight ± 11lbs (5kg)	SPEC	\$	2,098.00
-------------------	--	------	----	----------

**PCS-418-CMIT**

LTD SUPPLY



PTZ DOME CAMERA. Indoor Preset Dome, IP54, 1/4" D/N, 460TVL, 0.7Lux/0.01Lux(B/W), 18X Zoom (4.1-73.8mm), 12X D-Zoom, 62X Preset, 4X Pattern, 8X Slow, 8X Fast, H360 deg./V200deg. Sec. PTZ (RS-485 & Coax).

SPEC \$ 430.00

**PCS-418-CMEWP**

LTD SUPPLY



PTZ DOME CAMERA. External Preset Dome, IP67, 1/4" D/N, 460TVL, 0.7Lux/0.01Lux(B/W), 18X Zoom (4.1-73.8mm), 12X DZoom, 62X Preset, Same as PCS-418-CMIWP. Including Wall/Pendant bracket.

SPEC \$ 500.00

## WiDy1 Compact Cube Camera

### WiDy1 Compact Cube Color Camera

MSRP

**ISD-A15**

1/3-inch DPS CMOS sensor. . Approx. 410,000 pixels, 768 (H) x 540 (V). NTSC: 525 TV lines/59.94 Hz, 2 : 1 interlaced. PAL: 625 TV lines/50 Hz, 2 : 1 interlaced. Internal Sync (Crystal Lock), External Sync (AC Line Lock). VBS 1.0 Vp-p/75 ohms. Horizontal: 480 TV lines (690 HTVL-Effective). 50 dB (p-p/rms) or better. Made in Korea. Net Wt 200g (Approx. 0.44 lbs)

SPEC

\$

342.00

### ISD-A15\_KIT-27135

CONSIST OF:

SPEC

\$

446.00

**ISD-A15**

1/3-inch DPS CMOS sensor Camera

\$

342.00

**IK-YV5X2.7R4B-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm

\$

104.00

### ISD-A15\_KIT-5550

CONSIST OF:

SPEC

\$

496.00

**ISD-A15**

1/3-inch DPS CMOS sensor Camera

\$

342.00

**IK-YV10X5HR4A-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5mm - 50mm

\$

154.00

### ISD-A15\_KIT-1A

CONSIST OF:

SPEC

\$

456.00

**ISD-A15**

1/3-inch DPS CMOS sensor Camera

\$

342.00

**IK-YV5X2.7R4B-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm

\$

104.00

**CMB-1W**

Universal Camera Mount

\$

10.00

### ISD-A15\_KIT-2A

CONSIST OF:

SPEC

\$

506.00

**ISD-A15**

1/3-inch DPS CMOS sensor Camera

\$

342.00

**IK-YV10X5HR4A-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5mm - 50mm

\$

154.00

**CMB-1W**

Universal Camera Mount

\$

10.00

### ISD-A15 KIT: FOR INDOOR / OUTDOOR USE (with Heater)

MSRP

### KIT-ISDA15-OD

CONSIST OF:



SPEC

\$

540.00

**ISD-A15**

1/3-inch DPS CMOS sensor Camera

\$

342.00

**IK-YV5X2.7R4B-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm

\$

104.00

**MGT2450**

Power Supply. 24VAC 50VA

\$

20.00

**CAMH-500K**

12" OUTDOOR HOUSING w/ Mount - Heater &amp; Blower

\$

74.00

### WiDy1 Compact Cube True Day Night Color Camera

MSRP

### ISD-A15-TDN



ISD-A15 True Day Night Camera. 1/3-inch DPS CMOS sensor. . Approx. 410,000 pixels, 768 (H) x 540 (V). NTSC: 525 TV lines/59.94 Hz, 2 : 1 interlaced. PAL: 625 TV lines/50 Hz, 2 : 1 interlaced. Internal Sync (Crystal Lock), External Sync (AC Line Lock). VBS 1.0 Vp-p/75 ohms. Horizontal: 480 TV lines (690 HTVL-Effective). 50 dB (p-p/rms) or better. Made in Korea. Net Wt 200g (Approx. 0.44 lbs)

SPEC

\$

378.00

### ISD-A15-TDN\_KIT-27135

CONSIST OF:

SPEC

\$

482.00

**ISD-A15-TDN**

True Day Night 1/3-inch DPS CMOS sensor Camera

\$

378.00

**IK-YV5X2.7R4B-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm

\$

104.00

### ISD-A15-TDN\_KIT-5550

CONSIST OF:

SPEC

\$

532.00

**ISD-A15-TDN**

True Day Night 1/3-inch DPS CMOS sensor Camera

\$

378.00

**IK-YV10X5HR4A-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5mm - 50mm

\$

154.00

### ISD-A15-TDN\_KIT-1A

CONSIST OF:

SPEC

\$

492.00

**ISD-A15-TDN**

True Day Night 1/3-inch DPS CMOS sensor Camera

\$

378.00

**IK-YV5X2.7R4B-SA2L**

MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm

\$

104.00

**CMB-1W**

Universal Camera Mount

\$

10.00

**Outdoor Housing Cameras & Other Recommended Accessories, next page**



## WiDy1 Compact Cube Camera Outdoor Housing



WiDy1 Compact Cube Camera in Outdoor Housing			MSRP
<b>PAC-ISDA15TDN-OD</b>	Assembled: ISD-A15TDN True Day Night Camera, 2.7 mm - 13.5 mm & 10.9" Housing. No Heater <b>CONSIST OF:</b>	<b>SPEC</b>	\$ 557.00
<b>ISD-A15-TDN</b>	True Day Night 1/3-inch DPS CMOS sensor Camera	\$	378.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm	\$	104.00
<b>IK-9480MT9212</b>	10.9" Housing and wall mount	\$	75.00
<b>PAC-ISDA15TDN-OD2</b>	Assembled: ISD-A15TDN True Day Night Camera, 5.5-50mm lens & 10.9" Housing. No Heater <b>CONSIST OF:</b>	<b>SPEC</b>	\$ 607.00
<b>ISD-A15-TDN</b>	True Day Night 1/3-inch DPS CMOS sensor Camera	\$	378.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5mm - 50mm	\$	154.00
<b>IK-9480MT9750</b>	10.9" Housing and wall mount	\$	75.00
<b>PAC-ISDA15TDN-ODH</b>	Assembled: ISD-A15TDN True Day Night Camera, 2.7-13.5 mm lens & 15.9" Housing <b>with heater &amp; blower.</b> <b>CONSIST OF:</b>	<b>SPEC</b>	\$ 648.00
<b>ISD-A15-TDN</b>	True Day Night 1/3-inch DPS CMOS sensor Camera	\$	378.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm	\$	104.00
<b>IK-9483-2HBMT9212</b>	15.9" Housing and wall mount	\$	166.00
<b>PAC-ISDA15TDN-OD2H</b>	Assembled: ISD-A15TDN True Day Night Camera, 5.5-50 mm Lens & 15.9" Housing <b>with heater &amp; blower.</b> <b>CONSIST OF:</b>	<b>SPEC</b>	\$ 698.00
<b>ISD-A15-TDN</b>	True Day Night 1/3-inch DPS CMOS sensor Camera	\$	378.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5mm - 50mm	\$	154.00
<b>IK-9483-2HBMT9750</b>	15.9" Housing and wall mount	\$	166.00
Recommended Accessories			MSRP
<b>IK-TV3X0310M BEIGE</b>	VARIFOCAL MANUAL IRIS LENS. 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan	<b>SPEC</b>	\$ 24.00
<b>IK-DTV2714</b>	MEGAPIXEL VARIFOCAL MANUAL IRIS LENS. f=2.7mm 12mm, F1.4, Manual Iris, made in Japan	\$	16.00
<b>IK-DTV3X0310D</b>	VARIFOCAL DC AUTO IRIS LENS. Black 3.0 - 8.5 mm - CS mount - F1.0 - F360- ED - Aspherical. Japan Weight: 50g	<b>SPEC</b>	\$ 84.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm (5x)-F1.3 - T360 - IR (TDN)	<b>SPEC</b>	\$ 104.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5.5 mm - 50 mm (5x)-F1.3 - T360 - IR (TDN)	<b>SPEC</b>	\$ 154.00
<b>TG2Z1816FCS</b>	TG2Z1816FCS 1/3" Varifocal Wide-Angle Lens (1.8-3.6mm)	<b>SPEC</b>	\$ 400.00
<b>CMB-1W</b>	White Mount, Universal metal bracket with ceiling clip and 2 extender(Grey) Made in China	<b>SPEC</b>	\$ 10.00
<b>PS-2420</b>	Power Supply. 24VAC 20VA Plug-in TRANSFORMER (White) Made in China (0.56 lbs.)	<b>SPEC</b>	\$ 12.00
<b>MGT2450</b>	Power Supply. 24VAC 50VA Plug-in TRANSFORMER (White) Made in China	<b>SPEC</b>	\$ 20.00
<b>CAMH-500K</b>	Housing. 12" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ISD-A15 / BX11. Made in China. Net Wt Approx 907 g (Approx 2.0 lbs)	<b>SPEC</b>	\$ 74.00
<b>PPC-ISDA15</b>	Power Plug Connector / ISD-A15	\$	4.00
<b>RC-ISD2012</b>	Remote Control for ISD-A33, ISD-A35, ISD-A14, ISD-A15	<b>SPEC</b>	\$ 92.00
<b>IK-HS9483SS</b>	Optional Sun Shade for PAC- ODH & PAC- OD2H	<b>SPEC</b>	\$ 18.00
<b>IK-9480MT9212</b>	10.9" Housing & Wall Mount for PAC-OD	<b>SPEC</b>	\$ 75.00
<b>IK-9480MT9750</b>	10.9" Housing & Wall Mount for PAC-OD2	<b>SPEC</b>	\$ 75.00
<b>IK-9483-2HBMT9750</b>	15.9" Housing with heater & blower for PAC-OD2H	<b>SPEC</b>	\$ 166.00
<b>IK-9483-2HBMT9212</b>	15.9" Housing with heater & blower for PAC-ODH	<b>SPEC</b>	\$ 166.00

## High Resolution Wide Dynamic Range Camera

**1/3" DIGITAL COLOR LOW LIGHT & DIGITAL DAY NIGHT HIGH IR SENSITIVITY**

MSRP

### ICD-525



SPEC \$ 276.00

ICD-525 1/3" CCD Chip Camera, High Resolution Wide Dynamic Range camera. Digital D/N . 0.0007 lx, 700TVL High Resolution Pictures. 52dB, High Picture Quality and Low Smear and Noise. Wide Dynamic Range (WDR) .Monitor Selection Switch. Auto White Balance Focus EZ Function. Made in Korea. Net Weight 300g (0.66lbs) approx.

### ICD-525KIT-ID

CONSIST OF:

SPEC \$ 322.00

<b>ICD-525</b>	ICD-525 Camera	\$	276.00
<b>IK-TV3X0310M BEIGE</b>	1/3" 3 -8.5 mm F1.0 Manual Iris Varifocal Lens	\$	24.00
<b>CMB-1W</b>	Universal Camera Mount	\$	10.00
<b>PS-2420</b>	Transformer 24V(20VA) 120V/60HZ	\$	12.00

### ICD-525KIT-ID2

CONSIST OF:

SPEC \$ 325.00

<b>ICD-525</b>	ICD-525 Camera	\$	276.00
<b>IK-DTV5513</b>	5.5-50mm F1.3 Man-Lens	\$	27.00
<b>CMB-1W</b>	Universal Camera Mount	\$	10.00
<b>PS-2420</b>	Transformer 24V(20VA) 120V/60HZ	\$	12.00

### ICD-525KIT-IDA

CONSIST OF:

SPEC \$ 402.00

<b>ICD-525</b>	ICD-525 Camera	\$	276.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOCA DC AUTO IRIS LENS. 2.7 mm - 13.5 mm	\$	104.00
<b>CMB-1W</b>	Universal Camera Mount	\$	10.00
<b>PS-2420</b>	Transformer 24V(20VA) 120V/60HZ	\$	12.00

### ICD-525KIT-IDA2

CONSIST OF:

SPEC \$ 452.00

<b>ICD-525</b>	ICD-525 Camera	\$	276.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOCA DC AUTO IRIS LENS. 5mm - 50mm	\$	154.00
<b>CMB-1W</b>	Universal Camera Mount	\$	10.00
<b>PS-2420</b>	Transformer 24V(20VA) 120V/60HZ	\$	12.00

### ICD-525KIT-OD

CONSIST OF:

SPEC \$ 516.00

<b>ICD-525</b>	ICD-525 Camera	\$	276.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOCA DC AUTO IRIS LENS. 5mm - 50mm	\$	154.00
<b>PS-2420</b>	Transformer 24V(20VA) 120V/60HZ	\$	12.00
<b>CAMH-500K</b>	12" OUTDOOR HOUSING w/ Mount - Heater & Blower	\$	74.00

### Other Recommended Accessories



MSRP

<b>IK-13VM550W</b>	1/3" CS Mount 5-50mm Lens with Manual Iris (White). Made in Japan	SPEC	\$ 15.00
<b>IK-DTV2714</b>	MEGAPIXEL VARIFOCA MANUAL IRIS LENS. f=2.7mm 12mm, F1.4, Manual Iris, made in Japan	\$	16.00
<b>IK-DTV5513</b>	MEGAPIXEL VARIFOCA MANUAL IRIS Megapixel Lens, f=5.5mm 50mm, F1.3, Manual Iris, made in Japan	SPEC	\$ 27.00
<b>IK-TV3X0310M BEIGE</b>	VARIFOCA MANUAL IRIS, 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan Weight: 50g	SPEC	\$ 24.00
<b>IK-DTV3X0310D</b>	VARIFOCA DC AUTO IRIS LENS. Black 3.0 - 8.5 mm - CS mount - F1.0 - F360- ED - Aspherical. Japan Weight: 50g	SPEC	\$ 84.00
<b>CMB-1B</b>	Black Mount, Universal metal bracket with ceiling clip and 2 extender(Grey) (=WH-4GM) Made in China	SPEC	\$ 10.00
<b>CAMH-500K</b>	Housing, 12" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ISD-A15 / BX11. Made in China. Net Wt Approx 907 g (Approx 2.0 lbs)	SPEC	\$ 74.00







## High Resolution True Day/Night DSP Color Cameras



### 1/3" Hi-Res DIGITAL COLOR ULTRA LOW LIGHT & DAY NIGHT HIGH IR SENSITIVITY

			<u>MSRP</u>
<b>ICD-809</b>		540TVL/570TVL - 0.015 lux/F 1.2 in B/W mode - AES - BLC- 24VAC/12VDC - SMEAR LEVEL (-115dB) - Day/Night - Privacy Screen Masking - Remote & Local Setup - GENLOCK . Net Wt Approx 422g (Approx 0.93 lbs) Made in Japan	SPEC \$ 854.00
<b>ICD-809P/24</b>		PAL (NOT USA VERSION) 540TVL/570TVL - 0.015 lux/F 1.2 in B/W mode - AES - BLC- 24VAC/12VDC - Day/Night - Privacy Screen Masking - Remote & Local Setup - GENLOCK. Made in Japan. Net Wt Approx 422g (Approx 0.93 lbs) ASK FOR AVAILABILITY	SPEC \$ 1,096.00

### Recommended Accessories

			<u>MSRP</u>
<b>IK-TV3X0310M BEIGE</b>		VARIFOCAL MANUAL IRIS, 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan Weight: 50g	SPEC \$ 24.00
<b>IK-YV5X2.7R4B-SA2L</b>		MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm (5x)-F1.3 - T360 - IR (TDN)	SPEC \$ 104.00
<b>IK-YV10X5HR4A-SA2L</b>		MEGAPIXEL VARIFOCAL DC AUTO IRIS LENS. 5.5 mm - 50 mm (5x)-F1.3 - T360 - IR (TDN)	SPEC \$ 154.00
<b>RCU-801</b>		REMOTE CAMERA SET UP BOX, Control Unit for REMOTE SET-UP of the ICD-809, ICD-879, or ISD-A21. Made in Japan Net Wt 500g or less excluding batteries (Approx 1.10 lbs.)	SPEC \$ 848.00
<b>CMB-1W</b>		White Mount, Universal metal bracket with ceiling clip and 2 extender(Grey) Made in China	SPEC \$ 10.00
<b>PS-2420</b>		Power Supply. 24VAC 20VA Plug-in TRANSFORMER (White) Made in China (0.56 lbs.)	SPEC \$ 12.00
<b>E4-191J-150</b>		4-Pin Auto Iris Connector w/Conn Shell, Eq:E4-191J-100. Made in USA	\$ 10.00







### 1/2" ULTIMATE DAY & NIGHT OPERATION FOR OUTDOOR OR INDOOR USE (HIGH IR SENSITIVITY)

			<u>MSRP</u>
<b>ICD-879</b>		540 TVL/570TVL - 0.011 lux/F 1.2 in B/W mode - AES - BLC -24VAC/12VDC- SMEAR LEVEL (-115dB) - Day/Night - Privacy Screen Masking - Remote & Local Setup - Electronic Sensitivity up -GENLOCK. Made in Japan. Net Wt Approx 500g (Approx 1.10 lbs)	SPEC \$ 1,296.00
<b>ICD-879P</b>		PAL (NOT USA VERSION) 540 TVL/570TVL - 0.011 lux/F 1.2 in B/W mode - AES - BLC -24VAC/12VDC- Day/Night - Privacy Screen Masking - Remote & Local Setup - Electronic Sensitivity up -GENLOCK. Made in Japan. Net Wt Approx 500g (Approx 1.10 lbs) ASK FOR AVAILABILITY	SPEC \$ 1,398.00

### Recommended Accessories










			<u>MSRP</u>
<b>H10Z0812AMS</b>		1/2" 8-80mm f1.2 10X Motorized Zoom, Video Auto Iris w/spot (C Mount). Made in Japan	SPEC \$ 1,410.00
<b>IK-DV5x3.6R4B-2</b>		VARIFOCAL MANUAL IRIS, 3.6 - 18mm, F1.8 - CS mount - Close Made in Japan	SPEC \$ 162.00
<b>IK-H3Z4512CSIR</b>		VARIFOCAL MANUAL IRIS Lens, 4.5 - 12.5mm - CS mount - F1.2 - Close - Made in Japan	SPEC \$ 232.00
<b>IK-12VM1040ASIR</b>		VARIFOCAL MANUAL IRIS LENS, 10 - 40 mm - C mount - F1.4 - Close - IR- Aspherical Made in China	SPEC \$ 238.00
<b>IK-DV5x3.6R4B-SA2L</b>		VARIFOCAL DC AUTO IRIS LENS, 3.6 - 18 mm - CS mount - F1.8 - T360 Made in China	SPEC \$ 198.00
<b>IK-12VG412ASIR-SQ</b>		VARIFOCAL DC AUTO IRIS LENS, 4 - 12 mm - C mount - F1.2 - 360 - IR- Aspherical , Made in China	SPEC \$ 240.00
<b>IK-HV7517D</b>		VARIFOCAL DC AUTO IRIS LENS, 7.5 - 75 mm - C mount - F1.7 - T360 Made in Japan	SPEC \$ 54.00
<b>IK-12VG1040ASIR-SQ</b>		VARIFOCAL DC AUTO IRIS LENS, 10 - 40 mm - C mount - F1.4 - F360 - IR - Aspherical Made in China	SPEC \$ 260.00
<b>CMB-1W</b>		White Mount, Universal metal bracket with ceiling clip and 2 extender(Grey) Made in China	SPEC \$ 10.00
<b>PS-2420</b>		Power Supply. 24VAC 20VA Plug-in TRANSFORMER (White) Made in China (0.56 lbs.)	SPEC \$ 12.00
<b>CMA-40</b>		C-Mount ADAPTOR RING	\$ 12.00
<b>CAMH-200B</b>		15" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ICD-809/879. Made in China. Wt Approx 953 g (Approx 2.1 lbs)	SPEC \$ 74.00

## IP : Internet Protocol

IP 2 MEGA PIXEL BOX CAMERA		<u>MSRP</u>
<b>IPD-BX300</b>	 <p>2MP High Definition Indoor Box IP Network Camera. 1/3" progressive scan CMOS sensor. Enhanced Digital WDR. New generation 3DNR technology. Auto Iris Function. Day/Night Function. Dual Streaming. NTSC / PAL. Dimensions: 56mm x 125mm x 69mm. Weight: 400g (0.881 lbs). Made in Taiwan</p>	<b>SPEC</b> \$ 512.00
IP 2 MEGA PIXEL INDOOR DOME CAMERA		<u>MSRP</u>
<b>IPD-DM300</b>	 <p>2MP High Definition Indoor Dome IP Network Camera. 1/3" progressive scan CMOS sensor. Enhanced Digital WDR New generation 3DNR technology. Dimensions: 0125mm x 106mm(H). Weight : 500g (1.10 lbs). Made in Taiwan</p>	<b>SPEC</b> \$ 824.00
ECO Series, HD IP Mini Cube Color Camera		<u>MSRP</u>
<b>ECO-HD47IP</b>	 <p>ONVIF Compliant, 2.43 Megapixel, 1/2.8" CMOS Sensor , Board: 3.7 mm (3 MP) Lens, Digital Day &amp; Night, Min. Illumination of 0.1 Lux 3D DNR / BLC / HLC / AGC / AWB , DC 12V Power. 1/2.8" format CMOS sensor provides H.264 at 1920x1080 (1080p@30fps) and MJPEG at 1280x720 (720p@30fps). Size: 51.5 x 47.5 x 35 mm. Made in Korea</p>	<b>SPEC</b> \$ 558.00
WiDy1 Hybrid IP Ready Network Camera		<u>MSRP</u>
<b>IPD-BX11</b>	 <p>Hyper Wide Light Dynamic IP Network 1/3" DPS CMOS sensor Camera. pprox.410,000 pixels, Effective 758(H) x 540(V). Protocol: TCP, UDP, RTP/RTCP, RTSP, HTTP, FTP, NTP, ONVIF support (Multicast Delivery available ). Made in Korea. Net Weight 300g (0.66lbs) approx.</p>	<b>SPEC</b> \$ 582.00
<b>IPD-BX11_KIT_27135</b>	<b>CONSIST OF:</b>	<b>SPEC</b> \$ 686.00
<b>IPD-BX11</b>	Hyper Wide Light Dynamic IP Network 1/3" DPS CMOS sensor Camera.	\$ 582.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOVAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm	\$ 104.00
Recommended Accessories		<u>MSRP</u>
<b>IK-DTV3X0310M</b>	VARIFOVAL MANUAL IRIS LENS, Black 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan	<b>SPEC</b> \$ 17.00
<b>IK-DTV2714</b>	MEGAPIXEL VARIFOVAL MANUAL IRIS Lens, f=2.7mm 12mm, F1.4, Manual Iris, made in Japan	\$ 16.00
<b>IK-TV3X0310M BEIGE</b>	VARIFOVAL MANUAL IRIS, 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan Weight: 50g	<b>SPEC</b> \$ 24.00
<b>IK-YV5X2.7R4B-SA2L</b>	MEGAPIXEL VARIFOVAL DC AUTO IRIS LENS. 2.7 mm - 13.5 mm (5x)-F1.3 - T360 - IR (TDN)	<b>SPEC</b> \$ 104.00
<b>IK-YV10X5HR4A-SA2L</b>	MEGAPIXEL VARIFOVAL DC AUTO IRIS LENS. 5.5 mm - 50 mm (5x)-F1.3 - T360 - IR (TDN)	<b>SPEC</b> \$ 154.00
<b>CMB-1W</b>	White Mount, Universal metal bracket with ceiling clip and 2 extender(Grey) (=WH-4GM) Made in China	<b>SPEC</b> \$ 10.00
<b>PS-2420</b>	Power Supply. 24VAC 20VA Plug-in TRANSFORMER (White) Made in China (0.56 lbs.)	<b>SPEC</b> \$ 12.00
<b>CAMH-500K</b>	Housing. 12" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ISD-A15 / BX11. Made in China. Net Wt Approx 907 g (Approx 2.0 lbs)	<b>SPEC</b> \$ 74.00
WiDy1 Hybrid IP Ready Network Indoor Dome Camera		<u>MSRP</u>
<b>IPD-DM11-31</b>	 <p>Hyper Wide Light Dynamic IP Network Dome 1/3" DPS CMOS sensor Camera. Type 31=Focal length f2.8 ~10mm. Made in Korea. Net Weight 600g (1.32lbs) approx.</p>	<b>SPEC</b> \$ 708.00
<b>IPD-DM11-92</b>	 <p>Hyper Wide Light Dynamic IP Network Dome 1/3" DPS CMOS sensor Camera. Type 92= Focal length f9~ 22mm. Made in Korea. Net Weight 600g (1.32lbs) approx.</p>	<b>SPEC</b> \$ 750.00

**IP Continued next page**

## IP : Internet Protocol continued

WiDy1 Hybrid IP Ready Network Outdoor Dome Camera		MSRP
<b>IPD-VR11-31</b>	 <p>Hyper Wide Light Dynamic IP Network Vandal Resistant Dome Camera. Full feature network camera with H.264/M-JPEG video compression support and standard power over Ethernet (PoE) capability. Type 31=Focal length f2.8 ~10mm. Made in Korea. Net Weight 1100g (2.43lbs) approx.</p>	SPEC \$ 756.00
<b>IPD-VR11-92</b>	 <p>Hyper Wide Light Dynamic IP Network Vandal Resistant Dome Camera. Full feature network camera with H.264/M-JPEG video compression support and standard power over Ethernet (PoE) capability. Type 92= Focal length f9~22mm. Made in Korea. Net Weight 1100g (2.43lbs) approx.</p>	SPEC \$ 804.00
Recommended Accessories		MSRP
<b>XHG-1139</b>	 <p>Wall Mount for IPD-DM11 &amp; IPD-VR11</p>	SPEC \$ 128.00
<b>XHG-6229N2</b>	 <p>WHITE In Ceiling Mount Adaptor FOR ISD-A33, ISD-A35, IPD-DM11, IPD-VR11. Made in Korea, LxWxH 215mm X 215mm X 76.7mm = 1.85 lbs.</p>	SPEC \$ 120.00
<b>XHG-1119</b>	 <p>Pendant Mount for IPD-DM11 &amp; IPD-VR11</p>	SPEC \$ 120.00
IP Continued next page		
ECO Series, 3MP HD Tri-Brid IP VR Color Mini Dome		MSRP
<b>EE-35MZ288</b>	 <p>Tri-Brid (HD-AHD, HD-TVI, Analog), 1/3" 2.4MP HD Sensor, 2.8 ~ 8mm Motorized Lens, 35 IR, 0Lux IR LED On, 0.01Lux @ F1.2 (AGC On), 12V DC, IP66, OSD Menu, Can Switch to Analog Mode, CoC Compatible (Control Over Coax). Dimensions 5.4" (R) x 5" (H) , Weight 1.83 Lbs</p>	SPEC \$ 202.00
ECO Series, 3MP HD IP VR Color Mini Dome		MSRP
<b>EE-3MP-IP-2.8</b>	 <p>3 Mega Pixel, High Definition 1080p30, True Day/Night, HD IP, PTZ Speed Dome. 2.8mm Fixed Lens, F1.8(F2.0/F1.6). Protocol IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour. Made in China. Dim: 110mm(4.33")x54mm(2.16"). Weight: 0.25Kg (0.55 lbs).</p>	SPEC \$ 368.00
ECO Series, 3MP IP VR IR HD Color Dome Camera		MSRP
<b>EE-IPHD3MPD</b>	 <p>1/3" 3MP HD CMOS Sensor, 30IR, 0Lux, 30fps@3MP, DWDR, 2D&amp;3D DNR 2.8 ~ 12 mm Motorized Lens, 2 Way Audio, Alarm In/Out, BNC Output, microSD DC 12V/PoE, IP66 &amp; IK10. Made in China. Dimensions 5.9" x 4.5" (Φ150mm x114mm). Weight 2.2lbs (990g)</p>	SPEC \$ 464.00
ECO Series, 4MP H.265 HD IP Dome Camera		MSRP
<b>EE-IPD4MP3312</b>	 <p>H.265 Compression, 1/3" 4MP HD CMOS Sensor, Effective Pixels: 2688(H) x 1520(V), 4MP @ 30fps. 3.3 ~ 12 mm Vari-Focal Lens. 30 IR, 0.05 Lux @ F1.2,AGC ON, 0 Lux with IR, WDR, BNC Output for Analog Tester, Audio In/Out, Alarm In/Out, MicroSD, 12V DC / PoE. IP66 &amp; IK10. Made in China. Dimensions 5.9" x 4.5" (Φ 150 x 114mm). Weight 2.2lbs (990g)</p>	SPEC \$ 496.00
ECO Series, 3MP IP HD Color Bullet Camera		MSRP
<b>EE-IPB3MP2812</b>	 <p>1/3" 3MP HD CMOS Sensor. H.265 Compression. 48 IR, 30fps@3MP 2.8~12mm Vari-Focal Lens. 2 Way Audio, BNC Output 1/1CH Alarm In/Out. microSD, DC 12V/PoE. IP66. Made in China. Dimensions Φ112mmx326mm, Weight approx. 2lbs</p>	SPEC \$ 368.00
ECO Series, 4MP H.265 HD IP Bullet Camera		MSRP
<b>EE-IPB4MP3312</b>	 <p>1/3" 4MP HD CMOS Sensor. H.265 Compression, Effective Pixels: 2688(H) x 1520(V), 4 Mega Pixels Image Resolution. 3.3 ~ 12mm Vari-Focal Lens, 4MP@30fps. 0.05 lux @F1.2, AGC ON; 0 lux with IR. 48 IR; DWDR, BNC Output for Analog Tester, MicroSD, Audio In/Out, Alarm Weatherproof, 12V DC / PoE. IP66</p>	SPEC \$ 464.00
High Performance, High Sensitivity Mega-Pixel IP Network Camera		CloseOut Price
<b>IPD-DM100 TYPE31</b> LTD SUPPLY	 <p>H.264/MJPEG Based IP Network Products. 1/3" 1.4MP 1280x1024 CMOS, Network Camera - H.264/MJPEG Compression - 30fps High Sensitivity, Digital Day &amp; Night, Motion Detection, Privacy Mask - RJ45 Interface &amp; BNC Video Out - Audio IN/OUT - IPv4/IPv6, ONVIF, AC24V/DC12V/PoE. Made in Japan. Net Wt Approx 839 g (Approx 1.85</p>	SPEC \$ 199.00
Recommended Accessories		MSRP
<b>IK-12500</b>	 <p>12V DC 500MA Switching Power Supply. Primary: 120/240VAC 50/60Hz . Secondary:12VDC 500MA , 2.1mm Coax plug . UL Listed. Made in China</p>	SPEC \$ 12.00

## BULLET CAMERAS

### BULLET / BAR CAM with IR, CCD Economical High Performance Camera Line

MSRP

#### ICD-B11-2812



High Resolution 700TV Lines, DC Iris Varifocal lens. 0 Lux for Infrared Lighting Conditions, Weatherproof Housing (IP66) , Simple OSD Setting, Easy Adjustment Zoom & Focus Video Test Output, Cable Hidden Bracket, LED good up to 90 Feet. Net Weight; Approx. 700g [approx2 lbs] Made in Korea

SPEC

\$ 466.00

### ECO Series, Outdoor HD Color IR Varifocal Bullet Camera

MSRP

#### ECO-HDB11-2812



Outdoor HD Color IR Varifocal Bullet Camera. 1080p Full HD or 720p HD. CMOS sensor. Varifocal Aspheric 2.8~12mm 2 Megapixel lens. True Day/Night. IP66 weather resistant, metal construction with external lens adjustment. Dimensions: Ø2.56" × 4.72" [Ø65 × 120mm] Body alone (across sunshield): 3.23" diameter/5.71" long ; 8.82" in line, longest extension; in 90° position, ~8.25" long and ~5.4" high. Weight: 1.98 lbs./.9 Kg. Made in Korea

SPEC

\$ 194.00

#### ACDC2412-800MA

24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 800mA. Allows DC Cameras to be powered by AC. Made in China

SPEC

\$ 16.00

### ECO Series, Outdoor HD Color IR VF Bullet Camera

MSRP

#### EE-B550G , EE-B550W grey / white



Outdoor HD 1080p30, Color IR Bullet Camera. 1/2.8" 2.4MP Exmor Sensor, Effective Pixels: 1920(H) x 1080(V), 2.4 Mega Pixel Image Resolution, 5 ~ 50mm Vari-Focal Lens, 10 Super IR, 0Lux (IR On), 30fps (NTSC), Weatherproof, 12V DC, OSD Menu Can Switch to Analog Mode. Dimensions 9.4"(L) x 7.4"(W) x 6.1"(H) (250 x 188 x 155mm) Weight 2.4lbs (1.08kg)

SPEC

\$ 240.00

#### ACDC2412-800MA

24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 800mA. Allows DC Cameras to be powered by AC. Made in China

SPEC

\$ 16.00

### ECO Series, 2.4MP Tri-Brid HD Motorized Bullet Camera

MSRP

#### EE-HDBIRMZ



Tri-Brid (HD-AHD, HD-TVI, Analog), 1/3" 2.4MP HD Sensor, 2.8 ~ 12mm Motorized Lens, 6 Super IR, 0Lux, Weatherproof, 12V DC, IP66, OSD Menu, Can Switch to Analog Mode, CoC Compatible (Control Over Coax) Made in China. Dimensions 6.5"(L) x 3.5"(W) x 3"(H) (165 x 90 x 75mm) Weight 0.77lbs (0.35kg)

SPEC

\$ 172.00

### ECO Series, 2.4MP HD TVI Bullet Camera

MSRP

#### EE-IRB2MP-G

#### EE-IRB2MP-W

grey / white



1/2.8" 2.4MP Exmor Sensor, Effective Pixels: 1920(H) x 1080(V), 2.4 Mega Pixel Image Resolution, 5 ~ 50mm Vari-Focal Lens 10 Super IR, 0Lux (IR On), 30fps (NTSC), Weatherproof, 12V DC OSD Menu Can Switch to Analog Mode, COC (Control Over Coax). Dimensions 9.4"(L) x 7.4"(W) x 6.1"(H) (250 x 188 x 155mm) Made in China. Weight 2.4lbs (1.08kg)

SPEC

\$ 240.00

### ECO Series, 3MP IP HD Color Bullet Camera

MSRP

#### EE-IPB3MP2812



1/3" 3MP HD CMOS Sensor. H.265 Compression. 48 IR, 30fps@3MP 2.8~12mm Vari-Focal Lens. 2 Way Audio, BNC Output 1/1CH Alarm In/Out. microSD, DC 12V/PoE. IP66. Made in China. Dimensions Φ112mm×326mm, Weight approx. 2lbs

SPEC

\$ 368.00

### ECO Series, 4MP H.265 HD IP Bullet Camera

MSRP

#### EE-IPB4MP3312



1/3" 4MP HD CMOS Sensor. H.265 Compression, Effective Pixels: 2688(H) × 1520(V), 4 Mega Pixels Image Resolution. 3.3 ~ 12mm Vari-Focal Lens, 4MP@30fps. 0.05 lux @F1.2, AGC ON; 0 lux with IR. 48 IR; DWDR, BNC Output for Analog Tester, MicroSD, Audio In/Out, Alarm Weatherproof, 12V DC / PoE. IP66

SPEC

\$ 464.00

### ECO Series, 4MP H.265 HD IP Bullet Camera

MSRP

#### EE-IPB40MZ






H.265 main profile video compression technology, 4MP ( 2688x1520 ) full real time coding. Max. resolution: 2688 x 1560. ICR auto switch, true day / night. 30 ~ 50m IR night view distance. 3D DNR, digital WDR. Made in China. LxWxH: 283.9mm(11.17") x 108.9mm(4.29") x 108.9mm(4.29")


SPEC

\$ 430.00



## MINI BULLET CAMERAS


ECO Series, Indoor/Outdoor HD Color Mini Bullet Cameras		MSRP
<b>ECO-BC12</b>	 <p>Color Mini Bullet Camera. compact Day/Night bullet camera with external controls. 12 mm F2.2 Lens. 1/3" 960H technology CCD sensor provides Day/Night capacities at 750 TVL high resolution, while consuming low power feed by 12V DC in a fully robust weather resistant IP67 housing making it suitable for indoor and outdoor environments where weather protection is a must. Dim Ø0.9 x 2.96 inch (Ø23 x 75.2 mm) Weight 0.15 lbs (68 g)</p>	<p><b>SPEC</b> \$ 226.00</p>
<b>ECO-BC36</b>	 <p>Color Mini Bullet Camera. compact Day/Night bullet camera with external controls. 3.6 mm, F2.0 Lens. 1/3" 960H technology CCD sensor provides Day/Night capacities at 750 TVL high resolution, while consuming low power feed by 12V DC in a fully robust weather resistant IP67 housing making it suitable for indoor and outdoor environments where weather protection is a must. Dim Ø0.9 x 2.96 inch (Ø23 x 75.2 mm) Weight 0.15 lbs (68 g)</p>	<p><b>SPEC</b> \$ 208.00</p>
ECO Series, Outdoor HD Color Mini Bullet Camera		MSRP
<b>ECO-HDMB-43</b>	 <p>Outdoor HD Color Mini Bullet Camera. HD resolution of 1080p30. Field select 1080p 30/25. HD-TVI HD BNC output. 1/2.7" progressive scan CMOS sensor. 4.3mm megapixel lens. IP67 weatherproof metal housing with 3-axis mount included. Dimensions: Body Ø 0.9" (23mm); 3.7mm lens model front cap Ø 1.11" (28.2mm), Overall length 3.57" (90.75mm); Body only 2.96" (75.25mm). Weight: 2.15 oz. (67g). Made in Korea</p>	<p><b>SPEC</b> \$ 194.00</p>


## ELEVATOR CAMERA

ELEVATOR CAM with IR, CCD Economical High Performance Camera		MSRP
<b>ICD-E11</b>	 <p>Silver Color, DC, 1/3" Super HAD CCD, 700TVL, Elevator Camera, 6 Smart LEDs, Built-in 2.97mm Fixed Lens, Day &amp; Night DC12V, Pending ROHs. Made in Korea Net Wt Approx. 300g [approx. 0.66 lbs]</p>	<p><b>SPEC</b> \$ 240.00</p>
<b>ICD-E11_ACDC</b>	<b>CONSIST OF:</b>	<p><b>SPEC</b> \$ 252.00</p>
<b>ICD-E11</b>	Silver Color, DC, 1/3" Super HAD CCD, 700TVL, Elevator Camera	<p>\$ 240.00</p>
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	<p>\$ 12.00</p>











## DOME CAMERAS

ECO Series, 1/3" Dome		MSRP
<b>ECO-312700</b>	 <p>1/3" DC Color High Resolution Dome Camera. 700 Lines of Resolution, Sony Chip, 2.8~12mm Lens. 12V DC. On Screen Display. Gimbal Mount. Made in China. Net Weight; approx 227g. [0.5lbs]</p>	<p><b>SPEC</b> \$ 152.00</p>
<b>ECO-312700_ACDC</b>	<b>CONSIST OF:</b>	<p><b>SPEC</b> \$ 164.00</p>
<b>ECO-312700</b>	1/3" DC Color High Resolution Dome Camera.	<p>\$ 152.00</p>
<b>ACDC2412-300MA</b>	24VAC TO 12VDC CONVERTER	<p>\$ 12.00</p>
ECO Series, IR, Vandal Resistant Color Dome Camera		MSRP
<b>ECO-D12-2812</b>	 <p>Over 750 horizontal TV lines, 960H CCD sensor with high IR sensitivity. 2.8~12mm 2 Megapixel Aspheric Varifocal DC iris lens. Dim: Surface: 6.14"/156mm dia. x 5.1"/129.5mm high Flush: 5.63"/143mm dia. X 3.11"/79mm visible &amp; .98"/25mm behind surface. Weight: 1.2 pounds flush mounted. Made in Korea.</p>	<p><b>SPEC</b> \$ 286.00</p>
<b>XHG-D12</b>	Wall Mount for ECO-D12	<p><b>SPEC</b> \$ 118.00</p>
<b>ACDC2412-800MA</b>	24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated. OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China	<p><b>SPEC</b> \$ 16.00</p>

ECO Series, 1080p HD Outdoor Turret, IR Varifocal Color Dome		MSRP
<b>ECO-HDB2812</b>	 <p>High Definition 1080p30 low illumination weather resistant IR color turret camera. 2.8-12mm lens. Operation over 'almost any' wire - Over 1000 feet on standard RG59 coax. 1/2.8" progressive scan CMOS sensor with .01 lux native light sensitivity. Made in China. Weight 1.63 Lbs. Approx. Dim: 118mm (4 5/8") x 118mm (4 5/8") x 102mm (4")</p>	<p><b>SPEC</b> \$ 178.00</p>
<b>ACDC2412-800MA</b>	24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated. OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China	<p><b>SPEC</b> \$ 16.00</p>

ECO Series, 1080p Tri-Brid HD-AHD IR VF Color Turret Camera		MSRP
<b>EE-VR42IR2812-G</b> <b>EE-VR42IR2812-W</b> grey / white	 <p>Tri-Brid (HD-AHD, HD-TVI, Analog), 1/2.7" 2.4MP HD Sensor, 2.8 ~ 12mm Vari-Focal Lens, 42 IR, 0 Lux, 12V DC, IP66, Weatherproof, OSD Menu, Can change to Analog Mode, CoC Compatible (Control Over Coax). Made in China. Dimensions 4.7" (R) x 3.5" (H). Weight 1.63 Lbs</p>	<p><b>SPEC</b> \$ 140.00</p>

## HIGH DEFINITION CAMERAS

ECO Series, HD IP Mini Cube Color Camera		MSRP
<b>ECO-HD471P</b>	 <p>ONVIF Compliant, 2.43 Megapixel, 1/2.8" CMOS Sensor , Board: 3.7 mm (3 MP) Lens, Digital Day &amp; Night, Min. Illumination of 0.1 Lux 3D DNR / BLC / HLC / AGC / AWB , DC 12V Power. 1/2.8" format CMOS sensor provides H.264 at 1920x1080 (1080p@30fps) and MJPEG at 1280x720 (720p@30fps). Size: 51.5 x 47.5 x 35 mm. Made in Korea</p>	<p style="text-align: right;">SPEC \$ 558.00</p>
ECO Series, 3MP HD Tri-Brid IP VR Color Mini Dome		MSRP
<b>EE-35MZ288</b>	 <p>Tri-Brid (HD-AHD, HD-TVI, Analog), 1/3" 2.4MP HD Sensor, 2.8 ~ 8mm Motorized Lens, 35 IR, 0Lux IR LED On, 0.01Lux @ F1.2 (AGC On), 12V DC, IP66, OSD Menu, Can Switch to Analog Mode, CoC Compatible (Control Over Coax). Dimensions 5.4" (R) x 5" (H) , Weight 1.83 Lbs</p>	<p style="text-align: right;">SPEC \$ 202.00</p>
ECO Series, 3MP HD IP VR Color Mini Dome		MSRP
<b>EE-3MP-IP-2.8</b>	 <p>3 Mega Pixel, High Definition 1080p30, True Day/Night, HD IP, PTZ Speed Dome. 2.8mm Fixed Lens, F1.8(F2.0/F1.6). Protocol IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour. Made in China. Dim: 110mm(4.33")x54mm(2.16"). Weight: 0.25Kg (0.55 lbs).</p>	<p style="text-align: right;">SPEC \$ 368.00</p>
ECO Series, 3MP IP VR IR HD Color Dome Camera		MSRP
<b>EE-IPHD3MPD</b>	 <p>1/3" 3MP HD CMOS Sensor, 30IR, 0Lux, 30fps@3MP, DWDR, 2D&amp;3D DNR 2.8 ~ 12 mm Motorized Lens, 2 Way Audio, Alarm In/Out, BNC Output, microSD DC 12V/PoE, IP66 &amp; IK10. Made in China. Dimensions 5.9" x 4.5" (Φ150mm x114mm). Weight 2.2lbs (990g)</p>	<p style="text-align: right;">SPEC \$ 464.00</p>
ECO Series, 4MP H.265 HD IP Dome Camera		MSRP
<b>EE-IPD4MP3312</b>	 <p>H.265 Compression, 1/3" 4MP HD CMOS Sensor, Effective Pixels: 2688(H) x 1520(V), 4MP @ 30fps. 3.3 ~ 12 mm Vari-Focal Lens. 30 IR, 0.05 Lux @ F1.2,AGC ON, 0 Lux with IR, WDR, BNC Output for Analog Tester, Audio In/Out, Alarm In/Out, MicroSD, 12V DC / PoE. IP66 &amp; IK10. Made in China. Dimensions 5.9" x 4.5" (Φ 150 x 114mm). Weight 2.2lbs (990g)</p>	<p style="text-align: right;">SPEC \$ 496.00</p>
<b>EE-WMBRK</b>	 <p>Wall Mount for EE-IPD4MP3312</p>	<p style="text-align: right;">SPEC \$ 40.00</p>
ECO Series, 3MP IP HD Color Bullet Camera		MSRP
<b>EE-IPB3MP2812</b>	 <p>1/3" 3MP HD CMOS Sensor. H.265 Compression. 48 IR, 30fps@3MP 2.8~12mm Vari-Focal Lens. 2 Way Audio, BNC Output 1/1CH Alarm In/Out. microSD, DC 12V/PoE. IP66. Made in China. Dimensions Φ112mmx326mm, Weight approx. 2lbs</p>	<p style="text-align: right;">SPEC \$ 368.00</p>
ECO Series, 4MP H.265 HD IP Bullet Camera		MSRP
<b>EE-IPB4MP3312</b>	 <p>1/3" 4MP HD CMOS Sensor. H.265 Compression, Effective Pixels: 2688(H) x 1520(V), 4 Mega Pixels Image Resolution. 3.3 ~ 12mm Vari-Focal Lens, 4MP@30fps. 0.05 lux @F1.2, AGC ON; 0 lux with IR. 48 IR; DWDR, BNC Output for Analog Tester, MicroSD, Audio In/Out, Alarm Weatherproof, 12V DC / PoE. IP66</p>	<p style="text-align: right;">SPEC \$ 464.00</p>
ECO Series, Outdoor HD Color Mini Bullet Camera		MSRP
<b>ECO-HDMB-43</b>	 <p>Outdoor HD Color Mini Bullet Camera. HD resolution of 1080p30. Field select 1080p 30/25. HD-TVI HD BNC output. 1/2.7" progressive scan CMOS sensor. 4.3mm megapixel lens . IP67 weatherproof metal housing with 3-axis mount included. Dimensions: Body Ø 0.9" (23mm); 3.7mm lens model front cap Ø 1.11" (28.2mm), Overall length 3.57" (90.75mm); Body only 2.96" (75.25mm). Weight: 2.15 oz. (67g). Made in Korea</p>	<p style="text-align: right;">SPEC \$ 194.00</p>
ECO Series, Outdoor HD Color IR Varifocal Bullet Camera		MSRP
<b>ECO-HDB11-2812</b>	 <p>Outdoor HD Color IR Varifocal Bullet Camera. 1080p Full HD or 720p HD. CMOS sensor. Varifocal Aspheric 2.8~12mm 2 Megapixel lens. True Day/Night. IP66 weather resistant, metal construction with external lens adjustment. Dimensions: Ø2.56" x 4.72" [Ø65 x 120mm] Body alone (across sunshield): 3.23" diameter/5.71" long ; 8.82" in line, longest extension; in 90° position, ~8.25" long and ~5.4" high. Weight: 1.98 lbs./.9 Kg. Made in Korea</p>	<p style="text-align: right;">SPEC \$ 194.00</p>
<b>ACDC2412-800MA</b>	 <p>24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 800mA. Allows DC Cameras to be powered by AC. Made in China</p>	<p style="text-align: right;">SPEC \$ 16.00</p>

High Def Cameras Continued next page

## HIGH DEFINITION CAMERAS (continued)

**EE-B550G , EE-B550W**  
grey / white



Outdoor HD 1080p30, Color IR Bullet Camera. 1/2.8" 2.4MP Exmor Sensor, Effective Pixels: 1920(H) x 1080(V), 2.4 Mega Pixel Image Resolution, 5 ~ 50mm Vari-Focal Lens, 10 Super IR, 0Lux (IR On), 30fps (NTSC), Weatherproof, 12V DC, OSD Menu Can Switch to Analog Mode. Dimensions 9.4"(L) x 7.4"(W) x 6.1"(H) (250 x 188 x 155mm) Weight 2.4lbs (1.08kg)

SPEC \$ 240.00

**ACDC2412-800MA**



24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 800mA. Allows DC Cameras to be powered by AC. Made in China

SPEC \$ 16.00

**ECO Series, 2.4MP Tri-Brid HD Motorized Bullet Camera**

MSRP

**EE-HDBIRMZ**



Tri-Brid (HD-AHD, HD-TVI, Analog), 1/3" 2.4MP HD Sensor, 2.8 ~ 12mm Motorized Lens, 6 Super IR, 0Lux, Weatherproof, 12V DC, IP66, OSD Menu, Can Switch to Analog Mode, CoC Compatible (Control Over Coax) Made in China. Dimensions 6.5"(L) x 3.5"(W) x 3"(H) (165 x 90 x 75mm) Weight 0.77lbs (0.35kg)

SPEC \$ 172.00

**ECO Series, 2.4MP HD TVI Bullet Camera**

MSRP

**EE-IRB2MP-G**

**EE-IRB2MP-W**

grey / white



1/2.8" 2.4MP Exmor Sensor, Effective Pixels: 1920(H) x 1080(V), 2.4 Mega Pixel Image Resolution, 5 ~ 50mm Vari-Focal Lens 10 Super IR, 0Lux (IR On), 30fps (NTSC), Weatherproof, 12V DC OSD Menu Can Switch to Analog Mode, COC (Control Over Coax). Dimensions 9.4"(L) x 7.4"(W) x 6.1"(H) (250 x 188 x 155mm) Made in China. Weight 2.4lbs (1.08kg)

SPEC \$ 240.00

**ECO Series, 3MP IP HD Color Bullet Camera**

MSRP

**EE-IPB3MP2812**



1/3" 3MP HD CMOS Sensor. H.265 Compression. 48 IR, 30fps@3MP 2.8~12mm Vari-Focal Lens. 2 Way Audio, BNC Output 1/1CH Alarm In/Out. microSD, DC 12V/PoE. IP66. Made in China. Dimensions  $\Phi$ 112mmx326mm, Weight approx. 2lbs

SPEC \$ 368.00

**Recommended Accessories**

MSRP

**PS-2412 \*\***



Dual Voltage. Plug-In Transf. 24VAC-15VA or 12VDC-12A 120V  
**\*\*not for use with ISD cameras**

SPEC \$ 12.00

**ECO Series, 4MP H.265 HD IP Bullet Camera**

MSRP

**EE-IPB4MP3312**



1/3" 4MP HD CMOS Sensor. H.265 Compression, Effective Pixels: 2688(H) x 1520(V), 4 Mega Pixels Image Resolution. 3.3 ~ 12mm Vari-Focal Lens, 4MP@30fps. 0.05 lux @F1.2, AGC ON; 0 lux with IR. 48 IR; DWDR, BNC Output for Analog Tester, MicroSD, Audio In/Out, Alarm Weatherproof, 12V DC / PoE. IP66

SPEC \$ 464.00

**ECO Series, 1080p HD Outdoor Turret, IR Varifocal Color Dome**

MSRP

**ECO-HDB2812**



High Definition 1080p30 low illumination weather resistant IR color turret camera. 2.8-12mm lens. Operation over 'almost any' wire - Over 1000 feet on standard RG59 coax. 1/2.8" progressive scan CMOS sensor with .01 lux native light sensitivity. Made in China. Weight 1.63 Lbs. Approx. Dim: 118mm (4 5/8") x 118mm (4 5/8") x 102mm (4")

SPEC \$ 178.00

**ACDC2412-800MA**

24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China

SPEC \$ 16.00

**ECO Series, 1080p Tri-Brid IR VF Color Turret Camera**

MSRP

**EE-VR42IR2812-G**

**EE-VR42IR2812-W**

grey / white



Tri-Brid (HD-AHD, HD-TVI, Analog), 1/2.7" 2.4MP HD Sensor, 2.8 ~ 12mm Vari-Focal Lens, 42 IR, 0 Lux, 12V DC, IP66, Weatherproof, OSD Menu, Can change to Analog Mode, CoC Compatible (Control Over Coax). Made in China. Dimensions 4.7" (R) x 3.5" (H). Weight 1.63 Lbs

SPEC \$ 140.00

**ECO Series, 4MP H.265 HD IP Bullet Camera**

MSRP








**EE-IPB40MZ**



H.265 main profile video compression technology, 4MP ( 2688x1520 ) full real time coding. Max. resolution: 2688 x 1560. ICR auto switch, true day / night. 30 ~ 50m IR night view distance. 3D DNR, digital WDR. Made in China. LxWxH: 283.9mm(11.17") x 108.9mm(4.29") x 108.9mm(4.29")





SPEC \$ 430.00

## DIGITAL & NETWORK VIDEO RECORDERS

HD Hybrid DVR 8 Channel System		MSRP
<b>EE-DVR08-2</b> 	8CH HD TVI / HD AHD / Analog video input, 4CH HD IP video input. Recording: 30fps/CH @ 3MP (for IPC). Playback: 8CH simultaneously playback; HDMI 1080P output. DHCP, DDNS, PPPoE Network protocol. Dual stream technology; Multi-user online simultaneously. Support PTZ preset and auto cruise, up to 128 presets and 8 cruises. Cell phone: iPhone, Android. Complete SDK function, easy to integrate with other applications. Made in China. Dim 16.9" x 11.8" x 2.2"W*D* H. Wt: 5.2 lbs	SPEC \$ 400.00
<b>Hard Disc Drive</b>		Hard Disc Drive: listed below
<b>HD Quad Hybrid DVR 16 Channel System</b>		MSRP
<b>EE-DVR16</b> 	16 CH HD TVI / Analog video input. Compatible with HD AHD Cameras. Playback: 8 CH simultaneously playback, HDMI 1080P output, DHCP, DDNS, PPPoE Network protocol, IE browse and CMS supported. Support PTZ preset and auto cruise, up to 128 presets and 8 cruises. Cell phone: iPhone, Android. Made in China. Weight 12 lbs. Dimensions 17" x 17.7" x 3.5" (W*D*H) (430mm*450mm*89mm).	SPEC \$ 1,208.00
<b>Hard Disc Drive</b>		Hard Disc Drive: listed below
<b>HD Quad Hybrid DVR 32 Channel System</b>		MSRP
<b>EE-DVR32</b> 	32 CH HD TVI / Analog video input, 1080P recording. Playback: 8 CH simultaneously playback; HDMI 1080P output. DHCP, DDNS, PPPoE Network protocol, IE browse and CMS supported. Multi-user online simultaneously. Support PTZ preset and auto cruise. Cell phone: iPhone, Android. Complete SDK function, easy to integrate with other applications. Made in China. Dim 17" x 17.7" 3.5"W*D*H. Weight 12 lbs.	SPEC \$ 1,718.00
<b>EE-HDD1TB</b>	Hard Disc Drive: WD PURPLE 1TB AV 3.5" 64MB Cache. Made in China Weight 1.3 lbs	\$ 182.00
<b>EE-HDD2TB</b>	Hard Disc Drive: WD PURPLE 2TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 274.00
<b>EE-HDD3TB</b>	Hard Disc Drive: WD PURPLE 3TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 348.00
<b>EE-HDD4TB</b>	Hard Disc Drive: WD PURPLE 4TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 508.00
<b>EE-HDD6TB</b>	Hard Disc Drive: WD PURPLE 6TB AV 3.5" 64MB Cache. Made in China Weight 1.6 lbs	\$ 794.00
<b>8CH HD 8PoE NVR</b>		MSRP
<b>EE-NVR8-8P</b> 	8CH NVR, 8CH PoE, 3M@30fps/CH, Mini 1U Case, ONVIF, Smart Phone iPhone, Android. Internal HDD SATA x 1 (Up to 6TB). Made in China. Dimensions 11.8" (W) x 10.6" (H) x 2.2" (D) (300 x 270 x 55 mm)	SPEC \$ 476.00
<b>EE-HDD2TB</b>	Hard Disc Drive: WD PURPLE 2TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 274.00
<b>EE-HDD4TB</b>	Hard Disc Drive: WD PURPLE 4TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 508.00
<b>EE-HDD6TB</b>	Hard Disc Drive: WD PURPLE 6TB AV 3.5" 64MB Cache. Made in China Weight 1.6 lbs	\$ 794.00
<b>16CH HD 8PoE NVR</b>		MSRP
<b>EE-NVR16-8P</b> 	16CH NVR, 8CH PoE, 3M@30fps/CH, 1U Case, ONVIF DVR±RW (Optional). Made in China. Dimensions 16.9" (W) x 11.8" (D) x 2.2" (H) (430 x 300 x 55mm). Weight 7.4 lbs	SPEC \$ 590.00
<b>EE-HDD2TB</b>	Hard Disc Drive: WD PURPLE 2TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 274.00
<b>EE-HDD4TB</b>	Hard Disc Drive: WD PURPLE 4TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 508.00
<b>EE-HDD6TB</b>	Hard Disc Drive: WD PURPLE 6TB AV 3.5" 64MB Cache. Made in China Weight 1.6 lbs	\$ 794.00
<b>32CH NVR H.265</b>		MSRP
<b>EE-NVR32</b> 	32 Channel NVR. H.265 Compression, 5M @ 30fps/CH, 1U Case, DVR±RW (Optional), ONVIF. Protocol TCP/IP, UDP, DHCP, DNS, PPPoE, DDNS, Email. Made in China. Dimensions 16.9" (W) x 11.8" (D) x 2.2" (H) (430 x 300 x 55)mm	SPEC \$ 666.00
<b>EE-HDD4TB</b>	Hard Disc Drive: WD PURPLE 4TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 508.00
<b>EE-HDD6TB</b>	Hard Disc Drive: WD PURPLE 6TB AV 3.5" 64MB Cache. Made in China Weight 1.6 lbs	\$ 794.00
<b>32CH HD 16PoE NVR H.265</b>		MSRP
<b>EE-NVR32-16P</b> 	32CH NVR, 16CH PoE, H.265, 3M@30fps/CH, 2U Case, DVR±RW (Optional), ONVIF. Made in China.	SPEC \$ 1,176.00
<b>EE-HDD2TB</b>	Hard Disc Drive: WD PURPLE 2TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 274.00
<b>EE-HDD4TB</b>	Hard Disc Drive: WD PURPLE 4TB AV 3.5" 64MB Cache. Made in China Weight 1.4 lbs	\$ 508.00
<b>EE-HDD6TB</b>	Hard Disc Drive: WD PURPLE 6TB AV 3.5" 64MB Cache. Made in China Weight 1.6 lbs	\$ 794.00



## LCD MONITORS

5.6" Test Monitor		MSRP
<b>ECO-SM560</b>	 <p>5.6" Black Sunlight Readable LCD Test Monitor. Analog and Digital Inputs. DV 12V Camera Power Out. Test Pattern Generator. Viewable while inside Protective Case. with: Sun Visor, Power Adapter , Ni-MH Battery 12V Power Outlet Cable , Protective Case w/ Strap Net Wt. 2.2 lbs / 1 kg Dimension (W x H x D) inch 6.61 x 4.96 x 3.19 . (W x H x D) mm 168 x 126 x 81.2. Made in Korea</p>	<p><b>SPEC</b> \$ 606.00</p>
9" LCD Monitor		MSRP
<b>LCM-971</b>	 <p>High Resolution, Security Surveillance, 9.7-inch TFT Color LCD Monitor - Resolution 1024 x 768@75Hz. Contrast Ratio Typ. 600:1, Vesa Mount. Brightness 300cd/m2. Net Weight Approx 1700g (Approx 3.7478 lbs.) Made in Korea.</p>	<p><b>SPEC</b> \$ 700.00</p>
<b>IK-RMK-08V</b>	 <p>Universal accy: Dual Rack Mount Adaptor for Vesma Mount 8" through 20" Monitors. Made in Korea</p>	<p><b>SPEC</b> \$ 178.00</p>
15" LCD Monitors		MSRP
<b>LCD-15</b>	 <p>Cost-Effective High Resolution, Security Surveillance 15-inch TFT Color LCD Monitor. High Resolution Panel 1024x768pixels. Built-in Speaker. NTSC / PAL. VESA Mount 75mm x 75mm. Net Weight Approx 2.49Kg (5.5 lbs).VGA CABLE NOT INCLUDED) Made in Korea.</p>	<p><b>SPEC</b> \$ 536.00</p>
<b>IK-WB-5</b>	 <p>Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea</p>	<p><b>SPEC</b> \$ 34.00</p>
<b>IK-LCD-75-100-WB</b>	 <p>3 Directional Wall Mount Meets VESA standard (75x75 &amp; 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&amp;-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China</p>	<p><b>SPEC</b> \$ 46.00</p>
<b>IK-RMK-08V</b>	 <p>Universal accy: Dual Rack Mount Adaptor for Vesma Mount 8" through 20" Monitors. Made in Korea</p>	<p><b>SPEC</b> \$ 178.00</p>
<b>VGA-6FT</b>	 <p>6ft VGA/SVGA Monitor Cable</p>	<p>\$ 12.00</p>
<b>LCM-151</b>	 <p>15" High Resolution Security Surveillance LCD Monitor 1024x786 Resolution -250cd/m2 Brightness - 600:1 Contrast Ratio - Input- Video IN/OUTx2 (BNC) - S-Video-PC. Net Wt Approx 5579 g (Approx 12.3 lbs) Made in Korea.</p>	<p><b>SPEC</b> \$ 804.00</p>
<b>IK-WB-5</b>	 <p>Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea</p>	<p><b>SPEC</b> \$ 34.00</p>
<b>IK-LCD-75-100-WB</b>	 <p>3 Directional Wall Mount Meets VESA standard (75x75 &amp; 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&amp;-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China</p>	<p><b>SPEC</b> \$ 46.00</p>
<b>RMK-151</b>	 <p>Rack Mount Ear (4R) for LCM-151 Made in Korea</p>	<p>\$ 72.00</p>
<b>ULM-153</b>	 <p>15" High Resolution Security Surveillance LCD Monitor 1024x768 Resolution - 250cd/m2 Brightness - 600:1 Contrast Ratio- Input- Video IN/OUTx2 (BNC) - S- Video- PC) No VESA Wall Mount. AC Adaptor, Remote Control - Net Wt Approx 3719 g (Approx 8.2 lbs) Made in Korea.</p>	<p><b>SPEC</b> \$ 752.00</p>
<b>IK-WB-5</b>	 <p>Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea</p>	<p><b>SPEC</b> \$ 34.00</p>
<b>IK-LCD-75-100-WB</b>	 <p>3 Directional Wall Mount Meets VESA standard (75x75 &amp; 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&amp;-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China</p>	<p><b>SPEC</b> \$ 46.00</p>
<b>IK-VZPSU1</b>	 <p>Spare AC Power Adapter Cable for ULM-153</p>	<p>\$ 68.00</p>

**Monitors Continued next page**

## LCD MONITORS (continued)

17" LCD Monitors		MSRP
<b>LCM-171</b>	 17" High Resolution Security Surveillance LCD Monitor 1024x786 Resolution -250cd/m2 Brightness - 600:1 Contrast Ratio - Input- Video IN/OUTx2 (BNC)- S-Video-PC. Net Wt Approx 5200 g (Approx 11.5 lbs) Made in Korea.	SPEC \$ 692.00
<b>IK-WB-5</b>	 Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea	SPEC \$ 34.00
<b>IK-LCD-75-100-WB</b>	 3 Directional Wall Mount Meets VESA standard (75x75 & 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China	SPEC \$ 46.00
<b>RMK-171</b>	 Rack Mount Ear (4R) for LCM-171. Made in Korea	\$ 74.00
<b>ULM-173</b>	 17" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 1000:1 Contrast Ratio - Input - Video IN/OUTx2 (BNC) - S-Video - PC No VESA Wall Mount - AC Adaptor, Remote Control .Net Wt Approx 6170 g (Approx 13.6 lbs) Made in Korea.	SPEC \$ 836.00
<b>IK-WB-5</b>	 Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea	SPEC \$ 34.00
<b>IK-LCD-75-100-WB</b>	 3 Directional Wall Mount Meets VESA standard (75x75 & 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China	SPEC \$ 46.00
<b>IK-VZPSU2</b>	 Spare AC Power Adapter Cable for ULM-173/193	SPEC \$ 68.00
18.5" LED Monitor		MSRP
<b>ULE-185U</b>	 18.5-inch HDTV Full HD professional monitor, Broadcast Quality. Full HD 3G Multi-format LED Monitor w/ Kick-Stand, LED backlight to extend the lifetime and save power, Non-glare surface coating , SD / HD / 3G-SDI (level A) is supported, PC (VGA), Component, DVI-D and HDMI inputs, Wireless remote control PIP / PBP multi display function. VESA™ Mount Size 100 x 100mm . Outline Dimension 17.64" x 11.72" x 3.58" . Net Weight 4.8Kg (10.58 lbs) . Made in Korea.	SPEC \$ 1,374.00
<b>IK-RMK-08V</b>	 Universal accy: Dual Rack Mount Adaptor for Vesma Mount 8" through 20" Monitors. Made in Korea	SPEC \$ 178.00
19" LCD Monitor		MSRP
<b>ULM-193</b>	 19" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 800:1 Contrast Ratio - Input - Video IN/OUTx2 (BNC) - S - Video - PC No VESA Wall Mount - AC Adaptor, Remote Control. Net Wt Approx 6715 g (Approx 14.8 lbs) Made in Korea.	SPEC \$ 966.00
<b>IK-WB-5</b>	 Wall Mount Bracket. Meets VESA standards(75 x 75mm and 100 x 100mm), Loading up to 29.9kg or 66 lbs. Made in Korea	SPEC \$ 34.00
<b>IK-LCD-75-100-WB</b>	 3 Directional Wall Mount Meets VESA standard (75x75 & 100x100 mm), Left-Right Swivel 90 degrees, up-down tilt +&-20 degrees, Load up to 33 lbs/15 kgs, For 15" ~ 20" LCD monitors. Made in China	SPEC \$ 46.00
<b>IK-VZPSU2</b>	 Spare AC Power Adapter Cable for ULM-173/193	SPEC \$ 68.00
Public View LCD Monitor		CloseOut Price
<b>LCM-205N</b> Limited Qty	 20.1" Public View LCD Monitor 3 Line Comb Filter - Deinterlace - Ikegami ICD-505 Camera built-in - Adjustable View Angle 2.9-8.0mm Lens). Made in S. Korea. Net Wt Approx 15376 g (Approx 33.9 lbs)	SPEC \$ 250.00
<b>IK-1-336-V100</b>	 4ft Ceiling Mount for LCM-205N. Made in USA	SPEC \$ 99.00
<b>IK-4-SHAFT</b>	 4ft Extension Shaft for IK-1-336-V100. Made in USA	SPEC \$ 42.00

Monitors Continued next page

## LCD MONITORS (continued)

### 21.5" LED Monitor

MSRP

**ULE-217**


21.5-inch HDTV Full HD professional monitor, Broadcast Quality. Full HD 3G Multi-format LED Monitor, 3G/HD-SDI input, 3D Comb-filter & DeInterlace, Built-In Speakers, Eco-Friendly LED solution Built-In HDCP encryption engine, Anti-reflection coating protection cover. Dimensions: 580mm x 440mm x 145mm (W x H x D). Net Wt: 5.42Kg (11.95 lbs) Made in S.Korea.

SPEC \$ 1,474.00

**IK-RMK-08V**


Universal accy: Dual Rack Mount Adaptor for Vesma Mount 8" through 20" Monitors. Made in Korea

SPEC \$ 178.00

### 32" LCD Monitor

MSRP

**LCM-320C**


32" High Performance LCD Monitor. 1980 x 1080 @60Hz resolution. 1300:1 contrast, PIP/PBP, 16.7 million colors, robust all metal cabinet. Speakers & Stand included. Dimension with Stand 28.82" x 18.98" x 5.91". Net Wt 51.0 lbs Made in Korea.

SPEC \$ 2,088.00

**IK-PLB-1A**


LCD Wall Mount (VESA 200 x 200) for LCM-320C. Made in Korea

SPEC \$ 168.00

### 42" LCD Monitor

MSRP

**LCM-420A**


42" High Performance LCD Monitor. 1980 x 1080 @60Hz resolution. 1300:1 contrast, PIP/PBP, 16.7 million colors, robust all metal cabinet. Speakers & Stand included. Dimension with Stand 37.95" x 24.41" x 9.45". Net Wt 72.1 lbs Made in Korea.

SPEC \$ 3,780.00

**IK-WB4780**


Slim Tilt Wall Mount. 200 x 200mm (Min) - 1100 x 700mm (Max) for LCD-420A .Weight Capacity 300 lbs. (136 kg) Made in Korea

SPEC \$ 134.00

## Camera Accessories

Please inquire for other lens not specifically listed

### 1/2" LENS

MSRP

**H10Z0812AMS**

1/2" 8-80mm f1.2 10X Motorized Zoom, Video Auto Iris(C Mount). Made in Japan

SPEC \$ 1,410.00

**IK-H3Z4512CSIR**

1/2" VARIFOCAL MANUAL IRIS 4.5 - 12.5mm - CS mount - F1.2 - Made in Japan

SPEC \$ 232.00

**IK-12VG1040ASIR-SQ**

1/2" VARIFOCAL DC AUTO IRIS 10 - 40 mm -C mount -IR- Aspherical. Made in China

SPEC \$ 260.00

**IK-12VG412ASIR-SQ**

1/2" VARIFOCAL DC AUTO IRIS, 4 - 12 mm - C mount - IR- Aspherical , Made in China

SPEC \$ 240.00

**IK-12VM1040ASIR**

1/2" VARIFOCAL MANUAL IRIS. 10 - 40 mm - C mount - IR- Aspherical. Made in China

SPEC \$ 238.00

**IK-HV7517D**

1/2" VARIFOCAL DC AUTO IRIS. 7.5 - 75 mm - C mount - F1.7 - T360 Made in Japan

SPEC \$ 54.00

### 1/3" LENS

MSRP

**IK-DTV2714**

MEGAPIXEL VARIFOCAL MANUAL IRIS LENS. f=2.7mm 12mm, Made in Japan

\$ 16.00

**IK-DTV3X0310D**

1/3" VARIFOCAL DC AUTO IRIS .3.0 - 8.5 mm -CS mount-Made in Japan Weight: 50g

SPEC \$ 84.00

**IK-DTV3X0310M**

1/3" VARIFOCAL MANUAL IRIS.3.0 - 8.5 mm - CS mount - .Made in Japan

SPEC \$ 17.00

**IK-DTV5513**

1/3" MEGAPIXEL VARIFOCAL MANUAL IRIS, f=5.5mm 50mm, Made in Japan

SPEC \$ 27.00

**IK-DV5x3.6R4B-2**

1/3" VARIFOCAL MANUAL IRIS, 3.6 - 18mm, F1.8 - CS mount - Close Made in Japan

SPEC \$ 162.00

**IK-DV5x3.6R4B-SA2L**

1/3" VARIFOCAL DC AUTO IRIS LENS, 3.6 - 18 mm - CS mount - F1.8 Made in China

SPEC \$ 198.00

**IK-13VM550W**

1/3" CS Mount 5-50mm Lens with Manual Iris (White). Made in Japan

SPEC \$ 15.00

**IK-TV3X0310M BEIGE**

1/3" VARIFOCAL MANUAL IRIS 3.0 - 8.5 mm - CS mount . Aspherical. Made in Japan

SPEC \$ 24.00

**IK-YV10X5HR4A-SA2L**

1/3" MEGAPIXEL VARIFOCAL DC AUTO IRIS. 5.5 mm - 50 mm (5x)- IR (TDN)

SPEC \$ 154.00

**IK-YV5X2.7R4B-SA2L**

1/3"MEGAPIXEL VARIFOCAL DC AUTO IRIS 2.7 mm - 13.5 mm (5x) IR (TDN)

SPEC \$ 104.00






















**TG2Z1816FCS**

TG2Z1816FCS 1/3" Varifocal Wide-Angle Lens (1.8-3.6mm)

SPEC \$ 400.00

CAMERA ACCESSORIES continued next page

## ACCESSORIES continued

HOUSINGS			MSRP
<b>CAMH-500K</b>		12" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ISD-A15 / BX11. Made in China. Net Wt Approx 907 g (Approx 2.0 lbs)	SPEC \$ 74.00
<b>CAMH-200B</b>		15" OUTDOOR HOUSING w/ Mount - Heater & Blower - fit for ICD-809/879. Made in China. Net Wt Approx 953 g (Approx 2.1 lbs)	SPEC \$ 74.00
<b>IK-9480MT9212</b>		10.9" Housing & Wall Mount for PAC-OD	SPEC \$ 75.00
<b>IK-9480MT9750</b>		10.9" Housing & Wall Mount for PAC-OD2	SPEC \$ 75.00
<b>IK-9483-2HBMT9750</b>		15.9" Housing with heater & blower for PAC-ODH	SPEC \$ 166.00
<b>IK-9483-2HBMT9212</b>		15.9" Housing with heater & blower for PAC-ODH	SPEC \$ 166.00
CAMERA MOUNTS			MSRP
<b>WH-4</b>		WALL / CEILING & T- Bar Mount(Black) Made in USA	SPEC \$ 36.00
<b>WH-4G</b>		WALL / CEILING & T- Bar Mount(Grey) Made in USA	SPEC \$ 34.00
<b>CMB-1B</b>		Black Universal metal bracket with ceiling clip and 2 extender Black Made in China	SPEC \$ 10.00
<b>CMB-1W</b>		Universal metal bracket with ceiling clip and 2 extender(Grey) Made in China	SPEC \$ 10.00
<b>XHG-6229N2</b>		WHITE In Ceiling Mount Adaptor FOR ISD-A33, ISD-A35, IPD-DM11, IPD-VR11. Made in Korea, LxWxH 215mm X 215mm X 76.7mm = 1.85 lbs.	SPEC \$ 120.00
<b>IK-WM100-I-W</b>		Wall Mount for ISD-A33. Made in Korea. Net Wt 1000 g (Approx.2.20 lbs) <b>(Pictured with Dome Camera)</b>	SPEC \$ 12.00
<b>IK-WB100-I-W</b>		Pendant Mount for ISD-A33. Made in Korea. F65	SPEC \$ 60.00
<b>IK-CB100-I-W</b>		Ceiling Mount for ISD-A33. Made in Korea. Net Wt:Approx. 650g (Approx 1.43 lbs.)	SPEC \$ 60.00
<b>IK-DSB-PWMVCN-CG-W</b>		Wall Mount for ISD-A35. 170 x 155 x 250 mm Aluminum Construction. Made in Korea <b>(WHITE)</b> . Approx 900g (Approx 1.98 lbs)	SPEC \$ 84.00
<b>IK-DSB-PWMVCN-CG-B</b>		Wall Mount for ISD-A35. 170 x 155 x 250 mm Aluminum Construction. Made in Korea <b>(BLACK)</b> . Approx 900g (Approx 1.98 lbs)	SPEC \$ 84.00
<b>IK-VCNB-320CB</b>		Pendant Mount for ISD-A35. 150 x 500 mm (W x H) Aluminum Construction. Made in USA. Net Wt Approx. 2100g (Approx. 4.62 lbs)	SPEC \$ 108.00
<b>CBK-A14</b>		ATM Bracket for ISD-A14 (0.10 lbs / 45.35 grams) Made in Korea <b>(Pictured with Camera)</b>	SPEC \$ 22.00
<b>XHG-1139</b>		Wall Mount for IPD-DM11 & IPD-VR11	SPEC \$ 128.00
<b>XHG-1119</b>		Pendant Mount for IPD-DM11 & IPD-VR11	SPEC \$ 120.00
<b>XHG-D12</b>		Wall Mount for ECO-D12 Made in Korea	SPEC \$ 118.00

## ACCESSORIES continued

POWER SUPPLIES			MSRP
<b>PS-2420</b>		24VAC 20VA Plug-in TRANSFORMER (White) Made in China (0.56 lbs.)	SPEC \$ 12.00
<b>PS-2412 **</b>		Dual Voltage. Plug-In Transf. 24VAC-15VA or 12VDC-12A 120V <b>**not for use with ISD cameras</b>	SPEC \$ 12.00
<b>MGT2450</b>		24VAC 50VA Plug-in TRANSFORMER (White) Made in China	SPEC \$ 20.00
<b>DPS9</b>		MULTI-CAMERA (9x24VAC) POWER SUPPLY. Made in China	SPEC \$ 128.00
<b>DPS16</b>		MULTI-CAMERA (16x24VAC) POWER SUPPLY. Made in China	SPEC \$ 226.00
<b>ACDC2412-300MA</b>		24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China	SPEC \$ 12.00
<b>ACDC2412-800MA</b>		24VAC TO 12VDC CONVERTER. INPUT POWER: AC20~28V; DC16~30V. OUTPUT POWER: DC12V Regulated . OUTPUT CURRENT: 300mA. Allows DC Cameras to be powered by AC. Made in China	SPEC \$ 16.00
<b>IK-12500</b>		12V DC 500MA Switching Power Supply. Primary: 120/240VAC 50/60Hz . Secondary:12VDC 500MA , 2.1mm Coax plug . UL Listed. Made in China	SPEC \$ 12.00
VIDEO DISTRIBUTION AMPLIFIERS			MSRP
<b>IK-DA-12</b>		1x2 VIDEO DISTRIBUTION AMP - Auto-sensing 24VAC/12VDC - 50/60Hz Made in USA Net Wt 1.0 lbs	SPEC \$ 204.00
<b>IK-DA-14</b>		1x4 VIDEO DISTRIBUTION AMP - Auto-sensing 24VAC/12VDC - 50/60Hz Made in USA Net Wt 1.5 lbs	SPEC \$ 252.00
<b>IK-VDA-1</b>		1x2 DA with unity gain. · High quality Color video performance. · Includes a 12V power supply . · Compact size · Made in the USA	SPEC \$ 162.00
<b>IK-GLI-01</b>		Coaxial video ground loop isolator. BNC male to BNC female with mini cable 10 inches on both ends. Dim(mm) : 84x28x21 with 25cmx2 cable 69x25x22	SPEC \$ 20.00
SEQUENTIAL SWITCHERS			MSRP
<b>IK-CTS-2</b>		2 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	SPEC \$ 204.00
<b>IK-CTS-4</b>		4 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	SPEC \$ 258.00
<b>IK-CLTS-4</b>		4 Camera Input (Looping) SEQUENTIAL SWITCHER w/ Terminations Made in USA	SPEC \$ 264.00
<b>IK-CTS-8</b>		8 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	SPEC \$ 370.00
<b>IK-CLTS-8</b>		8 Camera Input (Looping) SEQUENTIAL SWITCHER w/ Terminations Made in USA	SPEC \$ 418.00
OTHER CAMERA ACCESSORIES			MSRP
<b>CMA-40</b>		C-Mount ADAPTOR RING	\$ 12.00
<b>E4-191J-150</b>		4-Pin Auto Iris Connector w/Conn Shell, Eq:E4-191J-100. Made in USA	\$ 10.00
<b>PPC-ISDA15</b>		Power Plug Connector / ISD-A15	\$ 4.00
<b>7-4CTCD-3M</b>		3 Meter External Cable for ISD-A33 / ISD-A35	\$ 10.00
<b>RC-ISD2012</b>		Remote Control for ISD-A33, ISD-A35, ISD-A14, ISD-A15	SPEC \$ 92.00

CLOSEOUT ITEMS		CALL FOR AVAILABILITY	CloseOut Price
<b>ICD-38</b>	 pictured with lens	1/3"B/W Camera. 380 TVL - 0.07 lux/ F1.2- AES - BLC - 24VAC - Mirror Image - Isolation Transformer. Made in Japan. Net Wt 540g (Approx 1.19 lbs)	SPEC \$ 29.00
<b>IK-DTV2714</b>		MEGAPIXEL VARIFOVAL MANUAL IRIS LENS. f=2.7mm 12mm, F1.4, Manual Iris, made in Japan	\$ 16.00
<b>IK-TV3X0310M BEIGE</b>		VARIFOVAL MANUAL IRIS LENS. 3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. Made in Japan	SPEC \$ 24.00
<b>ICD-49</b>	 pictured with lens	1/2" B/W Hi-Res & ULTRA LOW LIGHT/ HIGH IR SENSITIVITY . 570 TVL - 0.0075 lux/ F1.2 - AES - BLC - 24VAC/12VDC - ULTRA HIGH "IR" SENSITIVITY. Includes CMA-40. Made in Japan. Net Wt Approx 250g (Approx 0.55 lbs)	SPEC \$ 586.00
<b>IK-DV5x3.6R4B-2</b>		VARIFOVAL MANUAL IRIS, 3.6 - 18mm, F1.8 - CS mount - Close Made in Japan	SPEC \$ 162.00
<b>IK-HV7517D</b>		VARIFOVAL DC AUTO IRIS LENS, 7.5 - 75 mm - C mount - F1.7 - T360 Made in Japan	SPEC \$ 54.00
1/3" HYPER WIDE DYNAMIC COLOR CAMERA, Assembled into Outdoor Housing.			CloseOut Price
<b>PAC-508 OD</b>		ICD-508 Color Camera 520TV Line , 2.8-12mm DC Auto Iris Varifocal Lens, HS9480PKG 10.9" Housing , MT9215S Wall Mount. Camera Made in Japan	SPEC \$ 332.00
<b>PAC-508 OD2</b>		ICD-508 Color Camera 520TV Line , 5.0-50mm DC Auto Iris Varifocal Lens , HS9480PKG 10.9" Housing , MT9215S Wall Mount. Camera Made in Japan	SPEC \$ 364.00
<b>ICD-609VR TYPE92</b>		540TVL/570TVL -F1.2/ Wide Angle Side - 52 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 9-22mm Varifocal Lens - High Resolution Day/Night. Made in Japan. Net Wt Approx 631 g (Approx 1.39 lbs)	SPEC \$ 65.00
<b>IPD-DM100 TYPE31</b>		H.264/MJPEG Based IP Network Products. 1/3" 1.4MP 1280x1024 CMOS, Network Camera - H.264/MJPEG Compression - 30fps High Sensitivity, Digital Day & Night, Motion Detection, Privacy Mask - RJ45 Interface & BNC Video Out - Audio IN/OUT - IPv4/IPv6, ONVIF, AC24V/DC12V/PoE. Made in Japan. Net Wt Approx 839 g (Approx 1.85 lbs)	SPEC \$ 199.00
Public View LCD Monitor			CloseOut Price
<b>LCM-205N</b>		20.1" Public View LCD Monitor 3 Line Comb Filter - Deinterlace - Ikegami ICD-505 Camera built-in - Adjustable View Angle 2.9-8.0mm Lens). Made in S. Korea. Net Wt Approx 15376 g (Approx 33.9 lbs)	SPEC \$ 250.00
<b>IK-1-336-V100</b>		4ft Ceiling Mount for LCM-205N. Made in USA	SPEC \$ 99.00
<b>IK-4-SHAFT</b>		4ft Extension Shaft for IK-1-336-V100. Made in USA	SPEC \$ 42.00
<b>PCS-418-CMIT</b>		PTZ DOME CAMERA. Indoor Preset Dome, IP54, 1/4" D/N, 460TVL, 0.7Lux/0.01Lux(B/W), 18X Zoom (4.1-73.8mm), 12X D-Zoom, 62X Preset, 4X Pattern, 8X Slow, 8X Fast, H360 deg./V200deg. Sec, PTZ (RS-485 & Coax).	SPEC \$ 430.00
<b>PCS-418-CMEWP</b>		PTZ DOME CAMERA. External Preset Dome, IP67, 1/4" D/N, 460TVL, 0.7Lux/0.01Lux(B/W), 18X Zoom (4.1-73.8mm), 12X DZoom, 62X Preset, Same as PCS-418-CMIWP. Including Wall/Pendant bracket.	SPEC \$ 500.00
<b>PCS-SNB</b>		Swan Neck Bracket (External/Indoor Use)	SPEC \$ 120.00
<b>PCS-CMA</b>		Corner Mount Adaptor (External/Indoor Use)	SPEC \$ 118.00
<b>OVC00023</b>		Sparkle 10m External Cable	SPEC \$ 472.00
<b>PCS-35KB</b>		3D Joystick Keyboard. 3D joystick to control. Speed of zoom, pan&tilt by single hand. Dimensions W290xH55xD210mm (W11.4 x H2.2 x D8.3inch), Weight 2.5kg(5.5lbs) approx.	SPEC \$ 150.00
<b>SDR-308/500</b>		8ch DVR (SDR-308) is equipped with 500GB HDD. Dim: 420(W) x 70(H) x 380(D) mm, Wiegth: Approx. 12 lbs /5.3kg (no HDD) <a href="http://www.ikegami.com/cb/products/sdr308.html">http://www.ikegami.com/cb/products/sdr308.html</a>	SPEC \$ 150.00
<b>SDR-404/500</b>		Digital Disk Recorder, 4 Camera Multiplexer, Embedded Stand- Alone System, Full, Quad, 9, 16 Display, 2 HDD Bays Internal (240GB Capacity) PTZ Camera Operation. Dim: 1.7" x 17.1 " x 14.2", Wt: 11 lbs/5 kgs (without HDD) <a href="http://www.ikegami.com/cb/products/sdr400.html">http://www.ikegami.com/cb/products/sdr400.html</a>	SPEC \$ 100.00
<b>SDR-G8000-8</b>		Digital VDO, 16 Channel Video Recorder. Proprietary SMICT (Super Motion Image Compression Technology) with 1400:1 video compression provides for the smallest compressed file sizes for high resolution image reproduction. <a href="http://www.ikegami.com/cb/products/sdrg8000.html">http://www.ikegami.com/cb/products/sdrg8000.html</a>	SPEC \$ 100.00

all prices subject to change

\*\*\*\*\***WARRANTY INFORMATION**\*\*\*\*\*

Ikegami USA offers you a limited warranty of the following products sold and effective in US will be free from defects in material or workmanship as follows.

A. Limited warranty- For a period of one year from the date of purchase, Ikegami will not charge you the parts and labor charges, but you must pay one way shipping freight. After this warranty period, you must pay all parts, shipping and labor charges.

B. Repairs- For a period equal to the remainder of the original limited warranty period on an original product or for the 180 days after the date of repair/replacement, whichever is longer, Ikegami will repair or replace defective parts or products used in the repair or replacement of the original product under this limited warranty

Proof of purchase in the form of a bill of sale or received invoice warranty repair document which is evidence that the product is within the warranty period must be presented to obtain warranty service.

This limited warranty does not cover and is void with respect to the following.

(i) Products which have been improperly installed, repaired, maintained or modified.

(ii) Products which have been subjected to misuse, abuse accident, physical damage, abnormal operation, improper handling and storage, neglect, exposure to fire, water or excessive moisture or dampness or excessive changes in climate or temperature.

(iii) Products operated outside published maximum rating

(iv) Cosmetic damage, etc.

**CCTV Camera-**

ICD-49 / 525 / 809 / 879 / IPD-DM100 = 10 Year \*

ISD-A14, A15, A33, A35, IPD-B11, DM11, VR11, DM300, BX300 / ECO-312700 / ECO-HD13 = 6 Year \*

ECO-D12-2812, HD47IP, HDB11-2812, HDB2812, HDMB-43, = 5 Year \*

ICD-B11, E11 / ECO-THR16DVR/2TB = 3 Year \*

\* **Need to register at Ikegami web-site <http://www.ikegami.com>**

3 Year Warranty:

EE-35MZ288, -37CPH, -3MP-IP-2.8, -B550, -HDBIRMZ, -IPB3MP2812, -IPB10MZ, -IPB40MZ

EE-IPB4MP3312, -IPD4MP3312, -IPHD3MPD, -IRB2MP, -VR42IR2812

EE-DVR08-2, DVR16, DVR32, NVR16-8P, NVR32, NVR8

2 Year Warranty: all HDD & PTZ : EE-IPD20, EE-IPD20IR

CCTV Monitors = 1 Year Limited Warranty Parts & Labor

Other Ikegami Products = 1 Year Limited Warranty Parts & Labor

Any Vendor Products- As per Vendor's Warranty

For repair return, please email [service@ikegami.com](mailto:service@ikegami.com)

**Restocking Charges**

Please Be Advised of the following Restocking Charge will apply to all Returned merchandise:

0 - 30 days = 10% restocking fee

30 - 90 days = 15% restocking fee

90 - 120 days = 25% restocking fee

Request for return of Merchandise After Four (4) months will not be Accepted

To Avoid Additional Charges All Returns Must be in Brand New Condition, including original Box with all accessories. Any of the missing items will be charged.

**Out of Box Failure**

90 Days from Delivery date to EndUser. Delivery Date Must be Properly Documented with Proof.

Obtain Authorized Ikegami RA Number for Replacement, ground shipping, at No Charge.

Customer Service at [service@ikegami.com](mailto:service@ikegami.com) or 201-368-9171

ANY FAILURE PRODUCTS MUST BE RETURNED IN ORIGINAL BOX WITH STANDARD ACCESSORIES.

THIS POLICY DOES NOT APPLY TO ANY PRODUCT THAT HAS EXTERIOR DAMAGE, OR HAS BEEN DEFACED, OR WHICH HAS BEEN SUBJECT TO MISUSE, ABUSE, TAMPERING, INCORRECT VOLTAGE, IMPROPER, INSTALLATION, SERVICE OR HANDLING, OR WHICH HAS BEEN SERVICED BY SOMEONE OTHER THAN IKEGAMI.

Ikegami Labor Charges for Repair : IN-HOUSE WORK : \$95.00 per HOUR

All Prices are subject to change

**Ikegami Electronics (U.S.A.), Inc.**

**37 Brook Avenue, Maywood, N. J. 07607-1195**

**ph: (800) 368-9171 fax (201) 569-1626**

**[URL: [www.ikegami.com](http://www.ikegami.com)] email: [CCTV@ikegami.com](mailto:CCTV@ikegami.com)**